

Literaturverzeichnis

- Adkins, J. N. and K. J. Lumb (2000). "Stoichiometry of cyclin A-cyclin-dependent kinase 2 inhibition by p21Cip1/Waf1." Biochemistry **39**(45): 13925-30.
- Agrawal, D., P. Hauser, F. McPherson, F. Dong, A. Garcia and W. J. Pledger (1996). "Repression of p27kip1 synthesis by platelet-derived growth factor in BALB/c 3T3 cells." Mol Cell Biol **16**(8): 4327-36.
- Alberts, B. and A. Johnson (2002). Molecular Biology of the Cell. New York, Taylor & Francis Inc.
- Amati, B. (2001). "Integrating Myc and TGF-beta signalling in cell-cycle control." Nat Cell Biol **3**(5): E112-3.
- Bartek, J. and J. Lukas (2001). "Mammalian G1- and S-phase checkpoints in response to DNA damage." Curr Opin Cell Biol **13**(6): 738-47.
- Bartek, J., J. Lukas and J. Bartkova (1999). "Perspective: defects in cell cycle control and cancer." J Pathol **187**(1): 95-9.
- Blagosklonny, M. V. (2002). "Are p27 and p21 cytoplasmic oncoproteins?" Cell Cycle **1**(6): 391-3.
- Blain, S. W., E. Montalvo and J. Massague (1997). "Differential interaction of the cyclin-dependent kinase (Cdk) inhibitor p27Kip1 with cyclin A-Cdk2 and cyclin D2-Cdk4." J Biol Chem **272**(41): 25863-72.
- Bornstein, G., J. Bloom, D. Sitry-Shevah, K. Nakayama, M. Pagano and A. Herskho (2003). "Role of the SCFSkp2 ubiquitin ligase in the degradation of p21Cip1 in S phase." J Biol Chem **278**(28): 25752-7.
- Bouchard, C., K. Thieke, A. Maier, R. Saffrich, J. Hanley-Hyde, W. Ansorge, S. Reed, P. Sicinski, J. Bartek and M. Eilers (1999). "Direct induction of cyclin D2 by Myc contributes to cell cycle progression and sequestration of p27." Embo J **18**(19): 5321-33.
- Bromberg, J. and J. E. Darnell, Jr. (2000). "The role of STATs in transcriptional control and their impact on cellular function." Oncogene **19**(21): 2468-73.
- Burns, P. A., C. J. Kemp, J. V. Gannon, D. P. Lane, R. Bremner and A. Balmain (1991). "Loss of heterozygosity and mutational alterations of the p53 gene in skin tumours of interspecific hybrid mice." Oncogene **6**(12): 2363-9.
- Bustin, S. A. (2000). "Absolute quantification of mRNA using real-time reverse transcription polymerase chain reaction assays." J Mol Endocrinol **25**(2): 169-93.

- Bustin, S. A. (2002). "Quantification of mRNA using real-time reverse transcription PCR (RT-PCR): trends and problems." J Mol Endocrinol **29**(1): 23-39.
- Bustin, S. A. and T. Nolan (2004). "Pitfalls of quantitative real-time reverse-transcription polymerase chain reaction." J Biomol Tech **15**(3): 155-66.
- Calhoun, M. L. and A. W. Stinson (1998). Integument. Textbook of Veterinary Histology. H.-D. Dellmann, Lippincott Williams & Wilkins: 380.
- Carnero, A. and G. J. Hannon (1998). "The INK4 family of CDK inhibitors." Curr Top Microbiol Immunol **227**: 43-55.
- Casey, H. W., R. C. Giles and R. P. Kwapien (1979). "Mammary neoplasia in animals: pathologic aspects and the effects of contraceptive steroids." Recent Results Cancer Res **66**: 129-60.
- Cayrol, C. and B. Ducommun (1998). "Interaction with cyclin-dependent kinases and PCNA modulates proteasome-dependent degradation of p21." Oncogene **17**(19): 2437-44.
- Chen, B., L. He, V. H. Savell, J. J. Jenkins and D. M. Parham (2000). "Inhibition of the interferon-gamma/signal transducers and activators of transcription (STAT) pathway by hypermethylation at a STAT-binding site in the p21WAF1 promoter region." Cancer Res **60**(12): 3290-8.
- Chen, P. and N. Segil (1999). "p27(Kip1) links cell proliferation to morphogenesis in the developing organ of Corti." Development **126**(8): 1581-90.
- Cheng, M., P. Olivier, J. A. Diehl, M. Fero, M. F. Roussel, J. M. Roberts and C. J. Sherr (1999). "The p21(Cip1) and p27(Kip1) CDK 'inhibitors' are essential activators of cyclin D-dependent kinases in murine fibroblasts." Embo J **18**(6): 1571-83.
- Chin, Y. E., M. Kitagawa, W. C. Su, Z. H. You, Y. Iwamoto and X. Y. Fu (1996). "Cell growth arrest and induction of cyclin-dependent kinase inhibitor p21 WAF1/CIP1 mediated by STAT1." Science **272**(5262): 719-22.
- Choi, H. R., S. A. Tucker, Z. Huang, A. M. Gillenwater, M. A. Luna, J. G. Batsakis and A. K. El-Naggar (2003). "Differential expressions of cyclin-dependent kinase inhibitors (p27 and p21) and their relation to p53 and Ki-67 in oral squamous tumorigenesis." Int J Oncol **22**(2): 409-14.
- Claassen, G. F. and S. R. Hann (2000). "A role for transcriptional repression of p21CIP1 by c-Myc in overcoming transforming growth factor beta -induced cell-cycle arrest." Proc Natl Acad Sci U S A **97**(17): 9498-503.
- Coats, S., W. M. Flanagan, J. Nourse and J. M. Roberts (1996). "Requirement of p27Kip1 for restriction point control of the fibroblast cell cycle." Science **272**(5263): 877-80.
- Coats, S., P. Whyte, M. L. Fero, S. Lacy, G. Chung, E. Randel, E. Firpo and J. M. Roberts (1999). "A new pathway for mitogen-dependent cdk2 regulation uncovered in p27(Kip1)-deficient cells." Curr Biol **9**(4): 163-73.

- Connor, M. K., R. Kotchetkov, S. Cariou, A. Resch, R. Lupetti, R. G. Beniston, F. Melchior, L. Hengst and J. M. Slingerland (2003). "CRM1/Ran-mediated nuclear export of p27(Kip1) involves a nuclear export signal and links p27 export and proteolysis." Mol Biol Cell **14**(1): 201-13.
- Corn, P. G. and W. S. El-Deiry (2002). "Derangement of growth and differentiation control in oncogenesis." Bioessays **24**(1): 83-90.
- Cotran, R. S., V. Kumar, T. Collins and S. L. Robbins (1999). Robbins Pathologic Basis of Disease. Philadelphia, W. B. Saunders Company.
- Dallas, P. B., N. G. Gottardo, M. J. Firth, A. H. Beesley, K. Hoffmann, P. A. Terry, J. R. Freitas, J. M. Boag, A. J. Cummings and U. R. Kees (2005). "Gene expression levels assessed by oligonucleotide microarray analysis and quantitative real-time RT-PCR -- how well do they correlate?" BMC Genomics **6**(1): 59.
- Daniel, P. T. (2000). "Dissecting the pathways to death." Leukemia **14**(12): 2035-44.
- Datta, B., B. Li, D. Choubey, G. Nallur and P. Lengyel (1996). "p202, an interferon-inducible modulator of transcription, inhibits transcriptional activation by the p53 tumor suppressor protein, and a segment from the p53-binding protein 1 that binds to p202 overcomes this inhibition." J Biol Chem **271**(44): 27544-55.
- Datto, M. B., Y. Yu and X. F. Wang (1995). "Functional analysis of the transforming growth factor beta responsive elements in the WAF1/Cip1/p21 promoter." J Biol Chem **270**(48): 28623-8.
- Deshaies, R. J. (1999). "SCF and Cullin/Ring H2-based ubiquitin ligases." Annu Rev Cell Dev Biol **15**: 435-67.
- Dotto, G. P. (2000). "p21(WAF1/Cip1): more than a break to the cell cycle?" Biochim Biophys Acta **1471**(1): M43-56.
- Dulic, V., W. K. Kaufmann, S. J. Wilson, T. D. Tlsty, E. Lees, J. W. Harper, S. J. Elledge and S. I. Reed (1994). "p53-dependent inhibition of cyclin-dependent kinase activities in human fibroblasts during radiation-induced G1 arrest." Cell **76**(6): 1013-23.
- Dulic, V., G. H. Stein, D. F. Far and S. I. Reed (1998). "Nuclear accumulation of p21Cip1 at the onset of mitosis: a role at the G2/M-phase transition." Mol Cell Biol **18**(1): 546-57.
- Eastham, J. A., S. J. Hall, I. Sehgal, J. Wang, T. L. Timme, G. Yang, L. Connell-Crowley, S. J. Elledge, W. W. Zhang, J. W. Harper and et al. (1995). "In vivo gene therapy with p53 or p21 adenovirus for prostate cancer." Cancer Res **55**(22): 5151-5.
- Ekholm, S. V. and S. I. Reed (2000). "Regulation of G(1) cyclin-dependent kinases in the mammalian cell cycle." Curr Opin Cell Biol **12**(6): 676-84.
- el-Deiry, W. S., T. Tokino, V. E. Velculescu, D. B. Levy, R. Parsons, J. M. Trent, D. Lin, W. E. Mercer, K. W. Kinzler and B. Vogelstein (1993). "WAF1, a potential mediator of p53 tumor suppression." Cell **75**(4): 817-25.

- Emmert-Buck, M. R., R. F. Bonner, et al. (1996). "Laser capture microdissection." Science **274**(5289): 998-1001.
- Estanyol, J. M., M. Jaumot, O. Casanovas, A. Rodriguez-Vilarrupla, N. Agell and O. Bachs (1999). "The protein SET regulates the inhibitory effect of p21(Cip1) on cyclin E-cyclin-dependent kinase 2 activity." J Biol Chem **274**(46): 33161-5.
- Etschmann, B. (2002). Funktionelle Charakterisierung des ORF3- Proteins des Felinen Calicivirus. Dissertation; Inst. f. Med. Mikrobiologie. München, LMU München.
- Evan, G. I. and K. H. Vousden (2001). "Proliferation, cell cycle and apoptosis in cancer." Nature **411**(6835): 342-8.
- Evans, H. E. and C. C. Christensen (1993). Miller's Anatomy of the Dog. Philadelphia, W.B. Saunders Co.
- Ezhevsky, S. A., H. Toyoshima, T. Hunter and D. W. Scott (1996). "Role of cyclin A and p27 in anti-IgM induced G1 growth arrest of murine B-cell lymphomas." Mol Biol Cell **7**(4): 553-64.
- Ferguson, H. R. (1985). "Canine mammary gland tumors." Vet Clin North Am Small Anim Pract **15**(3): 501-11.
- Fero, M. L., M. Rivkin, M. Tasch, P. Porter, C. E. Carow, E. Firpo, K. Polyak, L. H. Tsai, V. Broudy, R. M. Perlmutter, K. Kaushansky and J. M. Roberts (1996). "A syndrome of multiorgan hyperplasia with features of gigantism, tumorigenesis, and female sterility in p27(Kip1)-deficient mice." Cell **85**(5): 733-44.
- Fleige, S. and M. W. Pfaffl (2006). "RNA integrity and the effect on the real-time qRT-PCR performance." Mol Aspects Med **27**(2-3): 126-39.
- Freeman, W. M., S. J. Walker, et al. (1999). "Quantitative RT-PCR: pitfalls and potential." Biotechniques **26**(1): 112-22, 124-5.
- Gali-Muhtasib, H. and N. Bakkar (2002). "Modulating cell cycle: current applications and prospects for future drug development." Curr Cancer Drug Targets **2**(4): 309-36.
- Gardner, L. B., Q. Li, M. S. Park, W. M. Flanagan, G. L. Semenza and C. V. Dang (2001). "Hypoxia inhibits G1/S transition through regulation of p27 expression." J Biol Chem **276**(11): 7919-26.
- Gartel, A. L. and A. L. Tyner (1999). "Transcriptional regulation of the p21((WAF1/CIP1)) gene." Exp Cell Res **246**(2): 280-9.
- Gopfert, U., M. Kullmann and L. Hengst (2003). "Cell cycle-dependent translation of p27 involves a responsive element in its 5'-UTR that overlaps with a uORF." Hum Mol Genet **12**(14): 1767-79.
- Gormann, N. T. (2001). Das Gesäuge. Kompendium der Onkologie in der Veterinärmedizin. R. A. S. White. Hannover, Schlütersche Verlag: 199.

- Gottschalk, A. R., D. Basila, M. Wong, N. M. Dean, C. H. Brandts, D. Stokoe and D. A. Haas-Kogan (2001). "p27Kip1 is required for PTEN-induced G1 growth arrest." Cancer Res **61**(5): 2105-11.
- Gottwald, D. (1998). Ein Beitrag zur Häufigkeit von Mammatumoren beim Hund. Statistische Auswertung der Einsendungen einer Praxis für Tierpathologie aus den Jahren 1990 bis 1995. München.
- Gu, Y., C. W. Turck and D. O. Morgan (1993). "Inhibition of CDK2 activity in vivo by an associated 20K regulatory subunit." Nature **366**(6456): 707-10.
- Gutberlet, K., N. Wey, R. Rudolph and L. Brunnberg (1998). Mammatumoren der Hündin. Handlexikon der tierärztlichen Praxis. E. Wiesner. Stuttgart, Enke Verlag.
- Gutierrez, C., E. Ramirez-Parra, M. M. Castellano and J. C. del Pozo (2002). "G(1) to S transition: more than a cell cycle engine switch." Curr Opin Plant Biol **5**(6): 480-6.
- Gutterman, J. U. and D. Choubey (1999). "Retardation of cell proliferation after expression of p202 accompanies an increase in p21(WAF1/CIP1)." Cell Growth Differ **10**(2): 93-100.
- Habermehl, K. H. (1996). Haut und Hautorgane. Lehrbuch der Anatomie der Haustiere. R. S. Nickel, A.; Seiferle, E. Berlin, Verlag Parey.
- Hara, T., T. Kamura, K. Nakayama, K. Oshikawa and S. Hatakeyama (2001). "Degradation of p27(Kip1) at the G(0)-G(1) transition mediated by a Skp2-independent ubiquitination pathway." J Biol Chem **276**(52): 48937-43.
- Harper, J. W., G. R. Adami, N. Wei, K. Keyomarsi and S. J. Elledge (1993). "The p21 Cdk-interacting protein Cip1 is a potent inhibitor of G1 cyclin-dependent kinases." Cell **75**(4): 805-16.
- Harper, J. W., S. J. Elledge, K. Keyomarsi, B. Dynlacht, L. H. Tsai, P. Zhang, S. Dobrowolski, C. Bai, L. Connell-Crowley, E. Swindell and et al. (1995). "Inhibition of cyclin-dependent kinases by p21." Mol Biol Cell **6**(4): 387-400.
- Harper, J. W. (2001). "Protein destruction: adapting roles for Cks proteins." Curr Biol **11**(11): R431-5.
- Hartwell, L. H. and T. A. Weinert (1989). "Checkpoints: controls that ensure the order of cell cycle events." Science **246**(4930): 629-34.
- Haudenschild, D. R., S. M. Palmer, T. A. Moseley, Z. You and A. H. Reddi (2004). "Bone morphogenetic protein (BMP)-6 signaling and BMP antagonist noggin in prostate cancer." Cancer Res **64**(22): 8276-84.
- Heliez, C., L. Baricault, N. Barboule and A. Valette (2003). "Paclitaxel increases p21 synthesis and accumulation of its AKT-phosphorylated form in the cytoplasm of cancer cells." Oncogene **22**(21): 3260-8.

- Hengst, L., V. Dulic, J. M. Slingerland, E. Lees and S. I. Reed (1994). "A cell cycle-regulated inhibitor of cyclin-dependent kinases." Proc Natl Acad Sci U S A **91**(12): 5291-5.
- Hengst, L., U. Gopfert, H. A. Lashuel and S. I. Reed (1998). "Complete inhibition of Cdk/cyclin by one molecule of p21(Cip1)." Genes Dev **12**(24): 3882-8.
- Hengst, L. and S. I. Reed (1996). "Translational control of p27Kip1 accumulation during the cell cycle." Science **271**(5257): 1861-4.
- Hengst, L. and S. I. Reed (1998). "Inhibitors of the Cip/Kip family." Curr Top Microbiol Immunol **227**: 25-41.
- Hengst, L. (2003). Regulation der Zellproliferation. Dissertation; München, Max-Planck-Institut für Biochemie.
- Hengstschlager, M., K. Braun, T. Soucek, A. Miloloza and E. Hengstschlager-Ottvad (1999). "Cyclin-dependent kinases at the G1-S transition of the mammalian cell cycle." Mutat Res **436**(1): 1-9.
- Higuchi, R., G. Dollinger, et al. (1992). "Simultaneous amplification and detection of specific DNA sequences." Biotechnology (N Y) **10**(4): 413-7.
- Higuchi, R., C. Fockler, et al. (1993). "Kinetic PCR analysis: real-time monitoring of DNA amplification reactions." Biotechnology (N Y) **11**(9): 1026-30.
- Hirama, T. and H. P. Koeffler (1995). "Role of the cyclin-dependent kinase inhibitors in the development of cancer." Blood **86**(3): 841-54.
- Hoeijmakers, J. H. (2001). "Genome maintenance mechanisms for preventing cancer." Nature **411**(6835): 366-74.
- Hunt, T. (1991). "Cyclins and their partners: from a simple idea to complicated reality." Semin Cell Biol **2**(4): 213-22.
- Huss, R., S. Theis and H. J. Deeg (1999). "CDK-inhibitor independent cell cycle progression in an experimental haematopoietic stem cell leukaemia despite unaltered Rb-phosphorylation." Br J Cancer **81**(5): 808-13.
- Inoue, T., J. Kamiyama and T. Sakai (1999). "Sp1 and NF-Y synergistically mediate the effect of vitamin D(3) in the p27(Kip1) gene promoter that lacks vitamin D response elements." J Biol Chem **274**(45): 32309-17.
- Ishida, N., M. Kitagawa, S. Hatakeyama and K. Nakayama (2000). "Phosphorylation at serine 10, a major phosphorylation site of p27(Kip1), increases its protein stability." J Biol Chem **275**(33): 25146-54.
- Ivan, M. and W. G. Kaelin, Jr. (2001). "The von Hippel-Lindau tumor suppressor protein." Curr Opin Genet Dev **11**(1): 27-34.

- Johnson, D. G. and C. L. Walker (1999). "Cyclins and cell cycle checkpoints." Annu Rev Pharmacol Toxicol **39**: 295-312.
- Joshi, U. S., Y. Q. Chen, G. P. Kalemkerian, M. R. Adil, M. Kraut and F. H. Sarkar (1998). "Inhibition of tumor cell growth by p21WAF1 adenoviral gene transfer in lung cancer." Cancer Gene Ther **5**(3): 183-91.
- Kato, J. Y., M. Matsuoka, K. Polyak, J. Massague and C. J. Sherr (1994). "Cyclic AMP-induced G1 phase arrest mediated by an inhibitor (p27Kip1) of cyclin-dependent kinase 4 activation." Cell **79**(3): 487-96.
- Kawamata, N., R. Morosetti, C. W. Miller, D. Park, K. S. Spirin, T. Nakamaki, S. Takeuchi, Y. Hatta, J. Simpson, S. Wilczynski and et al. (1995). "Molecular analysis of the cyclin-dependent kinase inhibitor gene p27/Kip1 in human malignancies." Cancer Res **55**(11): 2266-9.
- Kerr, J. F., A. H. Wyllie and A. R. Currie (1972). "Apoptosis: a basic biological phenomenon with wide-ranging implications in tissue kinetics." Br J Cancer **26**(4): 239-57.
- Kessler, M. (2005). Kleintieronkologie. Stuttgart, Parey Verlag.
- Kiyokawa, H., R. D. Kineman, K. O. Manova-Todorova, V. C. Soares, E. S. Hoffman, M. Ono, D. Khanam, A. C. Hayday, L. A. Frohman and A. Koff (1996). "Enhanced growth of mice lacking the cyclin-dependent kinase inhibitor function of p27(Kip1)." Cell **85**(5): 721-32.
- Knudson, A. G., Jr. (1971). "Mutation and cancer: statistical study of retinoblastoma." Proc Natl Acad Sci U S A **68**(4): 820-3.
- Koenig, A., S. R. Bianco, S. Fosmire, J. Wojcieszyn and J. F. Modiano (2002). "Expression and significance of p53, rb, p21/waf-1, p16/ink-4a, and PTEN tumor suppressors in canine melanoma." Vet Pathol **39**(4): 458-72.
- Kolluri, S. K., C. Weiss, A. Koff and M. Gottlicher (1999). "p27(Kip1) induction and inhibition of proliferation by the intracellular Ah receptor in developing thymus and hepatoma cells." Genes Dev **13**(13): 1742-53.
- Kondo, K. and W. G. Kaelin, Jr. (2001). "The von Hippel-Lindau tumor suppressor gene." Exp Cell Res **264**(1): 117-25.
- Krammer, P. H., I. Behrmann, P. Daniel, J. Dhein and K. M. Debatin (1994). "Regulation of apoptosis in the immune system." Curr Opin Immunol **6**(2): 279-89.
- Kuntzel, H., A. Schulz and I. M. Ehbrecht (1996). "Cell cycle control and initiation of DNA replication in *Saccharomyces cerevisiae*." Biol Chem **377**(7-8): 481-7.
- LaBaer, J., M. D. Garrett, L. F. Stevenson, J. M. Slingerland, C. Sandhu, H. S. Chou, A. Fattaey and E. Harlow (1997). "New functional activities for the p21 family of CDK inhibitors." Genes Dev **11**(7): 847-62.

- Lee, M. H. and H. Y. Yang (2001). "Negative regulators of cyclin-dependent kinases and their roles in cancers." Cell Mol Life Sci **58**(12-13): 1907-22.
- Levine, A. J. (1997). "p53, the cellular gatekeeper for growth and division." Cell **88**(3): 323-31.
- Li, A. and J. J. Blow (2001). "The origin of CDK regulation." Nat Cell Biol **3**(8): E182-4.
- Li, D. M. and H. Sun (1998). "PTEN/MMAC1/TEP1 suppresses the tumorigenicity and induces G1 cell cycle arrest in human glioblastoma cells." Proc Natl Acad Sci U S A **95**(26): 15406-11.
- Li, Y., C. W. Jenkins, M. A. Nichols and Y. Xiong (1994). "Cell cycle expression and p53 regulation of the cyclin-dependent kinase inhibitor p21." Oncogene **9**(8): 2261-8.
- Liebich, H.-G. (2003). Funktionelle Histologie der Haussäugetiere. Stuttgart, Schattauer.
- Lin, W. C., F. T. Lin and J. R. Nevins (2001). "Selective induction of E2F1 in response to DNA damage, mediated by ATM-dependent phosphorylation." Genes Dev **15**(14): 1833-44.
- Liu, M., M. H. Lee, M. Cohen, M. Bommakanti and L. P. Freedman (1996). "Transcriptional activation of the Cdk inhibitor p21 by vitamin D3 leads to the induced differentiation of the myelomonocytic cell line U937." Genes Dev **10**(2): 142-53.
- Livak, K. J. and T. D. Schmittgen (2001). "Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) Method." Methods **25**(4): 402-8.
- Loda, M., B. Cukor, S. W. Tam, P. Lavin, M. Fiorentino, G. F. Draetta, J. M. Jessup and M. Pagano (1997). "Increased proteasome-dependent degradation of the cyclin-dependent kinase inhibitor p27 in aggressive colorectal carcinomas." Nat Med **3**(2): 231-4.
- Lowenheim, H., D. N. Furness, J. Kil, C. Zinn, K. Gultig, M. L. Fero, D. Frost, A. W. Gummer, J. M. Roberts, E. W. Rubel, C. M. Hackney and H. P. Zenner (1999). "Gene disruption of p27(Kip1) allows cell proliferation in the postnatal and adult organ of corti." Proc Natl Acad Sci U S A **96**(7): 4084-8.
- MacEwen, E. G. and S. J. Withrow (2001). Small Animal Clinical Oncology. Philadelphia, W.B. Saunders.
- Macleod, K. F., N. Sherry, G. Hannon, D. Beach, T. Tokino, K. Kinzler, B. Vogelstein and T. Jacks (1995). "p53-dependent and independent expression of p21 during cell growth, differentiation, and DNA damage." Genes Dev **9**(8): 935-44.
- Mahony, D., D. A. Parry and E. Lees (1998). "Active cdk6 complexes are predominantly nuclear and represent only a minority of the cdk6 in T cells." Oncogene **16**(5): 603-11.

- Maki, C. G. and P. M. Howley (1997). "Ubiquitination of p53 and p21 is differentially affected by ionizing and UV radiation." Mol Cell Biol **17**(1): 355-63.
- Malek, N. P., H. Sundberg, S. McGrew, K. Nakayama, T. R. Kyriakides and J. M. Roberts (2001). "A mouse knock-in model exposes sequential proteolytic pathways that regulate p27Kip1 in G1 and S phase." Nature **413**(6853): 323-7.
- Malumbres, M. and M. Barbacid (2001). "To cycle or not to cycle: a critical decision in cancer." Nat Rev Cancer **1**(3): 222-31.
- Malumbres, M. and A. Carnero (2003). "Cell cycle deregulation: a common motif in cancer." Prog Cell Cycle Res **5**: 5-18.
- Mamillapalli, R., N. Gavrilova, V. T. Mihaylova, L. M. Tsvetkov, H. Wu, H. Zhang and H. Sun (2001). "PTEN regulates the ubiquitin-dependent degradation of the CDK inhibitor p27(KIP1) through the ubiquitin E3 ligase SCF(SKP2)." Curr Biol **11**(4): 263-7.
- Martin-Caballero, J., J. M. Flores, P. Garcia-Palencia and M. Serrano (2001). "Tumor susceptibility of p21(Waf1/Cip1)-deficient mice." Cancer Res **61**(16): 6234-8.
- Massague, J. (2004). "G1 cell-cycle control and cancer." Nature **432**(7015): 298-306.
- McConnell, B. B., F. J. Gregory, F. J. Stott, E. Hara and G. Peters (1999). "Induced expression of p16(INK4a) inhibits both CDK4- and CDK2-associated kinase activity by reassortment of cyclin-CDK-inhibitor complexes." Mol Cell Biol **19**(3): 1981-9.
- Medema, R. H., R. Klompaker, V. A. Smits and G. Rijksen (1998). "p21waf1 can block cells at two points in the cell cycle, but does not interfere with processive DNA-replication or stress-activated kinases." Oncogene **16**(4): 431-41.
- Medema, R. H., G. J. Kops, J. L. Bos and B. M. Burgering (2000). "AFX-like Forkhead transcription factors mediate cell-cycle regulation by Ras and PKB through p27kip1." Nature **404**(6779): 782-7.
- Meier, P., A. Finch and G. Evan (2000). "Apoptosis in development." Nature **407**(6805): 796-801.
- Migaldi, M., A. Sgambato, L. Garagnani, R. Ardito, P. Ferrari, C. De Gaetani, A. Cittadini and G. P. Trentini (2000). "Loss of p21Waf1 expression is a strong predictor of reduced survival in primary superficial bladder cancers." Clin Cancer Res **6**(8): 3131-8.
- Millard, S. S., J. S. Yan, H. Nguyen, M. Pagano, H. Kiyokawa and A. Koff (1997). "Enhanced ribosomal association of p27(Kip1) mRNA is a mechanism contributing to accumulation during growth arrest." J Biol Chem **272**(11): 7093-8.
- Misdorp, W. (1988). "Canine mammary tumours: protective effect of late ovariectomy and stimulating effect of progestins." Vet Q **10**(1): 26-33.
- Misdorp, W. (1991). "Progestagens and mammary tumours in dogs and cats." Acta Endocrinol (Copenh) **125 Suppl 1**: 27-31.

- Misdorp, W. (1999). "Histological Classification of Mammary Tumors of the Dog and the Cat." Bulletin of The World Health Organization, International Histological Classification of Tumors of Domestic Animals.
- Moe, L. (2001). "Population-based incidence of mammary tumours in some dog breeds." J Reprod Fertil Suppl **57**: 439-43.
- Molinari, M. (2000). "Cell cycle checkpoints and their inactivation in human cancer." Cell Prolif **33**(5): 261-74.
- Morgan, D. O. (1996). "The dynamics of cyclin dependent kinase structure." Curr Opin Cell Biol **8**(6): 767-72.
- Morgan, D. O. (1997). "Cyclin-dependent kinases: engines, clocks, and microprocessors." Annu Rev Cell Dev Biol **13**: 261-91.
- Morosetti, R., N. Kawamata, A. F. Gombart, C. W. Miller, Y. Hatta, T. Hirama, J. W. Said, M. Tomonaga and H. P. Koeffler (1995). "Alterations of the p27KIP1 gene in non-Hodgkin's lymphomas and adult T-cell leukemia/lymphoma." Blood **86**(5): 1924-30.
- Morrison, T. B., J. J. Weis, et al. (1998). "Quantification of low-copy transcripts by continuous SYBR Green I monitoring during amplification." Biotechniques **24**(6): 954-8, 960, 962.
- Moser, B. A. and P. Russell (2000). "Cell cycle regulation in *Schizosaccharomyces pombe*." Curr Opin Microbiol **3**(6): 631-6.
- Moustakas, A. (2002). "Smad signalling network." J Cell Sci **115**(Pt 17): 3355-6.
- Murray, A. W. (2004). "Recycling the cell cycle: cyclins revisited." Cell **116**(2): 221-34.
- Nakayama, K. (1998). "Cip/Kip cyclin-dependent kinase inhibitors: brakes of the cell cycle engine during development." Bioessays **20**(12): 1020-9.
- Nakayama, K., N. Ishida, M. Shirane, A. Inomata, T. Inoue, N. Shishido, I. Horii and D. Y. Loh (1996). "Mice lacking p27(Kip1) display increased body size, multiple organ hyperplasia, retinal dysplasia, and pituitary tumors." Cell **85**(5): 707-20.
- Newman, L., W. Xia, H. Y. Yang, A. Sahin, M. Bondy, F. Lukmanji, M. C. Hung and M. H. Lee (2001). "Correlation of p27 protein expression with HER-2/neu expression in breast cancer." Mol Carcinog **30**(3): 169-75.
- Niculescu, A. B., 3rd, X. Chen, M. Smeets, L. Hengst, C. Prives and S. I. Reed (1998). "Effects of p21(Cip1/Waf1) at both the G1/S and the G2/M cell cycle transitions: pRb is a critical determinant in blocking DNA replication and in preventing endoreduplication." Mol Cell Biol **18**(1): 629-43.
- Noda, A., Y. Ning, S. F. Venable, O. M. Pereira-Smith and J. R. Smith (1994). "Cloning of senescent cell-derived inhibitors of DNA synthesis using an expression screen." Exp Cell Res **211**(1): 90-8.

- Nolte, I. and M. Nolte (2000). Praxis der Onkologie bei Hund und Katze. Stuttgart, Enke Verlag.
- Ogryzko, V. V., P. Wong and B. H. Howard (1997). "WAF1 retards S-phase progression primarily by inhibition of cyclin-dependent kinases." Mol Cell Biol **17**(8): 4877-82.
- Ohtsubo, M., A. M. Theodoras, J. Schumacher, J. M. Roberts and M. Pagano (1995). "Human cyclin E, a nuclear protein essential for the G1-to-S phase transition." Mol Cell Biol **15**(5): 2612-24.
- Pagano, M., S. W. Tam, A. M. Theodoras, P. Beer-Romero, G. Del Sal, V. Chau, P. R. Yew, G. F. Draetta and M. Rolfe (1995). "Role of the ubiquitin-proteasome pathway in regulating abundance of the cyclin-dependent kinase inhibitor p27." Science **269**(5224): 682-5.
- Parker, S. B., G. Eichele, P. Zhang, A. Rawls, A. T. Sands, A. Bradley, E. N. Olson, J. W. Harper and S. J. Elledge (1995). "p53-independent expression of p21Cip1 in muscle and other terminally differentiating cells." Science **267**(5200): 1024-7.
- Parry, D., S. Bates, D. J. Mann and G. Peters (1995). "Lack of cyclin D-Cdk complexes in Rb-negative cells correlates with high levels of p16INK4/MTS1 tumour suppressor gene product." Embo J **14**(3): 503-11.
- Paulovich, A. G., D. P. Toczyski and L. H. Hartwell (1997). "When checkpoints fail." Cell **88**(3): 315-21.
- Perez-Roger, I., S. H. Kim, B. Griffiths, A. Sewing and H. Land (1999). "Cyclins D1 and D2 mediate myc-induced proliferation via sequestration of p27(Kip1) and p21(Cip1)." Embo J **18**(19): 5310-20.
- Pfaffl, M. W. (2001). "A new mathematical model for relative quantification in real-time RT-PCR." Nucleic Acids Res **29**(9): e45.
- Philipp-Staheli, J., S. R. Payne and C. J. Kemp (2001). "p27(Kip1): regulation and function of a haploinsufficient tumor suppressor and its misregulation in cancer." Exp Cell Res **264**(1): 148-68.
- Pietenpol, J. A., S. K. Bohlander, Y. Sato, N. Papadopoulos, B. Liu, C. Friedman, B. J. Trask, J. M. Roberts, K. W. Kinzler, J. D. Rowley and et al. (1995). "Assignment of the human p27Kip1 gene to 12p13 and its analysis in leukemias." Cancer Res **55**(6): 1206-10.
- Pines, J. and C. L. Rieder (2001). "Re-staging mitosis: a contemporary view of mitotic progression." Nat Cell Biol **3**(1): E3-6.
- Planas-Silva, M. D. and R. A. Weinberg (1997). "The restriction point and control of cell proliferation." Curr Opin Cell Biol **9**(6): 768-72.

- Polyak, K., M. H. Lee, H. Erdjument-Bromage, A. Koff, J. M. Roberts, P. Tempst and J. Massague (1994). "Cloning of p27Kip1, a cyclin-dependent kinase inhibitor and a potential mediator of extracellular antimitogenic signals." Cell **78**(1): 59-66.
- Poon, R. Y., H. Toyoshima and T. Hunter (1995). "Redistribution of the CDK inhibitor p27 between different cyclin.CDK complexes in the mouse fibroblast cell cycle and in cells arrested with lovastatin or ultraviolet irradiation." Mol Biol Cell **6**(9): 1197-213.
- Pruri, P. L., T. K. MacLachlan, M. Levrero and A. Giordano (1999). The Molecular Basis of Cell Cycle and Growth Control. G. S. Stein, R. Basgerga, A. Giordano and D. T. Denhardt, Wiley & Sons Inc.: 15-75.
- Quelle, D. E., R. A. Ashmun, S. A. Shurtleff, J. Y. Kato, D. Bar-Sagi, M. F. Roussel and C. J. Sherr (1993). "Overexpression of mouse D-type cyclins accelerates G1 phase in rodent fibroblasts." Genes Dev **7**(8): 1559-71.
- Radhakrishnan, S. K., C. S. Feliciano, F. Najmabadi, A. Haegebarth, E. S. Kandel, A. L. Tyner and A. L. Gartel (2004). "Constitutive expression of E2F-1 leads to p21-dependent cell cycle arrest in S phase of the cell cycle." Oncogene **23**(23): 4173-6.
- Rasmussen, R. (2001). "Quantification on the Light-Cycler." Rapid Cycle Real-time PCR, Methods and Applications, Springer Press: 21-34.
- Resnitzky, D., M. Gossen, H. Bujard and S. I. Reed (1994). "Acceleration of the G1/S phase transition by expression of cyclins D1 and E with an inducible system." Mol Cell Biol **14**(3): 1669-79.
- Resnitzky, D. and S. I. Reed (1995). "Different roles for cyclins D1 and E in regulation of the G1-to-S transition." Mol Cell Biol **15**(7): 3463-9.
- Ritt, M. G., J. Mayor, J. Wojcieszyn, R. Smith, C. L. Barton and J. F. Modiano (2000). "Sustained nuclear localization of p21/WAF-1 upon growth arrest induced by contact inhibition." Cancer Lett **158**(1): 73-84.
- Ritt, M. G., J. Wojcieszyn and J. F. Modiano (1998). "Functional loss of p21/Waf-1 in a case of benign canine multicentric melanoma." Vet Pathol **35**(2): 94-101.
- Rivard, N., G. L'Allemain, J. Bartek and J. Pouyssegur (1996). "Abrogation of p27Kip1 by cDNA antisense suppresses quiescence (G0 state) in fibroblasts." J Biol Chem **271**(31): 18337-41.
- Rodriguez-Vilarrupla, A., M. Jaumot, N. Abella, N. Canela, S. Brun, C. Diaz, J. M. Estanyol, O. Bachs and N. Agell (2005). "Binding of calmodulin to the carboxy-terminal region of p21 induces nuclear accumulation via inhibition of protein kinase C-mediated phosphorylation of Ser153." Mol Cell Biol **25**(16): 7364-74.
- Rossig, L., A. S. Jadidi, C. Urbich, C. Badorff, A. M. Zeiher and S. Dimmeler (2001). "Akt-dependent phosphorylation of p21(Cip1) regulates PCNA binding and proliferation of endothelial cells." Mol Cell Biol **21**(16): 5644-57.

- Rousseau, D., D. Cannella, J. Boulaire, P. Fitzgerald, A. Fotedar and R. Fotedar (1999). "Growth inhibition by CDK-cyclin and PCNA binding domains of p21 occurs by distinct mechanisms and is regulated by ubiquitin-proteasome pathway." Oncogene **18**(21): 3290-302.
- Russo, A. A., P. D. Jeffrey, A. K. Patten, J. Massague and N. P. Pavletich (1996). "Crystal structure of the p27Kip1 cyclin-dependent-kinase inhibitor bound to the cyclin A-Cdk2 complex." Nature **382**(6589): 325-31.
- Rutteman, G. R. (1990). "Hormones and mammary tumour disease in the female dog: an update." In Vivo **4**(1): 33-40.
- Rutteman, G. R. (1992). "Contraceptive steroids and the mammary gland: is there a hazard?-Insights from animal studies." Breast Cancer Res Treat **23**(1-2): 29-41.
- Rutteman, G. R., S. J. Withrow and E. G. MacEwen (2001). Tumors of the Mammary Gland. Small Animal Clinical Oncology. S. J. Withrow and E. G. MacEwen. Philadelphia, W. B. Saunders Company.
- Sakai, H., T. Yamane, T. Yanai, N. Shirai and T. Masegi (2001). "Expression of cyclin kinase inhibitor p27(Kip1) in skin tumours of dogs." J Comp Pathol **125**(2-3): 153-8.
- Servant, M. J., P. Coulombe, B. Turgeon and S. Meloche (2000). "Differential regulation of p27(Kip1) expression by mitogenic and hypertrophic factors: Involvement of transcriptional and posttranscriptional mechanisms." J Cell Biol **148**(3): 543-56.
- Shaffer, A. L., X. Yu, Y. He, J. Boldrick, E. P. Chan and L. M. Staudt (2000). "BCL-6 represses genes that function in lymphocyte differentiation, inflammation, and cell cycle control." Immunity **13**(2): 199-212.
- Sheaff, R. J., J. D. Singer, J. Swanger, M. Smitherman, J. M. Roberts and B. E. Clurman (2000). "Proteasomal turnover of p21Cip1 does not require p21Cip1 ubiquitination." Mol Cell **5**(2): 403-10.
- Sherr, C. J. (1996). "Cancer cell cycles." Science **274**(5293): 1672-7.
- Sherr, C. J. (2000). "The Pezcoller lecture: cancer cell cycles revisited." Cancer Res **60**(14): 3689-95.
- Sherr, C. J. and J. M. Roberts (1999). "CDK inhibitors: positive and negative regulators of G1-phase progression." Genes Dev **13**(12): 1501-12.
- Shibata, M. A., K. Yoshidome, E. Shibata, C. L. Jorcyk and J. E. Green (2001). "Suppression of mammary carcinoma growth in vitro and in vivo by inducible expression of the Cdk inhibitor p21." Cancer Gene Ther **8**(1): 23-35.
- Shiohara, M., K. Koike, A. Komiyama and H. P. Koeffler (1997). "p21WAF1 mutations and human malignancies." Leuk Lymphoma **26**(1-2): 35-41.

- Shiyanov, P., S. Hayes, N. Chen, D. G. Pestov, L. F. Lau and P. Raychaudhuri (1997). "p27Kip1 induces an accumulation of the repressor complexes of E2F and inhibits expression of the E2F-regulated genes." Mol Biol Cell **8**(9): 1815-27.
- Simpson, L. and R. Parsons (2001). "PTEN: life as a tumor suppressor." Exp Cell Res **264**(1): 29-41.
- Slamon, D. J. (1990). "Studies of the HER-2/neu proto-oncogene in human breast cancer." Cancer Invest **8**(2): 253.
- Slamon, D. J., W. Godolphin, L. A. Jones, J. A. Holt, S. G. Wong, D. E. Keith, W. J. Levin, S. G. Stuart, J. Udove, A. Ullrich and et al. (1989). "Studies of the HER-2/neu proto-oncogene in human breast and ovarian cancer." Science **244**(4905): 707-12.
- Slingerland, J. and M. Pagano (2000). "Regulation of the cdk inhibitor p27 and its deregulation in cancer." J Cell Physiol **183**(1): 10-7.
- Slingerland, J. M., L. Hengst, C. H. Pan, D. Alexander, M. R. Stampfer and S. I. Reed (1994). "A novel inhibitor of cyclin-Cdk activity detected in transforming growth factor beta-arrested epithelial cells." Mol Cell Biol **14**(6): 3683-94.
- Soengas, M. S., R. M. Alarcon, H. Yoshida, A. J. Giaccia, R. Hakem, T. W. Mak and S. W. Lowe (1999). "Apaf-1 and caspase-9 in p53-dependent apoptosis and tumor inhibition." Science **284**(5411): 156-9.
- Spirin, K. S., J. F. Simpson, S. Takeuchi, N. Kawamata, C. W. Miller and H. P. Koeffler (1996). "p27/Kip1 mutation found in breast cancer." Cancer Res **56**(10): 2400-4.
- Stern, B. and P. Nurse (1996). "A quantitative model for the cdc2 control of S phase and mitosis in fission yeast." Trends Genet **12**(9): 345-50.
- Suplie, A. (2005). Untersuchung der Adaptation des Pansenepithels im zeitlichen Verlauf. Dissertation; Institut für Veterinär-Physiologie. Berlin, FU Berlin.
- Taules, M., A. Rodriguez-Vilarrupla, E. Rius, J. M. Estanyol, O. Casanovas, D. B. Sacks, E. Perez-Paya, O. Bachs and N. Agell (1999). "Calmodulin binds to p21(Cip1) and is involved in the regulation of its nuclear localization." J Biol Chem **274**(35): 24445-8.
- Tessema, M., U. Lehmann and H. Kreipe (2004). "Cell cycle and no end." Virchows Arch **444**(4): 313-23.
- Toyoshima, H. and T. Hunter (1994). "p27, a novel inhibitor of G1 cyclin-Cdk protein kinase activity, is related to p21." Cell **78**(1): 67-74.
- Tsujimoto, Y., L. R. Finger, J. Yunis, P. C. Nowell and C. M. Croce (1984). "Cloning of the chromosome breakpoint of neoplastic B cells with the t(14;18) chromosome translocation." Science **226**(4678): 1097-9.
- Tyers, M. and P. Jorgensen (2000). "Proteolysis and the cell cycle: with this RING I do thee destroy." Curr Opin Genet Dev **10**(1): 54-64.

- Vail, D. M. and E. G. MacEwen (2000). "Spontaneously occurring tumors of companion animals as models for human cancer." Cancer Invest **18**(8): 781-92.
- Vaux, D. L., S. Cory and J. M. Adams (1988). "Bcl-2 gene promotes haemopoietic cell survival and cooperates with c-myc to immortalize pre-B cells." Nature **335**(6189): 440-2.
- Vermeulen, K., D. R. Van Bockstaele and Z. N. Berneman (2003). "The cell cycle: a review of regulation, deregulation and therapeutic targets in cancer." Cell Prolif **36**(3): 131-49.
- Vidal, A. and A. Koff (2000). "Cell-cycle inhibitors: three families united by a common cause." Gene **247**(1-2): 1-15.
- Vlach, J., S. Hennecke, K. Alevizopoulos, D. Conti and B. Amati (1996). "Growth arrest by the cyclin-dependent kinase inhibitor p27Kip1 is abrogated by c-Myc." Embo J **15**(23): 6595-604.
- Vlach, J., S. Hennecke and B. Amati (1997). "Phosphorylation-dependent degradation of the cyclin-dependent kinase inhibitor p27." Embo J **16**(17): 5334-44.
- Voigt, A. (2004). Prozessierung des pp89 MCMV MHC Klasse I Epitops durch das Proteasom. Institut für Biochemie. Berlin, Medizinischen Fakultät der CharitéUniversitätsmedizin Berlin.
- von Bomhard, D. (2001). Epidemiologie. Praxis der Onkologie bei Hund und Katze. I. N. Nolte, M. Stuttgart, Enke Verlag: 104-108.
- Weinert, T. (1997). "Yeast checkpoint controls and relevance to cancer." Cancer Surv **29**: 109-32.
- Weiss, R. H., A. Joo and C. Randour (2000). "p21Waf1/Cip1 is an assembly factor required for platelet-derived growth factor-induced vascular smooth muscle cell proliferation." J Biol Chem **275**(36): 28340.
- Weisser, M., T. Haferlach, et al. (2004). "The use of housekeeping genes for real-time PCR-based quantification of fusion gene transcripts in acute myeloid leukemia." Leukemia **18**(9): 1551-3.
- Wilhelm, J. and A. Pingoud (2003). "Real-time polymerase chain reaction." ChemBiochem **4**(11): 1120-8.
- Winters, Z. E., R. D. Leek, M. J. Bradburn, C. J. Norbury and A. L. Harris (2003). "Cytoplasmic p21WAF1/CIP1 expression is correlated with HER-2/ neu in breast cancer and is an independent predictor of prognosis." Breast Cancer Res **5**(6): R242-9.
- Worm, J., J. Bartkova, A. F. Kirkin, P. Straten, J. Zeuthen, J. Bartek and P. Guldberg (2000). "Aberrant p27Kip1 promoter methylation in malignant melanoma." Oncogene **19**(44): 5111-5.

- Wu, H., T. Hayashi and M. Inoue (2004). "Immunohistochemical expression of p27 and p21 in canine cutaneous mast cell tumors and histiocytomas." Vet Pathol **41**(3): 296-9.
- Wyllie, A. H., C. O. Bellamy, V. J. Bubbs, A. R. Clarke, S. Corbet, L. Curtis, D. J. Harrison, M. L. Hooper, N. Toft, S. Webb and C. C. Bird (1999). "Apoptosis and carcinogenesis." Br J Cancer **80 Suppl 1**: 34-7.
- Xiangming, C., S. Hokita, S. Natsugoe, G. Tanabe, M. Baba, S. Takao, K. Kuroshima and T. Aikou (2000). "p21 expression is a prognostic factor in patients with p53-negative gastric cancer." Cancer Lett **148**(2): 181-8.
- Xiong, Y., G. J. Hannon, H. Zhang, D. Casso, R. Kobayashi and D. Beach (1993). "p21 is a universal inhibitor of cyclin kinases." Nature **366**(6456): 701-4.
- Yang, H. Y., B. P. Zhou, M. C. Hung and M. H. Lee (2000). "Oncogenic signals of HER-2/neu in regulating the stability of the cyclin-dependent kinase inhibitor p27." J Biol Chem **275**(32): 24735-9.
- Yang, W., K. S. Klos, X. Zhou, J. Yao, Y. Yang, T. L. Smith, D. Shi and D. Yu (2003). "ErbB2 overexpression in human breast carcinoma is correlated with p21Cip1 up-regulation and tyrosine-15 hyperphosphorylation of p34Cdc2: poor responsiveness to chemotherapy with cyclophosphamide methotrexate, and 5-fluorouracil is associated with Erb2 overexpression and with p21Cip1 overexpression." Cancer **98**(6): 1123-30.
- Yang, W., J. Shen, M. Wu, M. Arsur, M. FitzGerald, Z. Suldan, D. W. Kim, C. S. Hofmann, S. Pianetti, R. Romieu-Mourez, L. P. Freedman and G. E. Sonenshein (2001). "Repression of transcription of the p27(Kip1) cyclin-dependent kinase inhibitor gene by c-Myc." Oncogene **20**(14): 1688-702.
- Yang, Z. Y., N. D. Perkins, T. Ohno, E. G. Nabel and G. J. Nabel (1995). "The p21 cyclin-dependent kinase inhibitor suppresses tumorigenicity in vivo." Nat Med **1**(10): 1052-6.
- Yonish-Rouach, E., D. Resnitzky, J. Lotem, L. Sachs, A. Kimchi and M. Oren (1991). "Wild-type p53 induces apoptosis of myeloid leukaemic cells that is inhibited by interleukin-6." Nature **352**(6333): 345-7.
- Zhang, H., G. J. Hannon and D. Beach (1994). "p21-containing cyclin kinases exist in both active and inactive states." Genes Dev **8**(15): 1750-8.
- Zhang, H., Y. Xiong and D. Beach (1993). "Proliferating cell nuclear antigen and p21 are components of multiple cell cycle kinase complexes." Mol Biol Cell **4**(9): 897-906.
- Zhang, X., L. Ding, et al. (2005). "Selection of reference genes for gene expression studies in human neutrophils by real-time PCR." BMC Mol Biol **6**(1): 4.
- Zhou, B. P., Y. Liao, W. Xia, B. Spohn, M. H. Lee and M. C. Hung (2001). "Cytoplasmic localization of p21Cip1/WAF1 by Akt-induced phosphorylation in HER-2/neu-overexpressing cells." Nat Cell Biol **3**(3): 245-52.