

Literaturverzeichnis

1. Tunstall-Pedoe H, K.K., Mahonen M, et al, *Contribution of trends in survival an coronary-event rates to changes in coronary heart disease mortality, Metaanalysis*. Lancet, 1999(353): p. 1547-57.
2. Fries R, B.M., *Vom Risikofaktor zur symptomatischen koronaren Herzkrankheit*. Med Klin (Munich), 2003. 2003(98): p. 218-25.
3. Braunwald, E., et al., *ACC/AHA 2002 guideline update for the management of patients with unstable angina and non-ST-segment elevation myocardial infarction--summary article: a report of the American College of Cardiology/American Heart Association task force on practice guidelines (Committee on the Management of Patients With Unstable Angina)*. J Am Coll Cardiol, 2002. 40(7): p. 1366-74.
4. Williams, S.V., Fihn, S.D., Gibbons, R.J., *Guidelines for the management of patients with chronic stable angina: diagnosis and risk stratification*. Ann Intern Med, 2001. 135(7): p. 530-47.
5. Dietz, R., Rauch B., *Guidelines for diagnosis and treatment of chronic coronary heart disease. Issued by the executive committee of the German Society of Cardiology--Heart Circulation Research in cooperation with the German Society for Prevention and Rehabilitation of Cardiac Diseases and the German Society for Thoracic and Cardiovascular Surgery*. Z Kardiol, 2003. 92(6): p. 501-21.
6. Braunwald, E., et al., *ACC/AHA guidelines for the management of patients with unstable angina and non-ST-segment elevation myocardial infarction: executive summary and recommendations. A report of the American College of Cardiology/American Heart Association task force on practice guidelines (committee on the management of patients with unstable angina)*. Circulation, 2000. 102(10): p. 1193-209.
7. Mannebach, H.D., *19. Bericht über die Leistungszahlen der Herzkatheterlabore in der BRD*. 2003, Deutsche Gesellschaft für Kardiologie, Herz- und Kreislaufforschung.
8. Dewey, M. and B. Hamm, *Comparison of the cost-effectiveness of the most common diagnostic methods for coronary artery disease*. Dtsch Med Wochenschr, 2004. 129(25-26): p. 1415-9.
9. Gibbons, R.J., et al., *ACC/AHA Guidelines for Exercise Testing. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Exercise Testing)*. J Am Coll Cardiol, 1997. 30(1): p. 260-311.
10. Dewey, M., et al., *Noninvasive diagnosis of coronary artery disease*. Med Klin (Munich), 2004. 99(2): p. 57-64.
11. Zipes, D. P. , Libby, P., Bonow, R. O., Braunwald's Heart Disease: A Textbook of Cardiovascular Medicine, 2004: p. 1289-1365.
12. Assmann, G., Schulte, H., *The Prospective Cardiovascular Munster (PROCAM) study: prevalence of hyperlipidemia in persons with hypertension and/or diabetes mellitus and the relationship to coronary heart disease*. Am Heart J, 1988. 116(6 Pt 2): p. 1713-24.
13. Schulte, H., Assmann, G., *Results of the "Munster Prospective Cardiovascular" study*. Soz Praventivmed, 1988. 33(1): p. 32-6.
14. Balaguer Vintro, I., *Longitudinal studies in the prevention of cardiovascular diseases*. Rev Esp Salud Publica, 2004. 78(2): p. 149-66.
15. Assmann, G., Nofer, J.R., Schulte, H. *Cardiovascular risk assessment in metabolic syndrome: view from PROCAM*. Endocrinol Metab Clin North Am, 2004. 33(2): p. 377-92.
16. Grundy, S.M., et al., *Definition of metabolic syndrome: Report of the National Heart, Lung, and Blood Institute/American Heart Association conference on scientific issues related to definition*. Circulation, 2004. 109(3): p. 433-8.
17. Grundy, S.M., et al., *Diagnosis and management of the metabolic syndrome: an American Heart Association/National Heart, Lung, and Blood Institute Scientific Statement*. Circulation, 2005. 112(17): p. 2735-52.
18. Stary, H.C., *Location and development of atherosclerotic lesions in coronary arteries*. Atherosclerosis, 1984. 50(2): p. 237-9.

19. Stary, H.C., *What is the nature of the coronary atherosclerotic lesions that have been shown to regress in experiments with nonhuman primates and by angiography in man?* Vasa, 1984. 13(4): p. 298-304.
20. Stary, H.C., *Macrophage foam cells in the coronary artery intima of human infants.* Ann N Y Acad Sci, 1985. 454: p. 5-8.
21. Stary, H.C., *Macrophages, macrophage foam cells, and eccentric intimal thickening in the coronary arteries of young children.* Atherosclerosis, 1987. 64(2-3): p. 91-108.
22. Stary, H.C., *Evolution and progression of atherosclerotic lesions in coronary arteries of children and young adults.* Arteriosclerosis, 1989. 9(1 Suppl): p. 119-32.
23. Stary, H.C., *Composition and classification of human atherosclerotic lesions.* Virchows Arch A Pathol Anat Histopathol, 1992. 421(4): p. 277-90.
24. Stary, H.C., *Changes in components and structure of atherosclerotic lesions developing from childhood to middle age in coronary arteries.* Basic Res Cardiol, 1994. 89 Suppl 1: p. 17-32.
25. Stary, H.C., et al., *A definition of initial, fatty streak, and intermediate lesions of atherosclerosis. A report from the Committee on Vascular Lesions of the Council on Arteriosclerosis, American Heart Association.* Circulation, 1994. 89(5): p. 2462-78.
26. Stary, H.C., *Natural history of calcium deposits in atherosclerosis progression and regression.* Z Kardiol, 2000. 89 Suppl 2: p. 28-35.
27. Stary, H.C., *Natural history and histological classification of atherosclerotic lesions: an update.* Arterioscler Thromb Vasc Biol, 2000. 20(5): p. 1177-8.
28. Stary, H.C., *Lipid and macrophage accumulations in arteries of children and the development of atherosclerosis.* Am J Clin Nutr, 2000. 72(5 Suppl): p. 1297S-1306S.
29. Libby, P., Theroux, P., *Pathophysiology of coronary artery disease.* Circulation, 2005. 111(25): p. 3481-8.
30. Erbel, R., *The dawn of a new era--non-invasive coronary imaging.* Herz, 1996. 21(2): p. 75-7.
31. Gibbons, R.J., et al., *ACC/AHA 2002 guideline update for the management of patients with chronic stable angina--summary article: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines (Committee on the Management of Patients With Chronic Stable Angina).* J Am Coll Cardiol, 2003. 41(1): p. 159-68.
32. Gibbons, R.J., et al., *ACC/AHA 2002 guideline update for the management of patients with chronic stable angina--summary article: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on the Management of Patients With Chronic Stable Angina).* Circulation, 2003. 107(1): p. 149-58.
33. Gibbons, R.J., et al., *ACC/AHA/ACP-ASIM guidelines for the management of patients with chronic stable angina: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Management of Patients With Chronic Stable Angina).* J Am Coll Cardiol, 1999. 33(7): p. 2092-197.
34. Wielopolski, P.A., et al., *Coronary arteries.* Eur Radiol, 2000. 10(1): p. 12-35.
35. Al-Saadi, N., et al., *Noninvasive detection of myocardial ischemia from perfusion reserve based on cardiovascular magnetic resonance.* Circulation, 2000. 101(12): p. 1379-83.
36. Cornel, J.H., et al., *Safety and feasibility of dobutamine-atropine stress echocardiography in patients with ischemic left ventricular dysfunction.* J Am Soc Echocardiogr, 1996. 9(1): p. 27-32.
37. Moshage, W., et al., *Noninvasive imaging of coronary arteries with electron beam tomography (EBCT).* Z Kardiol, 2000. 89 Suppl 1: p. 15-20.
38. Nieman, K., et al., *Reliable noninvasive coronary angiography with fast submillimeter multislice spiral computed tomography.* Circulation, 2002. 106(16): p. 2051-4.
39. Garber, A.M., Solomon, N.A., *Cost-effectiveness of alternative test strategies for the diagnosis of coronary artery disease.* Ann Intern Med, 1999. 130(9): p. 719-28.
40. Geleijnse ML, F.P., Roelandt J.R., *Methodology, feasibility, safety and diagnostic accuracy of dobutamine stress echokardiografy.* J Am Coll Cardiol, 1997(30): p. 260-311.

41. Gibbons, R.J., et al., *ACC/AHA 2002 guideline update for exercise testing: summary article: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Update the 1997 Exercise Testing Guidelines)*. *Circulation*, 2002. 106(14): p. 1883-92.
42. Agatston, A.S., Janowitz, W.R., *Ultrafast computed tomography in coronary screening*. *Circulation*, 1994. 89(4): p. 1908-9.
43. Agatston, A.S., et al., *Quantification of coronary artery calcium using ultrafast computed tomography*. *J Am Coll Cardiol*, 1990. 15(4): p. 827-32.
44. Stanford, W., et al., *Coronary artery calcium quantification at multi-detector row helical CT versus electron-beam CT*. *Radiology*, 2004. 230(2): p. 397-402.
45. Schmermund, A., et al., *[Electron beam tomography in coronary disease. Prevalence and distribution of coronary calcifications and their relationship with coronary risk factors in 650 patients]*. *Dtsch Med Wochenschr*, 1995. 120(37): p. 1229-35.
46. Kivelitz, D.E., et al., *Determination of left ventricular function parameters and myocardial mass: comparison of MRI and EBT*. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr*, 2000. 172(3): p. 244-50.
47. O'Rourke, R.A., et al., *American College of Cardiology/American Heart Association Expert Consensus Document on electron-beam computed tomography for the diagnosis and prognosis of coronary artery disease*. *J Am Coll Cardiol*, 2000. 36(1): p. 326-40.
48. Achenbach, S., et al., *Value of electron-beam computed tomography for the noninvasive detection of high-grade coronary-artery stenoses and occlusions*. *N Engl J Med*, 1998. 339(27): p. 1964-71.
49. DFG, *Information für die Wissenschaft Nr.2*. 2001.
50. Hachamovitch, R., et al., *Value of stress myocardial perfusion single photon emission computed tomography in patients with normal resting electrocardiograms: an evaluation of incremental prognostic value and cost-effectiveness*. *Circulation*, 2002. 105(7): p. 823-9.
51. Giri, S., et al., *Impact of diabetes on the risk stratification using stress single-photon emission computed tomography myocardial perfusion imaging in patients with symptoms suggestive of coronary artery disease*. *Circulation*, 2002. 105(1): p. 32-40.
52. Iskander, S., Iskandrian, A.E., *Risk assessment using single-photon emission computed tomographic technetium-99m sestamibi imaging*. *J Am Coll Cardiol*, 1998. 32(1): p. 57-62.
53. Schinkel, A.F., et al., *Noninvasive evaluation of ischaemic heart disease: myocardial perfusion imaging or stress echocardiography?* *Eur Heart J*, 2003. 24(9): p. 789-800.
54. Mahrholdt, H., et al., *Diagnosis of myocardial infarction and myocardial viability using contrast-enhanced magnetic resonance imaging*. *Dtsch Med Wochenschr*, 2002. 127(23): p. 1264-71.
55. Wagner, A., et al., *MR imaging of myocardial perfusion and viability*. *Magn Reson Imaging Clin N Am*, 2003. 11(1): p. 49-66.
56. Wagner, A., et al., *Contrast-enhanced MRI and routine single photon emission computed tomography (SPECT) perfusion imaging for detection of subendocardial myocardial infarcts: an imaging study*. *Lancet*, 2003. 361(9355): p. 374-9.
57. Nagel, E., et al., *Influence of image quality on the diagnostic accuracy of dobutamine stress magnetic resonance imaging in comparison with dobutamine stress echocardiography for the noninvasive detection of myocardial ischemia*. *Z Kardiol*, 1999. 88(9): p. 622-30.
58. Nagel, E., et al., *Noninvasive diagnosis of ischemia-induced wall motion abnormalities with the use of high-dose dobutamine stress MRI: comparison with dobutamine stress echocardiography*. *Circulation*, 1999. 99(6): p. 763-70.
59. Janker, R., *Die Röntgenuntersuchung des Herzens*. 1955: Girardet.
60. Reiser M, K.F., Debus J., *Radiologie*. 2004: Thieme Verlag.
61. Rienmüller, R., *25 Years of cardiac ct imaging: Past, Present and Future*. *Herz*, 2003(28): p. 99-105.
62. Scanlon, P.J., et al., *ACC/AHA guidelines for coronary angiography. A report of the American College of Cardiology/American Heart Association Task Force on practice guidelines (Committee on Coronary Angiography)*. *Developed in collaboration with the Society for Cardiac Angiography and Interventions*. *J Am Coll Cardiol*, 1999. 33(6): p.

- 1756-824.
63. Smith, S.C., Jr., et al., *ACC/AHA guidelines of percutaneous coronary interventions (revision of the 1993 PTCA guidelines)--executive summary. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (committee to revise the 1993 guidelines for percutaneous transluminal coronary angioplasty)*. J Am Coll Cardiol, 2001. 37(8): p. 2215-39.
 64. Zipes, D.P. , Libby, P., Bonow, R.O., Braunwald's Heart Disease: A Textbook of Cardiovascular Medicine, 2004: p. 240-272.
 65. West, R., G. Ellis, Brooks, N., *Complications of diagnostic cardiac catheterisation: results from a confidential inquiry into cardiac catheter complications*. Heart, 2006. 92(6): p. 810-4.
 66. Lochow, P., Silber, S., *Immediate hemostasis of the femoral artery after heart catheterization: the present situation of closure systems*. Dtsch Med Wochenschr, 2004. 129(33): p. 1753-8.
 67. Zipes, D.P. , Libby, P., Bonow, R.O., Braunwald's Heart Disease: A Textbook of Cardiovascular Medicine, 2004: p. 261.
 68. Silber, S., et al., *Guidelines for percutaneous coronary interventions. The Task Force for Percutaneous Coronary Interventions of the European Society of Cardiology*. Eur Heart J, 2005. 26(8): p. 804-47.
 69. Silber S, H.H., Drexler C, Schächinger V, Kuon E, *Arbeitsanweisung im Herzkatheterlabor*. 2005, Deutsche Gesellschaft für Kardiologie, Herz- und Kreislaufforschung e.V., German Cardiac Society.
 70. Kholeif, M.A., *ESC guidelines for percutaneous coronary interventions*. Eur Heart J, 2005. 26(22): p. 2476.
 71. Achenbach, S., *Clinical Use of Multi-Slice CT Coronary Angiography*. Herz, 2003. 28(2): p. 119-25.
 72. Ropers, D., et al., *Detection of coronary artery stenoses with thin-slice multi-detector row spiral computed tomography and multiplanar reconstruction*. Circulation, 2003. 107(5): p. 664-6.
 73. Nieman, K., et al., *Coronary angiography with multi-slice computed tomography*. Lancet, 2001. 357(9256): p. 599-603.
 74. Achenbach, S., et al., *Detection of coronary artery stenoses by contrast-enhanced, retrospectively electrocardiographically-gated, multislice spiral computed tomography*. Circulation, 2001. 103(21): p. 2535-8.
 75. Achenbach, S., et al., *In-plane coronary arterial motion velocity: measurement with electron-beam CT*. Radiology, 2000. 216(2): p. 457-63.
 76. J Blobel, H.B., Rogalla, P., Mews, J., Lembcke, A., *Räumliche und zeitliche Auflösung für die Herzdiagnostik mit 16-MSCT*. Fortschr Röntgenstr, 2003(175): p. 1264-1271.
 77. Jakobs, T.F., et al., *Multislice helical CT of the heart with retrospective ECG gating: reduction of radiation exposure by ECG-controlled tube current modulation*. Eur Radiol, 2002. 12(5): p. 1081-6.
 78. Dieker, H.J., Brouwer, M.A., Verheugt, F.W., *ESC guidelines for percutaneous coronary interventions*. Eur Heart J, 2005. 26(22): p. 2475.
 79. Zanzonico P, R.L.N., Strauss H W, *Radiation Exposure of Computed Tomography and Direct Intracoronary Angiography*. Journal of the American College of Cardiology, 2006. 47(9): p. 1648-9.
 80. Kopp A.F., Heuschmid, M., Küttner, A., Ohnesorge, B., Flohr, T., Schaller, S., Claussen, C. D., *Multislice Computed Tomography: Basic Principles and Clinical Applications*. electromedia 68, 2000. 2.
 81. Austen, W.G., et al., *A reporting system on patients evaluated for coronary artery disease. Report of the Ad Hoc Committee for Grading of Coronary Artery Disease, Council on Cardiovascular Surgery, American Heart Association*. Circulation, 1975. 51(4 Suppl): p. 5-40.
 82. Nieman, K., et al., *Non-invasive coronary angiography with multislice spiral computed tomography: impact of heart rate*. Heart, 2002. 88(5): p. 470-4.
 83. Achenbach, S., et al., *Noninvasive coronary angiography by retrospectively ECG-gated multislice spiral CT*. Circulation, 2000. 102(23): p. 2823-8.

84. Landis, J.R., Koch, G.G., *The measurement of observer agreement for categorical data.* Biometrics, 1977. 33(1): p. 159-74.
85. Nieman, K., et al., *Noninvasive angiographic evaluation of coronary stents with multi-slice spiral computed tomography.* Herz, 2003. 28(2): p. 136-42.
86. Nieman, K., et al., *Usefulness of multislice computed tomography for detecting obstructive coronary artery disease.* Am J Cardiol, 2002. 89(8): p. 913-8.
87. Nieman, K., et al., *Noninvasive visualization of atherosclerotic plaque with electron beam and multislice spiral computed tomography.* J Interv Cardiol, 2003. 16(2): p. 123-8.
88. Achenbach, S., et al., *Detection of calcified and noncalcified coronary atherosclerotic plaque by contrast-enhanced, submillimeter multidetector spiral computed tomography: a segment-based comparison with intravascular ultrasound.* Circulation, 2004. 109(1): p. 14-7.
89. Ropers, D., et al., *A direct comparison of noninvasive coronary angiography by electron beam tomography and navigator-echo-based magnetic resonance imaging for the detection of restenosis following coronary angioplasty.* Invest Radiol, 2002. 37(7): p. 386-92.
90. Schroeder, S., et al., *Influence of heart rate on vessel visibility in noninvasive coronary angiography using new multislice computed tomography: experience in 94 patients.* Clin Imaging, 2002. 26(2): p. 106-11.
91. Kopp, A.F., et al., *Non-invasive coronary angiography with high resolution multidetector-row computed tomography. Results in 102 patients.* Eur Heart J, 2002. 23(21): p. 1714-25.
92. Blobel, J., et al., *[Spatial and temporal resolution with 16-slice computed tomography for cardiac imaging].* Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr, 2003. 175(9): p. 1264-71.
93. Flohr, T., et al., *Performance evaluation of a multi-slice CT system with 16-slice detector and increased gantry rotation speed for isotropic submillimeter imaging of the heart.* Herz, 2003. 28(1): p. 7-19.
94. Giesler, T., et al., *Noninvasive visualization of coronary arteries using contrast-enhanced multidetector CT: influence of heart rate on image quality and stenosis detection.* AJR Am J Roentgenol, 2002. 179(4): p. 911-6.
95. Matsuo, S., et al., *Visual assessment of coronary artery stenosis with electrocardiographically-gated multislice computed tomography.* Int J Cardiovasc Imaging, 2004. 20(1): p. 61-6.
96. Kopp, A.F., et al., *Coronary arteries: retrospectively ECG-gated multi-detector row CT angiography with selective optimization of the image reconstruction window.* Radiology, 2001. 221(3): p. 683-8.
97. Halliburton, S.S., et al., *Do segmented reconstruction algorithms for cardiac multi-slice computed tomography improve image quality?* Herz, 2003. 28(1): p. 20-31.
98. Mollet, N.R., et al., *High-resolution spiral computed tomography coronary angiography in patients referred for diagnostic conventional coronary angiography.* Circulation, 2005. 112(15): p. 2318-23.