

7. Literaturverzeichnis

- Altschul, S.F., Gish, W., Miller, W., Myers, E.W., and Lipman, D.J. (1990) Basic local alignment search tool. *J Mol Biol* **215**: 403-410.
- Ball, C.A., Sherlock, G., Parkinson, H., Rocca-Sera, P., Brooksbank, C., Causton, H.C., Cavalieri, D., Gaasterland, T., Hingamp, P., Holstege, F., Ringwald, M., Spellman, P., Stoeckert, C.J., Jr., Stewart, J.E., Taylor, R., Brazma, A., and Quackenbush, J. (2002) Standards for microarray data. *Science* **298**: 539.
- Bartosiewicz, M., Trounstine, M., Barker, D., Johnston, R., and Buckpitt, A. (2000) Development of a toxicological gene array and quantitative assessment of this technology. *Arch Biochem Biophys* **376**: 66-73.
- Beissbarth, T., Fellenberg, K., Brors, B., Arribas-Prat, R., Boer, J., Hauser, N.C., Scheideler, M., Hoheisel, J.D., Schutz, G., Poustka, A., and Vingron, M. (2000) Processing and quality control of DNA array hybridization data. *Bioinformatics* **16**: 1014-1022.
- Benjamini, Y., and Hochberg, Y. (1995) Controlling the false discovery rate: a practical and powerful approach to multiple testing. *J R Stat Soc B* **57**: 289-300.
- Berberof, M., Pays, A., Lips, S., Tebabi, P., and Pays, E. (1996) Characterization of a transcription terminator of the procyclin PARP A unit of Trypanosoma brucei. *Mol Cell Biol* **16**: 914-924.
- Bernard, K., Auphan, N., Granjeaud, S., Victorero, G., Schmitt-Verhulst, A.M., Jordan, B.R., and Nguyen, C. (1996) Multiplex messenger assay: simultaneous, quantitative measurement of expression of many genes in the context of T cell activation. *Nucleic Acids Res* **24**: 1435-1442.
- Bishop, J.O., Morton, J.G., Rosbash, M., and Richardson, M. (1974) Three abundance classes in HeLa cell messenger RNA. *Nature* **250**: 199-204.
- Blattner, J., and Clayton, C.E. (1995) The 3'-untranslated regions from the Trypanosoma brucei phosphoglycerate kinase-encoding genes mediate developmental regulation. *Gene* **162**: 153-156.
- Bork, P., and Koonin, E.V. (1998) Predicting functions from protein sequences--where are the bottlenecks? *Nat Genet* **18**: 313-318.
- Borst, P., van der Ploeg, M., van Hoek, J.F., Tas, J., and James, J. (1982) On the DNA content and ploidy of trypanosomes. *Mol Biochem Parasitol* **6**: 13-23.
- Borst, P., and Ulbert, S. (2001) Control of VSG gene expression sites. *Mol Biochem Parasitol* **114**: 17-27.

- Brody, J.P., Williams, B.A., Wold, B.J., and Quake, S.R. (2002) Significance and statistical errors in the analysis of DNA microarray data. *Proc Natl Acad Sci U S A* **99**: 12975-12978.
- Callow, M.J., Dudoit, S., Gong, E.L., Speed, T.P., and Rubin, E.M. (2000) Microarray expression profiling identifies genes with altered expression in HDL-deficient mice. *Genome Res* **10**: 2022-2029.
- Carrington, M., Bulow, R., Reinke, H., and Overath, P. (1989) Sequence and expression of the glycosyl-phosphatidylinositol-specific phospholipase C of *Trypanosoma brucei*. *Mol Biochem Parasitol* **33**: 289-296.
- Cavalier-Smith, T. (1993) Kingdom protozoa and its 18 phyla. *Microbiol Rev* **57**: 953-994.
- Chaudhuri, M., and Hill, G.C. (1996) Cloning, sequencing, and functional activity of the *Trypanosoma brucei brucei* alternative oxidase. *Mol Biochem Parasitol* **83**: 125-129.
- Chaves, I., Rudenko, G., Dirks-Mulder, A., Cross, M., and Borst, P. (1999) Control of variant surface glycoprotein gene-expression sites in *Trypanosoma brucei*. *Embo J* **18**: 4846-4855.
- Chen, Y., Dougherty, E.R., and Bittner, M.L. (1997) Ratio-based decisions and the quantitative analysis of cDNA microarray images. *J Biomed Optics* **2**: 364-374.
- Chuaqui, R.F., Bonner, R.F., Best, C.J., Gillespie, J.W., Flraig, M.J., Hewitt, S.M., Phillips, J.L., Krizman, D.B., Tangrea, M.A., Ahram, M., Linehan, W.M., Knezevic, V., and Emmert-Buck, M.R. (2002) Post-analysis follow-up and validation of microarray experiments. *Nat Genet* **32 Suppl**: 509-514.
- Churchill, G.A. (2002) Fundamentals of experimental design for cDNA microarrays. *Nat Genet* **32 Suppl**: 490-495.
- Clarke, L., and Carbon, J. (1976) A colony bank containing synthetic Col El hybrid plasmids representative of the entire *E. coli* genome. *Cell* **9**: 91-99.
- Clayton, C.E. (2002) Life without transcriptional control? From fly to man and back again. *Embo J* **21**: 1881-1888.
- Cleveland, W., and Devlin, S. (1988) Locally weighted linear regression: an approach to regression analysis by local fitting. *J Am Stat Assoc* **83**: 596-609.
- DeRisi, J., Penland, L., Brown, P.O., Bittner, M.L., Meltzer, P.S., Ray, M., Chen, Y., Su, Y.A., and Trent, J.M. (1996) Use of a cDNA microarray to analyse gene expression patterns in human cancer. *Nat Genet* **14**: 457-460.
- Diatchenko, L., Lau, Y.F., Campbell, A.P., Chenchik, A., Moqadam, F., Huang, B., Lukyanov, S., Lukyanov, K., Gurskaya, N., Sverdlov, E.D., and Siebert, P.D. (1996)

- Suppression subtractive hybridization: a method for generating differentially regulated or tissue-specific cDNA probes and libraries. *Proc Natl Acad Sci U S A* **93**: 6025-6030.
- Diehl, F., Grahlmann, S., Beier, M., and Hoheisel, J.D. (2001) Manufacturing DNA microarrays of high spot homogeneity and reduced background signal. *Nucleic Acids Res* **29**: E38.
- Diehl, F., Beckmann, B., Kellner, N., Hauser, N.C., Diehl, S., and Hoheisel, J.D. (2002a) Manufacturing DNA microarrays from unpurified PCR products. *Nucleic Acids Res* **30**: e79.
- Diehl, S., Diehl, F., El-Sayed, N.M., Clayton, C., and Hoheisel, J.D. (2002b) Analysis of stage-specific gene expression in the bloodstream and the procyclic form of *Trypanosoma brucei* using a genomic DNA-microarray. *Mol Biochem Parasitol* **123**: 115-123.
- Dobbin, K., Shih, J.H., and Simon, R. (2003) Statistical design of reverse dye microarrays. *Bioinformatics* **19**: 803-810.
- Dudoit, S., Yang, Y.H., Callow, M.J., and Speed, T.P. (2002) Statistical methods for identifying genes with differential expression in replicated cDNA microarray experiments. *Stat. Sin.* **12**: 111-139.
- Dudoit, Y., Yang, Y.H., Callow, M.J., and Speed, T.P. (2000) Statistical methods for identifying differentially expressed genes in replicated cDNA microarray experiments. *Technical Report 578, Department of Statistics, UC Berkeley, CA.*
- Durbin, B.P., Hardin, J.S., Hawkins, D.M., and Rocke, D.M. (2002) A variance-stabilizing transformation for gene-expression microarray data. *Bioinformatics* **18 Suppl 1**: S105-110.
- Eddy, S.R. (2001) Non-coding RNA genes and the modern RNA world. *Nat Rev Genet* **2**: 919-929.
- Efron, B., and Tibshirani, R. (2002) Empirical bayes methods and false discovery rates for microarrays. *Genet Epidemiol* **23**: 70-86.
- El-Sayed, N.M., Hegde, P., Quackenbush, J., Melville, S.E., and Donelson, J.E. (2000) The African trypanosome genome. *Int J Parasitol* **30**: 329-345.
- El-Sayed, N.M., Ghedin, E., Song, J., MacLeod, A., Bringaud, F., Larkin, C., Wanless, D., Peterson, J., Hou, L., Taylor, S., Tweedie, A., Biteau, N., Khalak, H.G., Lin, X., Mason, T., Hannick, L., Caler, E., Blandin, G., Bartholomeu, D., Simpson, A.J., Kaul, S., Zhao, H., Pai, G., Van Aken, S., Utterback, T., Haas, B., Koo, H.L., Umayam, L., Suh, B., Gerrard, C., Leech, V., Qi, R., Zhou, S., Schwartz, D., Feldblyum, T., Salzberg, S., Tait, A., Turner, C.M., Ullu, E., White, O., Melville, S., Adams, M.D., Fraser, C.M., and Donelson, J.E. (2003) The sequence and analysis of *Trypanosoma brucei* chromosome II. *Nucleic Acids Res* **31**: 4856-4863.

- Fellenberg, K., Hauser, N.C., Brors, B., Neutzner, A., Hoheisel, J.D., and Vingron, M. (2001) Correspondence analysis applied to microarray data. *Proc Natl Acad Sci U S A* **98**: 10781-10786.
- Fodor, S.P., Read, J.L., Pirrung, M.C., Stryer, L., Lu, A.T., and Solas, D. (1991) Light-directed, spatially addressable parallel chemical synthesis. *Science* **251**: 767-773.
- Frohme, M., Scharm, B., Delius, H., Knecht, R., and Hoheisel, J.D. (2000) Use of representational difference analysis and cDNA arrays for transcriptional profiling of tumor tissue. *Ann N Y Acad Sci* **910**: 85-104; discussion 104-105.
- Gibson, W., Garside, L., and Bailey, M. (1992) Trisomy and chromosome size changes in hybrid trypanosomes from a genetic cross between *Trypanosoma brucei rhodesiense* and *T. b. brucei*. *Mol Biochem Parasitol* **51**: 189-199.
- Gray, N.S., Wodicka, L., Thunnissen, A.M., Norman, T.C., Kwon, S., Espinoza, F.H., Morgan, D.O., Barnes, G., LeClerc, S., Meijer, L., Kim, S.H., Lockhart, D.J., and Schultz, P.G. (1998) Exploiting chemical libraries, structure, and genomics in the search for kinase inhibitors. *Science* **281**: 533-538.
- Gress, T.M., Hoheisel, J.D., Lennon, G.G., Zehetner, G., and Lehrach, H. (1992) Hybridization fingerprinting of high-density cDNA-library arrays with cDNA pools derived from whole tissues. *Mamm Genome* **3**: 609-619.
- Gull, K. (2002) The cell biology of parasitism in *Trypanosoma brucei*: insights and drug targets from genomic approaches? *Curr Pharm Des* **8**: 241-256.
- Hall, N., Berriman, M., Lennard, N.J., Harris, B.R., Hertz-Fowler, C., Bart-Delabesse, E.N., Gerrard, C.S., Atkin, R.J., Barron, A.J., Bowman, S., Bray-Allen, S.P., Bringaud, F., Clark, L.N., Corton, C.H., Cronin, A., Davies, R., Doggett, J., Fraser, A., Gruter, E., Hall, S., Harper, A.D., Kay, M.P., Leech, V., Mayes, R., Price, C., Quail, M.A., Rabbinowitsch, E., Reitter, C., Rutherford, K., Sasse, J., Sharp, S., Shownkeen, R., MacLeod, A., Taylor, S., Tweedie, A., Turner, C.M., Tait, A., Gull, K., Barrell, B., and Melville, S.E. (2003) The DNA sequence of chromosome I of an African trypanosome: gene content, chromosome organisation, recombination and polymorphism. *Nucleic Acids Res* **31**: 4864-4873.
- Hauser, N.C., Vingron, M., Scheideler, M., Krems, B., Hellmuth, K., Entian, K.D., and Hoheisel, J.D. (1998) Transcriptional profiling on all open reading frames of *Saccharomyces cerevisiae*. *Yeast* **14**: 1209-1221.
- Hirumi, H., and Hirumi, K. (1989) Continuous cultivation of *Trypanosoma brucei* blood stream forms in a medium containing a low concentration of serum protein without feeder cell layers. *J Parasitol* **75**: 985-989.
- Hotz, H.R., Lorenz, P., Fischer, R., Krieger, S., and Clayton, C. (1995) Role of 3'-untranslated regions in the regulation of hexose transporter mRNAs in *Trypanosoma brucei*. *Mol Biochem Parasitol* **75**: 1-14.

- Hubank, M., and Schatz, D.G. (1994) Identifying differences in mRNA expression by representational difference analysis of cDNA. *Nucleic Acids Res* **22**: 5640-5648.
- Hubank, M., and Schatz, D.G. (1999) cDNA representational difference analysis: a sensitive and flexible method for identification of differentially expressed genes. *Methods Enzymol* **303**: 325-349.
- Huber, W., Von Heydebreck, A., Sultmann, H., Poustka, A., and Vingron, M. (2002) Variance stabilization applied to microarray data calibration and to the quantification of differential expression. *Bioinformatics* **18 Suppl 1**: S96-S104.
- Kerr, M.K., Martin, M., and Churchill, G.A. (2000) Analysis of variance for gene expression microarray data. *J Comput Biol* **7**: 819-837.
- Kuang, W.W., Thompson, D.A., Hoch, R.V., and Weigel, R.J. (1998) Differential screening and suppression subtractive hybridization identified genes differentially expressed in an estrogen receptor-positive breast carcinoma cell line. *Nucleic Acids Res* **26**: 1116-1123.
- Kusnezow, W., Jacob, A., Walijew, A., Diehl, F., and Hoheisel, J.D. (2003) Antibody microarrays: an evaluation of production parameters. *Proteomics* **3**: 254-264.
- LaCount, D.J., Gruszynski, A.E., Grandgenett, P.M., Bangs, J.D., and Donelson, J.E. (2003) Expression and function of the Trypanosoma brucei major surface protease (GP63) genes. *J Biol Chem* **278**: 24658-24664.
- Lashkari, D.A., DeRisi, J.L., McCusker, J.H., Namath, A.F., Gentile, C., Hwang, S.Y., Brown, P.O., and Davis, R.W. (1997) Yeast microarrays for genome wide parallel genetic and gene expression analysis. *Proc Natl Acad Sci U S A* **94**: 13057-13062.
- Le Roch, K.G., Zhou, Y., Blair, P.L., Grainger, M., Moch, J.K., Haynes, J.D., De La Vega, P., Holder, A.A., Batalov, S., Carucci, D.J., and Winzeler, E.A. (2003) Discovery of gene function by expression profiling of the malaria parasite life cycle. *Science* **301**: 1503-1508.
- Lee, M.L., Kuo, F.C., Whitmore, G.A., and Sklar, J. (2000) Importance of replication in microarray gene expression studies: statistical methods and evidence from repetitive cDNA hybridizations. *Proc Natl Acad Sci U S A* **97**: 9834-9839.
- Liniger, M., Bodenmuller, K., Pays, E., Gallati, S., and Roditi, I. (2001) Overlapping sense and antisense transcription units in Trypanosoma brucei. *Mol Microbiol* **40**: 869-878.
- Lisitsyn, N., and Wigler, M. (1993) Cloning the differences between two complex genomes. *Science* **259**: 946-951.
- Lockhart, D.J., and Winzeler, E.A. (2000) Genomics, gene expression and DNA arrays. *Nature* **405**: 827-836.

- Luo, H., Gilinger, G., Mukherjee, D., and Bellofatto, V. (1999a) Transcription initiation at the TATA-less spliced leader RNA gene promoter requires at least two DNA-binding proteins and a tripartite architecture that includes an initiator element. *J Biol Chem* **274**: 31947-31954.
- Luo, L., Salunga, R.C., Guo, H., Bittner, A., Joy, K.C., Galindo, J.E., Xiao, H., Rogers, K.E., Wan, J.S., Jackson, M.R., and Erlander, M.G. (1999b) Gene expression profiles of laser-captured adjacent neuronal subtypes. *Nat Med* **5**: 117-122.
- Mair, G., Ullu, E., and Tschudi, C. (2000) Cotranscriptional cap 4 formation on the *Trypanosoma brucei* spliced leader RNA. *J Biol Chem* **275**: 28994-28999.
- Marcotte, E.M., Pellegrini, M., Ng, H.L., Rice, D.W., Yeates, T.O., and Eisenberg, D. (1999) Detecting protein function and protein-protein interactions from genome sequences. *Science* **285**: 751-753.
- Matthews, K.R., and Gull, K. (1998) Identification of stage-regulated and differentiation-enriched transcripts during transformation of the African trypanosome from its bloodstream to procyclic form. *Mol Biochem Parasitol* **95**: 81-95.
- Mehlhorn H, P.G. (1995) *Ordung: Kinetoplastida*. Stuttgart, Jena: Gustav Fischer Verlag.
- Melville, S.E., Leech, V., Gerrard, C.S., Tait, A., and Blackwell, J.M. (1998) The molecular karyotype of the megabase chromosomes of *Trypanosoma brucei* and the assignment of chromosome markers. *Mol Biochem Parasitol* **94**: 155-173.
- Miller, L.D., Long, P.M., Wong, L., Mukherjee, S., McShane, L.M., and Liu, E.T. (2002) Optimal gene expression analysis by microarrays. *Cancer Cell* **2**: 353-361.
- Nadon, R., and Shoemaker, J. (2002) Statistical issues with microarrays: processing and analysis. *Trends Genet* **18**: 265-271.
- Newton, M.A., Kendziora, C.M., Richmond, C.S., Blattner, F.R., and Tsui, K.W. (2001) On differential variability of expression ratios: improving statistical inference about gene expression changes from microarray data. *J Comput Biol* **8**: 37-52.
- Nourbakhsh, F., Uliana, S.R., and Smith, D.F. (1996) Characterisation and expression of a stage-regulated gene of *Leishmania major*. *Mol Biochem Parasitol* **76**: 201-213.
- Overath, P., Czichos, J., and Haas, C. (1986) The effect of citrate/cis-aconitate on oxidative metabolism during transformation of *Trypanosoma brucei*. *Eur J Biochem* **160**: 175-182.
- Pan, W. (2002) A comparative review of statistical methods for discovering differentially expressed genes in replicated microarray experiments. *Bioinformatics* **18**: 546-554.

- Pays, E., Coquelet, H., Pays, A., Tebabi, P., and Steinert, M. (1989) Trypanosoma brucei: posttranscriptional control of the variable surface glycoprotein gene expression site. *Mol Cell Biol* **9**: 4018-4021.
- Pays, E., Lips, S., Nolan, D., Vanhamme, L., and Perez-Morga, D. (2001) The VSG expression sites of Trypanosoma brucei: multipurpose tools for the adaptation of the parasite to mammalian hosts. *Mol Biochem Parasitol* **114**: 1-16.
- Quackenbush, J. (2002) Microarray data normalization and transformation. *Nat Genet* **32 Suppl**: 496-501.
- Rajeevan, M.S., Dimulescu, I.M., Unger, E.R., and Vernon, S.D. (1999) Chemiluminescent analysis of gene expression on high-density filter arrays. *J Histochem Cytochem* **47**: 337-342.
- Redpath, M.B., Windle, H., Nolan, D., Pays, E., Voorheis, H.P., and Carrington, M. (2000) ESAG11, a new VSG expression site-associated gene from Trypanosoma brucei. *Mol Biochem Parasitol* **111**: 223-228.
- Remme, J.H., Blas, E., Chitsulo, L., Desjeux, P.M., Engers, H.D., Kanyok, T.P., Kengela Kayondo, J.F., Kiyo, D.W., Kumaraswami, V., Lazzins, J.K., Nunn, P.P., Oduola, A., Ridley, R.G., Toure, Y.T., Zicker, F., and Morel, C.M. (2002) Strategic emphases for tropical diseases research: a TDR perspective. *Trends Parasitol* **18**: 421-426.
- Rice, J.A. (1995) Mathematical Statistics and Data Analysis. *Duxbury Press 2nd Edition*.
- Sagerstrom, C.G., Sun, B.I., and Sive, H.L. (1997) Subtractive cloning: past, present, and future. *Annu Rev Biochem* **66**: 751-783.
- Salin, H., Vujasinovic, T., Mazurie, A., Maitrejean, S., Menini, C., Mallet, J., and Dumas, S. (2002) A novel sensitive microarray approach for differential screening using probes labelled with two different radioelements. *Nucleic Acids Res* **30**: e17.
- Schena, M., Shalon, D., Davis, R.W., and Brown, P.O. (1995) Quantitative monitoring of gene expression patterns with a complementary DNA microarray [see comments]. *Science* **270**: 467-470.
- Schena, M., Shalon, D., Heller, R., Chai, A., Brown, P.O., and Davis, R.W. (1996) Parallel human genome analysis: microarray-based expression monitoring of 1000 genes. *Proc Natl Acad Sci U S A* **93**: 10614-10619.
- Scholler, J.K., Aline, R.F., Jr., and Stuart, K.D. (1988) Variant specific transcripts from the co-transposed segments of variant surface glycoprotein genes in Trypanosoma brucei. *Mol Biochem Parasitol* **29**: 89-103.
- Schuchhardt, J., Beule, D., Malik, A., Wolski, E., Eickhoff, H., Lehrach, H., and Herzel, H. (2000) Normalization strategies for cDNA microarrays. *Nucleic Acids Res* **28**: E47.

- Scientific-Working-Group-African-Trypanosomiasis (2001) African trypanosomiasis (sleeping sickness). In *Scientific Working Group meeting on African trypanosomiasis*. Vol. TDR/SWG/01 Geneva, Switzerland: TDR, World Health Organization.
- Simon, R., Radmacher, M.D., Dobbin, K., and McShane, L.M. (2003) Pitfalls in the use of DNA microarray data for diagnostic and prognostic classification. *J Natl Cancer Inst* **95**: 14-18.
- Southern, E.M., Maskos, U., and Elder, J.K. (1992) Analyzing and comparing nucleic acid sequences by hybridization to arrays of oligonucleotides: evaluation using experimental models. *Genomics* **13**: 1008-1017.
- St Croix, B., Rago, C., Velculescu, V., Traverso, G., Romans, K.E., Montgomery, E., Lal, A., Riggins, G.J., Lengauer, C., Vogelstein, B., and Kinzler, K.W. (2000) Genes expressed in human tumor endothelium. *Science* **289**: 1197-1202.
- Stich, A., Abel, P.M., and Krishna, S. (2002) Human African trypanosomiasis. *Bmj* **325**: 203-206.
- Storey, J.D., and Tibshirani, R. (2003) Statistical significance for genomewide studies. *Proc Natl Acad Sci U S A* **100**: 9440-9445.
- Stuart, K., and Panigrahi, A.K. (2002) RNA editing: complexity and complications. *Mol Microbiol* **45**: 591-596.
- Taniguchi, M., Miura, K., Iwao, H., and Yamanaka, S. (2001) Quantitative assessment of DNA microarrays--comparison with Northern blot analyses. *Genomics* **71**: 34-39.
- Thomas, J.G., Olson, J.M., Tapscott, S.J., and Zhao, L.P. (2001) An efficient and robust statistical modeling approach to discover differentially expressed genes using genomic expression profiles. *Genome Res* **11**: 1227-1236.
- Troyanskaya, O., Cantor, M., Sherlock, G., Brown, P., Hastie, T., Tibshirani, R., Botstein, D., and Altman, R.B. (2001) Missing value estimation methods for DNA microarrays. *Bioinformatics* **17**: 520-525.
- Tschudi, C., and Ullu, E. (1988) Polygene transcripts are precursors to calmodulin mRNAs in trypanosomes. *Embo J* **7**: 455-463.
- Turner, C.M. (1997) The rate of antigenic variation in fly-transmitted and syringe-passaged infections of *Trypanosoma brucei*. *FEMS Microbiol Lett* **153**: 227-231.
- Tusher, V.G., Tibshirani, R., and Chu, G. (2001) Significance analysis of microarrays applied to the ionizing radiation response. *Proc Natl Acad Sci U S A* **98**: 5116-5121.

Ullu, E., and Tschudi, C. (1993) 2'-O-methyl RNA oligonucleotides identify two functional elements in the trypanosome spliced leader ribonucleoprotein particle. *J Biol Chem* **268**: 13068-13073.

van Deursen, F.J., Shahi, S.K., Turner, C.M., Hartmann, C., Guerra-Giraldez, C., Matthews, K.R., and Clayton, C.E. (2001) Characterisation of the growth and differentiation in vivo and in vitro- of bloodstream-form Trypanosoma brucei strain TREU 927. *Mol Biochem Parasitol* **112**: 163-171.

Vassella, E., Braun, R., and Roditi, I. (1994) Control of polyadenylation and alternative splicing of transcripts from adjacent genes in a procyclin expression site: a dual role for polypyrimidine tracts in trypanosomes? *Nucleic Acids Res* **22**: 1359-1364.

Vinhas, M.C., and Schofield, C.J. (2003) Trypanosomiasis control: surmounting diminishing returns. *Trends Parasitol* **19**: 112-113; author reply 113-114.

Wang, X., Ghosh, S., and Guo, S.W. (2001) Quantitative quality control in microarray image processing and data acquisition. *Nucleic Acids Res* **29**: E75-75.

Wang, X., Hessner, M.J., Wu, Y., Pati, N., and Ghosh, S. (2003) Quantitative quality control in microarray experiments and the application in data filtering, normalization and false positive rate prediction. *Bioinformatics* **19**: 1341-1347.

Wetmur, J.G. (1991) DNA probes: applications of the principles of nucleic acid hybridization. *Crit Rev Biochem Mol Biol* **26**: 227-259.

WHO-Report (2001) African trypanosomiasis or sleeping sickness. WHO, pp. <http://www.who.int/inf-fs/en/fact259.html>.

Winzeler, E.A., Shoemaker, D.D., Astromoff, A., Liang, H., Anderson, K., Andre, B., Bangham, R., Benito, R., Boeke, J.D., Bussey, H., Chu, A.M., Connelly, C., Davis, K., Dietrich, F., Dow, S.W., El Bakkoury, M., Foury, F., Friend, S.H., Gentalen, E., Giaever, G., Hegemann, J.H., Jones, T., Laub, M., Liao, H., Davis, R.W., and et al. (1999) Functional characterization of the *S. cerevisiae* genome by gene deletion and parallel analysis. *Science* **285**: 901-906.

Wu, T.D. (2001) Analysing gene expression data from DNA microarrays to identify candidate genes. *J Pathol* **195**: 53-65.

Yang, H., Haddad, H., Tomas, C., Alsaker, K., and Papoutsakis, E.T. (2003) A segmental nearest neighbor normalization and gene identification method gives superior results for DNA-array analysis. *Proc Natl Acad Sci U S A* **100**: 1122-1127.

Yang, I.V., Chen, E., Hasseman, J.P., Liang, W., Frank, B.C., Wang, S., Sharov, V., Saeed, A.I., White, J., Li, J., Lee, N.H., Yeatman, T.J., and Quackenbush, J. (2002a) Within the fold: assessing differential expression measures and reproducibility in microarray assays. *Genome Biol* **3**: research0062.

- Yang, Y.H., Dudoit, S., Luu, P., Lin, D.M., Peng, V., Ngai, J., and Speed, T.P. (2002b) Normalization for cDNA microarray data: a robust composite method addressing single and multiple slide systematic variation. *Nucleic Acids Res* **30**: e15.
- Yue, H., Eastman, P.S., Wang, B.B., Minor, J., Doctolero, M.H., Nuttall, R.L., Stack, R., Becker, J.W., Montgomery, J.R., Vainer, M., and Johnston, R. (2001) An evaluation of the performance of cDNA microarrays for detecting changes in global mRNA expression. *Nucleic Acids Res* **29**: E41-41.
- Yuen, T., Wurmbach, E., Pfeffer, R.L., Ebersole, B.J., and Sealfon, S.C. (2002) Accuracy and calibration of commercial oligonucleotide and custom cDNA microarrays. *Nucleic Acids Res* **30**: e48.
- Ziegelbauer, K., Multhaup, G., and Overath, P. (1992) Molecular characterization of two invariant surface glycoproteins specific for the bloodstream stage of *Trypanosoma brucei*. *J Biol Chem* **267**: 10797-10803.
- Ziegelbauer, K., and Overath, P. (1992) Identification of invariant surface glycoproteins in the bloodstream stage of *Trypanosoma brucei*. *J Biol Chem* **267**: 10791-10796.