

9. Publikationen

- Steffan, J.S., A. Kazantsev., O. Spasic-Boskovic, M. Greenwald, Y.Z. Zhu, H. Goehler, E.E. Wanker, G.P. Bates, D.E. Housman, L.M. Thompson (2000). The Huntington's disease protein interacts with p53 and CREB-binding protein and represses transcription. *Proc Natl Acad Sci USA* 97: 6763-8
- Waelter, S., E. Scherzinger, R. Hasenbank, E. Nordhoff, R. Lurz, H. Goehler, C. Gauss, K. Sathasivam, G.P. Bates, H. Lehrach and E.E. Wanker (2001). The huntingtin interacting protein HIP1 is a clathrin and alpha-adaptin-binding protein involved in receptor-mediated endocytosis. *Hum Mol Genet.* 10: 1807-17
- Goehler, H., M. Lalowski, U. Stelzl, S. Waelter, M. Stroedicke, U. Worm, A. Droege, K.S. Lindenberg, M. Knoblich, C. Haenig, M. Herbst, J. Suopanki, E. Scherzinger, C. Abraham, B. Bauer, R. Hasenbank, A. Fritzsche, A.H. Ludwig, K. Buessow, S.H. Coleman, C.A. Gutekunst, B.G. Landwehrmeyer, H. Lehrach, E.E. Wanker (2004). A protein interaction network links GIT1, an enhancer of huntingtin aggregation, to Huntington's disease. *Mol Cell.* 15(6): 853-65
- Ralser M., H. Goehler, E.E. Wanker, H. Lehrach, S. Krobitsch (2005). Generation of a yeast two-hybrid strain suitable for competitive protein binding analysis. *Biotechniques* 39: 165-6, 168
- Stelzl, U., U. Worm, M. Lalowski, C. Haenig, F.H. Brembeck, H. Goehler, M. Stroedicke, M. Zenkner, A. Schoenherr, S. Koeppen, J. Timm, S. Mintzlaff, C. Abraham, N. Bock, S. Kietzmann, A. Goedde, E. Toksöz, A. Droege, S. Krobitsch, B. Korn, W. Birchmeier, H. Lehrach, E.E. Wanker (2005). A Human Protein-Protein Interaction Network: A Resource for Annotating the Proteome. *Cell.* 122: 957-968
- Goehler, H., A. Droege, R. Lurz, Y. Chernoff and E.E. Wanker. Polyglutamine-mediated amyloidogenesis of Sup35 or Rnq1 promotes the spontaneous formation of yeast prions. *submitted*