

7. Literaturverzeichnis

American College of Chest Physicians/Society of Critical Care Medicine Consensus Conference: Definitions for Sepsis and Organ Failure and Guidelines for the Use of Innovative Therapies in Sepsis " (1992) *Crit Care Med*, 20, 864-74.

Aggarwal, B. B., and Natarajan, K. (1996), "Tumor Necrosis Factors: Developments During the Last Decade," *Eur Cytokine Netw*, 7, 93-124.

Agrawal, A., and Volanakis, J. E. (1994), "Probing the C1q-Binding Site on Human C-Reactive Protein by Site-Directed Mutagenesis," *J Immunol*, 152, 5404-5410.

Allen, M. L., et al. (2002), "Early Postoperative Monocyte Deactivation Predicts Systemic Inflammation and Prolonged Stay in Pediatric Cardiac Intensive Care," *Crit Care Med*, 30, 1140-1145.

Andersen, L. W., Landow, L., Baek, L., Jansen, E., and Baker, S. (1993), "Association between Gastric Intramucosal Ph and Splanchnic Endotoxin, Antibody to Endotoxin, and Tumor Necrosis Factor-Alpha Concentrations in Patients Undergoing Cardiopulmonary Bypass," *Crit Care Med*, 21, 210-217.

Andrews, T. C., Reimold, S. C., Berlin, J. A., and Antman, E. M. (1991), "Prevention of Supraventricular Arrhythmias after Coronary Artery Bypass Surgery. A Meta-Analysis of Randomized Control Trials," *Circulation*, 84, III236-244.

Asimakopoulos, G. (1999), "Mechanisms of the Systemic Inflammatory Response," *Perfusion*, 14, 269-277.

Asimakopoulos, G. (2001), "Systemic Inflammation and Cardiac Surgery: An Update," *Perfusion*, 16, 353-360.

Bahrami, S., Schlag, G., Yao, Y. M., and Redl, H. (1995), "Significance of Translocation/Endotoxin in the Development of Systemic Sepsis Following Trauma and/or Haemorrhage," *Prog Clin Biol Res*, 392, 197-208.

Baue, A. E. (1993), "The Role of the Gut in the Development of Multiple Organ Dysfunction in Cardiothoracic Patients," *Ann Thorac Surg*, 55, 822-829.

Bauernschmitt, R., Bohrer, H., and Hagl, S. (1998), "Rescue Therapy with C1-Esterase Inhibitor Concentrate after Emergency Coronary Surgery for Failed Ptca," *Intensive Care Med*, 24, 635-638.

Benjamini, E., Coico, R., Sunshine, G.
Complement
In: Immunology, A Short Course
New York, Chichester, Weinheim, Brisbane, Singapore, Toronto
Wiley-Liss, Inc. 2000: 253-278

Bennett-Guerrero, E., et al. (1997), "Relationship of Preoperative Antiendotoxin Core Antibodies and Adverse Outcomes Following Cardiac Surgery," *Jama*, 277, 646-650.

Björk, J., Hugli, T. E., and Smedegard, G. (1985), "Microvascular Effects of Anaphylatoxins C3a and C5a," *J Immunol*, 134, 1115-1119.

Boeken, U., et al. (1998), "Increased Preoperative C-Reactive Protein (Crp)-Values without Signs of an Infection and Complicated Course after Cardiopulmonary Bypass (Cpb)-Operations," *Eur J Cardiothorac Surg*, 13, 541-545.

Bone, R. C. (1996), "Toward a Theory Regarding the Pathogenesis of the Systemic Inflammatory Response Syndrome: What We Do and Do Not Know About Cytokine Regulation," *Crit Care Med*, 24, 163-17

Boralessa, H., de Beer, F. C., Manchie, A., Whitwam, J. G., and Pepys, M. B. (1986), "C-Reactive Protein in Patients Undergoing Cardiac Surgery," *Anaesthesia*, 41, 11-15.

Bouchart, F., et al. (1997), "How to Protect Hypertrophied Myocardium? A Prospective Clinical Trial of Three Preservation Techniques," *Int J Artif Organs*, 20, 440-446.

Boyle, E. M., Jr., Morgan, E. N., Kovacich, J. C., Canty, T. G., Jr., and Verrier, E. D. (1999), "Microvascular Responses to Cardiopulmonary Bypass," *J Cardiothorac Vasc Anesth*, 13, 30-35; discussion 36-37.

Breda, M. A., et al. (1989), "Prevention of Reperfusion Injury in the Neonatal Heart with Leukocyte-Depleted Blood," *J Thorac Cardiovasc Surg*, 97, 654-665.

Brower, M. S., and Harpel, P. C. (1982), "Proteolytic Cleavage and Inactivation of Alpha 2-Plasmin Inhibitor and C1 Inactivator by Human Polymorphonuclear Leukocyte Elastase," *J Biol Chem*, 257, 9849-9854.

Bruins, P., et al. (1997), "Activation of the Complement System During and after Cardiopulmonary Bypass Surgery: Postsurgery Activation Involves C-Reactive Protein and Is Associated with Postoperative Arrhythmia," *Circulation*, 96, 3542-3548.

Buerke, M., Murohara, T., and Lefer, A. M. (1995), "Cardioprotective Effects of a C1 Esterase Inhibitor in Myocardial Ischemia and Reperfusion," *Circulation*, 91, 393-402.

Buerke, M., et al. (1998), "Blocking of Classical Complement Pathway Inhibits Endothelial Adhesion Molecule Expression and Preserves Ischemic Myocardium from Reperfusion Injury," *J Pharmacol Exp Ther*, 286, 429-438.

Butler, J., Rucker, G. M., and Westaby, S. (1993), "Inflammatory Response to Cardiopulmonary Bypass," *Ann Thorac Surg*, 55, 552-559.

Caliezi, C., et al. (2000), "C1-Esterase Inhibitor: An Anti-Inflammatory Agent and Its Potential Use in the Treatment of Diseases Other Than Hereditary Angioedema," *Pharmacol Rev*, 52, 91-112.

Califf, R. M., et al. (1998), "Myonecrosis after Revascularization Procedures," *J Am Coll Cardiol*, 31, 241-251.

Cavaillon, J. M., Fitting, C., and Haeffner-Cavaillon, N. (1990), "Recombinant C5a Enhances Interleukin 1 and Tumor Necrosis Factor Release by Lipopolysaccharide-Stimulated Monocytes and Macrophages," *Eur J Immunol*, 20, 253-257.

Cavarocchi, N. C., et al. (1985), "Evidence for Complement Activation by Protamine-Heparin Interaction after Cardiopulmonary Bypass," *Surgery*, 98, 525-531.

Cavarocchi, N. C., et al. (1986), "Oxygen Free Radical Generation During Cardiopulmonary Bypass: Correlation with Complement Activation," *Circulation*, 74, III 130-133.

Cheadle, W. G. (1993), "The Human Leukocyte Antigens and Their Relationship to Infection," *Am J Surg*, 165, 75S-81S.

Chello, M., et al. (1997), "Complement and Neutrophil Activation During Cardiopulmonary Bypass: A Randomized Comparison of Hypothermic and Normothermic Circulation," *Eur J Cardiothorac Surg*, 11, 162-168.

Chenoweth, D. E., et al. (1981), "Complement Activation During Cardiopulmonary Bypass: Evidence for Generation of C3a and C5a Anaphylatoxins," *N Engl J Med*, 304, 497-503.

Cox, C.S., Zwischenberger, J.B., Nguyen, T.T. et al. (1992), "Ileal mucosal hypoperfusion during cardiopulmonary bypass," *Curr Surg*, 49, 507-520

Cremer, J., Martin, M., Redl, H., et al. (1996), "Systemic Inflammatory Response Syndrome after Cardiac Operations," *Ann Thorac Surg*, 61, 1714-1720.

de Boer, J. P., et al. (1993), "Activation of the Complement System in Baboons Challenged with Live Escherichia Coli: Correlation with Mortality and Evidence for a Biphasic Activation Pattern," *Infect Immun*, 61, 4293-4301.

Dinarello, C. A., Gelfand, J. A., and Wolff, S. M. (1993), "Anticytokine Strategies in the Treatment of the Systemic Inflammatory Response Syndrome," *Jama*, 269, 1829-1835.

Dinarello, C. A. (1996), "Cytokines as Mediators in the Pathogenesis of Septic Shock," *Curr Top Microbiol Immunol*, 216, 133-165.

Döcke, W. D., et al. (1997), "Monocyte Deactivation in Septic Patients: Restoration by Ifn-Gamma Treatment," *Nat Med*, 3, 678-681.

Downing, S. W., and Edmunds, L. H., Jr. (1992), "Release of Vasoactive Substances During Cardiopulmonary Bypass," *Ann Thorac Surg*, 54, 1236-1243.

Dreyer, W. J., Michael, L. H., Millman, E. E., Berens, K. L., and Geske, R. S. (1995), "Neutrophil Sequestration and Pulmonary Dysfunction in a Canine Model of Open Heart Surgery with Cardiopulmonary Bypass. Evidence for a Cd18-Dependent Mechanism," *Circulation*, 92, 2276-2283.

Eagle, K. A., et al. (1999), "Acc/Aha Guidelines for Coronary Artery Bypass Graft Surgery: Executive Summary and Recommendations : A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1991 Guidelines for Coronary Artery Bypass Graft Surgery)," *Circulation*, 100, 1464-1480.

Elliott, M. J., and Finn, A. H. (1993), "Interaction between Neutrophils and Endothelium," *Ann Thorac Surg*, 56, 1503-1508.

- Entman, M. L., et al. (1991), "Inflammation in the Course of Early Myocardial Ischemia," *Faseb J*, 5, 2529-2537.
- Fiddian-Green, R. G. (1990), "Gut Mucosal Ischemia During Cardiac Surgery," *Semin Thorac Cardiovasc Surg*, 2, 389-399.
- Fischer, M. B., et al. (1997), "Increased Susceptibility to Endotoxin Shock in Complement C3- and C4-Deficient Mice Is Corrected by C1 Inhibitor Replacement," *J Immunol*, 159, 976-982.
- Foreman, K. E., et al. (1994), "C5a-Induced Expression of P-Selectin in Endothelial Cells," *J Clin Invest*, 94, 1147-1155.
- Fransen, E., et al. (1998), "Systemic Inflammation Present in Patients Undergoing Cabg without Extracorporeal Circulation," *Chest*, 113, 1290-1295.
- Fransen, E. J., Maessen, J. G., Elenbaas, T. W., van Aarnhem, E. E., and van Dieijen-Visser, M. P. (1999), "Enhanced Preoperative C-Reactive Protein Plasma Levels as a Risk Factor for Postoperative Infections after Cardiac Surgery," *Ann Thorac Surg*, 67, 134-138.
- Fransen, E. J., Diris, J. H., Maessen, J. G., Hermens, W. T., and van Dieijen-Visser, M. P. (2002), "Evaluation of "New" Cardiac Markers for Ruling out Myocardial Infarction after Coronary Artery Bypass Grafting," *Chest*, 122, 1316-1321.
- Fraunberger, P., Walli, A. K., Seidel, D. (1996), "Stellenwert von Zytokinen in der Sepsis-Diagnostik," *Infusionsther Transfusionsmed*, 23, (Suppl 4), 109-116
- Galea, J., Rebuck, N., Finn, A., Manche, A., and Moat, N. (1998), "Expression of Soluble Endothelial Adhesion Molecules in Clinical Cardiopulmonary Bypass," *Perfusion*, 13, 314-321.
- Gando, S., Kameue, T., Nanzaki, S., Hayakawa, T., and Nakanishi, Y. (1997), "Participation of Tissue Factor and Thrombin in Posttraumatic Systemic Inflammatory Syndrome," *Crit Care Med*, 25, 1820-1826.
- Gauldie, J., Northemann, W., and Fey, G. H. (1990), "Il-6 Functions as an Exocrine Hormone in Inflammation. Hepatocytes Undergoing Acute Phase Responses Require Exogenous Il-6," *J Immunol*, 144, 3804-3808.
- Gitlin, J. D., Gitlin, J. I., and Gitlin, D. (1977), "Localizing of C-Reactive Protein in Synovium of Patients with Rheumatoid Arthritis," *Arthritis Rheum*, 20, 1491-1499.
- Goransson, J., Jonsson, S., and Lason, A. (1998), "Screening of Concentrations of C-Reactive Protein and Various Plasma Protease Inhibitors Preoperatively for the Prediction of Postoperative Complications," *Eur J Surg*, 164, 89-101.
- Gorman, R. C., et al. (1996), "Surface-Bound Heparin Fails to Reduce Thrombin Formation During Clinical Cardiopulmonary Bypass," *J Thorac Cardiovasc Surg*, 111, 1-11; discussion 11-12.
- Goto, M., et al. (1993), "The Renin-Angiotensin-Aldosterone System and Hematologic Changes During Pulsatile and Nonpulsatile Cardiopulmonary Bypass," *Artif Organs*, 17, 318-322.

Griselli, M., et al. (1999), "C-Reactive Protein and Complement Are Important Mediators of Tissue Damage in Acute Myocardial Infarction," *J Exp Med*, 190, 1733-1740.

Guerrero, R., et al. (1993), "Endotoxin-Induced Pulmonary Dysfunction Is Prevented by C1-Esterase Inhibitor," *J Clin Invest*, 91, 2754-2760.

Hack, C. E., et al. (1989), "Elevated Plasma Levels of the Anaphylatoxins C3a and C4a are associated with a Fatal Outcome in Sepsis," *Am J Med*, 86, 20-26.

Hack, C. E., et al. (1994), "Initial Studies on the Administration of C1-Esterase Inhibitor to Patients with Septic Shock or with a Vascular Leak Syndrome Induced by Interleukin-2 Therapy," *Prog Clin Biol Res*, 388, 335-357.

Haeney, M. R. (1998), "The Role of the Complement Cascade in Sepsis," *J Antimicrob Chemother*, 41 Suppl A, 41-46.

Haisjackl, M., et al. (1998), "Splanchnic Oxygen Transport and Lactate Metabolism during Normothermic Cardiopulmonary Bypass in Humans," *Anesth Analg*, 86, 22-27.

Hall, R. I., Smith, M. S., and Rucker, G. (1997), "The Systemic Inflammatory Response to Cardiopulmonary Bypass: Pathophysiological, Therapeutic, and Pharmacological Considerations," *Anesth Analg*, 85, 766-782.

Hatanaka, K., Li, X. A., Masuda, K., Yutani, C., and Yamamoto, A. (1995), "Immunohistochemical Localization of C-Reactive Protein-Binding Sites in Human Atherosclerotic Aortic Lesions by a Modified Streptavidin-Biotin-Staining Method," *Pathol Int*, 45, 635-641.

Haupt, W., Hohenberger, W., Mueller, R., Klein, P., and Christou, N. V. (1997), "Association between Preoperative Acute Phase Response and Postoperative Complications," *Eur J Surg*, 163, 39-44.

Haveman, J. W., et al. (1999), "The Central Role of Monocytes in the Pathogenesis of Sepsis: Consequences for Immunomonitoring and Treatment," *Neth J Med*, 55, 132-141.

Haverkate, F., Thompson, S. G., Pyke, S. D., Gallimore, J. R., and Pepys, M. B. (1997), "Production of C-Reactive Protein and Risk of Coronary Events in Stable and Unstable Angina. European Concerted Action on Thrombosis and Disabilities Angina Pectoris Study Group," *Lancet*, 349, 462-466.

Heller, A., and Koch, T. (2000), "[the Complement System: An Old Story or Target of New Therapeutic Approaches?]," *Anesthesiol Intensivmed Notfallmed Schmerzther*, 35, 207-213.

Hennein, H. A., et al. (1994), "Relationship of the Proinflammatory Cytokines to Myocardial Ischemia and Dysfunction after Uncomplicated Coronary Revascularization," *J Thorac Cardiovasc Surg*, 108, 626-635.

Herold, G., et al. "Herzinfarkt", 205-216;
Innere Medizin 2004,
Herausgeber: Gerd Herold, Bernhardt-Falk-Str. 27; 50737 Köln

Higgins, T. L., et al. (1992), "Stratification of Morbidity and Mortality Outcome by Preoperative Risk Factors in Coronary Artery Bypass Patients. A Clinical Severity Score," *Jama*, 267, 2344-2348.

Hill, G. E. (1998), "Cardiopulmonary Bypass-Induced Inflammation: Is It Important?," *J Cardiothorac Vasc Anesth*, 12, 21-25.

Hirvonen, J., Huttunen, P., Nuutinen, L., and Pekkarinen, A. (1978), "Catecholamines and Free Fatty Acids in Plasma of Patients Undergoing Cardiac Operations with Hypothermia and Bypass," *J Clin Pathol*, 31, 949-955.

Holmvang, L., et al. (2002), "Use of Biochemical Markers of Infarction for Diagnosing Perioperative Myocardial Infarction and Early Graft Occlusion after Coronary Artery Bypass Surgery," *Chest*, 121, 103-111.

Horstick, G., et al. (1997), "Intracoronary Application of C1 Esterase Inhibitor Improves Cardiac Function and Reduces Myocardial Necrosis in an Experimental Model of Ischemia and Reperfusion," *Circulation*, 95, 701-708.

Jaffe, A. S., et al. (2000), "It's Time for a Change to a Troponin Standard," *Circulation*, 102, 1216-1220.

Jansen, N. J., et al. (1992), "Endotoxin Release and Tumor Necrosis Factor Formation During Cardiopulmonary Bypass," *Ann Thorac Surg*, 54, 744-747; discussion 747-748.

Jansen, P. M., et al. (1998), "Effect of C1 Inhibitor on Inflammatory and Physiologic Response Patterns in Primates Suffering from Lethal Septic Shock," *J Immunol*, 160, 475-484.

Johnsson, P. (1996), "Markers of Cerebral Ischemia after Cardiac Surgery," *J Cardiothorac Vasc Anesth*, 10, 120-126.

Journois, D., et al. (1996), "High-Volume, Zero-Balanced Hemofiltration to Reduce Delayed Inflammatory Response to Cardiopulmonary Bypass in Children," *Anesthesiology*, 85, 965-976.

Kalter, E. S., Daha, M. R., ten Cate, J. W., Verhoef, J., and Bouma, B. N. (1985), "Activation and Inhibition of Hageman Factor-Dependent Pathways and the Complement System in Uncomplicated Bacteremia or Bacterial Shock," *J Infect Dis*, 151, 1019-1027.

Kaplan, M. H., and Volanakis, J. E. (1974), "Interaction of C-Reactive Protein Complexes with the Complement System. I. Consumption of Human Complement Associated with the Reaction of C-Reactive Protein with Pneumococcal C-Polysaccharide and with the Choline Phosphatides, Lecithin and Sphingomyelin," *J Immunol*, 112, 2135-2147.

Karkela, J., Bock, E., and Kaukinen, S. (1993), "Csf and Serum Brain-Specific Creatine Kinase Isoenzyme (Ck-Bb), Neuron-Specific Enolase (Nse) and Neural Cell Adhesion Molecule (Ncam) as Prognostic Markers for Hypoxic Brain Injury after Cardiac Arrest in Man," *J Neurol Sci*, 116, 100-109.

- Kirklin, J. K., Westaby, S. et al. (1983), "Complement and the Damaging Effects of Cardiopulmonary Bypass," *J Thorac Cardiovasc Surg*, 86, 845-857.
- Kirklin, J. K., et al. (1986), "Effects of Protamine Administration after Cardiopulmonary Bypass on Complement, Blood Elements, and the Hemodynamic State," *Ann Thorac Surg*, 41, 193-199.
- Kirklin, J. K. (1991), "Prospects for Understanding and Eliminating the Deleterious Effects of Cardiopulmonary Bypass," *Ann Thorac Surg*, 51, 529-531.
- Kobayashi, S., Gando, S., Morimoto, Y., Nanzaki, S., and Kemmotsu, O. (2001), "Serial Measurement of Arterial Lactate Concentrations as a Prognostic Indicator in Relation to the Incidence of Disseminated Intravascular Coagulation in Patients with Systemic Inflammatory Response Syndrome," *Surg Today*, 31, 853-859.
- Kochilas, L., Campbell, B., Scalia, R., and Lefer, A. M. (1997), "Beneficial Effects of C1 Esterase Inhibitor in Murine Traumatic Shock," *Shock*, 8, 165-169.
- Koster, A., et al. (2002), "Hemostatic Activation and Inflammatory Response During Cardiopulmonary Bypass: Impact of Heparin Management," *Anesthesiology*, 97, 837-841.
- Kushner, I., and Kaplan, M. H. (1961), "Studies of Acute Phase Protein. I. An Immunohistochemical Method for the Localization of Cx-Reactive Protein in Rabbits. Association with Necrosis in Local Inflammatory Lesions," *J Exp Med*, 114, 961-974.
- Kushner, I., Rakita, L., and Kaplan, M. H. (1963), "Studies of Acute-Phase Protein. Ii. Localization of Cx-Reactive Protein in Heart in Induced Myocardial Infarction in Rabbits," *J Clin Invest*, 42, 286-292.
- Lagrand, W. K., et al. (1997), "C-Reactive Protein Colocalizes with Complement in Human Hearts During Acute Myocardial Infarction," *Circulation*, 95, 97-103.
- Lagrand, W. K., et al. (1999), "C-Reactive Protein as a Cardiovascular Risk Factor: More Than an Epiphenomenon?," *Circulation*, 100, 96-102.
- Landesberg, G., et al. (2003), "Association of Cardiac Troponin, Ck-Mb, and Postoperative Myocardial Ischemia with Long-Term Survival after Major Vascular Surgery," *J Am Coll Cardiol*, 42, 1547-1554.
- Le Deist, F., et al. (1995), "Hypothermia During Cardiopulmonary Bypass Delays but Does Not Prevent Neutrophil-Endothelial Cell Adhesion. A Clinical Study," *Circulation*, 92, II354-358.
- Levine, F. H., et al. (1981), "Plasma Vasopressin Levels and Urinary Sodium Excretion During Cardiopulmonary Bypass with and without Pulsatile Flow," *Ann Thorac Surg*, 32, 63-67.
- Makrides, S. C. (1998), "Therapeutic Inhibition of the Complement System," *Pharmacol Rev*, 50, 59-87.

- Manjuck, J., Saha, D. C., Astiz, M., Eales, L. J., and Rackow, E. C. (2000), "Decreased Response to Recall Antigens Is Associated with Depressed Costimulatory Receptor Expression in Septic Critically Ill Patients," *J Lab Clin Med*, 135, 153-160.
- Martinez-Pellus, A. E., et al. (1997), "Endogenous Endotoxemia of Intestinal Origin During Cardiopulmonary Bypass. Role of Type of Flow and Protective Effect of Selective Digestive Decontamination," *Intensive Care Med*, 23, 1251-1257.
- McNicol, L., Andersen, L. W., Liu, G., Doolan, L., and Baek, L. (1999), "Markers of Splanchnic Perfusion and Intestinal Translocation of Endotoxins During Cardiopulmonary Bypass: Effects of Dopamine and Milrinone," *J Cardiothorac Vasc Anesth*, 13, 292-298.
- Mold, C., Gewurz, H., and Du Clos, T. W. (1999), "Regulation of Complement Activation by C-Reactive Protein," *Immunopharmacology*, 42, 23-30.
- Mollhoff, T., et al. (1999), "Milrinone Modulates Endotoxemia, Systemic Inflammation, and Subsequent Acute Phase Response after Cardiopulmonary Bypass (Cpb)," *Anesthesiology*, 90, 72-80.
- Mollnes, T. E. (1997), "Biocompatibility: Complement as Mediator of Tissue Damage and as Indicator of Incompatibility," *Exp Clin Immunogenet*, 14, 24-29.
- Morgan, B. P. (1994), "Clinical Complementology: Recent Progress and Future Trends," *Eur J Clin Invest*, 24, 219-228.
- Morrison, D. C., and Cochrane, C. G. (1974), "Direct Evidence for Hageman Factor (Factor XII) Activation by Bacterial Lipopolysaccharides (Endotoxins)," *J Exp Med*, 140, 797-811.
- Morrison, D. C., and Kline, L. F. (1977), "Activation of the Classical and Properdin Pathways of Complement by Bacterial Lipopolysaccharides (Lps)," *J Immunol*, 118, 362-368.
- Müller-Werdan, U., et al. (1997), "[the Heart in Infection and Mods (Multiple Organ Dysfunction Syndrome)]," *Wien Klin Wochenschr*, 109 Suppl 1, 3-24.
- Müller-Werdan, U. (2003), "[Septic Shock and Systemic Inflammatory Response Syndrome--Diagnosis]," *Dtsch Med Wochenschr*, 128, 2368-2371.
- Murohara, T., Guo, J. P., Delyani, J. A., and Lefer, A. M. (1995), "Cardioprotective Effects of Selective Inhibition of the Two Complement Activation Pathways in Myocardial Ischemia and Reperfusion Injury," *Methods Find Exp Clin Pharmacol*, 17, 499-507.
- Myocardial Infarction Redefined--a Consensus Document of the Joint European Society of Cardiology/American College of Cardiology Committee for the Redefinition of Myocardial Infarction." (2000) *Eur Heart J*, 21, 1502-1513.
- Mythen, M. G., et al. (1993), "Postoperative Multiple Organ Dysfunction Syndrome Associated with Gut Mucosal Hypoperfusion, Increased Neutrophil Degranulation and C1-Esterase Inhibitor Depletion," *Br J Anaesth*, 71, 858-863.

- Mythen, M. G., et al. (1993), "The Role of Endotoxin Immunity, Neutrophil Degranulation and Contact Activation in the Pathogenesis of Post-Operative Organ Dysfunction," *Blood Coagul Fibrinolysis*, 4, 999-1005.
- Nuijens, J. H., et al. (1989), "Proteolytic Inactivation of Plasma C1- Inhibitor in Sepsis," *J Clin Invest*, 84, 443-450.
- Nürnberg, W., et al. (1993), "Activity of C1 Esterase Inhibitor in Patients with Vascular Leak Syndrome after Bone Marrow Transplantation," *Ann Hematol*, 67, 17-21.
- Oczenski, W., et al. (2003), "Hla-Dr as a Marker for Increased Risk for Systemic Inflammation and Septic Complications after Cardiac Surgery," *Intensive Care Med*, 29, 1253-1257.
- Ohri, S. K., et al. (1993), "Cardiopulmonary Bypass Impairs Small Intestinal Transport and Increases Gut Permeability," *Ann Thorac Surg*, 55, 1080-1086.
- Ohri, S. K., Becket, J., Brannan, J., Keogh, B. E., and Taylor, K. M. (1994), "Effects of Cardiopulmonary Bypass on Gut Blood Flow, Oxygen Utilization, and Intramucosal Ph," *Ann Thorac Surg*, 57, 1193-1199.
- Ommen, S. R., Odell, J. A., and Stanton, M. S. (1997), "Atrial Arrhythmias after Cardiothoracic Surgery," *N Engl J Med*, 336, 1429-1434.
- Oudemans-van Straaten, H. M., et al. (1996), "Intestinal Permeability, Circulating Endotoxin, and Postoperative Systemic Responses in Cardiac Surgery Patients," *J Cardiothorac Vasc Anesth*, 10, 187-194.
- Oudemans-van Straaten, H. M., et al. (1996), "Increased Oxygen Consumption after Cardiac Surgery Is Associated with the Inflammatory Response to Endotoxemia," *Intensive Care Med*, 22, 294-300.
- Payen, D., Faivre, V., Lukaszewicz, A. C., and Lossier, M. R. (2000), "Assessment of Immunological Status in the Critically Ill," *Minerva Anesthesiol*, 66, 351-357.
- Pearson, P. J., Lin, P. J., and Schaff, H. V. (1992), "Global Myocardial Ischemia and Reperfusion Impair Endothelium-Dependent Relaxations to Aggregating Platelets in the Canine Coronary Artery. A Possible Cause of Vasospasm after Cardiopulmonary Bypass," *J Thorac Cardiovasc Surg*, 103, 1147-1154.
- Pilz, G., Fraunberger, P., Appel, R., et al. (1996), "Early Prediction of Outcome in Score-Identified, Postcardiac Surgical Patients at High Risk for Sepsis, Using Soluble Tumor Necrosis Factor Receptor-P55 Concentrations," *Crit Care Med*, 24, 596-600.
- Pinckard, R. N., et al. (1975), "Consumption of Classical Complement Components by Heart Subcellular Membranes in Vitro and in Patients after Acute Myocardial Infarction," *J Clin Invest*, 56, 740-750.
- Prondzinsky, R., et al. (1997), "[Systemic Inflammatory Reactions to Extracorporeal Therapy Measures (Ii): Cardiopulmonary Bypass]," *Wien Klin Wochenschr*, 109, 346-353.

- Quezado, Z. M., et al. (1994), "The Third Component of Complement Protects against Escherichia Coli Endotoxin-Induced Shock and Multiple Organ Failure," *J Exp Med*, 179, 569-578.
- Reinke, P., Döcke, W. D., Kox, W., Zuckermann, H., and Volk, H. D. (1999), "[New Developments in the Immunodiagnosis of Patients in Intensive Care]," *Dtsch Med Wochenschr*, 124, 1527-1529.
- Riddington, D. W., et al. (1996), "Intestinal Permeability, Gastric Intramucosal Ph, and Systemic Endotoxemia in Patients Undergoing Cardiopulmonary Bypass," *Jama*, 275, 1007-1012.
- Riedemann, N. C., et al. (2004), "Regulatory Role of C5a in Lps-Induced Il-6 Production by Neutrophils During Sepsis," *Faseb J*, 18, 370-372.
- Roitt, I. M., Brostoff, J., Male, D. K.
Komplement
In: Kurzes Lehrbuch der Immunologie
Stuttgart, New York: Thieme Verlag 1995: 158-173
- Rossen, R. D., et al. (1985), "Selective Accumulation of the First Component of Complement and Leukocytes in Ischemic Canine Heart Muscle. A Possible Initiator of an Extra Myocardial Mechanism of Ischemic Injury," *Circ Res*, 57, 119-130.
- Roumen, R. M., et al. (1993), "Cytokine Patterns in Patients after Major Vascular Surgery, Hemorrhagic Shock, and Severe Blunt Trauma. Relation with Subsequent Adult Respiratory Distress Syndrome and Multiple Organ Failure," *Ann Surg*, 218, 769-776.
- Sablotzki, A., Mann, V., Simm, A., and Czeslick, E. (2001), "[Changes in the Cytokine Network through Escalating SIRS after Heart Surgery.]," *Anesthesiol Intensivmed Notfallmed Schmerzther*, 36, 552-559.
- Sablotzki, A., et al. (2002), "The Systemic Inflammatory Response Syndrome Following Cardiac Surgery: Different Expression of Proinflammatory Cytokines and Procalcitonin in Patients with and without Multiorgan Dysfunctions," *Perfusion*, 17, 103-109.
- Sawa, Y., Ichikawa, H., Kagisaki, K., Ohata, T., and Matsuda, H. (1998), "Interleukin-6 Derived from Hypoxic Myocytes Promotes Neutrophil-Mediated Reperfusion Injury in Myocardium," *J Thorac Cardiovasc Surg*, 116, 511-517.
- Schmidt, W., Stenzel, K., Gebhard, M. M., Martin, E., and Schmidt, H. (1999), "C1-Esterase Inhibitor and Its Effects on Endotoxin-Induced Leukocyte Adherence and Plasma Extravasation in Postcapillary Venules," *Surgery*, 125, 280-287.
- Scholz, W., et al. (1990), "C5a-Mediated Release of Interleukin 6 by Human Monocytes," *Clin Immunol Immunopathol*, 57, 297-307.
- Sicsic, J. C., et al. (1998), "Gastric Mucosal Oxygen Delivery Decreases During Cardiopulmonary Bypass Despite Constant Systemic Oxygen Delivery," *Anesth Analg*, 86, 455-460.

- Siegel, J., Rent, R., and Gewurz, H. (1974), "Interactions of C-Reactive Protein with the Complement System. I. Protamine-Induced Consumption of Complement in Acute Phase Sera," *J Exp Med*, 140, 631-647.
- Smedly, L. A., et al. (1986), "Neutrophil-Mediated Injury to Endothelial Cells. Enhancement by Endotoxin and Essential Role of Neutrophil Elastase," *J Clin Invest*, 77, 1233-1243.
- Spittler, A., and Roth, E. (2003), "Is Monocyte Hla-Dr Expression Predictive for Clinical Outcome in Sepsis?," *Intensive Care Med*, 29, 1211-1212.
- Steinberg, J. B., Kapelanski, D. P., Olson, J. D., and Weiler, J. M. (1993), "Cytokine and Complement Levels in Patients Undergoing Cardiopulmonary Bypass," *J Thorac Cardiovasc Surg*, 106, 1008-1016.
- Stevens, J. H., et al. (1986), "Effects of Anti-C5a Antibodies on the Adult Respiratory Distress Syndrome in Septic Primates," *J Clin Invest*, 77, 1812-1816.
- Suankratay, C., et al. (1998), "Complement Regulation in Innate Immunity and the Acute-Phase Response: Inhibition of Mannan-Binding Lectin-Initiated Complement Cytolysis by C-Reactive Protein (Crp)," *Clin Exp Immunol*, 113, 353-359.
- Swaanenburg, J. C., et al. (2001), "Creatine Kinase Mb, Troponin I, and Troponin T Release Patterns after Coronary Artery Bypass Grafting with or without Cardiopulmonary Bypass and after Aortic and Mitral Valve Surgery," *Clin Chem*, 47, 584-587.
- Tao, W., et al. (1995), "Gut Mucosal Ischemia During Normothermic Cardiopulmonary Bypass Results from Blood Flow Redistribution and Increased Oxygen Demand," *J Thorac Cardiovasc Surg*, 110, 819-828.
- Taylor, K. M., Bain, W. H., and Morton, J. J. (1980), "The Role of Angiotensin Ii in the Development of Peripheral Vasoconstriction During Open-Heart Surgery," *Am Heart J*, 100, 935-937.
- Tennenberg, S. D., Clardy, C. W., Bailey, W. W., and Solomkin, J. S. (1990), "Complement Activation and Lung Permeability During Cardiopulmonary Bypass," *Ann Thorac Surg*, 50, 597-601.
- Tepaske, R., et al. (2001), "Effect of Preoperative Oral Immune-Enhancing Nutritional Supplement on Patients at High Risk of Infection after Cardiac Surgery: A Randomised Placebo-Controlled Trial," *Lancet*, 358, 696-701.
- Thompson, J. S., Bragg, L. E., and West, W. W. (1990), "Serum Enzyme Levels During Intestinal Ischemia," *Ann Surg*, 211, 369-373.
- Tonegawa, S. (1988), "Antibody and T-Cell Receptors," *Jama*, 259, 1845-1847.
- Tonz, M., et al. (1995), "Acute Lung Injury During Cardiopulmonary Bypass. Are the Neutrophils Responsible?," *Chest*, 108, 1551-1556.

Toraman, F., et al. (2004), "Lactic Acidosis after Cardiac Surgery Is Associated with Adverse Outcome," *Heart Surg Forum*, 7, E155-159.

Toss, H., Lindahl, B., Siegbahn, A., and Wallentin, L. (1997), "Prognostic Influence of Increased Fibrinogen and C-Reactive Protein Levels in Unstable Coronary Artery Disease. Frisc Study Group. Fragmin During Instability in Coronary Artery Disease," *Circulation*, 96, 4204-4210.

Turner, M. W. (1996), "Mannose-Binding Lectin: The Pluripotent Molecule of the Innate Immune System," *Immunol Today*, 17, 532-540.

Vakeva, A., Laurila, P., and Meri, S. (1992), "Loss of Expression of Protectin (Cd59) Is Associated with Complement Membrane Attack Complex Deposition in Myocardial Infarction," *Lab Invest*, 67, 608-616.

van den Berk, J. M., et al. (1997), "Low Hla-Dr Expression on Monocytes as a Prognostic Marker for Bacterial Sepsis after Liver Transplantation," *Transplantation*, 63, 1846-1848.

Verrier, E. D., and Shen, I. (1993), "Potential Role of Neutrophil Anti-Adhesion Therapy in Myocardial Stunning, Myocardial Infarction, and Organ Dysfunction after Cardiopulmonary Bypass," *J Card Surg*, 8, 309-312.

Verrier, E. D., and Morgan, E. N. (1998), "Endothelial Response to Cardiopulmonary Bypass Surgery," *Ann Thorac Surg*, 66, S17-19; discussion S25-28.

Volanakis, J. E., and Kaplan, M. H. (1974), "Interaction of C-Reactive Protein Complexes with the Complement System. Ii. Consumption of Guinea Pig Complement by Crp Complexes: Requirement for Human C1q," *J Immunol*, 113, 9-17.

Volk, H. D., et al. (1996), "Monocyte Deactivation--Rationale for a New Therapeutic Strategy in Sepsis," *Intensive Care Med*, 22 Suppl 4, S474-481.

Volk, H. D., Reinke, P., and Döcke, W. D. (1999), "Immunological Monitoring of the Inflammatory Process: Which Variables? When to Assess?," *Eur J Surg Suppl*, 70-72.

Volk, T., et al. (2001), "Influence of Aminosteroid and Glucocorticoid Treatment on Inflammation and Immune Function During Cardiopulmonary Bypass," *Crit Care Med*, 29, 2137-2142.

Wallace, E. M., et al. (1997), "Degradation of C1-Inhibitor by Plasmin: Implications for the Control of Inflammatory Processes," *Mol Med*, 3, 385-396.

Wan, S., LeClerc, J. L., and Vincent, J. L. (1997), "Inflammatory Response to Cardiopulmonary Bypass: Mechanisms Involved and Possible Therapeutic Strategies," *Chest*, 112, 676-692.

Watkins, W. D., et al. (1982), "Thromboxane and Prostacyclin Changes During Cardiopulmonary Bypass with and without Pulsatile Flow," *J Thorac Cardiovasc Surg*, 84, 250-256.

Wolbink, G. J., Brouwer, M. C., Buysmann, S., ten Berge, I. J., and Hack, C. E. (1996), "Crp-Mediated Activation of Complement in Vivo: Assessment by Measuring Circulating Complement-C-Reactive Protein Complexes," *J Immunol*, 157, 473-479.

Wolbink, G. J., et al. (1998), "Complement Activation in Patients with Sepsis Is in Part Mediated by C-Reactive Protein," *J Infect Dis*, 177, 81-87.

Wolk, K., Döcke, W. D., von Baehr, V., Volk, H. D., and Sabat, R. (2000), "Impaired Antigen Presentation by Human Monocytes During Endotoxin Tolerance," *Blood*, 96, 218-223.

Yao, Y. M., Redl, H., Bahrami, S., and Schlag, G. (1998), "The Inflammatory Basis of Trauma/Shock-Associated Multiple Organ Failure," *Inflamm Res*, 47, 201-210.

Zeerleder, S., Caliezi, C., Redondo, M., Devay, J., and Wuillemin, W. A. (1999), "[Activation of Plasma Cascade Systems in Sepsis: Role of C1 Inhibitors]," *Schweiz Med Wochenschr*, 129, 1410-1417.