

## **6 Literaturverzeichnis**

1. Abboud & Haile (2000): A novel mammalian iron-regulated protein involved in intracellular iron metabolism. *J. Biol. Chem.* 275, 19906- 19912
2. Andersen O, Nielsen JB, Sorensen JA, Scherrebeck L. (1994): Experimental localization of intestinal uptake sites for metals (Cd, Hg, Zn, Se) in vivo in mice. *Environ. Health Perspect* 102 (Suppl. 3), 199- 206.
3. Andersen O, Nielsen JB, Nordberg GF. (2004): Nutritional interactions in intestinal cadmium uptake- Possibilities for risk reduction. *BioMetals* 17, 543-547.
4. Anon (1997): Richtwerte für Schadstoffe in Lebensmitteln. *Bundesgesundheitsblatt* 34, 226-227
5. ATSDR (1999): Toxicological profile for cadmium. Agency for Toxic Substances and Disease Registry, Atlanta, GA.
6. Becker K, Nöllke P, Herrmann-Kunz E, Krause C, Schenker D, Schulz C (1996a): Umwelt-Survey 1990/91, Band III: Zufuhr von Spurenelementen und Schadstoffen mit der Nahrung (duplicate and diet history) in den alten Bundesländern. *WaBoLu-Hefte* 6/96, 115 S
7. Berglund M, Akesson A, Nermell B, Vahter M. (1994): Intestinal absorption of dietary cadmium in women depends on body iron stores and fiber intake. *Environ. Health Perspect.* 102, 1058-1066
8. Bjorkman L, Vahter M, Pedersen NL. (2000): Both the environment and the genes are important for concentrations of cadmium and lead in blood. *Environ Health Perspect* 108, 719-722.
9. Blazka & Shaikh (1991): Differences in cadmium and mercury uptake by hepatocytes: role of calcium channels. *Toxicol. Appl. Pharmacol.* 110, 355-363
10. Böhm & Tötsch (1989): Cadmium-Substitution: Stand und Perspektiven. TÜV Rheinland, 160 S.
11. Bond TD, Ambikapathy S, Mohammad S, Valverde MA. (1998): Osmosensitive Cl<sup>-</sup> currents and their relevance to regulatory volume decrease in human intestinal T84-cells: outwardly vs. inwardly rectifying currents. *J. Physiol.* 511, 45-54.

12. Bradbury (2002): Mesenteric ischaemia: A multidisciplinary approach. Br. J. Surg. 82, 1446-1459. Chow LC: „A comprehensive approach to MR imaging of mesenteric ischaemia, Abdom imaging, 2002; 27: 507-516
13. Braun F, Schütz E, Laabs S et al. (1998): Development of a porcine small bowel ex vivo perfusion model. Transplant Proc. 30 (6), 2613-15.
14. Braun F, Platz KP, Müller AR (2005): Ischämie-Reperfusionschaden bei Dünndarmtransplantation. TransplantLinc 11, 29-43.
15. Barany E, Bergdahl IA, Bratteby LE, Lundh T, Samuelson G, Skerfving S, Oskarsson A. (2005): Iron status influences trace element levels in human blood and serum. Environ. Res. 98, 215-223
16. Brown DR, Timmermans JP. (2004): Lessons from the porcine enteric nervous system. Neurogastroenterol. Motil. 16 Suppl 1, 50-54.
17. Brüggemann & Ocker (1992 b): Gehalte an Blei und Cadmium in Getreide. In: Ocker H-D (Hg.) Rückstände und Kontaminanten in Getreide und Getreideprodukten. Behr's. Hamburg. 11-26
18. BBodSchV (1999): Bundes-Bodenschutz- und Altlastenverordnung. Vom 12. Juli 1999. BGBI I S. 1554.
19. Calabrese EJ, Pastides H, Barnes R, Edwards C, Kostecke P, Stanek E et al. (1989): How much soil do young children ingest: an epidemiological study. J Reg Tox. Appl. Pharm 10, 123-127.
20. Calabrese EJ, Stanek EJ, Gilbert CE, Barnes RM. (1990): Preliminary adult soil ingestion estimates: results of a pilot study. Regul Toxicol Pharmacol 12, 88-95.
21. Cannon VT, Barfuss DW, Zalups RK. (2000): Molecular homology („mimicry“) and the mechanisms involved in the luminal uptake of inorganic mercury in the proximal tubule of the rabbit. J. Am. Soc. Nephrol. 11, 394-402.
22. Cannon VT, Zalups RK, Barfuss DW. (2001): Amino acid transporters involved in luminal transport of mercury conjugates of cysteine in rabbit proximal tubule. J. Pharmacol.Exp. Ther. 298, 780-789
23. Chen M, Ma LQ, Harris W (1998): Background concentrations of trace metals in florida surface soils: Annual Progress Report, Soil and Water Science Dept, University of Florida, Gainesville. In: Medical Geology, 2004

24. Cherian MG, Goyer RA, Valberg LS. (1978): Gastrointestinal absorption and organ distribution of oral cadmiumchlorid and cadmium-metallothionein in mice. *J. Toxicol. Environ. Health* 4, 861-868.
25. Chow (2002): A comprehensive approach to MR imaging of mesenteric ischaemia. *Abdom imaging*. 27, 507-516.
26. Chowdory & Chandra (1991): Metal compounds and immunotoxicology. In: Merian E, 605-616
27. Choi MK, Kim BH, Chung YY, Han MS. (2002): Cadmium-induced apoptosis in H9c2, A7r5, and C6-Glial cells. *Bulletin of Environmental Contamination and Toxicology* 69, 335-341.
28. Cikrt & Tichy (1974): Excretion of cadmium through bile and intestine wall in rats. *Br. J. Ind. Med.* 31, 134-139
29. Conti MF, Cubadda F, Carcea M (2000): Trace metals in soft and durum wheat from Italy. *Food Add Contam* 17, 45-53.
30. Cragg RA, Christie GR, Phillips SR, Russi RM, Küry S, Mathers JC, Taylor PM, Ford D (2001): A novel zinc-regulated human zinc transporter, hZTL1, is localized in the enterocytes apical membrane. *J. Biol. Chem.* 277, 22789-97
31. DAX-Deutsche Arbeitsgemeinschaft für Xenotransplantation, Leiter: Joachim Denner (Robert-Koch-Institut), Ralf Tönjes (Paul-Ehrlich-Institut), 4. Minisymposium am 11. 4. 2001.
32. Day JP, Hart M, Robinson MS (1975): Lead in urban street dust. *Nature* 253, 343-345.
33. De Boo (1989): Cadmium in soils and crops. *Toxicol. Environ. Chem.*, in press.
34. de Lange J, van Eck P, Elliott GR, de Kort WL, Wolthuis OL. (1992): The isolated blood-perfused pig ear: an inexpensive and animal-saving model for skin penetration studies. *J Pharmacol Toxicol Methods* 27 (2), 71-7.
35. DFG (Deutsche Forschungsgemeinschaft) (Hg.) (1990): Orientierende Angaben zu therapeutischen und toxischen Konzentrationen von Arzneimitteln und Giften in Blut, Serum oder Urin. VCH Weinheim, (Senatskommission für Klinisch-Toxikologische Analytik, Mitteilung XV), 115 S.
36. Dudka (1993): Factor analysis of total element concentration in surface soils of poland. *Sci. Total Environ.* 163, 161-172. In Medical Geology, 2004

37. De Rosa CT, Johnson BL, Fay M, Hansen H, Mumtaz MM. (1996): Public health implications of hazardous waste sites: findings, assessment and research. *Food Chem Toxicol* 34, 1131-1138.
38. Duizer E, Gilde AJ, Versantvoort CH, Groten JP. (1999): Effects of cadmium chloride on the paracellular barrier function of intestinal epithelial cell lines. *Toxicol. Appl. Pharmacol.* 155 (2), 117-26.
39. Elinder CG, Lind B, Kjellstrom T, Linnman L, Friberg L. (1976): Cadmium in kidney cortex, liver and pancreas from Swedish autopsies. *Arch. Environ. Health* 31, 292-302
40. Elisma F & Jumarie C (2001): Evidence for cadmium uptake through Nramp2: metal speciation studies with Caco-2 cells. *Biochem Biophys. Res. Commun.* 20, 662-668
41. Ellen G, Egmond E, Van Loon JW, Sahertian ET, Tolsma K. (1990): Dietary intakes of some essential and non-essential trace elements, nitrate, nitrite and N-nitroamines, by Dutch adults: estimated via a 24-hour duplicate portion study. *Food Add Contam* 7, 207-221.
42. Elsenhans B, Strugala GJ, Schafer SG. (1997): Small-intestinal absorption of cadmium and the significance of mucosal metallothionein. *Hum. Exp. Toxicol.* 16, 429-434
43. EU-Kommission (2003): Vorschlag für eine Verordnung des europäischen Rates zur Registrierung, Bewertung, Zulassung und Beschränkung chemischer Stoffe (REACH). Brüssel. 29. 10. 2003.
44. Ewers & Schlipköter (1991): Intake, distribution and excretion of metals and metal compounds in humans and animals. In: Merian E, 571-584.
45. FDA-Food and Drug Administration, HHS: § 876.5880
46. Felley- Boskov & Diezi (1992): Dietary calcium restriction enhances cadmium-induced metallothionein synthesis in rats. *Toxicol. Lett.* 60, 139-144
47. Ferguson CJ, Wareing M, Ward DT, Green R, Smith CP, Riccardi D. (2001): Cellular localization of divalent metal transporter DMT-1 in rat kidney. *Am. Physiol.* 280, F803-F814.
48. Filipic M, Hei TK. (2004): Mutagenicity of cadmium in mammalian cells: implication of oxidative DNA damage. *Mutation Research* 546 (1-2), 81-91.

49. Flanagan PR, McLellan JS, Haist J, Cherian G, Chamberlain MJ, Valberg LS (1978): Increased dietary cadmium absorption in mice and human subjects with iron deficiency. *Gastroenterology* 74, 841-846
50. Fleming RE, Migas MC, Zhou X, Jiang J, Britton RS, Brunt EM, Tomatsu S, Waheed A, Bacon BR, Sly WS. (1999): Mechanism of increased iron absorption in murine model of hereditary hemochromatosis: Increased duodenal expression of the iron transporter DMT-1. *Proc. Natl. Acad. Sci.* 96, 3143-48.
51. Foulkes (1985): Interactions between metals in rat jejunum: implications on the nature of cadmium uptake. *Toxicology* 37, 117-125.
52. Foulkes (1988): On the mechanism of transfer of heavy metals across cell membranes. *Toxicology* 52, 263-272.
53. Foulkes (2000): Transport of toxic heavy metals across cell membranes. *Proc. Soc. Exp. Biol. Med.* 223, 234-240
54. Friberg (1984): Cadmium and the kidney. *Environ. Health Perspect.* 54, 1-11
55. Friberg L, Elinder CG, Kjellstrom T, Nordberg GF (1986a): General summary and conclusions and some aspects of diagnosis and treatment of chronic cadmium poisoning, in: Friberg et al, Cadmium and health: A toxicological and epidemiological appraisal, Vol. 2, CRC Press, Boca Raton, FL, pp. 247-255
56. Friedman & Gesek, (1994): Cadmium uptake by kidney distal convoluted tubule cells. *Toxicol. Appl. Pharmacol.* 128, 257-263
57. Fuchs, Stein, Thiede (Hrsg.): „Gastrointestinale Funktionsstörungen“(10). Springer. 1997. 758-762.
58. Galal-Gorchev (1993a): Dietary intake, levels in food and estimated intake of lead, cadmium, and mercury. *Food Add Contam* 10, 115-128.
59. Galan A, Garcia-Bermejo L, Troyano A, Vilaboa NE, Fernandez C, de Blas E, Aller P. (2001): The role of intracellular oxidation in death induction (apoptosis and necrosis) in human promonocytic cells treated with stress inducers (cadmium, heat, X-rays). *Eur. J. Cell. Biol.* 80 (4), 312-320
60. Ganapathy V, Ganapathy ME, Leibach FH (2001): Intestinal transport of peptides and amino acids, in: Barrett et al.: Current Topics in Membranes, Academic Press, New York, pp. 379-412

61. Godschalk R, Hogervorst J, Albering H, Mercelina-Roumans P, van Schooten FJ, de Haan J, Kleinjans J. (2005): Interactions between cadmium and aromatic DNA adducts in HPRT mutagenesis during foetal development. *Mutagenesis*. 20(3):181-5.
62. Groneberg (2002): In vitro models to study hepatotoxicity. *Toxicol. Pharmacol.* 30 (3), 394-399.
63. Groneberg DA, Kindermann B, Althammer M, Klapper M, Vormann J, Littarru GP, Doring F.
64. Coenzyme Q10 affects expression of genes involved in cell signalling, metabolism and transport in human CaCo-2 cells. *Int J Biochem Cell Biol.* 37(6),1208-18.
65. Grosse-Siestrup C, Fehrenberg C, von Baeyer H, Groneberg DA. (2002): Multiple organ harvesting for models of isolated hemoperfused organs of slaughtered pigs. *Altex* 19 (1), 9-13
66. Groten JP, Luten JB, van Bladeren PJ. (1992): Dietary iron lowers the intestinal uptake of cadmium-metallthionein in rats. *Eur. J. Pharmacol.* 228, 23-28
67. Gunshin H, Mackenzie B, Berger UV, Gunshin Y, Romero MF, Boron WF, Nussberger S, Gollan JL, Hediger (1997): Cloning and characterization of mammalian proton-coupled metal-ion transporter. *Nature* 388, 482-488.
68. Hack A, Welge P, Wittsiepe J, Wilhelm M (2002): Aufnahme und Bilanzierung (Bioverfügbarkeit) ausgewählter Bodenkontaminanten im Tiermodell (Minischwein). Berlin. Umweltbundesamt.
69. Hapke (1991): Metal accumulation in the food chain and load of feed and food. In: Merian E, 469-480.
70. Hapke (1993): Risiken durch die Fremdstoffbelastung. In: Erbersdobler H; Wolfram G (Hg.) *Echte und vermeintliche Risiken der Ernährung*. Wiss. Verlagsgesell., Stuttgart, 197-204.
71. Harper S, Hosgood S, Kay M, Nicholson M. (2006): Leucocyte depletion improves renal function during reperfusion using an experimental isolated haemoperfused organ preservation system. *Br. J. Surg.* 93 (5), 623-9.
72. Hart BA, Lee CH, Shukla GS, Shukla A, Osier M, Eneman JD, Chiu JF. (1999): Characterization of cadmium-induced apoptosis in rat lung epithelial cells: evidence for the participation of oxidant stress. *Toxicology* 133, 43-58.

73. Henke G, Sachs HW, Bohn G. (1970): Cadmium-Bestimmung in Leber und Nieren von Kindern und Jugendlichen durch Neutronenaktivierungsanalyse. Arch. Toxicol. 26, 8-16.
74. Herber (1984):  $\beta$ -2-microglobulin and other urinary proteins as an index of cadmium-nephrotoxicity. Pure Appl. Chem. 56, 957-965.
75. Hinkle PM, Kinsella PA, Osterhoudt KC. (1987): Cadmium uptake and toxicity via voltage-sensitive calcium channels. J. Biol. Chem. 262, 16333-16337.
76. Hinkle PM, Shanshala ED 2nd, Nelson EJ. (1992): Measurement of intracellular cadmium with fluorescent dyes: further evidence for the role of calcium channels in cadmium uptake. J. Biol. Chem. 267, 25553-25559
77. Hochel J, Lehmann D, Fehrenberg C, Unger V, Groneberg DA, Grosse-Siestrup C. (2003): Effects of different perfusates on functional parameters of isolated perfused dog kidneys. Nephrol. Dial. Transplant. 18 (9), 1748-54.
78. Holmgren GGS, Meyer MW, Chaney RL, Daniels RB (1993): Cadmium, lead, zinc, copper and nickel in agriculture soils in the U.S. J. Environ. Qual. 22, 335-348. In Medical Geology, 2004
79. Hudecovà & Ginter (1992): The influence of ascorbic acid on lipid peroxidation in guinea pigs intoxicated with cadmium. Food Chem Toxicol 30, 1011-1013.
80. Hunder G, Javdani J, Elsenhans B, Schumann K. (2001):  $^{109}\text{Cd}$  accumulation in the calcified parts of rat bones. Toxicology 159, 1-10
81. IARC (1993); Cadmium and certain compounds, in: IARC monographs on the evaluation of carcinogenic risk of chemical to humans. Beryllium, cadmium, mercury, and exposure in the glass manufacturing industry. IARC monograph, Vol 58, World Health Organization. International Agency for Research on Cancer, Lyon, France, pp. 119-146, 210-236
82. Ikeda M, Watanabe T, Zhang ZW, Moon CS, Shimbo S. (1997): The integrity of the liver among people environmentally exposed to cadmium at various levels. Int Arch Occup Environ Health 69, 379-385
83. Itoh N, Obata K, Yanaihara N, Okamoto H. (1983): Human preprovasoactive intestinal polypeptide contains a novel PHI-27-like peptide, PHM-27. Nature 304 (5926), 547-9.

84. Jarup L, Berglund M, Elinder CG, Nordberg G, Vahter M. (1998): Health effects of cadmium exposure: a review of the literature and a risk estimate. *Scand. J. Work Environ. Health* 1, 1-51
85. Jarup L, Alfven T, Persson B, Toss G, Elinder CG. (1998): Cadmium may be a risk for osteoporosis. *Occup. Environ. Med* 55 (7), 435-39
86. Järup & Alfvn (2004): Low level cadmium exposure, renal and bone effects—the OSCAR study. *Biometals* 17 (5), 505-9
87. JEFCFA (Joint FAO/WHO Expert Committee on Food Additives) (ed.) (1993) Evaluation of certain food additives. WHO Technical Report Series 837, 28-30
88. Johanning (1999): Untersuchungen zur Zusammensetzung, Stabilität und Struktur von Cadmiumkomplexen mit biologisch und medizinisch relevanten Liganden. Bioanorganische Dissertation. Carl-von-Ossietzky-Universität Oldenburg. 1999.
89. Johansson M, Ellegren H, Andersson L. (1995): Comparative mapping reveals extensive linkage conservation-but with gene order rearrangements-between the pig and the human genomes. *Genomics* 25 (3), 682-690.
90. Jones KC, Symon CJ, Johnston AE. (1987): Retrospective analysis of an archived soil collection. II. Cadmium. *Sci Total. Environ.* 67 (1), 75-89.
91. Jumarie C, Fortin C, Houde M, Campbell PG, Denizeau F. (2001): Cadmium uptake by Caco-2 cells: Effects of cadmium complexness by chloride, glutathione, and phytochelatins. *Toxicol. Appl. Pharmacol.* 170, 29-38
92. Jungblut (2005): Der diagnostische Stellenwert des Mehrschicht-Spiral-CT bei Patienten mit Verdacht auf Darmischämie. Dissertation. Humboldt-Universität Berlin. 2005.
93. Jurasic J, Cvitkovic P, Pizent A, Colak B, Telisman S. (2004): Semen quality and reproductive endocrine function with regard to blood cadmium in Croatian male subjects. *Biometals* 17, 735-43
94. Kazantzis (2004): Cadmium, osteoporosis and calcium metabolism. *Biometals* 17 (5), 493-498
95. Kimura T, Itoh N, Min KS, Fujita I, Muto N, Tanaka K. (1998): Tissue accumulation of cadmium following oral administration to metallothionein-null mice. *Toxicol. Lett.* 99, 85-90

96. Kimura O, Kinoshita H, Furukawa T, Higuchi K, Chujo S, Iwai N. (2006): Prevention of warm ischemic injury by neuropeptide bombesin in small bowel transplantation. *Transplant Proc.* 38 (6), 1794-5.
97. Kjellstrom & Nordberg (1978): A kinetic model of cadmium metabolism in the human being. *Environ. Res.* 16, 248-269
98. Kjellstrom & Nordberg (1985): Kinetic model for cadmium metabolism, in: Friberg et al., Cadmium and health: A toxicological and epidemiological appraisal. Vol. I. Exposure, dose and metabolism. CRC Press, Boca Raton, FL, pp. 179-197
99. Klein & Weigert (1987): Schwermetalle in Lebensmitteln. WaBoLu Schriftenreihe 74, 31-39.
100. Knutti R, Andrey D, Beuggert H, Erard M, Guggisberg H, Wirz E, Zimmerli B (1989): Monitoring-Programm „Schwermetalle in Lebensmitteln“. Blei, Cadmium, Kupfer und Zink in Mahlprodukten (Mehl und Kleie). *Mitt Gebiete Lebensm Hyg* 80, 363-386.
101. Knutti & Zimmerli (1985): Untersuchung von Tagesrationen aus schweizerischen Verpflegungsbetrieben. *Mitt Gebiete Lebenm Hyg* 76, 206-232
102. Kodja (1997): Pharmakologie/ Toxikologie systematisch. Uni-Med. Bremen. 1007 S.
103. Kommission „Human-Biomonitoring“ des Umweltbundesamtes (1996c) Stoffmonografie Blei-Referenz- und Human-Biomonitoring-Werte (HBM). *Bundesgesundheitsblatt* 39, 236-241.
104. Kommission „Human-Biomonitoring“ des Umweltbundesamtes (1998c) Stoffmonografie Cadmium-Referenz- und Human-Biomonitoring-Werte (HBM). *Bundesgesundheitsblatt* 41, 218-226.
105. Krapp (2002): Computergesteuertes Perfusionssystem zur normothermen ex-vivo Vorbehandlung von Dünndarmtransplantaten. Dissertation. Ludwig-Maximilian-Universität München. 2002.
106. Lag M, Westly S, Lerstad T, Bjornsrud C, Refsnes M, Schwarze PE. (2002): Cadmium-induced apoptosis of primary epithelial lung cells: involvement of Bax and p53, but not of oxidative stress. *Cell Biology and Toxicology* 18, 29-42.
107. Lange (1989): Die differentialdiagnostische Bedeutung des Lactats bei akuten Bauch-erkrankungen. *Chiurg.* 60: 356-360.

108. Langgemach (1995): Die Cadmium- und Bleibelastung freilebender Wildtiere auf den Rieselfeldern der Stadt Berlin. Dissertation. Fachbereich Veterinärmedizin. FU-Berlin, 241 S.
109. Hess P, Tsien RW (1986): Blockade of current through single calcium channels by Cd<sup>2+</sup>, Mg<sup>2+</sup> and Ca<sup>2+</sup>. *J. Gen. Physiol.* 88, 321- 347
110. Lauwers R, Roels H, Bernard A, Buchet JP. (1980): Renal response to cadmium in a population living in a non-ferrous smelter area in Belgium. *Int. Arch. Occup. Environ. Health.* 45 (3), 271-4.
111. Leblanc JC, Malmauret L, Guerin T, Bordet F, Boursier B, Verger P. (2000): Estimation of the dietary intake of pesticide residues, lead, cadmium, arsenic and radionuclides in France. *Food Add Contam* 17, 925-932.
112. Legen I, Salobir M, Kerc J. (2005): Comparison of different intestinal epithelia as models for absorption enhancement studies. *Int. J. Pharm.* 291 (1-2), 183-8.
113. Lehmann & Klaassen (1986): Dosage-dependent disposition of cadmium administered orally to rats. *Toxicol. Appl. Pharmacol.* 84, 159-167
114. Lewis GP, Coughlin LL, Jusko WJ, Hartz S. (1972): Contribution of cigarette smoking of cadmium accumulation in man. *Lancet* 1, 291-292
115. Lopez E, Figueroa S, Oset-Gasque MJ, Gonzalez MP. (2003): Apoptosis and necrosis: two distinct events induced by cadmium in cortical neurons in culture. *British Journal of Pharmacology* 138 (5), 901-911.
116. Lothar & Thomas (1998): Labor und Diagnose. TH-Books. 5. Auflage. 1998.
117. MacDonald (2002): Ischaemic Colitis. *Best Pract Res Clin Gastroenterol.* 16 (1): 51-61.
118. McGrath & Loveland (1992): Soil geochemical atlas of england and wales. Blackie academic & professional. Glasgow. In *Medical Geology*, 2004.
119. McLellan JS, Flanagan PR, Chamberlain MJ, Valberg LS (1978): Measurement of dietary cadmium absorption in humans. *J Toxicol Environ Health* 4, 131-138.
120. Meijer GW, Beems RB, Janssen GB, Vaessen HA, Speijers GJ. (1996): Cadmium and atherosclerosis in the rabbit: reduced atherogenesis by superseeding of iron? *Food Chem Toxicol* 34, 611-621.

121. Mills (1985): Dietary interactions involving the trace elements. *Ann Rev Nutr* 5, 173-193.
122. Min KS, Fujita Y, Onosaka S, Tanaka K. (1991): Role of intestinal metallothionein in absorption and distribution of orally administered cadmium. *Toxicol. Appl. Pharmacol.* 109, 7-16.
123. Moberg Wing (1998): The effects of whole wheat, wheat bran and zinc in the diet on the absorption and accumulation of cadmium in rats. *Br J Nutr.* 69, 199-209.
124. Moore W Jr, Stara JF, Crocker WC, Malanchuk M, Iltis R. (1973): Comparison of 115m cadmium retention in rats following different routes of administration. *Environ. Res.* 6 (4), 473-8.
125. Moore W Jr, Stara JF, Crocker WC. (1973): Gastrointestinal absorption oof different compounds on 115m cadmium and the effect of different concentration in the rat. *Environ. Res.* 6 (2), 159-64.
126. Müller & Anke (1995): Investigations into the oral lead exposure of adults in the former german democratic republic. *Z. Lebensm. Unters. Forsch.* 200, 38-43.
127. Nordberg & Nordberg (1988): Biological monitoring of cadmium, in: Clarkson et al., *Biological Monitoring of Toxic Metals*. Plenum Press, New York, pp. 151-168.
128. O'Brien SJ, Marshall Graves JA (1991) Report of the committee on comparative gene mapping. In *Human gene mapping 11*, (ed. H.P. Klinger), pp. 1124–1151. S. Karger, London, UK.
129. Offner FA, Konigsrainer A, Klaus A, Margreiter R (2004): Pathology of small intestine transplantation. *Verh. Dtsch. Ges. Pathol.* 88, 106-12.
130. Ohta H, Ichikawa M, Seki Y (2002): Effects of cadmium intake on bone metabolism of mothers during pregnancy and lactation. *Tohoku J. Exp. Med.* 196 (1), 33-42.
131. Orlowski C, Piotrowski JK (2003): Biological levels of cadmium and zinc in the small intestine of non-occupationally exposed human subjects. *Hum Exp. Toxicol.* 22 (2), 57-63
132. Ouellette AJ, Aviles L, Burnweit CA, Frederick D, Malt RA (1982): Metallothionein mRNA induction in mouse small bowel by oral cadmium and zinc. *Am. Physiol.* 243, G396-G403.

133. Park JD, Cherrington NJ, Klaassen CD (2002): Intestinal absorption of Cadmium is associated with DMT-1 in rats. *Toxicol. Sciences* 68, 288-294
134. Palmiter & Findley (1995): Cloning and functional characterization of a mammalian zinc transporter that confers resistance to zinc. *EMBO J.* 14, 639-649
135. Pfannhauser (1989): Essentielle und toxische Spurenelemente in Getreide. *Getreide, Mehl und Brot* 43, 269-272.
136. Phillipotts (1984): The audioradiographic localization of retained orally administered cadmium tracer within Paneth cells of rat duodenum. *Toxicology* 33, 59-66
137. Piotrowski JK, Szymanska JA, Kaszper BW, Skrzypinska-Gawrysiak M, Brzeznicki S (1987): Intestinal absorption of cadmium and inorganic mercury in the rat: no major involvement of metallothionein. *Exp. Suppl.* 52, 639-46
138. Pohlein C, Lemmens P, Schon MR, Neuhaus P, Thiery J, Hammer C (1994): Xenogenic ex vivo hemoperfusion of rhesus monkey livers with human blood. *Transplant. Proc.* 26 (4), 1061-2.
139. Prozialeck (2000): Evidence, that E-cadherin may be a target for cadmium toxicity in epithelial cells. *Toxicol. Appl. Pharmacol.* 164, 231-249
140. Rämisch (2005): Modulation von *Multidrug Resistance associated Proteinen* (MRP) durch Prostaglandine in humanen Lungenzellen. Dissertation rerum naturalium. Martin Luther Universität Halle-Wittenberg. Halle. 2005.
141. REACH (Registrierung, Evaluierung und Autorisierung von Chemikalien)
142. Reeves & Vanderpool (1997): Cadmium burden of men and women who report regular consumption of confectionary sunflower kernels containing a natural abundance of cadmium. *Environ. Health Pers.* 105, 1098-1104.
143. Satarug S, Haswell-Elkins MR, Moore MR (2000): Safe levels of cadmium intake to prevent renal toxicity in human subjects. *Br J. Nutr.* 84 (6), 791-802.
144. Schäfer SG, Elsenhans B, Forth W, Schümann K (1997): Metalle. In: Marquardt H, Schäfer SG (Hg.), 504-549.
145. Schaefer N, Tahara K, Schmidt J, Zobel S, Kalff JC, Hirner A, Turler A (2006): Mechanism and impact of organ harvesting and ischaemia-reperfusion injury within the graft muscularis in rat small bowel transplantation. *Transplant. Proc.* 38 (6), 1821-1822.

146. Schönberger (2003): Zusammenhang zwischen Ernährungsweise und Gehalt an Schadstoffen im Blut. Ökotrophische Dissertation. Justus-Liebig-Universität Gießen. Heidelberg. 2003. Seite 4-10, 55-80
147. Schümann & Elsenhans (2002): The impact of food contaminants on the bioavailability of trace metals. *J. Trace Elem. Med. Biol.* Vol.16, 139-144.
148. Selinus, Alloway, Centeno, Finkelman, Fuge, Lindh, Smedley. *Medical Geology*. Elsevier academic press. 2004.
149. Shury T, Rousseaux CG, Keiner J, Politis M (1994): Interactive effects of cadmium and retinoic acid on mouse limb bud development in vitro. *Bull. Environ. Contam. Toxicol.* 53, 570-576.
150. Silbernagel (2005): *Physiologie*. 5. Auflage. 2005. 930 S.
151. Siniscalchi A, Spedicato S, Lauro A, Pinna AD, Cucchetti A, Dazzi A, Piraccini E, Begliomini B, Braglia V, Serri T, Faenza S (2006): Intraoperative coagulation evaluation of ischaemia-reperfusion injury in small bowel transplantation: a way to explore. *Transplant. Proc.* 38 (3), 820-822.
152. Siniscalchi A, Piraccini E, Cucchetti A, Lauro A, Maritzzi G, Miklosova Z, Ravaioli M, Pinna AD, Faenza S (2006): Analysis of cardiovascular, acid-base status, electrolyte, and coagulation changes during small bowel transplantation. *Transplant. Proc.* 38 (4), 1148-1150.
153. Squibb KS, Cousins RJ, Silbon BL, Levin S (1976): Liver and intestinal MT: function in acute Cd toxicity. *Exp. Mol. Pathol.* 25, 163-168.
154. Staessen J, Amery A, Bernard A, Bruaux P, Buchet JP, Claeys F, De Plaen P, Ducoffre G, Fagard R, Lauwerys RR, et al. (1991): Effects of exposure to cadmium on calcium metabolism: a population study. *Br. J. Ind. Med.* 48, 710-714.
155. Staessen JA, Roels HA, Emelianov D, Kuznetsova T, Thijs L, Vangronsveld J, Fagard R (1999): Environmental exposure to cadmium, forearm bone density, and risk of fractures: prospective population study. *Lancet* 353, 1140-1144.
156. Stoeppler (1991): Cadmium. In: Merian E, *Metals and their compounds in the Environment*. Verlag Chemie. Weinheim.
157. Sugawara & Sugawara (1991): Gastrointestinal absorption of Cd-metallothionein and cadmium chloride in mice. *Arch. Toxicol.* 65, 689-692.

158. Summer KH, Drasch GA, Heilmaier HE (1986): Metallothionein and Cadmium in human kidney cortex: influence of smoking. *Human Toxicol.* 5, 27-33.
159. Sunderman (1989): Cadmiumsubstitution for zinc in finger-loop domains of gene-regulated proteins as a possible mechanism for genotoxicity. *Toxicol. Environ. Chem.*, in press.
160. Tacnet F, Watkins DW, Ripoche P (1990): Studies of zinc transport into brush-border membrane vesicles isolated from pig small intestine. *Biochim. Biophys. Acta* 1024, 323-330
161. Tacnet F, Watkins DW, Ripoche P (1991): Zinc binding in intestinal brush-border membrane vesicles isolated from pig. *Biochim. Biophys. Acta* 1063, 51-59.
162. Taha MO, Fraga MM, Guimaraes FA, Jurkiewicz A, Caricati-Neto A (2006): Autonomic dysfunction of rat jejunum submitted to cold ischemic preservation is prevented by heparin. *Transplant. Proc.* 38 (6), 1779-83.
163. Tallkvist J, Bowlus CL, Lonnerdal B (2001): DMT1 gene expression and cadmium absorption in human absorptive enterocytes. *Toxicol. Lett.* 122, 171-177
164. Tandy S, Williams M, Leggett A, Lopez-Jimenez M, Dedes M, Ramesh B, Srai SK, Sharp P (2000): Nramp2 is associated with pH-dependent iron uptake across the apical membrane of human intestinal Caco-2 cells. *J. Biol. Chem.* 1475, 1023-1029
165. Tahvonen R, Kumpulainen J (1993) Lead and cadmium in some cereal products on the Finnish market 1990-91. *Food Add Contam* 10:245-255
166. Tahvonen R, Kumpulainen J (1994a) Lead and cadmium contents in Finnish breads. *Food Add Contam* 11:621-631
167. Tahvonen R, Kumpulainen J (1994b) Lead and cadmium contents in pork, beef and chicken, and in pig and cow liver in Finland during 1991. *Food Add Contam* 11:415-426
168. Taylor (1988): Permeation of barium and cadmium through slowly activating calcium channels in cat sensory neurons. *J. Physiol. (Lond.)* 407, 433-452
169. Thomas & Lothar (1998): Labor und Diagnose. TH-Books 5. Auflage. 1998
170. Thornton (1986): Geochemistry of cadmium. In: Mislin & Ravera: Cadmium in the environment. Basel. Birkhauser Verlag. S. 7-12.

171. Tsuchiya (1976): Epidemiological studies on cadmium in the environment in japan: etiology of itai-itai disease. *Fed Proc.* 35 (12), 2412-8.
172. UmweltBundesAmt, Umweltliteraturdatenbank ULIDAT (2002)
173. Urieta I, Jalon M, Eguilero I (1996): Food surveillance in the basque country (Spain). II Estimation of the dietary intake of organochlorine pesticides, heavy metals, arsenic, aflatoxin M1, iron and zinc through the total diet study, 1990/91. *Food Add Contam.* 13, 29-52.
174. Vahter M, Berglund M, Lind B, Jorhem L, Slorach S, Friberg L (1991a): Personal monitoring of lead and cadmium exposure – a swedish study with specail reference to methodological aspects. *Scand. J. Work. Environ. Health* 17, 65-74.
175. Vahter M, Berglund M, Nermell B, Akesson A (1996): Bioavailability of cadmium from shellfish and mixed diet in women. *Toxicol. Appl. Pharmacol.* 136, 331-341.
176. Vaugelade P, Posho L, Darcy-Vrillon B, Bernard F, Morel MT, Duee PH (1994): Intestinal oxygen uptake and glucose metabolism during nutrient absorption in the pig. *Proc. Soc. Exp. Biol. Med.* 207 (3), 309-316.
177. Von Baeyer H, Stahl K, Hausler M, Meissler M, Unger V, Frank J, Grosse-Siestrup C, Kaczmarczyk G, Affeld K, Flraig HJ, Steinbach B (1997): Eine neue Methode zur Ex-vivo-Vollblut-Perfusion isolierter Warmblüterorgane, dargestellt an der Niere von Schweinen. *Biomedizinische Technik* 42 (3), 61-68.
178. Veterinärphysiologisches Institut Leipzig, Forschungsbericht 2005
179. Waisberg M, Black WD, Waisberg CM, Hale B (2004): The effect of pH, time and dietary source of Cadmium on the bioaccessibility and absorption of Cadmium to/from lettuce (*Lactuca sativa* L. cv. Ostinata). *Food Chem. Toxicol.* 42 (5), 835-42.
180. Wang TT, Reisenauer AM, Halsted CH (1985): Comparison of folate conjugase activities in human, pig, rat and monkey intestine. *J. Nutr.* 115 (6), 814-9.
181. Watanabe T, Nakatsuka H, Shimbo S, Iwami O, Imai Y, Moon CS, Zhang ZW, Iguchi H, Ikeda M (1996): Reduced cadmium burden in Japan in the last 10 years. *Int. Arch. Occup. Environ. Health* 68, 305-314.
182. Watjen W, Cox M, Biagioli M, Beyermann D (2002): Cadmium-induced apoptosis in C6 glioma cells: Mediation by caspase 9-activation. *BioMetals* 15, 15-25.

183. Wei FS (1990): Elemental background concentration of soils in china. China environmental scientific publishing Ltd., Beijing (reported in Chen et al., 1998). In Medical Geology, 2004
184. World Health Organisation, Cadmium. Geneva, WHO, 1992 Environmental Health Criteria vol 134.
185. WHO/ JEFCA (2003) Safety evaluation of certain food contaminants. WHO food Additives Series, in press, Summary available at:  
<http://www.who.int/pcs/jefca/Summary61.pdf>.
186. Wopereis M, Gascuel-Odoux Ch, Bourrie G, Soignet G (1989): Spatial variability of heavy metals in soil on a one-hectar scale. Soil Science 146 (2), 113-118.
187. York & Squibb (1996): Effects of chemical-chemical interactions on the evaluation of toxicity. In: Fan AM, Chang LW (eds.), Toxicology and risk assessment: principles, methods, and applications, Marcel Dekker. New York, 635-650.
188. Ysart G, Miller P, Crews H, Robb P, Baxter M, De L'Argy C, Lofthouse S, Sargent C, Harrison N (1999): Dietary exposure estimates of 30 elements from UK Total Dietary Study. Food Add. Contam. 16, 391-403.
189. Yu JR, Yan S, Liu XS, Wu YJ, Fu PF, Wu LH, Zheng SS (2005): Attenuation of graft ischemia-reperfusion injury by urinary trypsin inhibitor in mouse intestinal transplantation. World J Gastroenterol. 11 (11), 1605-9.
190. Zalups RK, Gelein RM, Cherian MG (1992): Shifts in the dose-effect relationship for the nephropathy induced by cadmium-metallothionein in rats after reduction of renal mass. J. Pharmacol. Exp. Ther. 262, 1256-1266
191. Zalups (1997): Influence of different degrees of reduced renal mass on the renal and hepatic disposition of administered cadmium. J. Toxicol. Environ. Health 51, 245-264
192. Zalups (2000a): Evidence for basolateral uptake of cadmium in the kidney of rats. Toxicol. Appl. Pharmacol. 164, 15-23
193. Zalups RK, Barfuss DW (2002a): Simultaneous coexposure to inorganic mercury and cadmium: a study of the renal and hepatic disposition of mercury and cadmium. J. Toxicol. Environ. Health, Part A 65, 101-120
194. Zalups RK (2000b): Molecular interactions with mercury in the kidney. Pharmacol. Rev. 52, 113-143

195. Zalups RK, Ahmad S (2003): Molecular handling of cadmium in transporting epithelia. *Toxicol. Appl. Pharmacol* 186 (3), 163-188.
196. Zhang ZW, Moon CS, Watanabe T, Shimbo S, He FS, Wu YQ, Zhou SF, Su DM, Qu JB, Ikeda M (1997): Background exposure of urban populations to lead and cadmium: comparison between China and Japan. *Int. Arch. Occup. Environ. Health* 69, 273-281.
197. Zoller H, Pietrangelo A, Vogel W, Weiss G (1999): Duodenal metal-transporter (DMT-1, Nramp2) expression in patients with hereditary hemochromatosis. *Lancet* 353, 2120-2123