

7 Literatur

- ABERNATHY, F. (1995). Measurement of Cardiovascular-Response in Male Sprague-Dawley Rats Using Radiotelemetric Implants and Tailcuff Sphygmomanometry - a Comparative-Study. *Toxicology Methods*, **5**, 89-98.
- ANDERSON, T.J., MEREDITH, I.T., YEUNG, A.C., FREI, B., SELWYN, A.P. & GANZ, P. (1995a). The effect of cholesterol-lowering and antioxidant therapy on endothelium-dependent coronary vasomotion. *N Engl J Med*, **332**, 488-93.
- ANDERSON, T.J., UEHATA, A., GERHARD, M.D., MEREDITH, I.T., KNAB, S., DELAGRANGE, D., LIEBERMAN, E.H., GANZ, P., CREAGER, M.A., YEUNG, A.C. & ET AL. (1995b). Close relation of endothelial function in the human coronary and peripheral circulations. *J Am Coll Cardiol*, **26**, 1235-41.
- ANDERSON, W.P., KETT, M.M., ALCORN, D. & BERTRAM, J.F. (1997). Angiotensin II antagonism and pre-glomerular arterial wall dimensions in the kidney of the spontaneously hypertensive rat. *Clin Exp Hypertens*, **19**, 965-79.
- ANDERSON, W.P., KETT, M.M., STEVENSON, K.M., EDGLEY, A.J., DENTON, K.M. & FITZGERALD, S.M. (2000). Renovascular hypertension: structural changes in the renal vasculature. *Hypertension*, **36**, 648-52.
- ANITSCHKOW, N. & CHALATOW, S. (1913). Ueber experimentelle Cholesterinstearose und ihre Bedeutung für die Entstehung einiger pathologischer Prozesse. *Zentralbl Allg Pathol Anat*, **24**, 1-9.
- ARENDSHORST, W.J. & BEIERWALTES, W.H. (1979). Renal and nephron hemodynamics in spontaneously hypertensive rats. *Am J Physiol*, **236(3)**, F246-51.
- BABA, K., MULROW, P.J., FRANCO-SAENZ, R. & RAPP, J.P. (1986). Suppression of adrenal renin in Dahl salt-sensitive rats. *Hypertension*, **8**, 1149-53.
- BARTON, M. & LUSCHER, T.F. (1999). Endothelin antagonists for hypertension and renal disease. *Curr Opin Nephrol Hypertens*, **8**, 549-56.
- BARTON, M., D'USCIO, L.V., SHAW, S., MEYER, P., MOREAU, P. & LUSCHER, T.F. (1998). ET(A) receptor blockade prevents increased tissue endothelin-1, vascular hypertrophy, and endothelial dysfunction in salt-sensitive hypertension. *Hypertension*, **31**, 499-504.
- BARTON, M., LUSCHER, T.F. & RABELINK, T.J. (1998). Salt wars. *Science*, **281**, 1962.
- BARTON, M., VOS, I., SHAW, S., BOER, P., D'USCIO, L.V., GRONE, H.J., RABELINK, T.J., LATTMANN, T., MOREAU, P. & LUSCHER, T.F. (2000). Dysfunctional renal nitric oxide synthase as a determinant of salt- sensitive hypertension: mechanisms of renal artery endothelial dysfunction and role of endothelin for vascular hypertrophy and glomerulosclerosis. *J Am Soc Nephrol*, **11**, 835-846.
- BEN-ISHAY, D., KOBRIN, I., SALITERNICK-VARDI, R., FEURSTEIN, G. & ZAMIR, N. (1980). The Sabra hypertension prone (H) and hypertension resistant (N) rat strain. *Paroi Arterielle*, **6**, 157-9.

- BIDANI, A.K. & GRIFFIN, K.A. (2002). Long-term renal consequences of hypertension for normal and diseased kidneys. *Curr Opin Nephrol Hypertens*, **11**, 73-80.
- BLIZARD, D.A., PETERSON, W.N., ISKANDAR, S.S., SHIHABI, Z.K. & ADAMS, N. (1991). The effect of a high salt diet and gender on blood pressure, urinary protein excretion and renal pathology in SHR rats. *Clin Exp Hypertens A*, **13**, 687-97.
- BODENHEIMER, T. (2000). Uneasy alliance--clinical investigators and the pharmaceutical industry. *N Engl J Med*, **342**, 1539-44.
- BORCH-JOHNSEN, K., FELDT-RASMUSSEN, B., STRANDGAARD, S., SCHROLL, M. & JENSEN, J.S. (1999). Urinary albumin excretion. An independent predictor of ischemic heart disease. *Arterioscler Thromb Vasc Biol*, **19**, 1992-1997.
- BRADFORD, M. (1976). A Rapid and Sensitive Method for the Quantitation of Microgram Quantities of Protein Utilizing the Principle of Protein Dye Binding. *Anal Biochem*, **72**, 248-54.
- BRADFORD, R.H., SHEAR, C.L., CHREMOS, A.N., DUJOVNE, C., FRANKLIN, F.A., HESNEY, M., HIGGINS, J., LANGENDORFER, A., POOL, J.L., SCHNAPER, H. & ET AL. (1990). Expanded clinical evaluation of lovastatin (EXCEL) study: design and patient characteristics of a double-blind, placebo-controlled study in patients with moderate hypercholesterolemia. *Am J Cardiol*, **66**, 44B-55B.
- BRAUNWALD, E. (1997). Shattuck lecture--cardiovascular medicine at the turn of the millennium: triumphs, concerns, and opportunities. *N Engl J Med*, **337**, 1360-9.
- BRENNER, B.M., GARCIA, D.L. & ANDERSON, S. (1988). Glomeruli and blood pressure. Less of one, more the other? *Am J Hypertens*, **1**, 335-47.
- BROWN, G., ALBERS, J.J., FISHER, L.D., SCHAEFER, S.M., LIN, J.T., KAPLAN, C., ZHAO, X.Q., BISSON, B.D., FITZPATRICK, V.F. & DODGE, H.T. (1990). Regression of coronary artery disease as a result of intensive lipid-lowering therapy in men with high levels of apolipoprotein B. *N Engl J Med*, **323**, 1289-98.
- CARDILLO, C., KILCOYNE, C.M., WACLAWIW, M., CANNON, R.O., 3RD & PANZA, J.A. (1999). Role of endothelin in the increased vascular tone of patients with essential hypertension. *Hypertension*, **33**, 753-8.
- CARVER, M.J., MCWHORTER, C.A., JACOBI, H.P. & SMITH, J.A. (1958). Species resistance to the development of atherosclerosis. *Dis Nerv Syst*, **19**, 207-8.
- CHIANG, M.T. & CHEN YC, H.A. (1998). Plasma lipoprotein cholesterol levels in rats fed a diet enriched in cholesterol and cholic acid. *Int J Vitam Nutr Res*, **68**, 328-34.
- CHINELLATO, A. & RAGAZZI E, P.L., PARO M, MIRONOV A, ALIEV G (1994). Effect of cholesterol-supplemented diet in heritable hyperlipidemic Yoshida rats: functional and morphological characterization of thoracic aorta. *Atherosclerosis*, **106**, 51-63.
- CLAUSEN, P., JENSEN, J.S., JENSEN, G., BORCH-JOHNSEN, K. & FELDT-RASMUSSEN, B. (2001). Elevated urinary albumin excretion is associated with impaired

- arterial dilatory capacity in clinically healthy subjects. *Circulation*, **103**, 1869-1874.
- COLLINS, R., PETO, R. & ARMITAGE, J. (2002). The MRC/BHF Heart Protection Study: preliminary results. *Int J Clin Pract*, **56**, 53-6.
- COOPER, M.E., VRANES, D.A., PANAGIOTOPoulos, S., ALLEN, T.J., GOODALL, I. & JERUMS, G. (1990). Hyperlipidaemia increases albuminuria in hypertensive and normotensive rats. *Clin Exp Pharmacol Physiol*, **17**, 225-8.
- CORTI, R., FAYAD, Z.A., FUSTER, V., WORTHLEY, S.G., HELFT, G., CHESEBRO, J., MERCURI, M. & BADIMON, J.J. (2001). Effects of lipid-lowering by simvastatin on human atherosclerotic lesions: a longitudinal study by high-resolution, noninvasive magnetic resonance imaging. *Circulation*, **104**, 249-52.
- DAVIDOFF, F., DEANGELIS, C.D., DRAZEN, J.M., NICHOLLS, M.G., HOEY, J., HOJGAARD, L., HORTON, R., KOTZIN, S., NYLENNA, M., OVERBEKE, A.J., SOX, H.C., VAN DER WEYDEN, M.B. & WILKES, M.S. (2001). Sponsorship, authorship, and accountability. *N Engl J Med*, **345**, 825-6; discussion 826-7.
- DECKERT, T., FELDT-RASMUSSEN, B., BORCH-JOHNSSEN, K., JENSEN, T. & KOFOED-ENEVOLDSEN, A. (1989). Albuminuria reflects widespread vascular damage. The Steno hypothesis. *Diabetologia*, **32**, 219-26.
- DELEAN, A., MUNSON, P.J. & RODBARD, D. (1978). Simultaneous analysis of families of sigmoidal curves: application to bioassay, radioligand assay, and physiological dose-response curves. *Am J Physiol*, **235**, E97-102.
- DEUTSCHE LIGA ZUR BEKÄMPFUNG DES HOHEN BLUTDRUCKES E.V., D.H.G. (1997-2002). Ziele und Aufgaben. <http://www.hochdruckliga.info>.
- DILLEY, J.R., STIER, C.T., JR. & ARENDSHORST, W.J. (1984). Abnormalities in glomerular function in rats developing spontaneous hypertension. *Am J Physiol*, **246**, F12-20.
- D'USCIO, L.V., BARTON, M., SHAW, S., MOREAU, P. & LUSCHER, T.F. (1997). Structure and function of small arteries in salt-induced hypertension: effects of chronic endothelin-subtype-A-receptor blockade. *Hypertension*, **30**, 905-11.
- EISENBACH, G.M., LIEW, J.B., BOYLAN, J.W., MANZ, N. & MUIR, P. (1975). Effect of angiotensin on the filtration of protein in the rat kidney: a micropuncture study. *Kidney Int*, **8**, 80-7.
- ERGUL, A. (2000). Hypertension in black patients: an emerging role of the endothelin system in salt-sensitive hypertension. *Hypertension*, **36**, 62-7.
- ERGUL, A., TACKETT, R.L. & PUETT, D. (1999). Distribution of endothelin receptors in saphenous veins of African Americans: implications of racial differences. *J Cardiovasc Pharmacol*, **34**, 327-32.
- ERGUL, S., ERGUL, A., HUDSON, J.A., PUETT, D., WIEMAN, B.M., DURHAM, M.D. & PARISH, D.C. (1998). The effect of regulation of high blood pressure on plasma endothelin-1 levels in blacks with hypertension. *Am J Hypertens*, **11**, 1381-5.

- ERGUL, S., PARISH, D.C., PUETT, D. & ERGUL, A. (1996). Racial differences in plasma endothelin-1 concentrations in individuals with essential hypertension. *Hypertension*, **28**, 652-5.
- FASSI, A., SANGALLI, F., MAFFI, R., COLOMBI, F. & MOHAMED EI, B.B., REMUZZI G, REMUZZI A (1998). Progressive glomerular injury in the MWF rat is predicted by inborn nephron deficit. *J Am Soc Nephrol*, **9**, 1399-406.
- FELDSTEIN, A., KRIER, J.D., SARAFOV, M.H., LERMAN, A., BEST, P.J., WILSON, S.H. & LERMAN, L.O. (1999). In vivo renal vascular and tubular function in experimental hypercholesterolemia. *Hypertension*, **34**, 859-64.
- FURCHGOTT, R.F. & ZAWADZKI, J.V. (1980). The obligatory role of endothelial cells in the relaxation of arterial smooth muscle by acetylcholine. *Nature*, **288**, 373-6.
- GARIEPY, C.E., OHUCHI, T., WILLIAMS, S.C., RICHARDSON, J.A. & YANAGISAWA, M. (2000). Salt-sensitive hypertension in endothelin-B receptor-deficient rats. *J Clin Invest*, **105**, 925-33.
- GEOFFROY, J., MEKLER, J., BENZONI, D., BEN-ISHAY, D. & SASSARD, J. (1988). Effects of DOCA-salt treatment on the urinary prostaglandins in Sabra rats. *Kidney Int*, **33**, 930-3.
- GERSTEIN, H.C., MANN, J.F., YI, Q., ZINMAN, B., DINNEEN, S.F., HOOGWERF, B., HALLE, J.P., YOUNG, J., RASHKOW, A., JOYCE, C., NAWAZ, S. & YUSUF, S. (2001). Albuminuria and risk of cardiovascular events, death, and heart failure in diabetic and nondiabetic individuals. *Jama*, **286**, 421-6.
- GONDRE, M. & CHRIST, G.J. (1998). Endothelin-1-induced alterations in phenylephrine-induced contractile responses are largely additive in physiologically diverse rabbit vasculature. *J Pharmacol Exp Ther*, **286**, 635-42.
- GREEN, N.J., HOWIE, A.J., RAYNER, H.C. & WALLS, J. (1992). Effect of cholesterol on the position of segmental lesions in unilaterally nephrectomized rats. *J Pathol*, **168**, 331-4.
- GROND, J., SCHILTHUIS, M.S., KOUDSTAAL, J. & ELEMA, J.D. (1982). Mesangial function and glomerular sclerosis in rats after unilateral nephrectomy. *Kidney Int*, **22**, 338-43.
- GRUBBS, A.L., ANSTADT, M.P. & ERGUL, A. (2002). Saphenous vein endothelin system expression and activity in African American patients. *Arterioscler Thromb Vasc Biol*, **22**, 1122-7.
- GSCHWEND, S., PINTO-SIETSMA, S.J., BUIKEMA, H., PINTO, Y.M., VAN GILST, W.H., SCHULZ, A., DE ZEEUW, D. & KREUTZ, R. (2002). Impaired coronary endothelial function in a rat model of spontaneous albuminuria. *Kidney Int*, **62**, 181-191.
- HACKBARTH, H. (1980). A subline of the Munich Wistar (MW) strain, response to selection for surface glomeruli. *Rat News Let*, **7**, 23.
- HACKBARTH, H., BUTTNER, D., JARCK, D. & POTTMANN M, M.C., GARTNER K. (1983). Distribution of glomeruli in the renal cortex of Munich Wistar Fromter (MWF) rats. *Ren Physiol*, **6**, 63-71.

- HACKBARTH, H., GWINNER, W., ALT, J.M. & HAGEMANN I, T.A., FINKE B. (1991). The Munich Wistar Fromter rat: proteinuria and blood pressure in correlation to the number of superficial glomeruli. *Ren Physiol Biochem*, **14**, 246-252.
- HANSSON, L., LINDHOLM, L.H., NISKANEN, L., LANKE, J., HEDNER, T., NIKLASON, A., LUOMANMAKI, K., DAHLOF, B., DE FAIRE, U., MORLIN, C., KARLBERG, B.E., WESTER, P.O. & BJORK, J.E. (1999). Effect of angiotensin-converting-enzyme inhibition compared with conventional therapy on cardiovascular morbidity and mortality in hypertension: the Captopril Prevention Project (CAPPP) randomised trial. *Lancet*, **353**, 611-6.
- HARRAP, S.B., NICOLACI, J.A. & DOYLE, A.E. (1986). Persistent effects on blood pressure and renal haemodynamics following chronic angiotensin converting enzyme inhibition with perindopril. *Clin Exp Pharmacol Physiol*, **13**, 753-65.
- HERRERA, V.L., MAKRIDES, S.C., XIE, H.X., ADARI, H., KRAUSS, R.M., RYAN, U.S. & RUIZ-OPOAZO, N. (1999). Spontaneous combined hyperlipidemia, coronary heart disease and decreased survival in Dahl salt-sensitive hypertensive rats transgenic for human cholesteryl ester transfer protein. *Nat Med*, **5**, 1383-9.
- HERTZAN-LEVY, S., IAINA, A., WOLLMAN, Y., CHERNIHOVSKY, T., YAGIL, C., YAGIL, Y., PEER, G. & SKUTELSKY, E. (1997). Glomerular basement membrane polyanionic sites and nitric oxide in genetically salt-sensitive and resistant hypertensive rats. *Kidney Blood Press Res*, **20**, 218-24.
- HIRATA, K., MIKI, N., KURODA, Y., SAKODA, T., KAWASHIMA, S. & YOKOYAMA, M. (1995). Low concentration of oxidized low-density lipoprotein and lysophosphatidylcholine upregulate constitutive nitric oxide synthase mRNA expression in bovine aortic endothelial cells. *Circ Res*, **76**, 958-62.
- HIRAWA, N., UEHARA, Y., KAWABATA, Y., NUMABE, A., OGAWA, N., GOMI, T., IKEDA, T., GOTO, A., TOYO-OKA, T. & OMATA, M. (1999). High salt intake potentiates the renal vascular and glomerular damage caused by low doses of angiotensin II in uni-nephrectomized rats. *J Hypertens*, **17**, 923-32.
- HUSTEN, L. (1998). Global epidemic of cardiovascular disease predicted. *Lancet*, **352**, 1530.
- INTERSALT (1988). Intersalt: an international study of electrolyte excretion and blood pressure. Results for 24 hour urinary sodium and potassium excretion. Intersalt Cooperative Research Group. *Bmj*, **297**, 319-28.
- JENSEN, J.S., FELDT-RASMUSSEN, B., STRANDGAARD, S., SCHROLL, M. & BORCH-JOHNSEN, K. (2000). Arterial hypertension, microalbuminuria, and risk of ischemic heart disease. *Hypertension*, **35**, 898-903.
- JOHNSON, R.J. & SCHREINER, G.F. (1997). Hypothesis: the role of acquired tubulointerstitial disease in the pathogenesis of salt-dependent hypertension. *Kidney Int*, **52**, 1169-79.
- JOHNSON, R.J., HERRERA-ACOSTA, J., SCHREINER, G.F. & RODRIGUEZ-ITURBE, B. (2002). Subtle acquired renal injury as a mechanism of salt-sensitive hypertension. *N Engl J Med*, **346**, 913-23.

- JOLES, J.A., KUNTER, U., JANSSEN, U., KRIZ, W., RABELINK, T.J., KOOMANS, H.A. & FLOEGE, J. (2000). Early mechanisms of renal injury in hypercholesterolemic or hypertriglyceridemic rats. *J Am Soc Nephrol*, **11**, 669-83.
- KASISKE, B.L., O'DONNELL, M.P., SCHMITZ, P.G., KIM, Y. & KEANE, W.F. (1990). Renal injury of diet-induced hypercholesterolemia in rats. *Kidney Int*, **37**, 880-91.
- KETT, M.M., ALCORN, D., BERTRAM, J.F. & ANDERSON, W.P. (1995). Enalapril does not prevent renal arterial hypertrophy in spontaneously hypertensive rats. *Hypertension*, **25**, 335-42.
- KHALID, M., GIUDICELLI, Y. & DAUSSE, J.P. (2001). An Up-Regulation of Renal alpha(2)A-Adrenoceptors Is Associated with Resistance to Salt-Induced Hypertension in Sabra Rats. *J Pharmacol Exp Ther*, **299**, 928-33.
- KHALID, M., ILHAMI, N., GIUDICELLI, Y. & DAUSSE, J.P. (2002). Testosterone dependence of salt-induced hypertension in Sabra rats and role of renal alpha(2)-adrenoceptor subtypes. *J Pharmacol Exp Ther*, **300**, 43-9.
- KITAGAWA, S., SAMESHIMA, E., YAMAGUCHI, Y., KWON, Y., SHINOZUKA, K. & KUNITOMO, M. (1995). Comparison of the effects of hypercholesterolaemia on relaxation responses in aortas of spontaneously hypertensive rats and Dahl salt-sensitive rats. *Clin Exp Pharmacol Physiol Suppl*, **1**, S251-3.
- KMIETOWICZ, Z. (2001). Statins are the new aspirin, Oxford researchers say. *Bmj*, **323**, 1145.
- KONISHI, M. & SU, C. (1983). Role of endothelium in dilator responses of spontaneously hypertensive rat arteries. *Hypertension*, **5**, 881-6.
- KREBS, H.A. & HENSELEIT, K. (1932). *Hoppe-Seylers Z. Physiol. Chem.*, **210**, 33-66.
- KREUTZ, R., KOVACEVIC, L., SCHULZ, A. & ROTHERMUND L, K.M., PAUL M. (2000). Effect of high NaCl diet on spontaneous hypertension in a genetic rat model with reduced nephron number. *J Hypertens*, **18**, 777-782.
- KRUGER, N. (1994). The Bradford Method for Protein Quantitation. *Methods Mol Biol*, **32**, 9-15.
- KUNG, C.F. & LUSCHER, T.F. (1995). Different mechanisms of endothelial dysfunction with aging and hypertension in rat aorta. *Hypertension*, **25**, 194-200.
- LEE, R.M., BERECEK, K.H., TSOPORIS, J., MCKENZIE, R. & TRIGGLE, C.R. (1991). Prevention of hypertension and vascular changes by captopril treatment. *Hypertension*, **17**, 141-50.
- LEONCINI, G., MARTINOLI, C., VIAZZI, F., RAVERA, M., PARODI, D., RATTO, E., VETTORETTI, S., TOMOLILLO, C., DERCHI, L.E., DEFERRARI, G. & PONTREMOLI, R. (2002). Changes in renal resistive index and urinary albumin excretion in hypertensive patients under long-term treatment with lisinopril or nifedipine GITS. *Nephron*, **90**, 169-73.

- LEUNG, W.H., LAU, C.P. & WONG, C.K. (1993). Beneficial effect of cholesterol-lowering therapy on coronary endothelium-dependent relaxation in hypercholesterolaemic patients. *Lancet*, **341**, 1496-500.
- LI, J.S., LARIVIERE, R. & SCHIFFRIN, E.L. (1994). Effect of a nonselective endothelin antagonist on vascular remodeling in deoxycorticosterone acetate-salt hypertensive rats. Evidence for a role of endothelin in vascular hypertrophy. *Hypertension*, **24**, 183-8.
- LIPPOLDT, A., GROSS, V., SCHNEIDER, K., HANSSON, A., NADAUD, S., SCHNEIDER, W., BADER, M., YAGIL, C., YAGIL, Y. & LUFT, F.C. (1997). Nitric oxide synthase and renin-angiotensin system gene expression in salt-sensitive and salt-resistant Sabra rats. *Hypertension*, **30**, 409-15.
- LUFT, F.C. (1998). Salt and hypertension at the close of the millennium. *Wien Klin Wochenschr*, **110**, 459-66.
- LUSCHER, T.F. & VANHOUTTE, P.M. (1986). Endothelium-dependent contractions to acetylcholine in the aorta of the spontaneously hypertensive rat. *Hypertension*, **8**, 344-8.
- LUSCHER, T.F., DIEDERICH, D., VANHOUTTE, P.M., WEBER, E. & BÜHLER, F.R. (1988). Endothelium-dependent Responses in the Common Carotid Artery of Normotensive and Spontaneously Hypertensive Rats. *Hypertension*, **11**, 573-578.
- MACCONI, D., GHILARDI, M., BONASSI, M.E., MOHAMED, E.I., ABBATE, M., COLOMBI, F., REMUZZI, G. & REMUZZI, A. (2000). Effect of angiotensin-converting enzyme inhibition on glomerular basement membrane permeability and distribution of zonula occludens-1 in MWF rats. *J Am Soc Nephrol*, **11**, 477-89.
- MACCONI, D., LAURENS, W., PARIS, S., BATTAGLIA, C., BERTANI, T., REMUZZI, G. & REMUZZI, A. (1997). Selective dietary restriction of protein and calorie intakes prevents spontaneous proteinuria in male MWF rats. *Exp Nephrol*, **5**, 404-13.
- MARRE, M., HALLAB, M., BILLIARD, A., LE JEUNE, J.J., BLED, F., GIRAUT, A. & FRESSINAUD, P. (1991). Small doses of ramipril to reduce microalbuminuria in diabetic patients with incipient nephropathy independently of blood pressure changes. *J Cardiovasc Pharmacol*, **18**, S165-8.
- MARTINEZ-MALDONADO, M. (2001). Role of hypertension in the progression of chronic renal disease. *Nephrol Dial Transplant*, **16**, 63-6.
- MATSUMURA, Y., KURO, T., KOBAYASHI, Y., KONISHI, F., TAKAOKA, M., WESSALE, J.L., OPGENORTH, T.J., GARIEPY, C.E. & YANAGISAWA, M. (2000). Exaggerated vascular and renal pathology in endothelin-B receptor-deficient rats with deoxycorticosterone acetate-salt hypertension. *Circulation*, **102**, 2765-73.
- MCCAFFERY, J.M., POQUE-GEILE, M.F., MULDOON, M.F., DEBSKI, T.T., WING, R.R. & MANUCK, S.B. (2001). The nature of the association between diet and serum lipids in the community: a twin study. *Health Psychol*, **20**, 341-50.
- MORIMOTO, A., UZU, T., FUJII, T., NISHIMURA, M., KURODA, S., NAKAMURA, S., INENAGA, T. & KIMURA, G. (1997). Sodium sensitivity and cardiovascular events in patients with essential hypertension. *Lancet*, **350**, 1734-7.

- MULDOON, M.F., MANUCK, S.B. & MATTHEWS, K.A. (1990). Lowering cholesterol concentrations and mortality: a quantitative review of primary prevention trials. *Bmj*, **301**, 309-14.
- MULDOON, M.F., MANUCK, S.B., MENDELSOHN, A.B., KAPLAN, J.R. & BELLE, S.H. (2001). Cholesterol reduction and non-illness mortality: meta-analysis of randomised clinical trials. *Bmj*, **322**, 11-5.
- MUNTER, K., HERGENRODER, S. & KIRCHENGAST, M. (1998). Endothelin-A receptor antagonist combined with hydralazine improves survival and renal function in hypertensive rats. *J Cardiovasc Pharmacol*, **31**, S245-8.
- NATH, N., WIENER, R., HARPER, A.E. & ELVEHJEM, C.A. (1959). Diet and cholesterolemia. 1. Development of a diet for the study of nutritional factors affecting cholesterolemia in the rat. *J Nutr*, **67**, 289-307.
- NEELEY, J.R., LEIBERMEISTER, H., BATTERSBY, E.J. & MORGAN, H.E. (1967). *Am. J. Physiol.*, **212**, 804-814.
- NICCO, C., MARTIN, H., YAGIL, C., YAGIL, Y., BANKIR, L. & BOUBY, N. (2000). Regulation by sodium intake of type 1 angiotensin II receptor mRNAs in the kidney of Sabra rats. *J Hypertens*, **18**, 1097-105.
- NISHIMURA, J., MORELAND, S., AHN, H.Y., KAWASE, T., MORELAND, R.S. & VAN BREEMEN, C. (1992). Endothelin increases myofilament Ca²⁺ sensitivity in alpha-toxin-permeabilized rabbit mesenteric artery. *Circ Res*, **71**, 951-9.
- OHUCHI, T., YANAGISAWA, M. & GARIEPY, C.E. (2000). Renal tubular effects of endothelin-B receptor signaling: its role in cardiovascular homeostasis and extracellular volume regulation. *Curr Opin Nephrol Hypertens*, **9**, 435-9.
- OKAMOTO, K. & AOKI, K. (1963). Development of a strain of spontaneously hypertensive rats. *Jpn Circ J*, **27**, 282-293.
- ORTH, S.R., ESSLINGER, J.P., AMANN, K., SCHWARZ, U., RASCHACK, M. & RITZ, E. (1998). Nephroprotection of an ET(A)-receptor blocker (LU 135252) in salt-loaded uninephrectomized stroke-prone spontaneously hypertensive rats. *Hypertension*, **31**, 995-1001.
- PANZA, J.A., QUYYUMI, A.A., BRUSH, J.E., JR. & EPSTEIN, S.E. (1990). Abnormal endothelium-dependent vascular relaxation in patients with essential hypertension. *N Engl J Med*, **323**, 22-7.
- PARK, J.B. & SCHIFFRIN, E.L. (2001b). Small artery remodeling is the most prevalent (earliest?) form of target organ damage in mild essential hypertension. *J Hypertens*, **19**, 921-30.
- PARK, J.B., CHARBONNEAU, F. & SCHIFFRIN, E.L. (2001a). Correlation of endothelial function in large and small arteries in human essential hypertension. *J Hypertens*, **19**, 415-20.
- PARVING, H.H., HOMMEL, E., JENSEN, B.R. & HANSEN, H.P. (2001). Long-term beneficial effect of ACE inhibition on diabetic nephropathy in normotensive type 1 diabetic patients. *Kidney Int*, **60**, 228-34.
- PEDRINELLI, R., DELL'OMO, G., PENNO, G. & MARIANI, M. (2001). Non-diabetic microalbuminuria, endothelial dysfunction and cardiovascular disease. *Vasc Med*, **6**, 257-64.

- PEDRINELLI, R., GIAMPIETRO, O., CARMASSI, F., MELILLO E, D.O.G., CATAPANO G, & MATTEUCCI E, T.L., MORALE M, DE NEGRI F, ET AL. (1994). Microalbuminuria and endothelial dysfunction in essential hypertension. *Lancet*, **344**, 14-18.
- RABINOWE, S.L., REDGRAVE, J.E., SHOBACK, D.M., PODOLSKY, S., HOLLENBERG, N.K. & WILLIAMS, G.H. (1987). Renin suppression by saline is blunted in nonmodulating essential hypertension. *Hypertension*, **10**, 404-8.
- RAVNSKOV, U. & ANTON, C. (2002b). Statins as the new aspirin. *Bmj*, **324**, 789.
- RAVNSKOV, U. (1992). Cholesterol lowering trials in coronary heart disease: frequency of citation and outcome. *Bmj*, **305**, 15-9.
- RAVNSKOV, U., ALLEN, C., ATRENS, D., ENIG, M.G., GROVES, B., KAUFFMAN, J.M., KRONELD, R., ROSCH, P.J., ROSENMAN, R., WERKO, L., NIELSEN, J.V., WILSKE, J. & WORM, N. (2002a). Studies of dietary fat and heart disease. *Science*, **295**, 1464-5.
- REES, D., BEN-ISHAY, D. & MONCADA, S. (1996). Nitric oxide and the regulation of blood pressure in the hypertension- prone and hypertension-resistant Sabra rat. *Hypertension*, **28**, 367-71.
- REMUZZI, A., BENIGNI, A., MALANCHINI, B., BRUZZI, I., FOGLIENI, C. & REMUZZI, G. (1995). ACE inhibition prevents renal failure and death in uninephrectomized MWF/Ztm rats. *Kidney Int*, **47**, 1319-26.
- REMUZZI, A., FASSI, A., BERTANI, T., PERICO, N. & REMUZZI, G. (1999). ACE inhibition induces regression of proteinuria and halts progression of renal damage in a genetic model of progressive nephropathy. *Am J Kidney Dis*, **34**, 626-32.
- REMUZZI, A., MALANCHINI, B., BATTAGLIA, C., BERTANI, T. & REMUZZI, G. (1996). Comparison of the effects of angiotensin-converting enzyme inhibition and angiotensin II receptor blockade on the evolution of spontaneous glomerular injury in male MWF/Ztm rats. *Exp Nephrol*, **4**, 19-25.
- REMUZZI, A., PUNTORIERI, S., ALFANO, M., MACCONI, D. & ABBATE M, B.T., REMUZZI G. (1992). Pathophysiologic implications of proteinuria in a rat model of progressive glomerular injury. *Lab Invest*, **67**, 572-579.
- REMUZZI, A., PUNTORIERI, S., BATTAGLIA, C., BERTANI, T. & REMUZZI, G. (1990). Angiotensin converting enzyme inhibition ameliorates glomerular filtration of macromolecules and water and lessens glomerular injury in the rat. *J Clin Invest*, **85**, 541-549.
- REMUZZI, A., PUNTORIERI, S., BRUGNETTI, B., BERTANI, T. & REMUZZI, G. (1991). Renoprotective effect of low iron diet and its consequence on glomerular hemodynamics. *Kidney Int*, **39**, 647-52.
- REMUZZI, A., PUNTORIERI, S., MAZZOLENI, A. & G., R. (1988). Sex related differences in glomerular ultrafiltration and proteinuria in Munich-Wistar rats. *Kidney Int*, **34**, 481-486.
- REMUZZI, G., RUGGENENTI, P. & BENIGNI, A. (1997). Understanding the nature of renal disease progression. *Kidney Int*, **51**, 2-15.

- RHODEN, C.H., LEEPER, D.B., SMITH, I.M., EVANS, T.C. & DULING, B.R. (1975). Blood pressure changes in mice after lethal staphylococcal infection and endotoxin challenge. *Proc Soc Exp Biol Med*, **149**, 622-5.
- RITTINGHAUSEN, S. (1985). Morphometrische und funktionelle Untersuchungen an Nieren von Ratten der Stämme MWF/Ztm und LEW/Ztm während der postnatalen Entwicklungs- und Reifungsphase. In *Institut für Pathologie der Tierärztlichen Hochschule Hannover und Institut für Versuchstierkunde der Medizinischen Hochschule Hannover*. pp. 139. Hannover: Tierärztliche Hochschule Hannover.
- ROSS, R. (1999). Atherosclerosis--an inflammatory disease. *N Engl J Med*, **340**, 115-26.
- ROTHERMUND, L., LUCKERT, S., KOSSMEHL, P., PAUL, M. & KREUTZ, R. (2001). Renal endothelin ET(A)/ET(B) receptor imbalance differentiates salt- sensitive from salt-resistant spontaneous hypertension. *Hypertension*, **37**, 275-80.
- ROVIRA HALBACH, G., ALT, J.M., BRUNKHORST, R., FREI, U., KUHN, K. & STOLTE, H. (1986). Single nephron hyperfiltration and proteinuria in a newly selected rat strain with superficial glomeruli. *Renal Physiol.*, **9**, 317-325.
- RUGGENENTI, P., PERNA, A., BENINI, R. & REMUZZI, G. (1998). Effects of dihydropyridine calcium channel blockers, angiotensin- converting enzyme inhibition, and blood pressure control on chronic, nondiabetic nephropathies. Gruppo Italiano di Studi Epidemiologici in Nefrologia (GISEN). *J Am Soc Nephrol*, **9**, 2096-101.
- RUGGENENTI, P., PERNA, A., BENINI, R., BERTANI, T., ZOCCALI, C., MAGGIORE, Q., SALVADORI, M. & REMUZZI, G. (1999). In chronic nephropathies prolonged ACE inhibition can induce remission: dynamics of time-dependent changes in GFR. Investigators of the GISEN Group. Gruppo Italiano Studi Epidemiologici in Nefrologia. *J Am Soc Nephrol*, **10**, 997-1006.
- SACKS, F.M., SVETKEY, L.P., VOLLMER, W.M., APPEL, L.J., BRAY, G.A., HARSHA, D., OBARZANEK, E., CONLIN, P.R., MILLER, E.R., 3RD, SIMONS-MORTON, D.G., KARANJA, N. & LIN, P.H. (2001). Effects on blood pressure of reduced dietary sodium and the Dietary Approaches to Stop Hypertension (DASH) diet. DASH-Sodium Collaborative Research Group. *N Engl J Med*, **344**, 3-10.
- SAFAR, M.E., THUILLIEZ, C., RICHARD, V. & BENETOS, A. (2000). Pressure-independent contribution of sodium to large artery structure and function in hypertension. *Cardiovasc Res*, **46**, 269-76.
- SANDER, G.E. (2002). High blood pressure in the geriatric population: treatment considerations. *Am J Geriatr Cardiol*, **11**, 223-32.
- SCANDINAVIAN SIMVASTATIN SURVIVAL STUDY (1994). Randomised trial of cholesterol lowering in 4444 patients with coronary heart disease: the Scandinavian Simvastatin Survival Study (4S). *Lancet*, **344**, 1383-9.
- SCHIFFRIN, E.L. (1999). State-of-the-Art lecture. Role of endothelin-1 in hypertension. *Hypertension*, **34**, 876-81.
- SCHIFFRIN, E.L. (2001). Role of endothelin-1 in hypertension and vascular disease. *Am J Hypertens*, **14**, 83S-89S.

- SCHULZ, A., LITFIN, A., KOSSMEHL, P. & KREUTZ, R. (2002). Genetic dissection of increased urinary albumin excretion in the munich wistar fromter rat. *J Am Soc Nephrol*, **13**, 2706-14.
- SHEPHERD, J., COBBE, S.M., FORD, I., ISLES, C.G., LORIMER, A.R., MACFARLANE, P.W., MCKILLOP, J.H. & PACKARD, C.J. (1995). Prevention of coronary heart disease with pravastatin in men with hypercholesterolemia. West of Scotland Coronary Prevention Study Group. *N Engl J Med*, **333**, 1301-7.
- SIMONSON, M.S., WANN, S., MENE, P., DUBYAK, G.R., KESTER, M., NAKAZATO, Y., SEDOR, J.R. & DUNN, M.J. (1989). Endothelin stimulates phospholipase C, Na+/H+ exchange, c-fos expression, and mitogenesis in rat mesangial cells. *J Clin Invest*, **83**, 708-12.
- SMEDA, J.S., LEE, R.M. & FORREST, J.B. (1988a). Prenatal and postnatal hydralazine treatment does not prevent renal vessel wall thickening in SHR despite the absence of hypertension. *Circ Res*, **63**, 534-42.
- SMEDA, J.S., LEE, R.M. & FORREST, J.B. (1988b). Structural and reactivity alterations of the renal vasculature of spontaneously hypertensive rats prior to and during established hypertension. *Circ Res*, **63**, 518-33.
- TAUBES, G. (1998). The (political) science of salt. *Science*, **281**, 898-901, 903-7.
- TAUBES, G. (2001). Nutrition. The soft science of dietary fat. *Science*, **291**, 2536-45.
- TEISMAN, A.C., PINTO, Y.M., BUIKEMA, H., FLESCH, M., BOHM, M., PAUL, M. & VAN GILST, W.H. (1998). Dissociation of blood pressure reduction from end-organ damage in TGR(mREN2)27 transgenic hypertensive rats. *J Hypertens*, **16**, 1759-65.
- TOLINS, J.P., STONE, B.G. & RAIJ, L. (1992). Interactions of hypercholesterolemia and hypertension in initiation of glomerular injury. *Kidney Int*, **41**, 1254-61.
- TOSTES PASSAGLIA, R.C., DAVID, F.L., FORTES, Z.B., NIGRO, D., SCIVOLETTO, R. & CATELLI DE CARVALHO, M.H. (2000). Deoxycorticosterone acetate-salt hypertensive rats display gender- related differences in ET(B) receptor-mediated vascular responses. *Br J Pharmacol*, **130**, 1092-8.
- TSCHUDI, M.R., MESAROS, S., LUSCHER, T.F. & MALINSKI, T. (1996). Direct in situ measurement of nitric oxide in mesenteric resistance arteries. Increased decomposition by superoxide in hypertension. *Hypertension*, **27**, 32-5.
- VAN DE VOORDE, J. & LEUSEN, I. (1986). Endothelium-dependent and independent relaxation of aortic rings from hypertensive rats. *Am J Physiol*, **250(5 Pt 2)**, H711-7.
- VERMA, S., LOVREN, F., DUMONT, A.S., MATHER, K.J., MAITLAND, A., KIESER, T.M., KIDD, W., MCNEILL, J.H., STEWART, D.J., TRIGGLE, C.R. & ANDERSON, T.J. (2001). Endothelin receptor blockade improves endothelial function in human internal mammary arteries. *Cardiovasc Res*, **49**, 146-51.
- WANSTALL, J.C. & O'DONNELL, S.R. (1992). Responses to vasodilator drugs on pulmonary artery preparations from pulmonary hypertensive rats. *Br J Pharmacol*, **105(1)**, 152-8.

- WARD, R. (1990). Familial aggregation and genetic epidemiology of blood pressure. In *Hypertension: pathophysiology, diagnosis and management*. eds Laragh, L.H. & Brenner, B.M. pp. 81-100. New York: Raven.
- WEINBERGER, M.H., FINEBERG, N.S., FINEBERG, S.E. & WEINBERGER, M. (2001). Salt sensitivity, pulse pressure, and death in normal and hypertensive humans. *Hypertension*, **37**, 429-32.
- WILGRAM, G.F. (1959). Experimental atherosclerosis and cardiac infarcts in rats. *J Exp Med*, **109**, 293-309.
- WILLIAMS, G.H. (2001). Hypertensive Vascular Disease. In *Harrison's principles of internal medicine-15th ed.* ed Braunwald, E. pp. 1414-1430. New York: McGraw-Hill.
- WINQUIST, R.J., BUNTING, P.B., BASKIN, E.P. & WALLACE, A.A. (1984). Decreased endothelium-dependent relaxation in New Zealand genetic hypertensive rats. *J Hypertens*, **2**, 541-5.
- YAGIL, C., KATNI, G., RUBATTU, S., STOLPE, C., KREUTZ, R., LINDPAINTNER, K., GANTEN, D., BEN-ISHAY, D. & YAGIL, Y. (1996). Development, genotype and phenotype of a new colony of the Sabra hypertension prone (SBH/y) and resistant (SBN/y) rat model of salt sensitivity and resistance. *J Hypertens*, **14**, 1175-82.
- YAGIL, C., SAPOJNIKOV, M., KATNI, G., ILAN, Z., ZANGEN, S.W., ROSENmann, E. & YAGIL, Y. (2002). Proteinuria and glomerulosclerosis in the Sabra genetic rat model of salt susceptibility. *Physiol Genomics*, **9**, 167-78.
- YAGIL, C., SAPOJNIKOV, M., KREUTZ, R., ZURCHER, H., GANTEN, D. & YAGIL, Y. (1999). Role of chromosome X in the Sabra rat model of salt-sensitive hypertension. *Hypertension*, **33**, 261-5.
- YAGIL, Y. & YAGIL, C. (1998). Does the Sabra hypertension-prone rat represent a model of salt or mineralocorticoid sensitivity? *J Hypertens*, **16**, 1481-4.
- YAGIL, Y. & YAGIL, C. (1998). Genetic basis of salt-susceptibility in the Sabra rat model of hypertension. *Kidney Int*, **53**, 1493-500.
- YAGIL, Y. & YAGIL, C. (2000). The lack of a modulating effect of non-genetic factors (age, gonads and maternal environment) on the phenotypic expression of the salt-susceptibility genes in the Sabra rat model of hypertension. *J Hypertens*, **18**, 1393-9.
- YANAGISAWA, M., KURIHARA, H., KIMURA, S., TOMOBE, Y., KOBAYASHI, M., MITSUI, Y., YAZAKI, Y., GOTO, K. & MASAKI, T. (1988). A novel potent vasoconstrictor peptide produced by vascular endothelial cells. *Nature*, **332**, 411-5.
- YEN, M.H., SHEU, J.R., PENG, I.H., LEE, Y.M. & CHERN, J.W. (1996). Pharmacological activity of DC-015, a novel potent and selective alpha 1-adrenoceptor antagonist. *J Pharm Pharmacol*, **48**, 90-5.
- YUDKIN, J.S., FORREST, R.D. & JACKSON, C.A. (1988). Microalbuminuria as predictor of vascular disease in non-diabetic subjects. Islington Diabetes Survey. *Lancet*, **2**, 530-533.