
References

- Agranoff, B. W. and KLINGER, P. D. (1964) PUROMYCIN EFFECT ON MEMORY FIXATION IN THE GOLDFISH. *Science* 146, 952- 953
- Alberini, C. M. (2005) Mechanisms of memory stabilization: are consolidation and reconsolidation similar or distinct processes? *Trends in Neurosciences* 28 (1), 51- 56
- Anokhin, K. V., Tiunova, A. A., and Rose, S. P. R. (2002) Reminder effects - reconsolidation or retrieval deficit? Pharmacological dissection with protein synthesis inhibitors following reminder for a passive-avoidance task in young chicks. *European Journal of Neuroscience* 15, 1759- 1765
- Bailey, C. H. and Kandel, E. R. (1993) Structural changes accompanying memory storage. *Annual Review of Physiology* 55, 397- 426
- Barros, L. F., Young, M., Saklatvala, J., and Baldwin, S. A. (1997) Evidence of two mechanisms for the activation of the glucose transporter GLUT1 by anisomycin: p38(MAP kinase) activation and protein synthesis inhibition in mammalian cells. *J Physiol* 504 (Pt 3), 517- 525
- Berman, D. E. and Dudai, Y. (2001) Memory extinction, learning anew, and learning the new: dissociations in the molecular machinery of learning in cortex. *Science* 291 (5512), 2417- 2419
- Berman, D. E., Hazvi, S., Stehberg, J., Bahar, A., and Dudai, Y. (2003) Conflicting Processes in the Extinction of Conditioned Taste Aversion: Behavioral and Molecular Aspects of Latency, Apparent Stagnation, and Spontaneous Recovery. *Learning & Memory* 10, 16- 25
- Bitterman, M. E., Menzel, R., Fietz, A., and Schäfer, S. (1983) Classical conditioning of proboscis extension in honeybees (*Apis mellifera*). *Journal of Comparative Psychology* 97, 107- 119
- Bouton, M. E. (1993) Context, time, and memory retrieval in the interference paradigms of Pavlovian learning. *Psychol. Bull* 114 (1), 80- 99
- Bouton, M. E. (2004) Context and behavioral processes in extinction. *Learn. Mem.* 11 (5), 485- 494
- Cahill, L., McGaugh, J. L., and Weinberger, N. M. (2001) Neurobiology of learning and memory: some reminders to remember. *Trends in Neuroscience* 24 (10), 578- 581
- Cammarota, M., Bevilaqua, L. R., Medina, J. H., and Izquierdo, I. (2004) Retrieval does not induce reconsolidation of inhibitory avoidance memory. *Learn. Mem.* 11 (5), 572- 578

-
- Carrasco, L., Fernandez-Puentes, C., and Vazquez, D. (1976) Antibiotics and compounds affecting translation by eukaryotic ribosomes. Specific enhancement of aminoacyl-tRNA binding by methylxanthines. *Mol. Cell Biochem.* 10 (2), 97-122
- Child, F. M., Epstein, H. T., Kuzirian, A. M., and Alkon, D. L. (2003) Memory reconsolidation in *Hermissenda*. *The Biological Bulletin* 205 (2), 218- 219
- Davis, H. P. and Squire, L. R. (1984) Protein-Synthesis and Memory - A Review. *Psychological Bulletin* 96 (3), 518- 559
- Dawson, R. G. and McGaugh, J. L. (1969) Electroconvulsive shock effects on a reactivated memory trace: further examination. *Science* 166 (904), 525- 527
- Debiec, J., LeDoux, J. E., and Nader, K. (2002) Cellular and systems reconsolidation in the hippocampus. *Neuron* 36 (3), 527- 538
- Delamater, A. R. (2004) Experimental extinction in Pavlovian conditioning: behavioural and neuroscience perspectives. *Q. J Exp Psychol B* 57 (2), 97- 132
- Dudai, Y. (1992) Why 'learning' and 'memory' should be redefined (or, an agenda for focused reductionism). *Concepts in Neuroscience* 3,1, 99- 121
- Dudai, Y. (2002) *Memory from A to Z: keywords, concepts and beyond*. Oxford University Press Inc, New York
- Dudai, Y. (2004) The neurobiology of consolidations, or, how stable is the engram? *Annu. Rev Psychol* 55, 51- 86
- Dudai, Y. and Eisenberg, M. (2004) Rites of passage of the engram: reconsolidation and the lingering consolidation hypothesis. *Neuron* 44 (1), 93- 100
- Duvarci, S. and Nader, K. (2004) Characterization of fear memory reconsolidation. *Journal of Neuroscience* 24 (42), 9269- 9275
- Duvarci, S., Nader, K., and LeDoux, J. E. (2005) Activation of extracellular signal-regulated kinase- mitogen-activated protein kinase cascade in the amygdala is required for memory reconsolidation of auditory fear conditioning. *Eur. J Neurosci.* 21 (1), 283- 289
- Ebbinghaus, M. (1885) *Über das Gedächtnis*. K.Buehler, Leipzig
- Eisenberg, M. and Dudai, Y. (2004) Reconsolidation of fresh, remote, and extinguished fear memory in *Medaka*: old fears don't die. *Eur. J Neurosci* 20 (12), 3397- 3403
- Eisenberg, M., Kobilov, T., Berman, D. E., and Dudai, Y. (2003) Stability of retrieved memory: inverse correlation with trace dominance. *Science* 301 (5636), 1102- 1104
- Engert, F. and Bonhoeffer, T. (1999) Dendritic spine changes associated with hippocampal long-term synaptic plasticity. *Nature* 399 (6 May 1999), 66- 70

-
- Fiala, A., Muller, U., and Menzel, R. (1999) Reversible downregulation of protein kinase A during olfactory learning using antisense technique impairs long-term memory formation in the honeybee, *Apis mellifera*. *Journal of Neuroscience* 19 (22), 10125-10134
- Fischer, A., Sananbenesi, F., Schrick, C., Spiess, J., and Radulovic, J. (2004) Distinct roles of hippocampal de novo protein synthesis and actin rearrangement in extinction of contextual fear. *Journal of Neuroscience* 24 (8), 1962- 1966
- Friedrich, A., Thomas, U., and Muller, U. (2004) Learning at different satiation levels reveals parallel functions for the cAMP-protein kinase A cascade in formation of long-term memory. *J Neurosci* 24 (18), 4460- 4468
- Froese, A. (2005) *Untersuchungen zur lerninduzierten Phosphorylierung von AmCREB (Apis mellifera cAMP-responsive element binding protein)*. FU Berlin - Diplom in Biologie
- Giurfa, M., Eichmann, B., and Menzel, R. (1996) Symmetry perception in an insect. *Nature* 382, 458- 461
- Goelet, P., Castellucci, V. F., Schacher, S., and Kandel, E. R. (1986) The long and the short of long-term memory - a molecular framework. *Nature* 322, 419- 422
- Gordon, W. C. (1977) Susceptibility of a reactivated memory to the effects of strychnine: a time-dependent phenomenon. *Physiology & Behavior* 18, 95- 99
- Gordon, W. C. and Spear, N. E. (1973) The effect of strychnine on recently acquired and reactivated passive avoidance memories. *Physiology & Behavior* 10, 1071- 1075
- Grollman, A. P. and With the technical assistance of Maria Walsh (1967) Inhibitors of Protein Biosynthesis. II. MODE OF ACTION OF ANISOMYCIN. *Journal of Biological Chemistry* 242 (13), 3226- 3233
- Grünbaum, L. and Müller, U. (1998) Induction of a Specific Olfactory Memory Leads to a Long-Lasting Activation of Protein Kinase C in the Antennal Lobe of the Honeybee. *The Journal of Neuroscience* 18 (11), 4384- 4392
- Grünewald, B. (1995) *Das Lernverhalten der Honigbiene: Elektrophysiologische und morphologische Charakterisierung von Rückkopplungsneuronen des Pilzkörpers*. Doktorarbeit, FU Berlin
- Hammer, M. (1993) An identified neuron mediates the unconditioned stimulus in associative olfactory learning in honeybees. *Nature* 366 (Nov. 4, 1993), 59- 63
- Hammer, M. (1995) Reward processing in honeybee learning. *Experientia* 51, A4-
- Hammer, M. (1997) The neural basis of associative reward learning in honeybees. *Trends in Neurosciences* 20 (6), 245- 252
- Hebb, D. O. (1949) *The Organization of Behavior: a Neuropsychological Theory*. Wiley, New York

-
- Hellstern, F., Malaka, R., and Hammer, M. (1998) Backward inhibitory learning in honeybees: A behavioral analysis of reinforcement processing. *Learning & Memory* 4, 429- 444
- Hernandez, P. J. and Kelley, A. E. (2004) Long-term memory for instrumental responses does not undergo protein synthesis-dependent reconsolidation upon retrieval. *Learn. Mem.* 11 (6), 748- 754
- Inda, M. C., Delgado-Garcia, J. M., and Carrion, A. M. (2005) Acquisition, consolidation, reconsolidation, and extinction of eyelid conditioning responses require de novo protein synthesis. *Journal of Neuroscience* 25 (8), 2070- 2080
- Jimenez, A., Carrasco, L., and Vazquez, D. (1977) Enzymic and nonenzymic translocation by yeast polysomes. Site of action of a number of inhibitors. *Biochemistry* 16, 4727- 4730
- John, E. R. (1967) *Mechanisms of Memory*. Academic Press New York, New York
- Kandel, E. R. (2001) The molecular biology of memory storage: a dialogue between genes and synapses. *Science* 294 (5544), 1030- 1038
- Kelly, A., Laroche, S., and Davis, S. (2003) Activation of mitogen-activated protein kinase/extracellular signal-regulated kinase in hippocampal circuitry is required for consolidation and reconsolidation of recognition memory. *J Neurosci.* 23 (12), 5354- 5360
- Klein, S. B. (2002) *Learning: Principles and Applications*. McGraw-Hill Higher Education, New York
- Kraus, M. (2002) *Akustisches Diskriminierungslernen bei der mongolischen Wüstenrennmaus: Proteinsynthesabhängigkeit und veränderung im akustischen Hörkortex*. Dissertationsschrift, Fakultät der Naturwissenschaften, Otto-von-Guericke-Universität Magdeburg
- Kraus, M., Schicknick, H., Wetzel, W., Ohl, F., Staak, S., and Tischmeyer, W. (2002) Memory consolidation for the discrimination of frequency-modulated tones in mongolian gerbils is sensitive to protein-synthesis inhibitors applied to the auditory cortex. *Learn. Mem.* 9 (5), 293- 303
- Kuwabara, M. (1957) Bildung des bedingten Reflexes von Pavlovs Typus bei der Honigbiene, *Apis mellifica*. *J. Fac. Sci. Hokkaido Univ. Ser. VI Zool.* 13, 458- 464
- Lattal, K. M. and Abel, T. (2001) Different requirements for protein synthesis in acquisition and extinction of spatial preferences and context-evoked fear. *J Neurosci* 21 (15), 5773- 5780
- Lattal, K. M. and Abel, T. (2004) Behavioral impairments caused by injections of the protein synthesis inhibitor anisomycin after contextual retrieval reverse with time. *Proc. Natl. Acad. Sci. U. S. A* 101 (13), 4667- 4672

-
- Lee, J. L., Everitt, B. J., and Thomas, K. L. (2004) Independent cellular processes for hippocampal memory consolidation and reconsolidation. *Science* 304 (5672), 839-843
- Lewis, D. J., Misanin, J. R., and Miller, R. R. (1968) Recovery of memory following amnesia. *Nature* 220 (168), 704- 705
- Mactutus, C. F., Ferek, J. M., George, C. A., and Riccio, D. C. (1982) Hypothermia-induced amnesia for newly acquired and old reactivated memories: Commonalities and distinctions. *Physiological Psychology* 10, 79- 95
- McGaugh, J. L. (1966) Time-Dependent Processes in Memory Storage. *Science* 153 (3742), 1351- 1358
- McGeoch, J. A. (1932) Forgetting and the law of disuse. *Psychol Rev* 39, 352- 370
- Menzel, R. (1968) Das Gedächtnis der Honigbiene für Spektralfarben. I. Kurzzeitiges und langzeitiges Behalten. *Zeitschrift fuer vergleichende Physiologie* 60, 82- 102
- Menzel, R. (1990) Learning, memory, and "cognition" in honey bees. In: *Neurobiology of comparative cognition* (Kesner and Olton, eds.), pp. 237- 292, Erlbaum Inc., Hillsdale, N.J.
- Menzel, R. (1999) Memory dynamics in the honeybee. *Journal of Comparative Physiology [A]* 185, 323- 340
- Menzel, R. (2001) Searching for the memory trace in a mini-brain, the honeybee. *Learning & Memory* 8 (2), 53- 62
- Menzel, R., Erber, J., and Masuhr, T. (1974) Learning and memory in the honeybee. In: *Experimental analysis of insect behaviour* (Barton-Browne, ed.), pp. 195- 217, Springer, Berlin
- Menzel, R., Manz, G., Menzel, R., and Greggers, U. (2001) Massed and spaced learning in honeybees: the role of CS, US, the intertrial interval, and the test interval. *Learn. Mem.* 8 (4), 198- 208
- Menzel, R. and Müller, U. (1996) Learning and memory in honeybees: From behavior to neural substrates. *Annual Review of Neuroscience* 19, 379- 404
- Miller, R. R., Ott, C. A., Berk, A. M., and Springer, A. D. (1974) Appetitive memory restoration after electro-convulsive shock in the rat. *J Comp Physiol Psychol* 87 (4), 717- 723
- Misanin, J. R., Miller, R. R., and Lewis, D. J. (1968) Retrograde amnesia produced by electroconvulsive shock after reactivation of a consolidated memory trace. *Science* 160 (827), 554- 555
- Müller, G. E. and Pilzecker, A. (1900) Experimentelle Beiträge zur Lehre vom Gedächtnis. *Z. Psychol. Suppl.* 1

-
- Müller, U. (2000) Prolonged activation of cAMP-dependent protein kinase during conditioning induces long-term memory in honeybees. *Neuron* 27 (July 2000), 159- 168
- Müller, U. (2002) Learning in honeybees: from molecules to behaviour. *Zoology* 105, 313- 320
- Myers, K. M. and Davis, M. (2002) Behavioral and neural analysis of extinction. *Neuron* 36 (4), 567- 584
- Nader, K. (2003) Memory traces unbound. *Trends in Neurosciences* 26 (2), 65- 72
- Nader, K., Schafe, G. E., and Le Doux, J. E. (2000) Fear memories require protein synthesis in the amygdala for reconsolidation after retrieval. *Nature* 406 (6797), 722- 726
- Pavlov, I. (1927) *Conditioned reflexes*. Dover Publications, New York
- Pedreira, M. E., Dimant, B., Tomsic, D., Quesada-Allue, L. A., and Maldonado, H. (1995) Cycloheximide inhibits context memory and long-term habituation in the crab *Chasmagnathus*. *Pharmacology, Biochemistry & Behavior* 52 (2), 385- 395
- Pedreira, M. E. and Maldonado, H. (2003) Protein synthesis subserves reconsolidation or extinction depending on reminder duration. *Neuron* 38 (6), 863- 869
- Pedreira, M. E., Perez-Cuesta, L. M., and Maldonado, H. (2002) Reactivation and reconsolidation of long-term memory in the crab *Chasmagnathus*: protein synthesis requirement and mediation by NMDA-type glutamatergic receptors. *Journal of Neuroscience* 22 (18), 8305- 8311
- Plekhanova, I. (2005) *The Role of MAPK p44/42 and MAPK p38 in associative olfactory learning in the honeybee *Apis mellifera**. Doctorate in Biology, FU Berlin
- Przybylski, J. and Sara, S. J. (1997) Reconsolidation of memory after its reactivation. *Behavioral Brain Research* 84 (1-2), 241- 246
- Rescorla, R. A. (2004) Spontaneous recovery. *Learn. Mem.* 11 (5), 501- 509
- Rescorla, R. A. and Heth, C. D. (1975) Reinstatement of fear to an extinguished conditioned stimulus. *J. Exp. Psychol. Anim Behav. Process* 1 (1), 88- 96
- Rescorla, R. A. and Wagner, A. R. (1972) A theory of classical conditioning: variations in the effectiveness of reinforcement and non-reinforcement. In: *Classical conditioning II: Current research and theory* (Black and Prokasy, eds.), pp. 64- 99, Appleton-Century-Crofts, New York
- Sandoz, J.-C. and Pham-Delègue, M.-H. (2004) Spontaneous recovery after extinction of the conditioned proboscis extension response in the honeybee. *Learn. Mem.* 11 (5), 586- 597
- Sandoz, J.-C., Roger, B., and Pham-Delègue, M.-H. (1995) Olfactory learning and memory in the honeybee: comparison of different classical conditioning

- procedures of the proboscis extension response. *C. R. Acad. Sci. Paris, Sciences de la vie/Life sciences* 318, 749- 755
- Sangha, S., Scheibenstock, A., and Lukowiak, K. (2003a) Reconsolidation of a long-term memory in *Lymnaea* requires new protein and RNA synthesis and the soma of right pedal dorsal 1. *Journal of Neuroscience* 23 (22), 8034- 8040
- Sangha, S., Scheibenstock, A., Morrow, R., and Lukowiak, K. (2003b) Extinction requires new RNA and protein synthesis and the soma of the cell right pedal dorsal 1 in *Lymnaea stagnalis*. *Journal of Neuroscience* 23 (30), 9842- 9851
- Santini, E., Ge, H., Ren, K., Pena, d. O., and Quirk, G. J. (2004) Consolidation of fear extinction requires protein synthesis in the medial prefrontal cortex. *Journal of Neuroscience* 24 (25), 5704- 5710
- Sara, S. J. (2000) Retrieval and reconsolidation: Toward a neurobiology of remembering. *Learning & Memory* 7, 73- 84
- Schwartz, B. (1984) *Psychology of learning and behavior*. W.W. Norton and Company Inc., New York
- Sekiguchi, T., Yamada, A., and Suzuki, H. (1997) Reactivation-dependent changes in memory states in the terrestrial slug *Limax flavus*. *Learning & Memory* 7, 356- 364
- Seligmann, M. E. P. (1970) On the generality of laws o learning. *Psychological Review* 77, 406- 418
- Spear, N. E. (1973) Retrieval of memory in animals. *Psychological Review* 80, 163- 194
- Squire, L. R. and Kandel, E. R. (2000) *Memory:From mind to molecules*. American Library, New York
- Squire, L. R., Slater, P. C., and Chace, P. M. (1976) Reactivation of recent or remote memory before electroconvulsive therapy does not produce retrograde amnesia. *Behav Biol* 18 (3), 335- 343
- Suzuki, A., Josselyn, S. A., Frankland, P. W., Masushige, S., Silva, A. J., and Kida, S. (2004) Memory reconsolidation and extinction have distinct temporal and biochemical signatures. *Journal of Neuroscience* 24 (20), 4787- 4795
- Taubenfeld, S. M., Milekic, M. H., Monti, B., and Alberini, C. M. (2001) The consolidation of new but not reactivated memory requires hippocampal C/EBPbeta. *Nat. Neurosci.* 4 (8), 813- 818
- Thompson, R. F. (1986) The neurobiology of learning and memory. *Science* 233 (4767), 941- 947
- Torras-Garcia, M., Lelong, J., Tronel, S., and Sara, S. J. (2005) Reconsolidation after remembering an odor-reward association requires NMDA receptors. *Learn. Mem.* 12 (1), 18- 22

- Vianna, M. R., Szapiro, G., McGaugh, J. L., Medina, J. H., and Izquierdo, I. (2001) Retrieval of memory for fear-motivated training initiates extinction requiring protein synthesis in the rat hippocampus. *Proc. Natl. Acad. Sci U. S. A.* 2001. Oct. 9. ;98. (21.):12251. -4. 98, 12251- 12254
- Wagner, A. R. (1961) Effect of amount and percentage of reinforcement and number of acquisition trials on conditioning and extinction. *J Exp Psychol* 62, 234- 242
- Wagner, A. R. and Rescorla, R. A. (1972) Inhibition in Pavlovian conditioning: application of a theory. In: *Inhibition and learning* (Boakes and Halliday, eds.), pp. 301- 339, Academic Pr., London
- Wang, S. H., Ostlund, S. B., Nader, K., and Balleine, B. W. (2005) Consolidation and reconsolidation of incentive learning in the amygdala. *Journal of Neuroscience* 25 (4), 830- 835
- Wittstock, S. (1986) *Verhaltensanalyse zur pharmakologischen Beeinflussung des Lernvorganges der Honigbiene*. Wiss. Hausarbeit
- Wixted, J. T. (2004) The psychology and neuroscience of forgetting. *Annu. Rev Psychol* 55, 235- 269
- Wüstenberg, D., Gerber, B., and Menzel, R. (1998) Short communication: long- but not medium-term retention of olfactory memories in honeybees is impaired by actinomycin D and anisomycin. *Eur. J Neurosci* 10 (8), 2742- 2745
- Yamada, A., Sekiguchi, T., Suzuki, H., and Mizukami, A. (1992) Behavioral analysis of internal memory states using cooling-induced retrograde amnesia in *Limax flavus*. *J Neurosci* 12, 729- 735
- Zar, J. H. (1997) *Biostatistical Analysis*. Prentice Hall, Inc., Englewood Cliffs, New Jersey
- Zhen, X., Du, W., Romano, A. G., Friedman, E., and Harvey, J. A. (2001) The p38 mitogen-activated protein kinase is involved in associative learning in rabbits. *J Neurosci.* 21 (15), 5513- 5519