

6 Literaturverzeichnis

Adrian, M.; Dubochet, J.; Lepault, J.; McDowell, A.W.: Cryo-electron microscopy of viruses, *Nature* 308, 32 – 36 (1984).

Allen, D.G.; Pringle, J.K.; Smith, D.: *Handbook of Veterinary Drugs*. J.B. Lippincott Company, Philadelphia (USA), 678 pp (1993)

Antonietti, M.; Landfester, K.: Polyreactions in miniemulsions, *Prog. Polym. Sci.* 27, 627 - 809 (2002)

Arimoto, I.; Matsumoto, C.; Tanaka, M.; Okuhira, K.; Saito, H.; Handa, T.: Surface composition regulates clearance from plasma and triolein lipolysis of lipid emulsions, *Lipids* 33, 773 – 779 (1998)

Baik, I.-s.; Lee, J.-g.; Park, B.-d.; Kim, Y.; Lee, M.-j.: Pseudoceramides, and dermatologic external preparations containing the same, US-Patent 6,221,371 (2001)

Balasubramaniam, J.; Pandit, J.K.: Ion-activated in situ gelling systems for sustained ophthalmic delivery of ciprofloxacin hydrochloride, *Drug Deliv.* 10, 185 – 191 (2003)

Barker, J.N.; Mitra, R.S.; Griffith, C.E.M.; Dixit, V.M.; Nickoloff, B.J.: Kreatinozytes as initiators of inflammation, *Lancet* 337, 211 – 214 (1991)

Barreiro-Iglesias, R.; Alvarez-Lorenzo, C.; Concheiro, A.: Incorporation of small quantities of surfactants as a way to improve the rheological and diffusional behavior of carbopol gels, *J. Controlled Rel.* 77, 59 – 75 (2001)

Barreiro-Iglesias, R.; Alvarez-Lorenzo, C.; Concheiro, A.: Poly(acrylic acid) microgels (carbopol® 934)/surfactant interactions in aqueous media Part II: Ionic surfactants, *Int. J. Pharm.* 258, 179 – 191 (2003)

Barry, B.W.: Mode of action of penetration enhancers in human skin. *J. Controlled Rel.* 6, 85 – 97 (1987)

Bason, M.M.; Harvell, J.; Realica, B.; Gordon, V.; Maibach, H.I.: Comparison of in vitro and human in vivo dermal irritancy data for four primary irritants, *Toxic. in vitro* 6, 383 – 387 (1992)

Bellare, J.R.; Davis, H.T.; Scriven, L.E.; Talmon, Y.: Controlled environment vitrification system: an improved sample preparation technique, *J. Electron Microsc. Tech.* 10, 87 – 111 (1988)

Benita, S.: Prevention of topical and ocular oxidative stress by positively charged submicron emulsion, *Biomed. Pharmacother.* 53, 193 – 206 (1999)

Berardesca, E.; Barbareschi, M.; Veraldi, Pimpinelli, N.: Evaluation of efficacy of a skin lipid mixture in patients with irritant contact dermatitis, allergic contact dermatitis or atopic dermatitis: a multicenter study, *Contact Dermatitis* 45, 280 – 285 (2001)

- Berardesca, E.; Maibach, H. I. Skin occlusion: treatment or drug-like device? *Skin Pharmacol.* 1, 207 - 215 (1988)
- Blume, A.; Jansen, M.; Ghyczy, M.; Gareiß, J.: Interaction of phospholipid liposomes with lipids model mixtures for stratum corneum lipids, *Int. J. Pharm.* 99, 219 – 228 (1993)
- Bodde, H.E.; van der Brink, I.; Korten, H.K.; de Haan, F.H.N.: Visualization of in vitro percutaneous penetration of mercuric chlorid; transport through intercellularspace versus cellular uptake through desmosomes, *J. Controlled Rel.* 15, 227 – 236 (1991)
- Bonina, F.P.; Crelli, V.; Di Colo, G.; Montenegro, L.; Nannipieri, E.: Vehicle effects on in vitro permeation and stratum corneum affinity for model drugs caffeine and testosterone, *Int. J. Pharm.* 100, 41 – 48 (1993)
- Bonnotte, B.D.; Caillot, E.; Solary, E.; Lopez, J.; Bailly, c.; Casanovas, O.; Chavanet, P.; Bonin, A.; Guy, H.: Breakthrough candidemias in patients with haematological malignancies during antifungal azole prophylaxis. A report of 20 cases, *J. Infect.* 8, 59(Abstract) (1994)
- Bos, J.D.; Kapsenberg, M.L.: Lymphocyte subpopulation of the skin immune system, in: Bos, J.D. (Eds.): *Skin immune system*, CRC Press Inc. Boca Raton, 89 – 108 (1990)
- Bos, J.D.; Kapsenberg, M.L.: The skin immune system: progress in cutaneous biology, *Immunol. Today* 14, 75 (1993)
- Bouissou, H.; Pieraggi, M.; Julian, M.; Savit, T.: The elastic tissue of the skin: a comparison of spontaneous and actinic (solar) aging, *Int. J. Dermatol.* 27, 327 – 335 (1988)
- Bouwstra, J.A.; Dubbelaar, F.E.R.; Gooris, F.E.; Ponec, M.: The lipid organisation in the skin barrier, *Acta Derm. Venereol.* 208, 23 – 30 (2000)
- Bouwstra, J.A.; Gooris, F.E.; Weerheim, A.M.; Ijzerman, E.P.; Ponec, M.: Role of ceramide 1 in the molecular organisation of the stratum corneum lipids, *J. Lipid Res.* 39, 186 – 196 (1998)
- Bouwstra, J.A.; Gooris, G.S.; Dubbelaar F.E.; Ponec M.: Phase behavior of stratum corneum lipid mixtures based on human ceramides: The role of natural and synthetic ceramide 1, *J. Invest. Dermatol.* 118, 606 – 617 (2002)
- Bouwstra, J.A.; Gooris, G.S.; Spec, J. van der; Bras, W.: Structural investigations of human stratum corneum by small angle X-ray scattering, *J. Invest. Dermatol.* 97, 1005 – 1012 (1991)
- Bowser, P.A.; Froling, A.; Heslinga, L.; Houtsmuller, U.M.T.; Nugteren, D.H.; Pabon, H.J.J.; Prottey, C.: Skin treatment composition, US-Patent 5,342,976
- Braun-Falco, O.; Korting, H.C.; Maibach, H.I. (Eds.): *Griesbach Conference on Liposome Dermatics*, Springer-Verlag, Berlin, Heidelberg (1992)
- Budil, D.E.; Lee, S.; Saxena, S.; Freed, J.H.: Nonlinear-least squares analysis of slow-motion EPR spectra in one and two dimensions using a modified Levenberg-Marquardt algorithm, *J. Magn. Rson.* 120, 120 – 189 (1996)

Burger, A.; Wachter, H.: Hunnius Pharmazeutisches Wörterbuch / 6.Aufl., Studentenausgabe

Burnette, R.R.; Ongpipattanakul, B.: Characterization of the permselective properties of excised human skin during iontophoresis, *J. Pharm. Sci.* 76, 765 – 773 (1987)

Cevc, G.; Blume, G.: Lipid vesicles penetrate into intact skin owing to the transdermal osmotic gradients and hydration force, *Biochim. Biophys. acta* 1104, 226 – 232 (1992)

Chamlin, S.L.; Kao, J.; Frieden, I.J.: Ceramide-dominant barrier repair lipids alleviate childhood atopic dermatitis: changes in barrier function provide a sensitive indicator of disease activity, *J. Am. Acad. Dermatol.* 47, 198 – 208 (2002)

Charman, S.A.; Charman, W.N.; Rogge, M.C.; Wilson, T.D.; Dutko, F.J.; Pouton, C.W.: Self-emulsifying drug delivery systems: formulation and biopharmaceutic evaluation of an investigational lipophilic compound, *Pharm. Res.* 9, 87 – 93 (1992)

Chopart, M.; Castiel-Higounenc, I.; Arbey, E.; Guey, C.; Gaetani, Q.; Schmidt, R.: The normal human stratum corneum: A new ceramide profile, *Perspectives in Percutaneous Penetration* 8a, 35 (2002)

Christensen, M.S.; Hargens, C.W.; Nacht, S.; Gans, E.H.: Visoelastic properties of intact human skin: instrumentation, hydration effects, and the contribution of the stratum corneum, *J. Invest. Dermatol.* 69, 282 – 286 (1999)

Cleary, J.D.: Amphotericin B formulated in a lipid emulsion, *Ann. Pharmacother.* 30, 409 – 412 (1996)

Cohen, T.; Sauvageon-Martre, H.; Brossard, D.; D'Hermies, F.; Bardin, C.; Chast, F.: Amphotericin B eye drops as a lipidic emulsion, *Int. J. Pharm.* 137, 249 – 254 (1996)

Collins-Gold, L.C.; Lyons, R.T.; Bartholow, L.C.: Parenteral emulsions for drug delivery, *Adv. Drug. Deliv. Rev.* 5, 189 – 208 (1990)

Conrads, A.; Zahn, H.: A study of the interaction of sodium dodecyl sulphate with the proteins of human heel stratum corneum, *Int. J. Cosm. Sci.* 9, 29 – 46 (1987)

Constantinidis, P.P.: Lipid microemulsions for improving drug dissolution and oral absorption: physical and biopharmaceutical aspects, *Pharm. Res.* 12, 1561 – 1572 (1995)

Coulaloglou, C.A.; Tavlarides, L.L.: Descriptions of interaction process in agitated liquid-liquid dispersions, *Chem. Eng. Sci.* 32, 1289 – 1297 (1977)

Craig, D.Q.M.; Lievens, H.S.R.; Pitt, K.G.; Storey, D.E.: An investigation into the physicochemical properties of self-emulsifying systems using low frequency dielectric spectroscopy, surface tension measurement and particle size analysis, *Int. J. Pharm.* 96, 147 – 155 (1993)

Cua, A.B.; Wihlem, K.P.; Maibach, H.I.: Elastic properties of human skin: relation to age, sex and anatomical region, *Arch. Dermatol. Res.* 282, 283 – 288 (1990)

- Dahlen, B.; Pascher, I.: Molecular arrangements in sphingolipids. Crystal structure of Ntetracosanoylphyto sphingosine, *Acta Cryst. B28*, 2396- 2404 (1972)
- Daly, C.H.; Odland, G.F.: Age-related changes in the mechanical properties of human skin, *J. Invest. Dermatol.* 73, 84 (1979)
- Danino, D. et al.: Microstructures in the aqueous solutions of a hybrid anionic fluorocarbon/hydrocarbon surfactant, *J. Colloid Interface Sci.* 259, 382 – 390 (2003).
- Davis, S.S.; Illum, L.; Washington, C.; Harper, G.: Studies on the interaction of charge reversed emulsions with the reticuloendothelial system, *Int. J. Pharm.* 82, 99 – 105 (1992)
- Davis, S.S.; Round, H.P.; Purewall, T.S.: Ostwald ripening in emulsion systems. The effect of an added third component, *J. Colloid. Interface Sci.* 80, 508 – 511 (1981)
- De Haan, F.H.N.; Bodde, H.E.; de Bruijn, W.C.; Ginsel, L.A.; Junginger, H.E.: Visualizing drug transport across stratum corneum: cryotechniques, vapor fixation, autoradiography, *Int. J. Pharm.* 56, 75 – 86 (1989)
- De Paepe, K.; Roseeuw, D.; Rogiers, V.: Repair of acetone- and sodium lauryl sulphate-damaged human skin barrier function using topically applied emulsions containing barrier lipids, *JEADV* 16, 587 – 594 (2002)
- Deegan, R.J.: Propofol: a review of the pharmacology and applications of an intravenous anesthetic agent, *Am. J. Med. Sci.* 304, 45 – 49 (1992)
- Degussa Personal Care Herstellerinformation, Human skin-identical ceramides
- Derma Consult GmbH – company for testing of dermatological products, Efficacy test of Physiogel® cream, in: Stiefel - research in dermatology, Physiogel® cream, 1998
- Di Nardo, A.; Wertz, P.W.; Gianetti, A.; Seidenari, S.: Ceramide and cholesterol composition of the skin of patients with atopic dermatitis, *Acta Derm. Venereol.* 78, 27 – 30 (1998)
- Doering, T.; Holleran, W.M.; Potratz, A.; Vielhaber, G.; Elias, P.M.; Suzuki, K.; Sandhoff, K.: Sphingolipid activator proteins are required for epidermal permeability barrier formation, *J. Biol. Chem.* 274, 11038 – 11045 (1999)
- Doering, T.; Proia, R.L.; Sandhoff, K.: Accumulation of protein bound epidermal glucosylceramides in β -glucocerebrosidase deficient type 2 Gaucher mice, *FEBS Lett.* 447, 167 – 170 (1999)
- Driller, H.: Verbesserte Wirkung durch Nanoemulsionen, *Seifen Öle Fette Wachse* 121, 1025 – 1029 (1995)
- Dubochet, J. et al.: Cryo-electron microscopy of vitrified specimens, *Quart. Rev. Biophys.* 21, 129-228 (1988).

- Duncan, J.I.; Payne, S.N.L.; Winfield, A.J.; Ormerod, A.D.; Thomson, A.W.: Enhanced percutaneous absorption of a novel topical cyclosporin A formulation and assessment of its immunosuppressive activity, *Br. J. Dermatol.* 123, 631 – 640 (1990)
- Eaton, G.R.; Eaton, S.S.; Ohno, K. (Eds.): *EPR Imaging and in vivo EPR*, CRC Press. Inc.; Boca Raton (1991)
- Edwards, C.; Marks, R.: Evaluation of biomechanical properties of human skin, *Clin. Dermatol.* 13, 375 – 380 (1995)
- Ekelund, K.; Erikson, L.; Sparr, E.: Rectangular solid domains in ceramide-cholesterol monolayers - 2D crystals, *Biochim. Biophys. Acta* 1464, 1 – 6 (2000)
- Elbaz, E.; Zeevi, A.; Klang, S.; Benita, S.: Positively charged submicron emulsions – a new type of colloidal drug carrier, *Int. J. Pharm.* 96, R1 – R6 (1996)
- Elias, P.M.: Epidermal lipids, barrier function, and desquamation, *J. Invest. Dermatol.* 80, 44s – 49s (1983)
- Elias, P.M.: Epidermal lipids, barrier function, and desquamation, *J. Invest. Dermatol.* 80, Suppl: 44 – 49 (1983)
- Elias, P.M.: Epidermal lipids, membranes, and keratinisation, *Int. J. Dermatol.* 20, 1 – 19 (1981)
- Elias, P.M.; Brown, B.E.; Ziboh, V.A.: The permeability barrier in essential fatty acid deficiency: evidence for direct role for linoleic acid in barrier function, *J. Invest. Dermatol.* 74, 230 – 233 (1980)
- Elias, P.M.; Feingold, K.R.: Lipids and the epidermal water barrier: metabolism, regulation and pathophysiology, *Semin. Dermatol.* 11, 176 – 182 (1992)
- El-Kamel, A.H.: In vitro and in vivo evaluation of Pluronic F127-based ocular delivery system of timolol maleate, *Int. J. Pharm.* 241, 47 – 55 (2002)
- Elsner, P.; Wilhelm, D.; Maibach, H.I.: Mechanical properties of human forearm and vulvar skin, *Br. J. Dermatol.* 122, 607 – 614 (1990)
- Engström, S.; Ekelund, K.; Engblom, J.; Eriksson, L.; Sparr, E.; Wennerström, H.: The skin barrier from a lipid perspective, *Acta Derm. Venereol. Suppl.* 208, 31 – 35 (2000)
- Feingold, K.R.; Mao-Qiang, M.; Menon, G.K.; Cho, S.S.; Brown, B.E.; Elias, P.M.: Cholesterol synthesis is required for cutaneous barrier function in mice. *J. Clin. Invest.* 86, 1738 – 1745 (1990)
- Ferezou, J.; Ngyuen-Thoi, L.; Leray, C.; Hajri, H.; Frey, A.; Cabaret, Y.; Courtieu, J.; Lutton, C.; Bach, A.C.: Lipid composition and structure of commercial parenteral emulsions, *Biochim. Biophys. Acta* 1213, 149 – 158 (1994)

Fiedler, H.P.: Lexikon der Hilfsstoffe für Pharmazie, Kosmetik und angrenzender Gebiete, 4. Auflage, Edition Cantor Verlag, Aulendorf (1996)

Fitzgerald, P.; Hadgraft, J.; Wilson, C.G.: A gamma scintigraphic evaluation of the precorneal residence of liposomal formulations in the rabbit, *J. Pharm. Pharmacol.* 39, 487 – 490 (1987)

Forslind, B.: A domain mosaic model of the skin barrier, *Acta Derm. Venerol. (Stockh)* 74, 1 – 6 (1994)

Friedman, D.I.; Schwarz, J.S.; Weisspapir, M.: Submicron emulsion vehicle for enhanced transdermal delivery of steroidal and nonsteroidal anti-inflammatory drugs. *J. Pharm. Sci.* 84, 324 – 329 (1995)

Friend, D.; Catz, P.; Heller, J.; Reid, J.; Baker, R.: Transdermal delivery of levonorgestrel: I. Alkanols as permeation enhancers in vitro, *J. Control. Rel.* 7, 243 – 250 (1988)

Fujii, M.; Büyüktimkin, S.; Büyüktimkin, N.; Rytting, J.H.: Enhancement of skin permeation of miconazole by phospholipid and dodecyl 2-(N,N-dimethyl amino)propionate (DDAIP), *Int. J. Pharm.* 234, 121 – 128 (2002)

Fung-Tomc, J.C.; Bonner, D.P.: Recent developments in pradimicin-benanomicin and triazole antibiotics, *Exp. Opin. Investig. Drugs* 6, 129 – 145 (1997)

Galla, H.-J.: *Spektroskopische Methoden in der Biochemie*, Georg Thieme Verlag, Stuttgart, New York (1988)

Geilen, C.C.; Wieder, T.; Orfanos, C.E.: Ceramide signalling: regulatory role in cell proliferation, differentiation and apoptosis in human epidermis, *Arch. Dermatol. Res.* 289, 559 – 566 (1997)

Georgopapadakou, N.H.; Walsh, T.J.: Antifungal agents: chemotherapeutic targets and immunologic strategies, *Antimicrob. Agents Chemother.* 40, 279 – 291 (1996)

Gershanik, T.; Benita, S.: Positively charged self-emulsifying oil formulation for improving oral bioavailability of progesterone, *Pharm. Dev. Technol.* 1, 147 – 157 (1996)

Gershanik, T.; Benzeno, S.; Benita, S.: Interaction of a self-emulsifying lipid drug delivery system with everted rat intestinal mucosa as a function of droplet size and surface charge, *Pharm. Res.* 15, 863 – 869 (1998)

Ghannoum, M.A.: Future of antimycotic therapy, *Dermatol. Ther.* 3, 104 – 111 (1997)

Ghyczy, M.; Gareiß, J.: Liposomes from vegetable phosphatidylcholine – their production and effects on the skin, *Cosmetics & Toiletries* 109, (1994)

Golden, G.M.; Guzek, D.B.; Harris, R.R.; McKie, J.E.; Potts, R.O.: Lipid thermotropic transitions in human stratum corneum, *J. Invest. Dermatol.* 86, 255 – 259 (1986)

Gordon, V.C.; Kelly, C.P.; Bergman, H.C.: Evaluation of Skintex™, an in vitro method for determining dermal irritation, *Toxicologist* 10, 78 (1990)

- Graybill, J.R.: The future of antifungal therapy, *Clin. Infect. Dis.* 22(Suppl. 2), S166 – S178 (1996)
- Gregoriadis, G.; Neerunjun, D.E.: Control of the rate of hepatic uptake and metabolism of liposome-entrapped proteins injected into rats, *Biochem. J.* 129, 123 – 133 (1974)
- Grimnes, S.: Pathways of ionic flow through human skin in vivo, *Acta Dermatol. Venereol.* 64, 93 – 98 (1984)
- Grubauer, G.; Elias, P.M.; Feingold, K.R.: Transepidermal water loss: the signal for recovery of barrier structure and function, *J. Lipid Res.* 30, 323 – 333 (1989)
- Gupta, A.K.; Sauder, D.N.; Shear, N.H.: Antifungal agents: an overview, *I. J. Am. Acad. Dermatol.* 30, 677 – 698 (1994)
- Gursoy, R.N.; Benita, S.: Self-emulsifying drug delivery systems (SEDDS) for improved oral delivery of lipophilic drugs, *Biomed. Pharmacother.* 58, 173 – 182 (2004)
- Hansen, H.S.; Jensen, B.: Essential function of linoleic acid esterified in acylglucosylceramide in maintaining the epidermal permeability barrier. Evidence from feeding studies with oleate, linoleate, arachidonate, colombine and α -linoleate, *Biochim. Biophys. Acta* 834, 357 – 363 (1985)
- Hara, T.; Tan, Y.; Huang, L.: In vivo gene delivery to the liver using reconstituted chylomicron remnant as a novel nonviral vector, *Proc. Natl. Acad. Sci. USA* 94, 14547 – 14552 (1997)
- Harada, K.; Murakami, T.; Yata, N.; Yamamoto, S.: Role of intercellular lipids in stratum corneum in the percutaneous permeation of drugs, *J. Invest. Dermatol.* 99, 278 – 282 (1992)
- Hargens, C.W.: The gas bearing electrodyamometer (GBE) applied to measuring mechanical changes in the skin and other tissues, in: Marks, R.; Payne, P.A. (Hrsg.), *Bioengineering and the skin*, Lancaster, MTP, 113 – 122 (1981)
- Harmia, T.; Speiser, P.; Kreuter, J.: Nanoparticles as drug carriers in ophthalmology, *J. Pharm. Acta. Helv.* 62, 322 – 331 (1987)
- Harris, I.R.; Farrell, A.; Memon, R.A.; Grunfeld, C.; Elias, P.M.; Feingold, K.R.: Expression and regulation of mRNA for putative fatty acid transport related proteins and fatty acyl CoA synthase in murine epidermis and cultured human keratinocytes, *J. Invest. Dermatol.* 111, 722 – 726 (1998)
- Heit, M.C.; Riviere, J.E.: Antifungal and Antiviral Drugs. In: *Veterinary Pharmacology and Therapeutics* (HR Adams, ed), Iowa State University Press, Ames (USA) 7, 855 – 884 (1995)
- Heller, W.; Pugh, T.L.: Steric stabilization of colloidal solutions by adsorption of flexible macromolecules, *J. Polymer Science* 47, 203 – 217 (1960)
- Heusch, R.: Grundlagen zur Emulgierwirkung von Tensiden, in: Stache, *Tenside – Taschenbuch*, 2. Auflage, Carl Hanser Verlag, München und Wien, 171 – 223 (1981)

- Higuchi, W.I.; Misra, J.J.: Physical degradation of emulsions via the molecular diffusion route and the possible prevention thereof, *J. Pharm. Sci.* 459 – 466 (1962)
- Hirata, R.D.; Hirata, M.H.; Mesquita, C.H.; Cesar, T.B.; Maranhao, R.C.: Effects of apolipoprotein B-100 on the metabolism of a lipid microemulsion model in rats, *Biochim. Biophys. Acta* 1437, 53 – 62 (1999)
- Holleran, W.M.; Feingold, K.R.; Man, M.Q.; Gao, W.N.; Lee, J.M.; Elias, P.M.: Regulation of epidermal sphingolipid synthesis by permeability barrier function, *J. Lipid Res.* 32, 1151 – 1158 (1991)
- Holleran, W.M.; Takagi, Y.; Menon, G. K.; Legler, G.; Feingold, K. R.; Elias, P. M.: Processing of epidermal glucosylceramides is required for optimal mammalian cutaneous permeability barrier function, *J. Clin.- Invest.* 91, 1656 – 1664 (1993)
- Holley, W.: Emulgieren, Homogenisieren, Grenzflächenvergrößerung, in: Asche, Essig, Schmidt (Hrsg.): *Technologie von Salben, Suspensionen und Emulsionen*, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart (1984)
- Huwiler, A.; Kolter, T.; Pfeilschifter, J.; Sandhoff, K.: Physiology and pathophysiology of sphingolipid metabolism and signaling, *Biochim. Biophys. Acta* 1485, 63 – 99 (2000)
- Ilan, E.; Amselem, S.; Weisspapir, M.; Schwarz, J.; Yogev, A.; Zawoznik, E.: Improved oral delivery of desmopressin via a novel vehicle: mucoadhesive submicron emulsion, *Pharm. Res.* 13, 1083 – 1087 (1996)
- Japan pharmaceutical reference. In: *Japan medical products in Japan*. Tokyo: Tanaka Printing Co. 1993, 286 – 292
- Jumaa, M.; Müller, B.W.: The stabilization of parenteral fat emulsion using non-ionic ABA copolymer surfactant, *Int. J. Pharm.* 174, 29 – 37 (1998)
- Junqueira, L.; Carneiro, J.: *Histologie*, Springer-Verlag, Berlin (1991)
- Kakutani, T.; Nishihara, Y.; Takahashi, K.; Hirano, H.: O/W lipid microemulsion for parenteral drug delivery, *Proc. Int. Symp. Control. Release Bioact. Mater.* 18, 359 – 360 (1991)
- Kalbitz, J.; Neubert, R.; Wohlrab, W.: Modulation der Wirkstoffpenetration in die Haut, *Pharmazie* 51, 619 – 637 (1996)
- Karlsson, K.-A.; Pascher, I.: Resolution and chromatographic configuration analysis of 2-hydroxy fatty acids, *Chem. Phys. Lipids* 12, 56 – 74 (1974)
- Kashibuchi, N.; Matsubara, K.; Kitada, Y.; Suzuki, H.: Scalp moisturizer and external skin preparation, US-Patent 5,565,207 (1996)
- Kauffman, C.A.; Carver, P.L.: Antifungal agents in the 1990s. Current status and future developments, *Drugs* 53, 539 – 549 (1997)

- Kawakami, K.; Yoshikawa, T.: Recent developments in microemulsion-based formulations, *Current Topics in Colloid and Interface Science* 4, 153 – 166 (2001)
- Keown, P.; Niese, D.: Cyclosporine microemulsion increases drug exposure and reduces acute rejection without incremental toxicity in de novo renal transplantation, *International Sandimmun Neoral Study Group, Kidney Int.* 54, 938 – 944 (1998)
- Kimura, T.; Takeda, K.; Kageyn, A.; Toda, M.; Kurpsaki, Y.; Nakayama, T.: Intestinal absorption of dolichol from emulsions and liposomes in rats, *Chem. Pharm. Bull.* 37, 463 – 466 (1989)
- Klang, S.; Abdulrazik, M.; Benita, S.: Influence of emulsion droplet surface charge on indomethacin ocular tissue distribution, *Pharm. Dev. Technol.* 5, 521 – 532 (2000)
- Klang, S.H.; Benita, S.: Design and evaluation of submicron emulsions as colloidal drug carriers for intravenous administration. In: Benita, S., editor. *Submicron emulsions in drug targeting and delivery*, Harwood: Academic Publishers, 119 – 152 (1998)
- Klang, S.H.; Frucht-Pery, J.; Hoffman, A.; Benita, S.: Physicochemical characterization and acute toxicity of a positively charged submicron emulsion vehicle, *J. Pharm. Pharmacol.* 46, 986 – 993 (1994)
- Klang, S.H.; Parnas, M.; Benita, S.: Emulsions as drug carriers – possibilities, limitations and future perspectives. In: Müller, R.H.; Benita, S.; Böhm, B., editors. *Emulsions and nanosuspensions for the formulation of poorly soluble drugs*, Stuttgart: Medpharm Scientific, 31 – 65 (1998)
- Klang, S.H.; Siganos, C.S.; Benita, S.; Frucht-Pery, J.: Evaluation of a positively charged submicron emulsion of piroxicam on the rabbit corneum healing process following alkali burn, *J. Control. Release* 57, 19 – 27 (1999)
- Kolover, I.; Salditt, T.; Rädler, J.O.; Safinya, C.R.: An inverted hexagonal phase of cationic liposome-DNA complexes related to DNA release and delivery, *Science* 281, 78 – 81 (1998)
- Komatsu, H.; Kitajima, A.; Okada, S.: Pharmaceutical characterization of commercially available intravenous fat emulsions: estimation of average particle size, size distribution and surface potential using photon correlation spectroscopy, *Chem. Pharm. Bull.* 59, 903 – 910 (1997)
- Korner, D.; Benita, S.; Albrecht, G.; Baszkin, A.: Surface properties of mixed phospholipid-stearylamine monolayers and their interaction with a non-ionic surfactant (poloxamer), *Colloids Surfaces* 3, 101 – 109 (1994)
- Kroll, C.: *Analytik, Stabilität und Biotransformation von Spinsonden sowie deren Einsatz im Rahmen pharmazeutisch-technologischer und biopharmazeutischer Untersuchungen*, Dissertation, HU Berlin (1999)
- Kucharekova, M.; Schalkwijk, J.; Van De Kerkhof, P.C.; Van De Valk, P.G.: Effect of a lipid-rich emollient, *Contact Dermatitis* 46, 331 – 338 (2002)

- Kurihara, A.; Shibayama, Y.; Mizota, A.; Yasuno, A.; Ikeda, M.; Hisaoka, M.: Pharmacokinetics of highly lipophilic antitumor agent palmitoylrhizoxin incorporated in lipid emulsions in rats, *Biol. Pharm. Bull.* 19, 252 – 258 (1996b)
- Kurihara, A.; Shibayama, Y.; Mizota, A.; Yasuno, A.; Ikeda, M.; Sasagawa, K.; Kobayashi, T.; Hisaoka, M.: Enhanced tumor delivery and antitumor activity of palmitoylrhizoxin using stable lipid emulsions in mice, *Pharm. Res.* 13, 305 – 310 (1996c)
- Kurihara, A.; Shibayama, Y.; Yasuno, A.; Ikeda, M.; Hisaoka, M.: Lipid emulsions of palmitoylrhizoxin: effects of particle size on blood dispositions of emulsion lipid and incorporated compound in rats, *Biopharm. Drug Disposit.* 17, 343 – 353 (1996a)
- Kusnetzov, A.N.; Wasserman, A.M.; Volkov, A.U.; Korst, N.N.: Determination of rotational correlation time of nitric oxide radicals in a viscous medium, *Chem. Phys. Lett.* 12, 103 – 106 (1971)
- Kuvarski, A.L.; Wasserman, A.M.; Buchachenko, A.L.: The study of Rotational and Translational Diffusion Constants for stable Nitroxide Radicals in Liquids and Polymers, *J. Magn. Reson.* 7, 225 – 337 (1972)
- Lambers, J. W. J.; Roehl, E.-L.: Topical application of ceramides, US patent 6,001,375 (1999)
- Lambers, J. W. J.; Streekstra, H.: Antimicrobial compositions for topical use, US Patent 6,147,118 (1998).
- Landmann, L.: Epidermal permeability barrier: transformation of lamellar granule-disks into intercellular sheets by a freeze fracture study, *J. Invest. Dermatol.* 87, 202 – 209 (1986)
- Lang, J.C.: Ocular drug delivery: conventional ocular formulations, *Adv. Drug Deliv. Rev.* 16, 39 – 43 (1995)
- Larsson, K.; Friberg, S.E., editors: *Food Emulsions*, Marcel Dekker Inc., New York (1990)
- Lasch, J.; Bouwstra, J.: Interaction of external lipids (lipid vesicles) with the skin, *J. Liposome Res.* 5, 543 – 569 (1995)
- Lee, M.J.; Lee, M.H.; Shim, C.K.: Inverse targeting of drugs to reticuloendothelial system-rich organs by lipid microemulsion emulsified with poloxamer 338, *Int. J. Pharm.* 113, 175 – 187 (1995)
- Lersch, P.; Schick U.: Choosing the right ingredients for cosmeceuticals, *Speciality Chemicals Magazine* 23, 30 – 31 (2003).
- Leveque, J.-L.; De Rigal, J.: In vivo measurement of the stratum corneum viscoelasticity, *Bioeng. Skin* 1, 13 – 23 (1985)
- Leveque, J.-L.; De Rigal, J.; Agache, P.G.; Monneur, C.: Influence of ageing on their vivo extensibility of human skin at low stress, *Arch. Dermatol. Res.* 269, 127 – 135 (1980)

Lieberman, H.A.; Rieger, M.M.; Banker, G.S., editors: *Pharmaceutical dosage forms: disperse systems* Vol. 1, Marcel Dekker Inc., New York (1988)

Lieckfeldt, R.; Lee, G.: Measuring the diffusional pathlength and area within membranes of excised human stratum corneum, *J. Pharm. Pharmacol.* 47, 26 – 29 (1994)

Lin, Z. et al.: Comparison of drag reduction, rheology, micelle structure and stress-induced precipitation of dilute cationic surfactant solutions with odd and even alkyl chains, *Rheo. Acta* 41, 483 – 492 (2002).

Litzinger, D.C.; Brown, J.M.; Wala, I.; Kaufmann, S.A.; Van, G.Y.; Farrell, C.L.; Collins, D.: Fate of cationic liposomes and their complex with oligonucleotides in vivo, *Biochim. Biophys. Acta* 1281, 139 – 149 (1996)

Liu, F.; Liu, D.: Long-circulating emulsions (oil-in-water) as carriers for lipophilic drugs, *Pharm. Res.* 12, 1060 – 1064 (1995)

Loth, H.: Grundlagen des intra- und transdermalen Transports von Arzneistoffen, *Acta Pharm. Technol.* 32, 109 – 114 (1986)

Lowe, N.J.; Stoughton, R.B.: Essential fatty acid deficient hairless mouse: a model of chronic epidermal hyperproliferation, *Br. J. Dermatol.* 96, 155 – 162 (1977)

Mäder, K.: Pharmazeutische Anwendungen der Elektronenspinresonanzspektroskopie (ESR), *PZ Prisma* 5, 202 – 212 (1998)

Mäder, K.; Swartz, H.M.; Stöber, R.; Borchert, H.-H.: The application of EPR spectroscopy in the field of pharmacy, *Pharmazi* 49, 97 – 101 (1994)

Madison, K.; Sando, G.N.; Howard, E.J.; True, C.A.; Gilbert, D.; Schwartzendruber, D.; Wertz, P.: Lamellar granule biogenesis: a role for ceramide glucosyltransferase, lysosomal enzyme transport, and the Golgi, *J. Invest. Dermatol. Symp. Proc.* 3, 80 – 86 (1998)

Madison, K.C.; Howard, E.J.: Ceramides are transported through the Golgi apparatus in human keratinocytes in vitro, *J. Invest. Dermatol.* 106, 1030 – 1035 (1996)

Madon, E.C.; Ehses, I.; Rother, J.; van Echten, G.; Sandhoff, K.: Subcellular localization and membrane topology of serine palmitoyltransferase, 3-dehydrosphinganine reductase, and sphinganine N-acyltransferase in mouse liver, *J. Biol. Chem.* 267, 11144 – 11148 (1992)

Mahato, R.I.; Rolland, A.; Tomlinsion, E.: Cationic lipid-base gene delivery systems: pharmaceutical perspectives, *Pharm. Res.* 14, 853 – 859 (1997)

Maibach, H.I.; Feldmann, R.J.; Milby, T.H.; Serat, W.F.: Regional variations in percutaneous absorption in man, *Arch. Env. Health* 23, 208 – 211 (1971)

Maltempo, M.M.; Eaton, S.S.; Eaton, G.R.: Spectral-spatial imaging in: Eaton, G.R.; Eaton, S.S.; Ohno, K. (Eds.): *EPR imaging and in vivo EPR*, CRC Press, Boca Raton, pp. 145 – 152 (1991)

- Maltotsy, A.G.; Downes, A.; Sweeney, T.M.: Studies of the epidermal water barrier. Part II. Investigation of the chemical nature of the water barrier, *J. Invest. Dermatol.* 50, 19 – 26 (1968)
- Mao-Qiang, M.; Brown, B.E.; Wu, S.; Feingold, K.R.; Elias, P.M. Exogenous non-physiological vs. physiological lipids: divergent mechanisms for correction of permeability barrier dysfunction, *Arch. Dermatol.* 131, 809 – 815 (1995)
- Mao-Qiang, M.; Elias, P.M.; Feingold, K.R.: Fatty acids are required for epidermal permeability barrier homeostasis, *J. Clin. Invest.* 92, 791 – 798 (1993a)
- Mao-Qiang, M.; Feingold, K.R.; Elias, P.M. Influence of exogenous lipids on permeability barrier recovery in acetone-treated murine skin. *Arch. Dermatol.* 129, 728 – 738 (1993b)
- Mao-Qiang, M.; Feingold, K.R.; Thornfeldt, C.R.; Elias, P.M. Optimization of physiological lipid mixtures for barrier repair. *J. Invest. Dermatol.* 106, 1096 – 1101 (1996)
- Marro, D.; Guy, R.H.; Delgado-Charro, M.B.: Characterization of the iontophoretic permselectivity properties of human and pig skin, *J. Control. Release* 70, 213 – 217 (2001)
- Mathias, S.; Pena, L.A.; Kolesnick, R.N.: Signal transduction of stress via ceramide. *Biochem. J.* 335, 465 – 480 (1998)
- Mbela, N.; Verschuere, E.: The influence of additives on physical properties of emulsions prepared using lecithins and non-ionic surfactants, *J. Pharm. Belg.* 52, 110 – 116 (1997)
- Mbela, N.; Verschuere, E.; Ludwig, A.: Influence of stearylamine and dicetylphosphate on the physical properties of submicron O/W emulsions, *J. Pharm. Belg.* 53, 81 – 86 (1998)
- McEvoy, G.K.: AHFS Drug Information. American Society of Hospital Pharmacists Inc, Bethesda (USA), 2363 pp (1992)
- Meisner, D.; Pringle, J.; Mezei, M.: Liposomal ophthalmic drug delivery .III. Pharmacodynamic and biodisposition studies of atropine, *Int. J. Pharm.* 55, 105 – 113 (1989)
- Meizner, A.; Mueller, E.; Vondercher, J.: Microemulsion – a suitable galenic approach for the absorption enhancement of low soluble compounds? *B.T. Gattefosse* 88,, 21 – 26 (1995)
- Merk, F.F.; Bickers, D.R.: *Dermatopharmakologie und Dermatotherapie*, Springer, Berlin (1992)
- Michel, C.; Groth, N.; Herrling, T.; Rudolph, P.; Fuchs, J.; Kreuter, J.; Freisleben, H.-J.: Penetration of spin-labeled retinoic acid from liposomal preparation into the skin of SKH1 hairless mice: measurement EPR tomography, *Int. J. Pharm.* 98, 131 – 139 (1993)
- Mizushima, Y.: Lipid microspheres (lipid emulsions) as drug carrier – an overview, *Adv. Drug De. Rev.* 20, 113 (1996)
- Moll, K.P.: *Mobilität von ESR-Spinsonden nach epikutaner Applikation unter besonderer Berücksichtigung der Wechselwirkungen zwischen Liposomen und Haut*, Dissertation, Humboldt-Universität zu Berlin (2004)

- Motta, S.; Monti, M.; Sesana, S.: Abnormality of water barrier function in psoriasis role of ceramide fractions, *Arch. Dermatol.* 130, 452 – 456 (1994)
- Motta, S.; Monti, M.; Sesana, S.; Caputo, R.; Carelli, S.; Ghidone, R.: Ceramide composition of the psoriatic scale, *Biochim. Biophys. Acta* 1182, 147 – 151 (1993)
- Muchtar, S.; Abdulrazik, M.; Frucht-Pery, J.; Benita, S.: Ex-vivo permeation study of indomethacin from a submicron emulsion through albino rabbit cornea, *J. Control. Release* 44, 55 – 64 (1997)
- Muchtar, S.; Almog, S.; Torracca, M.T.; Saettone, M.F.; Benita, S.: A submicron emulsion as ocular vehicle for delta-8-tetrahydrocannabinol: effect on intraocular pressure in rabbits, *ophthalm. res.* 24, 142 – 149 (1992)
- Muchtar, S.; Benita, S.: Emulsions as drug carriers for ophthalmic use, *Colloids Surf.* 91, 181 – 190 (1994)
- Müller, R.H.: Zetapotential und Partikelladung in der Laborpraxis, Band 37 Paperback APV (1996)
- Müller, R.H.; Benita, S.; Böhm, B.: Emulsions and nanosuspension for the formulation of poorly soluble drugs, *Medpharm Scientific Publishers Stuttgart* (1998)
- Müller, R.H.; Schuhmann, R.: Teilchengrößenmessung in der Laborpraxis, *Wissenschaftliche Verlagsgesellschaft Stuttgart* (1996)
- Murahlidhar, R.; Ramkrisham, D.: Analysis of droplet coalescence in turbulent liquid-liquid dispersions, *Ind. Chem. Fundam.* 25, 554 – 560 (1986)
- Napper, D.H.: Polymer stabilization of colloidal dispersions, *Academic Press, London* (1983)
- Naveh, N.; Muchtar, S.; Benita, S.: Pilocarpine incorporated into a submicron emulsion vehicle causes an unexpectedly prolonged ocular hypotensive effect in rabbits, *J. Ocular Pharmacol.* 10, 509 – 520 (1994)
- Neubert, R.; Schmalfuß, U.; Huscka, C.; Wohlrab, W.: Neuere Entwicklungen auf dem Gebiet der dermalen Wirkstoffapplikation, *Pharm. Ind.* 60, 149 – 156 (1998)
- Neubert, R.; Schmalfuß, U.; Wohlrab, W.; Huschka, C.: Wirkstoffpenetration in die Haut und deren Modulation, *Pharmazeutische Zeitung* 17, 1483 – 1493 (1996)
- Nicolaides, N.; Fu, H.C.; Rice, G.R.: The skin surface of man compared with those of eighteen species of animals, *J. Invest. Dermatol.* 51, 83 – 89 (1968)
- Nomura, T.; Koreeda, N.; Yamashita, F.; Takakura, Y.; Hashida, M.: Effect of particle size and charge on the disposition of lipid carriers after intratumoral injection into tissue-isolated tumors, *Pharm. Res.* 15, 128 – 132 (1998)

- Norlen, L.: Skin barrier formation: The membrane folding model, *J. Invest. Dermatol.* 117, 823 – 829 (2001a)
- Norlen, L.; Nicander, I.; Lundh Rozell, B.; Ollmar, S.; Forslind, B.: Inter- and intra-individual differences in human stratum corneum lipid content related to physical parameters of skin barrier function in vivo. *J. Invest. Dermatol.* 112, 72 – 77 (1999)
- Norlen, L.: Skin barrier structure and function: The single gel phase model. *J. Invest. Dermatol.* 117, 830 – 836 (2001b)
- Noveon Inc.: Carbopol[®] polymers can thicken without neutralization, TDS 43 Edition (2002)
- Odland, G.F.: A submicroscopic granular component in human epidermis, *J. Invest. Dermatol.* 34, 11 – 15 (1960)
- Paige, D.G.; Morse-Fischer, N.; Harper, J.L.: Quantification of stratum corneum ceramides and lipid envelope ceramides in the hereditary ichthyoses, *Br. J. Dermatol.* 131, 23 – 27 (1994)
- Palin, K.J.; Phillips, A.J.; Ning, A.: The oral absorption of cefaxitin from oil and water emulsion vehicles in rats, *Int. J. Pharm.* 33, 99 – 104 (1986)
- Park, C.-S.; Kim, J.-N.; Chong, J.-N.: Method for preparation and application of aqueous solution of phytosphingosine, Japan Patent 2001048848 (2001a)
- Park, C.-S.; Kim, J.-N.; Jeong, J.H.: Cosmetic preparations containing aqueous phytosphingosine solution, US Patent 6,403,111 (2002)
- Park, W.S.; Son, E.-D.; Nam, G.-W.; Lee, B.-G.; Choi, E.-H.; Lee, S.-H.; Chang, I.-S.: Improvement of skin barrier function using lipid mixture, *SOFW Journal* 127, 10 – 18 (2001b)
- Pascher, I.; Sundell, S.: Molecular arrangements in sphingolipids: crystal structure of the ceramide N-(2D,3D-dihydroxyoctadecanoyl)-l-phytosphingosine, *Chem. Phys. Lipids* 61, 79 – 86 (1992)
- Percot, A.; Lafleur, M.: Direct observation of domains in model stratum corneum lipid mixtures by Raman spectroscopy, *Biophys. J.* 81, 2144 – 2153 (2001)
- PEST: Public EPR Software Tools; National Institute of Environmental Health Sciences, Dave Duling[®] (1996)
- Piemi, M.P.Y.; Korner, D.; Benita, S.; Marty, J.-P.: Positively and negatively charged submicron emulsions for enhanced topical delivery of antifungal drugs, *J. Controlled Rel.* 58, 177 – 187 (1999)
- Pilgram, G.S.K.; Engelsma-van Pelt, A.M.; Bouwstra, J.A.; Koerten, H.K.: Electron diffraction provides new information on human stratum corneum lipid organization studied in relation to depth and temperature, *J. Invest. Dermatol.* 113, 403 – 409 (1999)

- Pilgram, G.S.K.; Engelsma-van Pelt, A.M.; Oostergetel, G.T.; Koerten, H.K.; Bouwstra, J.A.: Study on stratum corneum lipid models by (cryo-) electron diffraction, *J. Lipid Res.* 39, 1669 – 1676 (1998)
- Plumb, D.C.: *Veterinary Drug Handbook*. PharmaVet. Publishing, White Bear Lake (USA), 853 pp (1999)
- Prausnitz, M.R.; Noonan, J.S.: Permeability of cornea, sclera and conjunctiva: a literature analysis for drug delivery to the eye, *J. Pharm. Sci.* 87, 1479 – 1488 (1998)
- Proksch, E.; Brasch, J.: Influence of epidermal permeability barrier disruption and Langerhans' cell density on allergic contact dermatitis, *Acta Derm. Venereol.* 77, 102 – 104 (1997)
- Prottey, C.; Hartop, P.J.; Press, M.: Correction of cutaneous manifestations of essential fatty acid deficiency in man by application of sunflower seed oil to the skin, *J. Invest. Dermatol.* 64, 228 – 234 (1975)
- Purslow, P.P.; Wess, T.J.; Hukins, D.W.: Collagen orientation and molecular spacing during creep and stress-relaxation in soft connective tissues, *J. Exp. Biol.* 201, 135 – 142 (1998)
- Raab, W.: Liposomen in dermatology und Kosmetik – Erwartungen und Realität, *Pharmazeut. Ztg.* 136, 2129 – 2142 (1991)
- Rädler, J.O.; Koltover, I.; Salditt, T.; Safinya, C.R.: Structure of DNA-cationic liposome complexes: DNA interaction in multilamellar membranes in distinct interhelical packing regimes, *Science* 275, 810 – 814 (1997)
- Raiman, J.; Hänninen, K.; Kontturi, K.; Murtomaki L.; Hirvonen, J.: Drug adsorption in human skin: a streaming potential study, *J. Pharm. Sci.* 92, 2366 – 2372 (2003)
- Ranby, B.; Rabek, J.F.: *ESR spectroscopy in Polymer Research*; Springer-Verlag Berlin, Heidelberg, New York, pp. 11 – 38 (1977)
- Rassner, U.; Feingold, K.R.; Crumrine, D.; Elias, P.M.: Coordinate assembly of lipids and enzyme proteins into epidermal lamellar bodies, *Tissue and Cell* 31, 489 – 498 (1999)
- Raudenkolb, S.: *Untersuchungen zur strukturellen und physikochemischen Charakterisierung von Stratum corneum Lipiden und deren Mischsystemen*, Dissertation, Universität Halle (2002)
- Rawlings, A.V.; Watkinson, A.; Rogers, J.: Abnormalities in stratum corneum structure, lipid composition and desmosome degradation in soap-induced winter xerosis, *J. Soc. Cosmet. Chem.* 45, 203 – 220 (1994)
- Reineck, J.: *Topische Zubereitungen mit Croconazol und Vitamin A-Säure auf der Basis von Nanoemulsionen und Liposomen*, Dissertation, Albert-Ludwigs-Universität, Freiburg (1998)
- Riviere, J.E.; Spoo, J.W.: Dermatopharmacology: Drugs acting locally on the skin. In: *Veterinary Pharmacology and Therapeutics* (HR Adams, ed), Iowa State University Press, Ames (USA) 7, 1050 – 1090 (1995)

- Robson, K.J.; Stewart, M.E.; Michelsen, S.; Lazo, N.D.; Downing, D.T.: 6-Hydroxy-4-sphingene in human epidermal ceramides, *J. Lipid Res.* 35, 2060-2068 (1994)
- Rojanasakul, Y.; Robinson, J.R.: Transport mechanisms of the cornea: characterization of barrier permeability, *Int. J. Pharm.* 55, 237 – 246 (1989)
- Rojanasakul, Y.; Wang, L.Y.; Bhat, M.; Glover, D.D.; Malagna, C.J.; Ma, J.K.H.: The transport barrier of epithelia: a comparative study on membrane permeability and charge selectivity in the rabbit, *Pharm. Res.* 9, 1029 – 1034 (1992)
- Rolland, A.; Wagner, N.; Chatelus, B.; Shroot, B.; Schäfer, H.: Site-specific drug delivery to Pilosebaceous structures using polymeric microspheres, *Pharm. Res.* 12, 1738 – 1744 (1993)
- Rother, J.; van Echten, G.; Schwarzmann, G.; Sandhoff, K.: Biosynthesis of sphingolipids: dihydroceramide and not sphinganine is desaturated by cultured cells, *Biochim. Biophys. Res. Commun.* 189, 14 – 20 (1992)
- Rougier, A.; Lotte, C.; Maibach, H.I.: In vivo percutaneous penetration of some organic compounds related to anatomic size in humans: stripping method, *J. Pharm Sci.* 76, 451 – 454 (1987)
- Saettone, M.F.; Giannaccini, B.; Delmonte, G.; Campigli, V.; Tota, G.; LaMarca, F.: Solubilization of tropicamide by poloxamers: physico-chemical data and activity data in rabbits and humans, *Int. J. Pharm.* 43, 67 – 76 (1988)
- Sakaeda, T.; Hirano, K.: O/W lipid emulsions for parenteral drug delivery. III. Lipophilicity necessary for incorporation in oil particles even after intravenous injection, *J. Drug Target.* 6, 119 – 127 (1998)
- Sandhoff, K.; Kolter, T.: Processing of sphingolipid activator proteins and the topology of lysosomal digestion, *Acta Biochim. Pol.* 45, 373 – 384 (1998)
- Sandhoff, K.; Kolter, T.; van Echten-Deckert, G.: Sphingolipid metabolism: sphingoid analogs, sphingolipid activator proteins, and the pathology of the cell, *Ann NY Acad. Sci.* 845, 139 – 151 (1998)
- Sawyer, P.R.; Brogden, R.N.; Pinder, R.M.; Speight, T.M.; Avery, G.S.: Miconazole: a review of its antifungal activity and therapeutic efficacy, *Drugs* 9, 406 – 423 (1975)
- Schaller, M.; Preidel, H.; Januschke, E.; Korting, H.C.: Light and electron microscopic findings in a model of human cutaneous candidosis based on reconstructed human epidermis following the topical application of different econazole formulations, *J. Drug Target.* 6, 362 – 372 (1999)
- Scheuplein, R.J.; Blank, I.H. : Permeability of the skin, *Physiol. Rev.* 51, 702 – 747 (1971)
- Schmitt, J.: Parenterale Fettemulsionen als Arzneistoffträger, In: R. H. Müller and G. Hildebrand (eds), *Pharmazeutische Technologie: Moderne Arzneiformen*, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart. 1998, 137-142

Schoeﬂ, G.I.: Proc. Roy. Soc. B 169, 147 – 152 (1968)

Schubert, H.; Armbruster, H.: Prinzipien der Herstellung und Stabilität von Emulsionen, Chem.-Ing.-Tech. 61, 701 – 711 (1989)

Schürer, N. Y.; Ruzicka, T.: Optimierte Arzneimitteltherapie – Ekzeme. Springer-Verlag, Berlin, Heidelberg, New York, Tokyo, 1999

Schwarz, J.S.; Weisspapier, M.; Friedman, D.I.: Enhanced transdermal delivery of diazepam by submicron emulsion (SME) creams, Pharm. Res. 12, 687 – 692 (1995)

Seki, T.; Maeda, H.; Yamamoto, Y.: Skin preparations containing ceramides and solubilizers, Japan Patent 2003012486 (2003)

Sha, J.; Atienza, J.M.; Duclos, R.I.; Rawlings, A.V.; Dong, Z.X.; Shipley, G.G.: Structural and thermotropic properties of synthetic C16:0 (palmitoyl) ceramide: effect of hydration, J. Lipid Res. 36, 1936 – 1944 (1995a)

Sha, J.; Atienza, J.M.; Rawlings, A.V.; Dong, Z.X.; Shipley, G.: Physical properties of ceramides: effect of fatty acid hydroxylation. J. Lipid Res. 36, 1945 – 1955 (1995b)

Shah, N.H.; Carvajal, M.T.; Patel, C.I.; Infeld, M.H.; Malick, A.W.: Self-emulsifying drug delivery systems (SEDDS) with polyglycolized glycerides for improving in vitro dissolution and oral absorption of lipophilic drugs, Int. J. Pharm. 106, 15 – 23 (1994)

Shaikh, S.R.; Dumaul, A.C.; LoCassio, D.; Siddiqui, R.A.; Stillwell, W.: Acyl chain unsaturation in PEs modulates phase separation from lipid molecules, Biochim. Biophys. Res. Commun. 311, 793 – 796 (2003)

Shojaei, A.H.: Buccal Mucosa As A Route For Systemic Drug Delivery: A Review, Pharm. Pharmaceut. Sci. 1, 15 – 30 (1998)

Shokri, J.; Nokhodchi, A.; Barzegar-Jalali, M.; Dushblaghi, A.: The effects of various surfactants on the skin structure, Ulum-i Daroei (Tabriz, Islamic Republic of Iran) 1, 53 – 60 (2002)

Sigma-Aldrich Chemie GmbH, Produktinformation von Stearylamin (2004)

Simon, M.; Green, H.: Participation of membrane-associated proteins in the formation of the cross-linked envelope of the keratinocyte, Cell 36, 827 – 834 (1984)

Simonetti, O.; Hoogstarte, A.J.; Bialik, W.; Kempenaar, J.A.; Schrijvers, A.H.; Bodde, H.E.; Ponc, M.: Visualization of diffusion pathways across the stratum corneum of native and in-vitro- reconstructed epidermis by confocal laser scanning microscopy, Arch. Dermatol. Res. 287, 465 – 473 (1995)

Smith, W.P.; Chritensen, M.S.; Nacht, S.; Gans, E.H.: Effects of lipids on the aggregation and permeability of human stratum corneum, J. Invest. Dermatol. 78, 7 – 11 (1982)

Sorkine, P.; Nagar, H.; Weinbroum, A.; Setton, A.; Israitel, E.; Scarlatt, A.: Administration of amphotericin B in lipid emulsion decreases nephrotoxicity: results of a prospective, randomized, controlled study in critically ill patients, *Crit. Care Med.* 24, 1311 – 1315 (1996)

Sparr, E.; Eriksson, L.; Bouwstra, J.A.; Ekelund, K.: AFM study of lipid monolayers: III. Phase behavior of ceramides, cholesterol and fatty acids, *Langmuir* 17, 164 – 172 (2001)

Srividya, B.; Cardoza, R.M.; Amin, P.D.: Sustained ophthalmic delivery of ofloxacin from pH triggered in situ gelling system, *J. Control. Release* 73, 205 – 211 (2001)

Steger, D.L.; Desnick, J.R.: Enzyme therapy VI: comparative in vivo fates and effects on lysosomal integrity of enzymes entrapped in negatively and positively charged liposomes, *Biochim. Biophys. Acta* 464, 530 – 546 (1977)

Steinsträsser, J.; Merkle, H.P.: Dermal metabolism of topically applied drugs: Pathways and models reconsidered, *Pharm. Acta Helv.* 70, 3 (1995)

Stewart, M.E.; Downing, D.T.: A new 6-hydroxy-4-sphingene-containing ceramide in human skin, *J. Lipid Res.* 40, 1434-1439 (1999)

Stößer, R.; Mäder, K.; Borchert, H.-H.; Herrmann, W.; Schneider, G.; Liero, A.: Pharmaceutical aspects of ESR investigations on drug delivery systems, tissues and living systems; in: Ohya-Nishiguchi, H.; Packer, L. (Eds.) *Bioradicals detected by ESR spectroscopy*, Birkhäuser, Basel, pp. 301 – 320 (1995)

Stricker, H.(Hrsg.): *Physikalische Pharmazie*, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, 3. Auflage (1987)

Swartzendruber, D.C.; Wert, P.W.; Madison, K.C.; Downing, D.T.: Evidence that the corneocyte has a chemically bound envelope, *J. Invest. Dermatol.* 88, 709 – 713 (1987)

Sweeney, T.M.; Downing, D.T.: The role of lipids in the epidermal barrier to diffusion, *J. Invest. Dermatol.* 55, 135 – 140 (1970)

Takino, T.; Konishi, K.; Takakura, Y.; Hashida, M.: Long circulating emulsion carrier systems for highly lipophilic drugs. *Biol. Pharm. Bull.* 17, 121 – 125 (1994)

Teixeira, H.; Dubernet, C.; Puisieux, F.; Benita, S.; Couvreur, P.: Submicron cationic emulsions as a new delivery system for oligonucleotides, *Pharm. Res.* 16, 30 – 36 (1999)

Teixeira, H.; Dubernet, C.; Rosilio, V.; Laigle, A.; Deverre, J.R.; Scherman, D.; Benita, S.; Couvreur, P.: Factors influencing the oligonucleotides release from O-W submicron cationic emulsions, *J. Control. Release* 70, 243 – 255 (2001)

Tenjarla, S.: Microemulsions: an overview and pharmaceutical applications, *Crit. Rev. Ther. Drug carrier Syst.* 16, 461 – 521 (1999)

Tenjarla, S.; Puranajoti, P.; Kasina, R.; Mandal, T.: Preparation, characterization, and evaluation of miconazole-cyclodextrin complexes for improved and topical delivery, *J. Pharm. Soc.* 87, 425 – 429 (1998)

Texeira, H.; Dubernet, C.; Rosilio, V.; Benita, S.; Lepault, J.; Erk, I.; Couvreur, P.: New bicompartmental structures are observed when stearylamine is mixed with triglyceride emulsions, *Pharm. Res.* 17, 1329 – 1332 (2000)

Thau, P. Glycerin (glycerol): current insights into the functional properties of a classic cosmetic raw material. *J. Cosmet. Sci.* 53, 229 – 236 (2002)

Trotta, M.; Pattarino, F.; Ignoni, T.: Stability of drug-carrier emulsions containing phosphatidylcholine mixtures, *Eur. J. Pharm. and Biopharm.* 53, 203 – 208 (2002)

Uno, T.; Kazui, T.; Hashimoto, H.; Suzuki, K.; Muhammad, B.A.: Pharmacokinetic advantages of a newly developed tacrolimus oil-in-water-type emulsion via the enteral route, *Lipids* 34, 249 – 254 (1999)

van Dardel, O.; Mebius, D.; Svensson, B.: Fat emulsion as a vehicle for diazepam. A study of 9,492 patients, *Br. J. Anaesth.* 55, 41 – 47 (1981)

Verma, D.D.; Verma, S.; Blume, G.; Fahr, A.: Particle size of liposomes influences dermal delivery of substances into skin; *Int. J. Pharm.* 258, 141 – 151 (2003)

Vondercher, J.; Meizner, A.: Rationale for the development of Sandimmune Neoral, *Transplant. Proc.* 26, 2925 – 2927 (1994)

Vondruska, B.; Marshall, L.; McCalister, P.; Ramey, K.: Anionic organosilicones: complexing agents for quaternary compounds, *Cosmetics and Toiletries* 119, 71 – 82 (2004)

Walter de Gruyter & Co., Berlin / New York (1986)

Warner, R.B.; Myers, M.C.; Taylor, D.A.: Electron probe analysis of human skin: determination of the water concentration profile, *J. Invest. Dermatol.* 90, 218 – 229 (1988)

Wegener, M.: Kalorimetrische und FT-Ramanspektroskopische Untersuchungen an ausgewählten Lipiden des Stratum corneum, Dissertation, Universität Halle-Wittenberg, Fachbereich Pharmazie (1997)

Weil, J.A.; Wertz, J.E.; Bolton, J.R.: Electron spin resonance: Elementary theory and practical applications, Wiley sons, New York (1994)

Wertz, P. W.; Downing, D.: Acylglycosylceramides of pig epidermis: structure determination. *J. Lipid Res.* 24, 753 – 758 (1983a)

Wertz, P.W.: Epidermal lipids, *Semin. Dermatol.* 11, 145 – 156 (1992)

Wertz, P.W., Downing, D.; Glycosylceramides of pig epidermis: structure determination. *J. Lipid Res.* 24, 1135 – 1139 (1983b)

White, S.; Mirejosray, D.; King, G.: Structure of lamellar domains and corneocyte envelopes in murine stratum corneum, An X-ray diffraction study. *Biochem.* 27, 3725 – 3732 (1988)

White, T.C.; Marr, K.A.; Bowden, R.A.: Clinical, cellular, and molecular factors that contribute to antifungal drug resistance, *Clin. Microbiol. Rev.* 11, 382 – 402 (1998)

Wiechers, J.W.: Percutaneous absorption and elimination of the penetration enhancer Azone in humans, *Pharmazeutisch Weekblad Scientific Edition* 11, 185 – 198 (1989)

Wilhelmi, B.J.; Blackwell, S.J.; Mancoll, J.S., Phillips, L.G.: Creep vs. stretch: a review of the viscoelastic properties of skin, *Ann. Plast. Surg.* 41, 215 – 219 (1998)

Wilkening, G.; Linke, T.; Sandhoff, K.: Lysosomal degradation on vesicular membrane surfaces. Enhanced glucosylceramide degradation by lysosomal anionic lipids and activators, *J. Biol. Chem.* 273, 30271 – 30278 (1998)

Wkerly, M.G.; Pouton, C.W.; Meakin, B.J.; Morton, F.S.: Self-emulsification of vegetable oil-non-ionic surfactant mixtures, *ACS Symp. Series* 311, 242 – 255 (1986)

Wolf, F.; Juestel, C.; Schreiber, J.; Klier, M.: Sphingolipids as antimicrobial agents, German Patent 19602108 (1997)

Yamaguchi, T.; Nishizaki, K.; Itai, S.; Hayashi, H.; Ohshima, H.: Physicochemical characterization of parenteral lipid emulsion: influence of cosurfactants on flocculation and coalescence, *Pharm. Res.* 12, 1273 – 1278 (1995)

Yang, S.C.; Benita, S.: Enhanced absorption and drug targeting by positively charged submicron emulsions, *Drug Dev. Res.* 50, 476 – 486 (2000)

Zabka, M.: Colloidal drug delivery systems – current state and perspectives. III. Microemulsions as drug delivery vehicles, *Farmaceuticky Obzor* 72, 87 – 92 (2003)

Ziegenmeyer, J. Haut – Vehikel – Pharmakon, die entscheidenden Kriterien für die perkutane Resorption, *Pharmazie in unserer Zeit* 15, 129 – 143 (1986)

Zulli, F.; Suter, F.: Cationic nanoparticles: a new system for the delivery of lipophilic UV-filters to hair, *Drug Cosmetic Industry* 4, 46 – 48 (1996)