

## 5. Literature

- Abbondanzieri, E.A., Greenleaf, W.J., Shaevitz, J.W., Landick, R. and Block, S.M. (2005) Direct observation of base-pair stepping by RNA polymerase. *Nature*, **438**, 460-465.
- Alba, B.M. and Gross, C.A. (2004) Regulation of the *Escherichia coli* sigma-dependent envelope stress response. *Mol Microbiol*, **52**, 613-619.
- Aldridge, P. and Hughes, K.T. (2002) Regulation of flagellar assembly. *Curr Opin Microbiol*, **5**, 160-165.
- Altuvia, S., Weinstein-Fischer, D., Zhang, A., Postow, L. and Storz, G. (1997) A small, stable RNA induced by oxidative stress: role as a pleiotropic regulator and antimutator. *Cell*, **90**, 43-53.
- Arluisson, V., Mura, C., Guzman, M.R., Liquier, J., Pellegrini, O., Gingery, M., Regnier, P. and Marco, S. (2006) Three-dimensional structures of fibrillar Sm proteins: Hfq and other Sm-like proteins. *J Mol Biol*, **356**, 86-96.
- Arnqvist, A., Olsen, A., Pfeifer, J., Russell, D.G. and Normark, S. (1992) The Crl protein activates cryptic genes for curli formation and fibronectin binding in *Escherichia coli* HB101. *Mol Microbiol*, **6**, 2443-2452.
- Arsene, F., Tomoyasu, T. and Bukau, B. (2000) The heat shock response of *Escherichia coli*. *Int J Food Microbiol*, **55**, 3-9.
- Arthur, T.M., Anthony, L.C. and Burgess, R.R. (2000) Mutational analysis of  $\beta'$  260-309, a  $\sigma^{70}$  binding site located on *Escherichia coli* core RNA polymerase. *J Biol Chem*, **275**, 23113-23119.
- Arthur, T.M. and Burgess, R.R. (1998) Localization of a  $\sigma^{70}$  binding site on the N terminus of the *Escherichia coli* RNA polymerase  $\beta'$  subunit. *J Biol Chem*, **273**, 31381-31387.
- Artsimovitch, I. (2004) Control of Transcription Termination and Antitermination. In Higgins, P.N. (ed.), *The Bacterial Chromosome*. ASM press, Washington, D.C., pp. 311-326.
- Artsimovitch, I. and Landick, R. (2002) The transcriptional regulator RfaH stimulates RNA chain synthesis after recruitment to elongation complexes by the exposed nontemplate DNA strand. *Cell*, **109**, 193-203.
- Auner, H., Buckle, M., Deufel, A., Kutateladze, T., Lazarus, L., Mavathur, R., Muskhelishvili, G., Pemberton, I., Schneider, R. and Travers, A. (2003) Mechanism of transcriptional activation by FIS: role of core promoter structure and DNA topology. *J Mol Biol*, **331**, 331-344.
- Babitzke, P. (2004) Regulation of transcription attenuation and translation initiation by allosteric control of an RNA-binding protein: the *Bacillus subtilis* TRAP protein. *Curr Opin Microbiol*, **7**, 132-139.
- Bahl, H., Echols, H., Straus, D.B., Court, D., Crowl, R. and Georgopoulos, C.P. (1987) Induction of the heat shock response of *E. coli* through stabilization of  $\sigma^{32}$  by the phage lambda cIII protein. *Genes Dev*, **1**, 57-64.
- Balandina, A., Claret, L., Hengge-Aronis, R. and Rouviere-Yaniv, J. (2001) The *Escherichia coli* histone-like protein HU regulates rpoS translation. *Mol Microbiol*, **39**, 1069-1079.
- Banerjee, S., Chalissery, J., Bandey, I. and Sen, R. (2006) Rho-dependent transcription termination: more questions than answers. *J Microbiol*, **44**, 11-22.
- Bar-Nahum, G., Epshtain, V., Ruckenstein, A.E., Rafikov, R., Mustaev, A. and Nudler, E. (2005) A ratchet mechanism of transcription elongation and its control. *Cell*, **120**, 183-193.
- Bar-Nahum, G. and Nudler, E. (2001) Isolation and characterization of  $\sigma^{70}$ -retaining transcription elongation complexes from *Escherichia coli*. *Cell*, **106**, 443-451.

- Barnard, A., Wolfe, A. and Busby, S. (2004) Regulation at complex bacterial promoters: how bacteria use different promoter organizations to produce different regulatory outcomes. *Curr Opin Microbiol*, **7**, 102-108.
- Barnard, A.M., Green, J. and Busby, S.J. (2003) Transcription regulation by tandem-bound FNR at *Escherichia coli* promoters. *J Bacteriol*, **185**, 5993-6004.
- Barne, K.A., Bown, J.A., Busby, S.J. and Minchin, S.D. (1997) Region 2.5 of the *Escherichia coli* RNA polymerase  $\sigma^{70}$  subunit is responsible for the recognition of the 'extended-10' motif at promoters. *Embo J*, **16**, 4034-4040.
- Barrick, J.E., Sudarsan, N., Weinberg, Z., Ruzzo, W.L. and Breaker, R.R. (2005) 6S RNA is a widespread regulator of eubacterial RNA polymerase that resembles an open promoter. *Rna*, **11**, 774-784.
- Barth, M., Marschall, C., Muffler, A., Fischer, D. and Hengge-Aronis, R. (1995) A role for the histone-like protein H-NS in growth phase-dependent and osmotic regulation of  $\sigma^S$  and many  $\sigma^S$ -dependent genes in *Escherichia coli*. *J. Bacteriol.*, **177**, 3455-3464.
- Bearson, S.M.D., Benjamin Jr., W.H., Swords, W.E. and Foster, J.W. (1996) Acid shock induction of RpoS is mediated by the mouse virulence gene *mviA* of *Salmonella typhimurium*. *J. Bacteriol.*, **178**, 2572-2579.
- Beatty, C.M., Browning, D.F., Busby, S.J. and Wolfe, A.J. (2003) Cyclic AMP receptor protein-dependent activation of the *Escherichia coli* *acsP2* promoter by a synergistic class III mechanism. *J Bacteriol*, **185**, 5148-5157.
- Becker, G. (2003) Untersuchungen zur dualen Funktion der Region 2.5 der  $\sigma^S$ -Untereinheit der RNA-Polymerase bei der regulierten  $\sigma^S$  Proteolyse und Transkriptionsinitiation durch  $\sigma^S$  in *Escherichia coli*. *Biology*. Freie Universität Berlin, Berlin.
- Becker, G. and Hengge-Aronis, R. (2001) What makes an *Escherichia coli* promoter  $\sigma^S$ -dependent? Role of the -13/-14 nucleotide promoter positions and region 2.5 of  $\sigma^S$ . *Mol Microbiol*, **39**, 1153-1165.
- Becker, G., Klauck, E. and Hengge-Aronis, R. (1999) Regulation of RpoS proteolysis in *Escherichia coli*: The response regulator RssB is a recognition factor that interacts with the turnover element in RpoS. *Proc. Natl. Acad. Sci. USA*, **96**, 6439-6444.
- Becker, G., Klauck, E. and Hengge-Aronis, R. (2000) The response regulator RssB, a recognition factor for  $\sigma^S$  proteolysis in *Escherichia coli*, can act like an anti- $\sigma^S$  factor. *Mol. Microbiol*, **35**, 657-666.
- Beloin, C., Michaelis, K., Lindner, K., Landini, P., Hacker, J., Ghigo, J.M. and Dobrindt, U. (2006) The transcriptional antiterminator RfaH represses biofilm formation in *Escherichia coli*. *J Bacteriol*, **188**, 1316-1331.
- Benoff, B., Yang, H., Lawson, C.L., Parkinson, G., Liu, J., Blatter, E., Ebright, Y.W., Berman, H.M. and Ebright, R.H. (2002) Structural basis of transcription activation: the CAP-alpha CTD-DNA complex. *Science*, **297**, 1562-1566.
- Bernardo, L.M.D., Johansson, L.U.M., Solera, D., Skärfstad, E. and Shingler, V. (2006) The guanosine tetraphosphate (ppGpp) alarmone, DksA and promoter affinity for RNA polymerase in regulation of  $\sigma^{54}$ -dependent transcription. *Mol Microbiol*, **60**, 749-764.
- Blatter, E.E., Ross, W., Tang, H., Gourse, R.L. and Ebright, R.H. (1994) Domain organization of RNA polymerase  $\alpha$  subunit: C-terminal 85 amino acids constitute a domain capable of dimerization and DNA binding. *Cell*, **78**, 889-896.
- Blomfield, I.C. (2001) The regulation of pap and type 1 fimbriation in *Escherichia coli*. *Adv Microb Physiol*, **45**, 1-49.
- Böhringer, J., Fischer, D., Mosler, G. and Hengge-Aronis, R. (1995) UDP-glucose is a potential intracellular signal molecule in the control of expression of  $\sigma^S$  and  $\sigma^S$ -dependent genes in *Escherichia coli*. *J Bacteriol*, **177**, 413-422.

- Bordes, P., Conter, A., Morales, V., Bouvier, J., Kolb, A. and Gutierrez, C. (2003) DNA supercoiling contributes to disconnect  $\sigma^S$  accumulation from  $\sigma^S$ -dependent transcription in *Escherichia coli*. *Mol Microbiol*, **48**, 561-571.
- Borukhov, S., Lee, J. and Laptenko, O. (2005) Bacterial transcription elongation factors: new insights into molecular mechanism of action. *Mol Microbiol*, **55**, 1315-1324.
- Borukhov, S. and Nudler, E. (2003) RNA polymerase holoenzyme: structure, function and biological implications. *Curr Opin Microbiol*, **6**, 93-100.
- Bouché, S., Klauck, E., Fischer, D., Lucassen, M., Jung, K. and Hengge-Aronis, R. (1998) Regulation of RssB-dependent proteolysis in *Escherichia coli*: a role for acetyl phosphate in a response regulator-controlled process. *Mol Microbiol*, **27**, 787-795.
- Bougdour, A., Lelong, C. and Geiselmann, J. (2004) Crl, a low temperature induced protein in *Escherichia coli* that binds directly to the stationary phase sigma subunit of RNA polymerase. *J Biol Chem*, **21**, 19540-19550.
- Bougdour, A., Wickner, S. and Gottesman, S. (2006) Modulating RssB activity: IraP, a novel regulator of  $\sigma^S$  stability in *Escherichia coli*. *Genes Dev*, **20**, 884-897.
- Bouvier, J., Gordia, S., Kampmann, G., Lange, R., Hengge-Aronis, R. and Gutierrez, C. (1998) Interplay between global regulators of *Escherichia coli*: effect of RpoS, Lrp and H-NS on transcription of the gene *osmC*. *Mol Microbiol*, **28**, 971-980.
- Bowers, C.W. and Dombroski, A.J. (1999) A mutation in region 1.1 of  $\sigma^{70}$  affects promoter DNA binding by *Escherichia coli* RNA polymerase holoenzyme. *Embo J*, **18**, 709-716.
- Braun, V., Mahren, S. and Ogierman, M. (2003) Regulation of the FecI-type ECF sigma factor by transmembrane signalling. *Curr Opin Microbiol*, **6**, 173-180.
- Brescia, C.C., Kaw, M.K. and Sledjeski, D.D. (2004) The DNA binding protein H-NS binds to and alters the stability of RNA in vitro and in vivo. *J Mol Biol*, **339**, 505-514.
- Brescia, C.C., Mikulecky, P.J., Feig, A.L. and Sledjeski, D.D. (2003) Identification of the Hfq-binding site on DsrA RNA: Hfq binds without altering DsrA secondary structure. *Rna*, **9**, 33-43.
- Broccoli, S., Rallu, F., Sanscartier, P., Cerritelli, S.M., Crouch, R.J. and Drolet, M. (2004) Effects of RNA polymerase modifications on transcription-induced negative supercoiling and associated R-loop formation. *Mol Microbiol*, **52**, 1769-1779.
- Brodolin, K., Zenkin, N., Mustaev, A., Mamaeva, D. and Heumann, H. (2004) The  $\sigma^{70}$  subunit of RNA polymerase induces *lacUV5* promoter-proximal pausing of transcription. *Nat Struct Mol Biol*, **11**, 551-557.
- Brown, L. and Elliott, T. (1996) Efficient translation of the RpoS sigma factor in *Salmonella typhimurium* requires host factor I, an RNA-binding protein encoded by the *hfq* gene. *J Bacteriol*, **178**, 3763-3770.
- Brown, L. and Elliott, T. (1997) Mutations that increase expression of the *rpoS* gene and decrease its dependence on *hfq* function in *Salmonella typhimurium*. *J Bacteriol*, **179**, 656-662.
- Brown, L., Gentry, D., Elliott, T. and Cashel, M. (2002) DksA affects ppGpp induction of RpoS at a translational level. *J Bacteriol*, **184**, 4455-4465.
- Brown, N.L., Stoyanov, J.V., Kidd, S.P. and Hobman, J.L. (2003) The MerR family of transcriptional regulators. *FEMS Microbiol Rev*, **27**, 145-163.
- Browning, D.F., Beatty, C.M., Wolfe, A.J., Cole, J.A. and Busby, S.J. (2002) Independent regulation of the divergent *Escherichia coli* *nrfA* and *acsP1* promoters by a nucleoprotein assembly at a shared regulatory region. *Mol Microbiol*, **43**, 687-701.
- Browning, D.F. and Busby, S.J. (2004) The regulation of bacterial transcription initiation. *Nat Rev Microbiol*, **2**, 57-65.
- Browning, D.F., Cole, J.A. and Busby, S.J. (2000) Suppression of FNR-dependent transcription activation at the *Escherichia coli* *nir* promoter by Fis, IHF and H-NS:

- modulation of transcription initiation by a complex nucleo-protein assembly. *Mol Microbiol*, **37**, 1258-1269.
- Buck, M., Gallegos, M.T., Studholme, D.J., Guo, Y. and Gralla, J.D. (2000) The bacterial enhancer-dependent  $\sigma^{54}$  ( $\sigma^N$ ) transcription factor. *J Bacteriol*, **182**, 4129-4136.
- Buckle, M., Pemberton, I.K., Jacquet, M.A. and Buc, H. (1999) The kinetics of sigma subunit directed promoter recognition by *E. coli* RNA polymerase. *J Mol Biol*, **285**, 955-964.
- Busby, S. and Ebright, R.H. (1999) Transcription activation by catabolite activator protein (CAP). *J Mol Biol*, **293**, 199-213.
- Camarero, J.A., Shekhtman, A., Campbell, E.A., Chlenov, M., Gruber, T.M., Bryant, D.A., Darst, S.A., Cowburn, D. and Muir, T.W. (2002) Autoregulation of a bacterial sigma factor explored by using segmental isotopic labeling and NMR. *Proc Natl Acad Sci U S A*, **99**, 8536-8541.
- Campbell, E.A., Masuda, S., Sun, J.L., Muzzin, O., Olson, C.A., Wang, S. and Darst, S.A. (2002a) Crystal structure of the *Bacillus stearothermophilus* anti-sigma factor SpoIIAB with the sporulation sigma factor  $\sigma^F$ . *Cell*, **108**, 795-807.
- Campbell, E.A., Muzzin, O., Chlenov, M., Sun, J.L., Olson, C.A., Weinman, O., Trester-Zedlitz, M.L. and Darst, S.A. (2002b) Structure of the bacterial RNA polymerase promoter specificity sigma subunit. *Mol Cell*, **9**, 527-539.
- Campbell, E.A., Tupy, J.L., Gruber, T.M., Wang, S., Sharp, M.M., Gross, C.A. and Darst, S.A. (2003) Crystal structure of *Escherichia coli*  $\sigma^E$  with the cytoplasmic domain of its anti-sigma RseA. *Mol Cell*, **11**, 1067-1078.
- Carpousis, A.J. (2002) The *Escherichia coli* degradosome: structure, function and relationship in other ribonucleolytic multienzyme complexes. *Biochem Soc Trans*, **30**, 150-155.
- Cases, I., Ussery, D.W. and de Lorenzo, V. (2003) The  $\sigma^{54}$  regulon (sigmulon) of *Pseudomonas putida*. *Environ Microbiol*, **5**, 1281-1293.
- Chercoun, C., Bordes, P., Leroy, O., Kolb, A. and Gutierrez, C. (2004) Interactions between the 2.4 and 4.2 regions of  $\sigma^S$ , the stress-specific sigma factor of *Escherichia coli*, and the -10 and -35 promoter elements. *Nucleic Acids Res*, **32**, 45-53.
- Chen, H., Tang, H. and Ebright, R.H. (2003) Functional interaction between RNA polymerase alpha subunit C-terminal domain and  $\sigma^{70}$  in UP-element- and activator-dependent transcription. *Mol Cell*, **11**, 1621-1633.
- Chilcott, G.S. and Hughes, K.T. (2000) Coupling of flagellar gene expression to flagellar assembly in *Salmonella enterica* serovar *typhimurium* and *Escherichia coli*. *Microbiol Mol Biol Rev*, **64**, 694-708.
- Colland, F., Barth, M., Hengge-Aronis, R. and Kolb, A. (2000) Sigma factor selectivity of *Escherichia coli* RNA polymerase: role for CRP, IHF and lrp transcription factors. *Embo J*, **19**, 3028-3037.
- Colland, F., Fujita, N., Ishihama, A. and Kolb, A. (2002) The interaction between  $\sigma^S$ , the stationary phase sigma factor, and the core enzyme of *Escherichia coli* RNA polymerase. *Genes Cells*, **7**, 233-247.
- Colland, F., Orsini, G., Brody, E.N., Buc, H. and Kolb, A. (1998) The bacteriophage T4 AsiA protein: a molecular switch for  $\sigma^{70}$ -dependent promoters. *Mol Microbiol*, **27**, 819-829.
- Cramer, P., Bushnell, D.A. and Kornberg, R.D. (2001) Structural basis of transcription: RNA polymerase II at 2.8 angstrom resolution. *Science*, **292**, 1863-1876.
- Crawford, J.A., Krukonis, E.S. and DiRita, V.J. (2003) Membrane localization of the ToxR winged-helix domain is required for TcpP-mediated virulence gene activation in *Vibrio cholerae*. *Mol Microbiol*, **47**, 1459-1473.
- Cromie, M.J., Shi, Y., Latifi, T. and Groisman, E.A. (2006) An RNA sensor for intracellular  $Mg^{2+}$ . *Cell*, **125**, 71-84.

- Cunning, C. and Elliott, T. (1999) RpoS synthesis is growth rate regulated in *Salmonella typhimurium*, but its turnover is not dependent on acetyl phosphate synthesis or PTS function. *J Bacteriol*, **181**, 4853-4862.
- d'Aubenton Carafa, Y., Brody, E. and Thermes, C. (1990) Prediction of rho-independent *Escherichia coli* transcription terminators. A statistical analysis of their RNA stem-loop structures. *J Mol Biol*, **216**, 835-858.
- Dangi, B., Gronenborn, A.M., Rosner, J.L. and Martin, R.G. (2004) Versatility of the carboxy-terminal domain of the  $\alpha$  subunit of RNA polymerase in transcriptional activation: use of the DNA contact site as a protein contact site for MarA. *Mol Microbiol*, **54**, 45-59.
- Daniels, D., Zuber, P. and Losick, R. (1990) Two amino acids in an RNA polymerase sigma factor involved in the recognition of adjacent base pairs in the -10 region of a cognate promoter. *Proc Natl Acad Sci U S A*, **87**, 8075-8079.
- Daube, S.S. and von Hippel, P.H. (1999) Interactions of *Escherichia coli*  $\sigma^{70}$  within the transcription elongation complex. *Proc Natl Acad Sci U S A*, **96**, 8390-8395.
- Davis, C.A., Capp, M.W., Record, M.T., Jr. and Saecker, R.M. (2005) The effects of upstream DNA on open complex formation by *Escherichia coli* RNA polymerase. *Proc Natl Acad Sci U S A*, **102**, 285-290.
- deHaseth, P.L. and Helmann, J.D. (1995) Open complex formation by *Escherichia coli* RNA polymerase: the mechanism of polymerase-induced strand separation of double helical DNA. *Mol Microbiol*, **16**, 817-824.
- Delany, I., Spohn, G., Pacheco, A.B., Ieva, R., Alaimo, C., Rappuoli, R. and Scarlato, V. (2002) Autoregulation of *Helicobacter pylori* Fur revealed by functional analysis of the iron-binding site. *Mol Microbiol*, **46**, 1107-1122.
- Delany, I., Spohn, G., Rappuoli, R. and Scarlato, V. (2003) An anti-repression Fur operator upstream of the promoter is required for iron-mediated transcriptional autoregulation in *Helicobacter pylori*. *Mol Microbiol*, **50**, 1329-1338.
- Ding, Q., Kusano, S., Villarejo, M. and Ishihama, A. (1995) Promoter selectivity control of *Escherichia coli* RNA polymerase by ionic strength: differential recognition of osmoregulated promoters by E $\sigma^D$  and E $\sigma^S$  holoenzymes. *Mol Microbiol*, **16**, 649-656.
- Dombroski, A.J., Walter, W.A. and Gross, C.A. (1993) Amino-terminal amino acids modulate sigma-factor DNA-binding activity. *Genes Dev*, **7**, 2446-2455.
- Dombroski, A.J., Walter, W.A., Record, M.T., Jr., Siegele, D.A. and Gross, C.A. (1992) Polypeptides containing highly conserved regions of transcription initiation factor  $\sigma^{70}$  exhibit specificity of binding to promoter DNA. *Cell*, **70**, 501-512.
- Dorman, C.J. (2004) H-NS: a universal regulator for a dynamic genome. *Nat Rev Microbiol*, **2**, 391-400.
- Dorman, C.J. and Deighan, P. (2003) Regulation of gene expression by histone-like proteins in bacteria. *Curr Opin Genet Dev*, **13**, 179-184.
- Douglas, A.E. and Raven, J.A. (2003) Genomes at the interface between bacteria and organelles. *Philos Trans R Soc Lond B Biol Sci*, **358**, 5-17; discussion 517-518.
- Douglas, S.E. (1998) Plastid evolution: origins, diversity, trends. *Curr Opin Genet Dev*, **8**, 655-661.
- Dove, S.L. and Hochschild, A. (2004) How Transcription Initiation Can Be Regulated in Bacteria. In Higgins, P.N. (ed.), *The Bacterial Chromosome*. ASM Press, Washington DC, pp. 297-310.
- Drolet, M. (2006) Growth inhibition mediated by excess negative supercoiling: the interplay between transcription elongation, R-loop formation and DNA topology. *Mol Microbiol*, **59**, 723-730.

- Dupuy, B., Mani, N., Katayama, S. and Sonenshein, A.L. (2005) Transcription activation of a UV-inducible *Clostridium perfringens* bacteriocin gene by a novel sigma factor. *Mol Microbiol*, **55**, 1196-1206.
- Dupuy, B., Raffestin, S., Matamouros, S., Mani, N., Popoff, M.R. and Sonenshein, A.L. (2006) Regulation of toxin and bacteriocin gene expression in Clostridium by interchangeable RNA polymerase sigma factors. *Mol Microbiol*, **60**, 1044-1057.
- Eichenberger, P., Fujita, M., Jensen, S.T., Conlon, E.M., Rudner, D.Z., Wang, S.T., Ferguson, C., Haga, K., Sato, T., Liu, J.S. and Losick, R. (2004) The program of gene transcription for a single differentiating cell type during sporulation in *Bacillus subtilis*. *PLoS Biol*, **2**, e328.
- Erijman, L. and Clegg, R.M. (1998) Reversible stalling of transcription elongation complexes by high pressure. *Biophys J*, **75**, 453-462.
- Ermolaeva, M.D., Khalak, H.G., White, O., Smith, H.O. and Salzberg, S.L. (2000) Prediction of transcription terminators in bacterial genomes. *J Mol Biol*, **301**, 27-33.
- Errington, J. (2003) Regulation of endospore formation in *Bacillus subtilis*. *Nat Rev Microbiol*, **1**, 117-126.
- Espinosa-Urgel, M., Chamizo, C. and Tormo, A. (1996) A consensus structure for sigma S-dependent promoters. *Mol Microbiol*, **21**, 657-659.
- Estrem, S.T., Ross, W., Gaal, T., Chen, Z.W., Niu, W., Ebright, R.H. and Gourse, R.L. (1999) Bacterial promoter architecture: subsite structure of UP elements and interactions with the carboxy-terminal domain of the RNA polymerase alpha subunit. *Genes Dev*, **13**, 2134-2147.
- Ferenci, T. (2003) What is driving the acquisition of *mutS* and *rpoS* polymorphisms in *Escherichia coli*? *Trends Microbiol*, **11**, 457-461.
- Fish, R.N. and Kane, C.M. (2002) Promoting elongation with transcript cleavage stimulatory factors. *Biochim Biophys Acta*, **1577**, 287-307.
- Fu, J., Gnatt, A.L., Bushnell, D.A., Jensen, G.J., Thompson, N.E., Burgess, R.R., David, P.R. and Kornberg, R.D. (1999) Yeast RNA polymerase II at 5 Å resolution. *Cell*, **98**, 799-810.
- Gaal, T., Ross, W., Estrem, S.T., Nguyen, L.H., Burgess, R.R. and Gourse, R.L. (2001) Promoter recognition and discrimination by E $\sigma^S$  RNA polymerase. *Mol Microbiol*, **42**, 939-954.
- Gardella, T., Moyle, H. and Susskind, M.M. (1989) A mutant *Escherichia coli*  $\sigma^{70}$  subunit of RNA polymerase with altered promoter specificity. *J Mol Biol*, **206**, 579-590.
- Gehring, A.M., Yoo, N.J. and Losick, R. (2001) RNA polymerase sigma factor that blocks morphological differentiation by *Streptomyces coelicolor*. *J Bacteriol*, **183**, 5991-5996.
- Geissmann, T.A. and Touati, D. (2004) Hfq, a new chaperoning role: binding to messenger RNA determines access for small RNA regulator. *Embo J*, **23**, 396-405.
- Gentry, D.R., Hernandez, V.J., Nguyen, L.H., Jensen, D.B. and Cashel, M. (1993) Synthesis of the stationary-phase sigma factor  $\sigma^S$  is positively regulated by ppGpp. *J Bacteriol*, **175**, 7982-7989.
- Georgellis, D., Kwon, O. and Lin, E.C. (2001) Quinones as the redox signal for the arc two-component system of bacteria. *Science*, **292**, 2314-2316.
- Germer, J., Becker, G., Metzner, M. and Hengge-Aronis, R. (2001) Role of activator site position and a distal UP-element half-site for sigma factor selectivity at a CRP/H-NS-activated  $\sigma^S$ -dependent promoter in *Escherichia coli*. *Mol Microbiol*, **41**, 705-716.
- Geszvain, K., Gruber, T.M., Mooney, R.A., Gross, C.A. and Landick, R. (2004) A hydrophobic patch on the flap-tip helix of *E.coli* RNA polymerase mediates  $\sigma^{70}$  region 4 function. *J Mol Biol*, **343**, 569-587.

- Geszvain, K. and Landick, R. (2004) The structure of Bacterial RNA Polymerase. In Higgins, P.N. (ed.), *The Bacterial Chromosome*. ASM press, Washington, D.C., pp. 283-296.
- Gill, S.C., Weitzel, S.E. and von Hippel, P.H. (1991) *Escherichia coli*  $\sigma^{70}$  and NusA proteins. I. Binding interactions with core RNA polymerase in solution and within the transcription complex. *J Mol Biol*, **220**, 307-324.
- Glinkowska, M., Majka, J., Messer, W. and Wegrzyn, G. (2003) The mechanism of regulation of bacteriophage  $\lambda$  pR promoter activity by *Escherichia coli* DnaA protein. *J Biol Chem*, **278**, 22250-22256.
- Gollnick, P., Babitzke, P., Antson, A. and Yanofsky, C. (2005) Complexity in regulation of tryptophan biosynthesis in *Bacillus subtilis*. *Annu Rev Genet*, **39**, 47-68.
- Gong, F. and Yanofsky, C. (2002) Instruction of translating ribosome by nascent peptide. *Science*, **297**, 1864-1867.
- Gopal, B., Haire, L.F., Gamblin, S.J., Dodson, E.J., Lane, A.N., Papavinasasundaram, K.G., Colston, M.J. and Dodson, G. (2001) Crystal structure of the transcription elongation/anti-termination factor NusA from *Mycobacterium tuberculosis* at 1.7 Å resolution. *J Mol Biol*, **314**, 1087-1095.
- Gourse, R.L., Ross, W. and Gaal, T. (2000) UPS and downs in bacterial transcription initiation: the role of the alpha subunit of RNA polymerase in promoter recognition. *Mol Microbiol*, **37**, 687-695.
- Gralla, J.D. and Vargas, D.R. (2006) Potassium glutamate as a transcriptional inhibitor during bacterial osmoregulation. *Embo J*, **25**, 1515-1521.
- Greenblatt, J. and Li, J. (1981) Interaction of the sigma factor and the *nusA* gene protein of *E. coli* with RNA polymerase in the initiation-termination cycle of transcription. *Cell*, **24**, 421-428.
- Gregory, B.D., Nickels, B.E., Garrity, S.J., Severinova, E., Minakhin, L., Urbauer, R.J., Urbauer, J.L., Heyduk, T., Severinov, K. and Hochschild, A. (2004) A regulator that inhibits transcription by targeting an intersubunit interaction of the RNA polymerase holoenzyme. *Proc Natl Acad Sci U S A*, **101**, 4554-4559.
- Greive, S.J. and von Hippel, P.H. (2005) Thinking quantitatively about transcriptional regulation. *Nat Rev Mol Cell Biol*, **6**, 221-232.
- Grigorova, I.L., Phleger, N.J., Mutualik, V.K. and Gross, C.A. (2006) Insights into transcriptional regulation and  $\sigma$  competition from an equilibrium model of RNA polymerase binding to DNA. *Proc Natl Acad Sci U S A*.
- Gross, C.A., Chan, C., Dombroski, A., Gruber, T., Sharp, M., Tupy, J. and Young, B. (1998) The functional and regulatory roles of sigma factors in transcription. *Cold Spring Harb Symp Quant Biol*, **63**, 141-155.
- Gruber, T.M. and Gross, C.A. (2003) Multiple sigma subunits and the partitioning of bacterial transcription space. *Annu Rev Microbiol*, **57**, 441-466.
- Gruber, T.M., Markov, D., Sharp, M.M., Young, B.A., Lu, C.Z., Zhong, H.J., Artsimovitch, I., Geszvain, K.M., Arthur, T.M., Burgess, R.R., Landick, R., Severinov, K. and Gross, C.A. (2001) Binding of the initiation factor  $\sigma^{70}$  to core RNA polymerase is a multistep process. *Mol Cell*, **8**, 21-31.
- Grundy, F.J. and Henkin, T.M. (1993) tRNA as a positive regulator of transcription antitermination in *B. subtilis*. *Cell*, **74**, 475-482.
- Grundy, F.J., Winkler, W.C. and Henkin, T.M. (2002) tRNA-mediated transcription antitermination in vitro: codon-anticodon pairing independent of the ribosome. *Proc Natl Acad Sci U S A*, **99**, 11121-11126.
- Gusarov, I. and Nudler, E. (1999) The mechanism of intrinsic transcription termination. *Mol Cell*, **3**, 495-504.
- Gusarov, I. and Nudler, E. (2001) Control of intrinsic transcription termination by N and NusA: the basic mechanisms. *Cell*, **107**, 437-449.

- Gutierrez-Preciado, A., Jensen, R.A., Yanofsky, C. and Merino, E. (2005) New insights into regulation of the tryptophan biosynthetic operon in Gram-positive bacteria. *Trends Genet*, **21**, 432-436.
- Hahn, S. (2004) Structure and mechanism of the RNA polymerase II transcription machinery. *Nat Struct Mol Biol*, **11**, 394-403.
- Hansen, U.M. and McClure, W.R. (1980) Role of the sigma subunit of *Escherichia coli* RNA polymerase in initiation. II. Release of sigma from ternary complexes. *J Biol Chem*, **255**, 9564-9570.
- Harley CB, R.R. (1987) Analysis of *E. coli* promoter sequences. *Nucleic Acids Res*, **15**, 2343-2361.
- Haugen, S.P., Berkmen, M.B., Ross, W., Gaal, T., Ward, C. and Gourse, R.L. (2006) rRNA Promoter Regulation by Nonoptimal Binding of sigma Region 1.2: An Additional Recognition Element for RNA Polymerase. *Cell*, **125**, 1069-1082.
- Hecker, M. and Volker, U. (2001) General stress response of *Bacillus subtilis* and other bacteria. *Adv Microb Physiol*, **44**, 35-91.
- Heldwein, E.E. and Brennan, R.G. (2001) Crystal structure of the transcription activator BmrR bound to DNA and a drug. *Nature*, **409**, 378-382.
- Helmann, J.D. (2002) The extracytoplasmic function (ECF) sigma factors. *Adv Microb Physiol*, **46**, 47-110.
- Hengge-Aronis, R. (2000) The general stress response in *Escherichia coli*. In Storz, G. and Hengge-Aronis, R. (eds.), *Bacterial Stress Responses*. ASM Press, Washington, D.C., pp. 161-178.
- Hengge-Aronis, R. (2002a) Signal transduction and regulatory mechanisms involved in control of the  $\sigma^S$  (RpoS) subunit of RNA polymerase. *Microbiol Mol Biol Rev*, **66**, 373-395.
- Hengge-Aronis, R. (2002b) Stationary phase gene regulation: what makes an *Escherichia coli* promoter  $\sigma^S$ -selective? *Curr Opin Microbiol*, **5**, 591-595.
- Hernday, A., Krabbe, M., Braaten, B. and Low, D. (2002) Self-perpetuating epigenetic pili switches in bacteria. *Proc Natl Acad Sci U S A*, **99 Suppl 4**, 16470-16476.
- Hernday, A.D., Braaten, B.A., Broitman-Maduro, G., Engelberts, P. and Low, D.A. (2004) Regulation of the pap epigenetic switch by CpxAR: phosphorylated CpxR inhibits transition to the phase ON state by competition with Lrp. *Mol Cell*, **16**, 537-547.
- Hernday, A.D., Braaten, B.A. and Low, D.A. (2003) The mechanism by which DNA adenine methylase and PapI activate the pap epigenetic switch. *Mol Cell*, **12**, 947-957.
- Hess, W.R. and Borner, T. (1999) Organellar RNA polymerases of higher plants. *Int Rev Cytol*, **190**, 1-59.
- Heyduk, E., Kuznedelov, K., Severinov, K. and Heyduk, T. (2006) A consensus adenine at position -11 of the nontemplate strand of bacterial promoter is important for nucleation of promoter melting. *J Biol Chem*, **281**, 12362-12369.
- Hilbert, D.W. and Piggot, P.J. (2004) Compartmentalization of gene expression during *Bacillus subtilis* spore formation. *Microbiol Mol Biol Rev*, **68**, 234-262.
- Hinton, D.M. (2005) Molecular gymnastics: distortion of an RNA polymerase sigma factor. *Trends Microbiol*, **13**, 140-143.
- Hirsch, M. and Elliott, T. (2002) Role of ppGpp in *rpoS* stationary-phase regulation in *Escherichia coli*. *J Bacteriol*, **184**, 5077-5087.
- Hirsch, M. and Elliott, T. (2005a) Fis regulates transcriptional induction of RpoS in *Salmonella enterica*. *J Bacteriol*, **187**, 1568-1580.
- Hirsch, M. and Elliott, T. (2005b) Stationary-phase regulation of RpoS translation in *Escherichia coli*. *J Bacteriol*, **187**, 7204-7213.
- Hochschild, A. (1994) Transcriptional activation. How lambda repressor talks to RNA polymerase. *Curr Biol*, **4**, 440-442.

- Houman, F., Diaz-Torres, M.R. and Wright, A. (1990) Transcriptional antitermination in the *bgl* operon of *E. coli* is modulated by a specific RNA binding protein. *Cell*, **62**, 1153-1163.
- Hubner, A., Yang, X., Nolen, D.M., Popova, T.G., Cabello, F.C. and Norgard, M.V. (2001) Expression of *Borrelia burgdorferi* OspC and DbpA is controlled by a RpoN-RpoS regulatory pathway. *Proc Natl Acad Sci U S A*, **98**, 12724-12729.
- Hughes, K.T. and Mathee, K. (1998) The anti-sigma factors. *Annu Rev Microbiol*, **52**, 231-286.
- Hung, S.C. and Gottesman, M.E. (1995) Phage HK022 Nun protein arrests transcription on phage  $\lambda$  DNA in vitro and competes with the phage  $\lambda$  N antitermination protein. *J Mol Biol*, **247**, 428-442.
- Hung, S.C. and Gottesman, M.E. (1997) The Nun protein of bacteriophage HK022 inhibits translocation of *Escherichia coli* RNA polymerase without abolishing its catalytic activities. *Genes Dev*, **11**, 2670-2678.
- Hunt, T.P. and Magasanik, B. (1985) Transcription of *glnA* by purified *Escherichia coli* components: core RNA polymerase and the products of *glnF*, *glnG*, and *glnL*. *Proc Natl Acad Sci U S A*, **82**, 8453-8457.
- Husnain, S.I., Meng, W., Busby, S.J. and Thomas, M.S. (2004) *Escherichia coli* can tolerate insertions of up to 16 amino acids in the RNA polymerase  $\alpha$  subunit inter-domain linker. *Biochim Biophys Acta*, **1678**, 47-56.
- Igarashi, K., Fujita, N. and Ishihama, A. (1989) Promoter selectivity of *Escherichia coli* RNA polymerase: omega factor is responsible for the ppGpp sensitivity. *Nucleic Acids Res*, **17**, 8755-8765.
- Ihsen, J. and Egli, T. (2004) Specific growth rate and not cell density controls the general stress response in *Escherichia coli*. *Microbiology*, **150**, 1637-1648.
- Ilag, L.L., Westblade, L.F., Deshayes, C., Kolb, A., Busby, S.J. and Robinson, C.V. (2004) Mass spectrometry of *Escherichia coli* RNA polymerase: interactions of the core enzyme with  $\sigma^{70}$  and Rsd protein. *Structure*, **12**, 269-275.
- Ishihama, A. (2000) Functional modulation of *Escherichia coli* RNA polymerase. *Annu Rev Microbiol*, **54**, 499-518.
- Ishihama, A., Fujita, N. and Glass, R.E. (1987) Subunit assembly and metabolic stability of *E. coli* RNA polymerase. *Proteins*, **2**, 42-53.
- Isono, K., Shimizu, M., Yoshimoto, K., Niwa, Y., Satoh, K., Yokota, A. and Kobayashi, H. (1997) Leaf-specifically expressed genes for polypeptides destined for chloroplasts with domains of  $\sigma^{70}$  factors of bacterial RNA polymerases in *Arabidopsis thaliana*. *Proc Natl Acad Sci U S A*, **94**, 14948-14953.
- Jain, D., Nickels, B.E., Sun, L., Hochschild, A. and Darst, S.A. (2004) Structure of a ternary transcription activation complex. *Mol Cell*, **13**, 45-53.
- Jelsbak, L., Givskov, M. and Kaiser, D. (2005) Enhancer-binding proteins with a forkhead-associated domain and the  $\sigma^{54}$  regulon in *Myxococcus xanthus* fruiting body development. *Proc Natl Acad Sci U S A*, **102**, 3010-3015.
- Jeon, Y.H., Negishi, T., Shirakawa, M., Yamazaki, T., Fujita, N., Ishihama, A. and Kyogoku, Y. (1995) Solution structure of the activator contact domain of the RNA polymerase  $\alpha$  subunit. *Science*, **270**, 1495-1497.
- Jishage, M. and Ishihama, A. (1998) A stationary phase protein in *Escherichia coli* with binding activity to the major sigma subunit of RNA polymerase. *Proc Natl Acad Sci U S A*, **95**, 4953-4958.
- Jishage, M., Iwata, A., Ueda, S. and Ishihama, A. (1996) Regulation of RNA polymerase sigma subunit synthesis in *Escherichia coli*: intracellular levels of four species of sigma subunit under various growth conditions. *J Bacteriol*, **178**, 5447-5451.

- Jishage, M., Kvint, K., Shingler, V. and Nystrom, T. (2002) Regulation of sigma factor competition by the alarmone ppGpp. *Genes Dev.*, **16**, 1260-1270.
- Joloba, M.L., Clemmer, K.M., Sledjeski, D.D. and Rather, P.N. (2004) Activation of the *gab* operon in an RpoS-dependent manner by mutations that truncate the inner core of lipopolysaccharide in *Escherichia coli*. *J Bacteriol.*, **186**, 8542-8546.
- Jones, C.H., Tatti, K.M. and Moran, C.P., Jr. (1992) Effects of amino acid substitutions in the -10 binding region of  $\sigma^E$  from *Bacillus subtilis*. *J Bacteriol.*, **174**, 6815-6821.
- Juang, Y.L. and Helmann, J.D. (1994) A promoter melting region in the primary sigma factor of *Bacillus subtilis*. Identification of functionally important aromatic amino acids. *J Mol Biol.*, **235**, 1470-1488.
- Jung, J.U., Gutierrez, C., Martin, F., Ardourel, M. and Villarejo, M. (1990) Transcription of *osmB*, a gene encoding an *Escherichia coli* lipoprotein, is regulated by dual signals. Osmotic stress and stationary phase. *J Biol Chem.*, **265**, 10574-10581.
- Kanamaru, K. and Tanaka, K. (2004) Roles of chloroplast RNA polymerase sigma factors in chloroplast development and stress response in higher plants. *Biosci Biotechnol Biochem.*, **68**, 2215-2223.
- Kapanidis, A.N., Margeat, E., Laurence, T.A., Doose, S., Ho, S.O., Mukhopadhyay, J., Kortkhonjia, E., Mekler, V., Ebright, R.H. and Weiss, S. (2005) Retention of transcription initiation factor  $\sigma^{70}$  in transcription elongation: single-molecule analysis. *Mol Cell.*, **20**, 347-356.
- Kaplan, D.L. and O'Donnell, M. (2003) Rho factor: transcription termination in four steps. *Curr Biol.*, **13**, R714-716.
- Kashlev, M., Nudler, E., Goldfarb, A., White, T. and Kutter, E. (1993) Bacteriophage T4 Alc protein: a transcription termination factor sensing local modification of DNA. *Cell.*, **75**, 147-154.
- Katayama, A., Fujita, N. and Ishihama, A. (2000) Mapping of subunit-subunit contact surfaces on the  $\beta'$  subunit of *Escherichia coli* RNA polymerase. *J Biol Chem.*, **275**, 3583-3592.
- Kazmierczak, M.J., Wiedmann, M. and Boor, K.J. (2005) Alternative sigma factors and their roles in bacterial virulence. *Microbiol Mol Biol Rev.*, **69**, 527-543.
- Kenney, T.J. and Moran, C.P., Jr. (1991) Genetic evidence for interaction of sigma A with two promoters in *Bacillus subtilis*. *J Bacteriol.*, **173**, 3282-3290.
- Kenney, T.J., York, K., Youngman, P. and Moran, C.P., Jr. (1989) Genetic evidence that RNA polymerase associated with sigma A factor uses a sporulation-specific promoter in *Bacillus subtilis*. *Proc Natl Acad Sci U S A.*, **86**, 9109-9113.
- Kim, K.S. and Lee, Y. (2004) Regulation of 6S RNA biogenesis by switching utilization of both sigma factors and endoribonucleases. *Nucleic Acids Res.*, **32**, 6057-6068.
- King, R.A., Banik-Maiti, S., Jin, D.J. and Weisberg, R.A. (1996) Transcripts that increase the processivity and elongation rate of RNA polymerase. *Cell.*, **87**, 893-903.
- King, T., Ishihama, A., Kori, A. and Ferenci, T. (2004) A regulatory trade-off as a source of strain variation in the species *Escherichia coli*. *J Bacteriol.*, **186**, 5614-5620.
- Klauck, E., Böhringer, J. and Hengge-Aronis, R. (1997) The LysR-like regulator LeuO in *Escherichia coli* is involved in the translational regulation of *rpoS* by affecting the expression of the small regulatory DsrA-RNA. *Mol. Microbiol.*, **25**, 559-569.
- Klauck, E., Lingnau, M. and Hengge-Aronis, R. (2001) Role of the response regulator RssB in sigma recognition and initiation of sigma proteolysis in *Escherichia coli*. *Mol Microbiol.*, **40**, 1381-1390.
- Komissarova, N., Becker, J., Solter, S., Kireeva, M. and Kashlev, M. (2002) Shortening of RNA:DNA hybrid in the elongation complex of RNA polymerase is a prerequisite for transcription termination. *Mol Cell.*, **10**, 1151-1162.

- Komissarova, N. and Kashlev, M. (1998) Functional topography of nascent RNA in elongation intermediates of RNA polymerase. *Proc Natl Acad Sci U S A*, **95**, 14699-14704.
- Korzheva, N., Mustaev, A., Kozlov, M., Malhotra, A., Nikiforov, V., Goldfarb, A. and Darst, S.A. (2000) A structural model of transcription elongation. *Science*, **289**, 619-625.
- Korzheva, N., Mustaev, A., Nudler, E., Nikiforov, V. and Goldfarb, A. (1998) Mechanistic model of the elongation complex of *Escherichia coli* RNA polymerase. *Cold Spring Harb Symp Quant Biol*, **63**, 337-345.
- Kovacic, R.T. (1987) The 0 °C closed complexes between *Escherichia coli* RNA polymerase and two promoters, T7-A3 and lacUV5. *J Biol Chem*, **262**, 13654-13661.
- Krukonis, E.S. and DiRita, V.J. (2003) DNA binding and ToxR responsiveness by the wing domain of TcpP, an activator of virulence gene expression in *Vibrio cholerae*. *Mol Cell*, **12**, 157-165.
- Krukonis, E.S., Yu, R.R. and Dirlita, V.J. (2000) The *Vibrio cholerae* ToxR/TcpP/ToxT virulence cascade: distinct roles for two membrane-localized transcriptional activators on a single promoter. *Mol Microbiol*, **38**, 67-84.
- Krummel, B. and Chamberlin, M.J. (1989) RNA chain initiation by *Escherichia coli* RNA polymerase. Structural transitions of the enzyme in early ternary complexes. *Biochemistry*, **28**, 7829-7842.
- Kumar, A., Malloch, R.A., Fujita, N., Smillie, D.A., Ishihama, A. and Hayward, R.S. (1993) The minus 35-recognition region of *Escherichia coli*  $\sigma^{70}$  is inessential for initiation of transcription at an "extended minus 10" promoter. *J Mol Biol*, **232**, 406-418.
- Kunkel, B. (1991) Compartmentalized gene expression during sporulation in *Bacillus subtilis*. *Trends Genet*, **7**, 167-172.
- Kusano, S., Ding, Q., Fujita, N. and Ishihama, A. (1996) Promoter selectivity of *Escherichia coli* RNA polymerase E $\sigma^{70}$  and E $\sigma^{38}$  holoenzymes. Effect of DNA supercoiling. *J Biol Chem*, **271**, 1998-2004.
- Kustu, S., Santero, E., Keener, J., Popham, D. and Weiss, D. (1989) Expression of  $\sigma^{54}$  (ntrA)-dependent genes is probably united by a common mechanism. *Microbiol Rev*, **53**, 367-376.
- Kuznedelov, K., Korzheva, N., Mustaev, A. and Severinov, K. (2002a) Structure-based analysis of RNA polymerase function: the largest subunit's rudder contributes critically to elongation complex stability and is not involved in the maintenance of RNA-DNA hybrid length. *Embo J*, **21**, 1369-1378.
- Kuznedelov, K., Minakhin, L., Niedziela-Majka, A., Dove, S.L., Rogulja, D., Nickels, B.E., Hochschild, A., Heyduk, T. and Severinov, K. (2002b) A role for interaction of the RNA polymerase flap domain with the sigma subunit in promoter recognition. *Science*, **295**, 855-857.
- Kvint, K., Farewell, A. and Nystrom, T. (2000) RpoS-dependent promoters require guanosine tetraphosphate for induction even in the presence of high levels of  $\sigma^s$ . *J Biol Chem*, **275**, 14795-14798.
- Lacour, S., Kolb, A., Boris Zehnder, A.J. and Landini, P. (2002) Mechanism of specific recognition of the *aidB* promoter by  $\sigma^s$ -RNA polymerase. *Biochem Biophys Res Commun*, **292**, 922-930.
- Lacour, S., Kolb, A. and Landini, P. (2003) Nucleotides from -16 to -12 determine specific promoter recognition by bacterial  $\sigma^s$ -RNA polymerase. *J Biol Chem*, **278**, 37160-37168.
- Lahiri, S.D., Yao, J., McCumbers, C. and Allison, L.A. (1999) Tissue-specific and light-dependent expression within a family of nuclear-encoded sigma-like factors from *Zea mays*. *Mol Cell Biol Res Commun*, **1**, 14-20.

- Lambert, L.J., Wei, Y., Schirf, V., Demeler, B. and Werner, M.H. (2004) T4 AsiA blocks DNA recognition by remodeling  $\sigma^{70}$  region 4. *Embo J.*, **23**, 2952-2962.
- Lang, B.F., Burger, G., O'Kelly, C.J., Cedergren, R., Golding, G.B., Lemieux, C., Sankoff, D., Turmel, M. and Gray, M.W. (1997) An ancestral mitochondrial DNA resembling a eubacterial genome in miniature. *Nature*, **387**, 493-497.
- Lange, R., Fischer, D. and Hengge-Aronis, R. (1995) Identification of transcriptional start sites and the role of ppGpp in the expression of *rpoS*, the structural gene for the  $\sigma^S$  subunit of RNA polymerase in *Escherichia coli*. *J Bacteriol*, **177**, 4676-4680.
- Lange, R. and Hengge-Aronis, R. (1991a) Growth phase-regulated expression of *bolA* and morphology of stationary-phase *Escherichia coli* cells are controlled by the novel sigma factor  $\sigma^S$ . *J Bacteriol*, **173**, 4474-4481.
- Lange, R. and Hengge-Aronis, R. (1991b) Identification of a central regulator of stationary-phase gene expression in *Escherichia coli*. *Mol Microbiol*, **5**, 49-59.
- Lange, R. and Hengge-Aronis, R. (1994a) The cellular concentration of the  $\sigma^S$  subunit of RNA polymerase in *Escherichia coli* is controlled at the levels of transcription, translation, and protein stability. *Genes Dev*, **8**, 1600-1612.
- Lange, R. and Hengge-Aronis, R. (1994b) The *nlpD* gene is located in an operon with *rpoS* on the *Escherichia coli* chromosome and encodes a novel lipoprotein with a potential function in cell wall formation. *Mol. Microbiol.*, **13**, 733-743.
- Laptenko, O., Kim, S.S., Lee, J., Starodubtseva, M., Cava, F., Berenguer, J., Kong, X.P. and Borukhov, S. (2006) pH-dependent conformational switch activates the inhibitor of transcription elongation. *Embo J.*
- Laptenko, O., Lee, J., Lomakin, I. and Borukhov, S. (2003) Transcript cleavage factors GreA and GreB act as transient catalytic components of RNA polymerase. *Embo J.*, **22**, 6322-6334.
- Laurie, A.D., Bernardo, L.M., Sze, C.C., Skarfstad, E., Szalewska-Palasz, A., Nystrom, T. and Shingler, V. (2003) The role of the alarmone (p)ppGpp in  $\sigma^N$  competition for core RNA polymerase. *J Biol Chem*, **278**, 1494-1503.
- Lavigne, M., Kolb, A. and Buc, H. (1992) Transcription activation by cAMP receptor protein (CRP) at the *Escherichia coli gal P1* promoter. Crucial role for the spacing between the CRP binding site and the -10 region. *Biochemistry*, **31**, 9647-9656.
- Lease, R.A. and Belfort, M. (2000) A trans-acting RNA as a control switch in *Escherichia coli*: DsrA modulates function by forming alternative structures. *Proc Natl Acad Sci U S A*, **97**, 9919-9924.
- Lease, R.A., Cusick, M.E. and Belfort, M. (1998) Riboregulation in *Escherichia coli*: DsrA RNA acts by RNA:RNA interaction at multiple loci. *Proc. Natl. Acad. Sci. USA*, **95**, 12456-12461.
- Lease, R.A. and Woodson, S.A. (2004) Cycling of the Sm-like protein Hfq on the DsrA small regulatory RNA. *J Mol Biol*, **344**, 1211-1223.
- Lee, S.J. and Gralla, J.D. (2001)  $\sigma^{38}$  (*rpoS*) RNA polymerase promoter engagement via -10 region nucleotides. *J Biol Chem*, **276**, 30064-30071.
- Lee, S.J. and Gralla, J.D. (2004) Osmo-regulation of bacterial transcription via poised RNA polymerase. *Mol Cell*, **14**, 153-162.
- Leeds, J.A. and Welch, R.A. (1997) Enhancing transcription through the *Escherichia coli* hemolysin operon, *hlyCABD*: RfaH and upstream JUMPStart DNA sequences function together via a postinitiation mechanism. *J Bacteriol*, **179**, 3519-3527.
- Lesnik, E.A., Sampath, R., Levene, H.B., Henderson, T.J., McNeil, J.A. and Ecker, D.J. (2001) Prediction of rho-independent transcriptional terminators in *Escherichia coli*. *Nucleic Acids Res*, **29**, 3583-3594.
- Li, W., Stevenson, C.E., Burton, N., Jakimowicz, P., Paget, M.S., Buttner, M.J., Lawson, D.M. and Kleanthous, C. (2002) Identification and structure of the anti-sigma factor-

- binding domain of the disulphide-stress regulated sigma factor  $\sigma^R$  from *Streptomyces coelicolor*. *J Mol Biol*, **323**, 225-236.
- Lim, H.M., Lee, H.J., Roy, S. and Adhya, S. (2001) A "master" in base unpairing during isomerization of a promoter upon RNA polymerase binding. *Proc Natl Acad Sci U S A*, **98**, 14849-14852.
- Linderoth, N.A., Tang, G. and Calendar, R. (1997) In vivo and in vitro evidence for an anti-Rho activity induced by the phage P4 polarity suppressor protein Psu. *Virology*, **227**, 131-141.
- Liu, M., Durfee, T., Cabrera, J.E., Zhao, K., Jin, D.J. and Blattner, F.R. (2005) Global transcriptional programs reveal a carbon source foraging strategy by *Escherichia coli*. *J Biol Chem*, **280**, 15921-15927.
- Liu, Y., Bondarenko, V., Ninfa, A. and Studitsky, V.M. (2001) DNA supercoiling allows enhancer action over a large distance. *Proc Natl Acad Sci U S A*, **98**, 14883-14888.
- Lloyd, L.J., Jones, S.E., Jovanovic, G., Gyaneshwar, P., Rolfe, M.D., Thompson, A., Hinton, J.C. and Buck, M. (2004) Identification of a new member of the phage shock protein response in *Escherichia coli*, the phage shock protein G (PspG). *J Biol Chem*, **279**, 55707-55714.
- Madan Babu, M. and Teichmann, S.A. (2003) Evolution of transcription factors and the gene regulatory network in *Escherichia coli*. *Nucleic Acids Res*, **31**, 1234-1244.
- Maeda, H., Fujita, N. and Ishihama, A. (2000) Competition among seven *Escherichia coli* sigma subunits: relative binding affinities to the core RNA polymerase. *Nucleic Acids Res*, **28**, 3497-3503.
- Magnusson, L.U., Nystrom, T. and Farewell, A. (2003) Underproduction of  $\sigma^{70}$  mimics a stringent response. A proteome approach. *J Biol Chem*, **278**, 968-973.
- Majdalani, N., Chen, S., Murrow, J., St John, K. and Gottesman, S. (2001) Regulation of RpoS by a novel small RNA: the characterization of RprA. *Mol Microbiol*, **39**, 1382-1394.
- Majdalani, N., Cunning, C., Sledjeski, D., Elliott, T. and Gottesman, S. (1998) DsrA RNA regulates translation of RpoS message by an anti-antisense mechanism, independent of its action as an antisilencer of transcription. *Proc Natl Acad Sci U S A*, **95**, 12462-12467.
- Majdalani, N. and Gottesman, S. (2005) The Rcs phosphorelay: a complex signal transduction system. *Annu Rev Microbiol*, **59**, 379-405.
- Majdalani, N., Hernandez, D. and Gottesman, S. (2002) Regulation and mode of action of the second small RNA activator of RpoS translation, RprA. *Mol Microbiol*, **46**, 813-826.
- Malhotra, A., Severinova, E. and Darst, S.A. (1996) Crystal structure of a  $\sigma^{70}$  subunit fragment from *E. coli* RNA polymerase. *Cell*, **87**, 127-136.
- Malpica, R., Franco, B., Rodriguez, C., Kwon, O. and Georgellis, D. (2004) Identification of a quinone-sensitive redox switch in the ArcB sensor kinase. *Proc Natl Acad Sci U S A*, **101**, 13318-13323.
- Marr, M.T., Datwyler, S.A., Meares, C.F. and Roberts, J.W. (2001) Restructuring of an RNA polymerase holoenzyme elongation complex by lambdoid phage Q proteins. *Proc Natl Acad Sci U S A*, **98**, 8972-8978.
- Marshall, F.A., Messenger, S.L., Wyborn, N.R., Guest, J.R., Wing, H., Busby, S.J. and Green, J. (2001) A novel promoter architecture for microaerobic activation by the anaerobic transcription factor FNR. *Mol Microbiol*, **39**, 747-753.
- Martin, R.G., Gillette, W.K., Martin, N.I. and Rosner, J.L. (2002) Complex formation between activator and RNA polymerase as the basis for transcriptional activation by MarA and SoxS in *Escherichia coli*. *Mol Microbiol*, **43**, 355-370.
- Martinez-Antonio, A. and Collado-Vides, J. (2003) Identifying global regulators in transcriptional regulatory networks in bacteria. *Curr Opin Microbiol*, **6**, 482-489.

- Massé, E., Escoria, F.E. and Gottesman, S. (2003) Coupled degradation of a small regulatory RNA and its mRNA targets in *Escherichia coli*. *Genes Dev*, **17**, 2374-2383.
- McCarter, L.L. (2004) Dual flagellar systems enable motility under different circumstances. *J Mol Microbiol Biotechnol*, **7**, 18-29.
- McLeod, S.M., Aiyar, S.E., Gourse, R.L. and Johnson, R.C. (2002) The C-terminal domains of the RNA polymerase alpha subunits: contact site with Fis and localization during co-activation with CRP at the *Escherichia coli proP* P2 promoter. *J Mol Biol*, **316**, 517-529.
- McLeod, S.M., Xu, J., Cramton, S.E., Gaal, T., Gourse, R.L. and Johnson, R.C. (1999) Localization of amino acids required for Fis to function as a class II transcriptional activator at the RpoS-dependent *proP* P2 promoter. *J Mol Biol*, **294**, 333-346.
- McLeod, S.M., Xu, J. and Johnson, R.C. (2000) Coactivation of the RpoS-dependent *proP* P2 promoter by Fis and cyclic AMP receptor protein. *J Bacteriol*, **182**, 4180-4187.
- Mecsas, J., Cowing, D.W. and Gross, C.A. (1991) Development of RNA polymerase-promoter contacts during open complex formation. *J Mol Biol*, **220**, 585-597.
- Mekler, V., Kortkhonjia, E., Mukhopadhyay, J., Knight, J., Revyakin, A., Kapanidis, A.N., Niu, W., Ebright, Y.W., Levy, R. and Ebright, R.H. (2002) Structural organization of bacterial RNA polymerase holoenzyme and the RNA polymerase-promoter open complex. *Cell*, **108**, 599-614.
- Meng, W., Savery, N.J., Busby, S.J. and Thomas, M.S. (2000) The *Escherichia coli* RNA polymerase alpha subunit linker: length requirements for transcription activation at CRP-dependent promoters. *Embo J*, **19**, 1555-1566.
- Metzger, W., Schickor, P. and Heumann, H. (1989) A cinematographic view of *Escherichia coli* RNA polymerase translocation. *Embo J*, **8**, 2745-2754.
- Metzger, W., Schickor, P., Meier, T., Werel, W. and Heumann, H. (1993) Nucleation of RNA chain formation by *Escherichia coli* DNA-dependent RNA polymerase. *J Mol Biol*, **232**, 35-49.
- Mika, F. and Hengge, R. (2005) A two-component phosphotransfer network involving ArcB, ArcA, and RssB coordinates synthesis and proteolysis of  $\sigma^S$  (RpoS) in *E. coli*. *Genes Dev*, **19**, 2770-2781.
- Mikulecky, P.J., Kaw, M.K., Brescia, C.C., Takach, J.C., Sledjeski, D.D. and Feig, A.L. (2004) *Escherichia coli* Hfq has distinct interaction surfaces for DsrA, *rpoS* and poly(A) RNAs. *Nat Struct Mol Biol*, **11**, 1206-1214.
- Millikan, D.S. and Ruby, E.G. (2003) FlrA, a  $\sigma^{54}$ -dependent transcriptional activator in *Vibrio fischeri*, is required for motility and symbiotic light-organ colonization. *J Bacteriol*, **185**, 3547-3557.
- Minakhin, L., Bhagat, S., Brunning, A., Campbell, E.A., Darst, S.A., Ebright, R.H. and Severinov, K. (2001) Bacterial RNA polymerase subunit omega and eukaryotic RNA polymerase subunit RPB6 are sequence, structural, and functional homologs and promote RNA polymerase assembly. *Proc Natl Acad Sci U S A*, **98**, 892-897.
- Minakhin, L. and Severinov, K. (2003) On the role of the *Escherichia coli* RNA polymerase  $\sigma^{70}$  region 4.2 and  $\alpha$  C-terminal domains in promoter complex formation on the extended -10 galP1 promoter. *J Biol Chem*, **278**, 29710-29718.
- Mironov, A.S., Gusarov, I., Rafikov, R., Lopez, L.E., Shatalin, K., Kreneva, R.A., Perumov, D.A. and Nudler, E. (2002) Sensing small molecules by nascent RNA: a mechanism to control transcription in bacteria. *Cell*, **111**, 747-756.
- Mitchell, J.E., Zheng, D., Busby, S.J. and Minchin, S.D. (2003) Identification and analysis of 'extended -10' promoters in *Escherichia coli*. *Nucleic Acids Res*, **31**, 4689-4695.
- Moller, T., Franch, T., Hojrup, P., Keene, D.R., Bachinger, H.P., Brennan, R.G. and Valentini-Hansen, P. (2002) Hfq: a bacterial Sm-like protein that mediates RNA-RNA interaction. *Mol Cell*, **9**, 23-30.

- Monsalve, M., Calles, B., Mencia, M., Salas, M. and Rojo, F. (1997) Transcription activation or repression by phage psi 29 protein p4 depends on the strength of the RNA polymerase-promoter interactions. *Mol Cell*, **1**, 99-107.
- Monsalve, M., Mencia, M., Rojo, F. and Salas, M. (1996) Activation and repression of transcription at two different phage phi29 promoters are mediated by interaction of the same residues of regulatory protein p4 with RNA polymerase. *Embo J*, **15**, 383-391.
- Mooney, R.A., Darst, S.A. and Landick, R. (2005) Sigma and RNA polymerase: an on-again, off-again relationship? *Mol Cell*, **20**, 335-345.
- Mooney, R.A. and Landick, R. (2003) Tethering  $\sigma^{70}$  to RNA polymerase reveals high in vivo activity of sigma factors and  $\sigma^{70}$ -dependent pausing at promoter-distal locations. *Genes Dev*, **17**, 2839-2851.
- Moreno, M., Audia, J.P., Bearson, S.M.D., Webb, C. and Foster, J.W. (2000) Regulation of  $\sigma^S$  degradation in *Salmonella enterica* var *typhimurium*: in vivo interactions between  $\sigma^S$ , the response regulator MviA (RssB) and ClpX. *J. Mol. Microbiol. Biotechn.*, **2**, 245-254.
- Morita, T., Maki, K. and Aiba, H. (2005) RNase E-based ribonucleoprotein complexes: mechanical basis of mRNA destabilization mediated by bacterial noncoding RNAs. *Genes Dev*, **19**, 2176-2186.
- Muffler, A., Barth, M., Marschall, C. and Hengge-Aronis, R. (1997) Heat shock regulation of  $\sigma^S$  turnover: a role for DnaK and relationship between stress responses mediated by  $\sigma^S$  and  $\sigma^{32}$  in *Escherichia coli*. *J Bacteriol*, **179**, 445-452.
- Muffler, A., Fischer, D., Altuvia, S., Storz, G. and Hengge-Aronis, R. (1996a) The response regulator RssB controls stability of the  $\sigma^S$  subunit of RNA polymerase in *Escherichia coli*. *Embo J*, **15**, 1333-1339.
- Muffler, A., Fischer, D. and Hengge-Aronis, R. (1996b) The RNA-binding protein HF-I, known as a host factor for phage Qbeta RNA replication, is essential for *rpoS* translation in *Escherichia coli*. *Genes Dev*, **10**, 1143-1151.
- Muffler, A., Traulsen, D.D., Lange, R. and Hengge-Aronis, R. (1996c) Posttranscriptional osmotic regulation of the  $\sigma^S$  subunit of RNA polymerase in *Escherichia coli*. *J Bacteriol*, **178**, 1607-1613.
- Mukhopadhyay, J., Kapanidis, A.N., Mekler, V., Kortkhonjia, E., Ebright, Y.W. and Ebright, R.H. (2001) Translocation of  $\sigma^{70}$  with RNA polymerase during transcription: fluorescence resonance energy transfer assay for movement relative to DNA. *Cell*, **106**, 453-463.
- Mukhopadhyay, S., Audia, J.P., Roy, R.N. and Schellhorn, H.E. (2000) Transcriptional induction of the conserved alternative sigma factor RpoS in *Escherichia coli* is dependent on BarA, a probable two-component regulator. *Mol Microbiol*, **37**, 371-381.
- Mulligan, M.E., Brosius, J. and McClure, W.R. (1985) Characterization in vitro of the effect of spacer length on the activity of *Escherichia coli* RNA polymerase at the TAC promoter. *J Biol Chem*, **260**, 3529-3538.
- Mulvey, M.R. and Loewen, P.C. (1989) Nucleotide sequence of *katF* of *Escherichia coli* suggest KatF protein is a novel  $\sigma$  transcription factor. *Nucl. Acids Res.*, **17**, 9979-9991.
- Munson, G.P. and Scott, J.R. (2000) Rns, a virulence regulator within the AraC family, requires binding sites upstream and downstream of its own promoter to function as an activator. *Mol Microbiol*, **36**, 1391-1402.
- Murakami, K.S., Masuda, S., Campbell, E.A., Muzzin, O. and Darst, S.A. (2002a) Structural basis of transcription initiation: an RNA polymerase holoenzyme-DNA complex. *Science*, **296**, 1285-1290.

- Murakami, K.S., Masuda, S. and Darst, S.A. (2002b) Structural basis of transcription initiation: RNA polymerase holoenzyme at 4 Å resolution. *Science*, **296**, 1280-1284.
- Nagai, H. and Shimamoto, N. (1997) Regions of the *Escherichia coli* primary sigma factor  $\sigma^{70}$  that are involved in interaction with RNA polymerase core enzyme. *Genes Cells*, **2**, 725-734.
- Nagy, G., Dobrindt, U., Schneider, G., Khan, A.S., Hacker, J. and Emody, L. (2002) Loss of regulatory protein RfaH attenuates virulence of uropathogenic *Escherichia coli*. *Infect Immun*, **70**, 4406-4413.
- Nakano, S., Erwin, K.N., Ralle, M. and Zuber, P. (2005) Redox-sensitive transcriptional control by a thiol/disulphide switch in the global regulator, Spx. *Mol Microbiol*, **55**, 498-510.
- Nakano, S., Nakano, M.M., Zhang, Y., Leelakriangsak, M. and Zuber, P. (2003) A regulatory protein that interferes with activator-stimulated transcription in bacteria. *Proc Natl Acad Sci U S A*, **100**, 4233-4238.
- Nechaev, S., Yuzenkova, Y., Niedziela-Majka, A., Heyduk, T. and Severinov, K. (2002) A novel bacteriophage-encoded RNA polymerase binding protein inhibits transcription initiation and abolishes transcription termination by host RNA polymerase. *J Mol Biol*, **320**, 11-22.
- Newberry, K.J., Nakano, S., Zuber, P. and Brennan, R.G. (2005) Crystal structure of the *Bacillus subtilis* anti- $\alpha$ , global transcriptional regulator, Spx, in complex with the alpha C-terminal domain of RNA polymerase. *Proc Natl Acad Sci U S A*, **102**, 15839-15844.
- Nickels, B.E., Dove, S.L., Murakami, K.S., Darst, S.A. and Hochschild, A. (2002a) Protein-protein and protein-DNA interactions of  $\sigma^{70}$  region 4 involved in transcription activation by  $\lambda$ cI. *J Mol Biol*, **324**, 17-34.
- Nickels, B.E., Garrity, S.J., Mekler, V., Minakhin, L., Severinov, K., Ebright, R.H. and Hochschild, A. (2005) The interaction between  $\sigma^{70}$  and the  $\beta$ -flap of *Escherichia coli* RNA polymerase inhibits extension of nascent RNA during early elongation. *Proc Natl Acad Sci U S A*, **102**, 4488-4493.
- Nickels, B.E. and Hochschild, A. (2004) Regulation of RNA polymerase through the secondary channel. *Cell*, **118**, 281-284.
- Nickels, B.E., Mukhopadhyay, J., Garrity, S.J., Ebright, R.H. and Hochschild, A. (2004) The  $\sigma^{70}$  subunit of RNA polymerase mediates a promoter-proximal pause at the *lac* promoter. *Nat Struct Mol Biol*, **11**, 544-550.
- Nickels, B.E., Roberts, C.W., Sun, H., Roberts, J.W. and Hochschild, A. (2002b) The  $\sigma^{70}$  subunit of RNA polymerase is contacted by the  $\lambda$  Q antiterminator during early elongation. *Mol Cell*, **10**, 611-622.
- Nodwell, J.R. and Greenblatt, J. (1993) Recognition of boxA antiterminator RNA by the *E. coli* antitermination factors NusB and ribosomal protein S10. *Cell*, **72**, 261-268.
- Nonaka, G., Blankschien, M., Herman, C., Gross, C.A. and Rhodius, V.A. (2006) Regulon and promoter analysis of the *E. coli* heat-shock factor,  $\sigma^{32}$ , reveals a multifaceted cellular response to heat stress. *Genes Dev*, **20**, 1776-1789.
- Notley, L. and Ferenci, T. (1996) Induction of *RpoS*-dependent functions in glucose-limited continuous culture: what level of nutrient limitation induces the stationary phase of *Escherichia coli*? *J Bacteriol*, **178**, 1465-1468.
- Nudler, E. and Gottesman, M.E. (2002) Transcription termination and anti-termination in *E. coli*. *Genes Cells*, **7**, 755-768.
- Nudler, E. and Mironov, A.S. (2004) The riboswitch control of bacterial metabolism. *Trends Biochem Sci*, **29**, 11-17.

- Ojangu, E.L., Tover, A., Teras, R. and Kivisaar, M. (2000) Effects of combination of different -10 hexamers and downstream sequences on stationary-phase-specific sigma factor  $\sigma^S$ -dependent transcription in *Pseudomonas putida*. *J Bacteriol*, **182**, 6707-6713.
- Olsen, A., Jonsson, A. and Normark, S. (1989) Fibronectin binding mediated by a novel class of surface organelles on *Escherichia coli*. *Nature*, **338**, 652-655.
- Opalka, N., Chlenov, M., Chacon, P., Rice, W.J., Wriggers, W. and Darst, S.A. (2003) Structure and function of the transcription elongation factor GreB bound to bacterial RNA polymerase. *Cell*, **114**, 335-345.
- Opel, M.L., Aeling, K.A., Holmes, W.M., Johnson, R.C., Benham, C.J. and Hatfield, G.W. (2004) Activation of transcription initiation from a stable RNA promoter by a Fis protein-mediated DNA structural transmission mechanism. *Mol Microbiol*, **53**, 665-674.
- Orsini, G., Igonet, S., Pene, C., Sclavi, B., Buckle, M., Uzan, M. and Kolb, A. (2004) Phage T4 early promoters are resistant to inhibition by the anti-sigma factor AsiA. *Mol Microbiol*, **52**, 1013-1028.
- Owens, J.T., Miyake, R., Murakami, K., Chmura, A.J., Fujita, N., Ishihama, A. and Meares, C.F. (1998) Mapping the  $\sigma^{70}$  subunit contact sites on *Escherichia coli* RNA polymerase with a  $\sigma^{70}$ -conjugated chemical protease. *Proc Natl Acad Sci U S A*, **95**, 6021-6026.
- Paget, M.S. and Helmann, J.D. (2003) The  $\sigma^{70}$  family of sigma factors. *Genome Biol*, **4**, 203.
- Pan, C.Q., Finkel, S.E., Cramton, S.E., Feng, J.A., Sigman, D.S. and Johnson, R.C. (1996) Variable structures of Fis-DNA complexes determined by flanking DNA-protein contacts. *J Mol Biol*, **264**, 675-695.
- Panaghie, G., Aiyar, S.E., Bobb, K.L., Hayward, R.S. and de Haseth, P.L. (2000) Aromatic amino acids in region 2.3 of *Escherichia coli*  $\sigma^{70}$  participate collectively in the formation of an RNA polymerase-promoter open complex. *J Mol Biol*, **299**, 1217-1230.
- Park, J.S., Marr, M.T. and Roberts, J.W. (2002) *E. coli* transcription repair coupling factor (Mfd protein) rescues arrested complexes by promoting forward translocation. *Cell*, **109**, 757-767.
- Paul, B.J., Barker, M.M., Ross, W., Schneider, D.A., Webb, C., Foster, J.W. and Gourse, R.L. (2004) DksA: a critical component of the transcription initiation machinery that potentiates the regulation of rRNA promoters by ppGpp and the initiating NTP. *Cell*, **118**, 311-322.
- Paul, B.J., Berkmen, M.B. and Gourse, R.L. (2005) DksA potentiates direct activation of amino acid promoters by ppGpp. *Proc Natl Acad Sci U S A*, **102**, 7823-7828.
- Pemberton, I.K., Muskhelishvili, G., Travers, A.A. and Buckle, M. (2002) FIS modulates the kinetics of successive interactions of RNA polymerase with the core and upstream regions of the *tyrT* promoter. *J Mol Biol*, **318**, 651-663.
- Perederina, A., Svetlov, V., Vassylyeva, M.N., Tahirov, T.H., Yokoyama, S., Artsimovitch, I. and Vassylyev, D.G. (2004) Regulation through the secondary channel--structural framework for ppGpp-DksA synergism during transcription. *Cell*, **118**, 297-309.
- Peterson, C.N., Carabetta, V.J., Chowdhury, T. and Silhavy, T.J. (2006) LrhA regulates *rpoS* translation in response to the Rcs phosphorelay system in *Escherichia coli*. *J Bacteriol*, **188**, 3175-3181.
- Peterson, C.N., Ruiz, N. and Silhavy, T.J. (2004) RpoS proteolysis is regulated by a mechanism that does not require the SprE (RssB) response regulator phosphorylation site. *J Bacteriol*, **186**, 7403-7410.
- Phadtare, S., Yamanaka, K. and Inouye, M. (2000) The cold shock response. In Storz, G. and Hengge-Aronis, R. (eds.), *Bacterial Stress Responses*. ASM Press, Washington, D.C., pp. 33-45.

- Plumbridge, J. (2002) Regulation of gene expression in the PTS in *Escherichia coli*: the role and interactions of *Mlc*. *Curr Opin Microbiol*, **5**, 187-193.
- Pratt, L.A. and Silhavy, T.J. (1996) The response regulator SprE controls the stability of RpoS. *Proc Natl Acad Sci U S A*, **93**, 2488-2492.
- Pratt, L.A. and Silhavy, T.J. (1998) Crl stimulates RpoS activity during stationary phase. *Mol Microbiol*, **29**, 1225-1236.
- Pruteanu, M. and Hengge-Aronis, R. (2002) The cellular level of the recognition factor RssB is rate-limiting for  $\sigma^S$  proteolysis: implications for RssB regulation and signal transduction in sigmaS turnover in *Escherichia coli*. *Mol Microbiol*, **45**, 1701-1713.
- Raffaelle, M., Kanin, E.I., Vogt, J., Burgess, R.R. and Ansari, A.Z. (2005) Holoenzyme switching and stochastic release of sigma factors from RNA polymerase in vivo. *Mol Cell*, **20**, 357-366.
- Raffestin, S., Dupuy, B., Marvaud, J.C. and Popoff, M.R. (2005) BotR/A and TetR are alternative RNA polymerase sigma factors controlling the expression of the neurotoxin and associated protein genes in *Clostridium botulinum* type A and *Clostridium tetani*. *Mol Microbiol*, **55**, 235-249.
- Raivio, T.L. (2005) Envelope stress responses and Gram-negative bacterial pathogenesis. *Mol Microbiol*, **56**, 1119-1128.
- Repoila, F. and Gottesman, S. (2001) Signal transduction cascade for regulation of RpoS: temperature regulation of DsrA. *J Bacteriol*, **183**, 4012-4023.
- Repoila, F. and Gottesman, S. (2003) Temperature sensing by the *dsrA* promoter. *J Bacteriol*, **185**, 6609-6614.
- Repoila, F., Majdalani, N. and Gottesman, S. (2003) Small non-coding RNAs, co-ordinators of adaptation processes in *Escherichia coli*: the RpoS paradigm. *Mol Microbiol*, **48**, 855-861.
- Rhodius, V.A. and Busby, S.J. (2000) Transcription activation by the *Escherichia coli* cyclic AMP receptor protein: determinants within activating region 3. *J Mol Biol*, **299**, 295-310.
- Rhodius, V.A., Suh, W.C., Nonaka, G., West, J. and Gross, C.A. (2006) Conserved and variable functions of the  $\sigma^E$  stress response in related genomes. *PLoS Biol*, **4**, e2.
- Rhodius, V.A., West, D.M., Webster, C.L., Busby, S.J. and Savery, N.J. (1997) Transcription activation at class II CRP-dependent promoters: the role of different activating regions. *Nucleic Acids Res*, **25**, 326-332.
- Richardson, J.P. (2002) Rho-dependent termination and ATPases in transcript termination. *Biochim Biophys Acta*, **1577**, 251-260.
- Richardson, J.P. (2003) Loading Rho to terminate transcription. *Cell*, **114**, 157-159.
- Richet, E. (2000) Synergistic transcription activation: a dual role for CRP in the activation of an *Escherichia coli* promoter depending on MalT and CRP. *Embo J*, **19**, 5222-5232.
- Richet, E., Vidal-Inigliardi, D. and Raibaud, O. (1991) A new mechanism for coactivation of transcription initiation: repositioning of an activator triggered by the binding of a second activator. *Cell*, **66**, 1185-1195.
- Ring, B.Z., Yarnell, W.S. and Roberts, J.W. (1996) Function of *E. coli* RNA polymerase sigma factor  $\sigma^{70}$  in promoter-proximal pausing. *Cell*, **86**, 485-493.
- Rivetti, C., Codeluppi, S., Dieci, G. and Bustamante, C. (2003) Visualizing RNA extrusion and DNA wrapping in transcription elongation complexes of bacterial and eukaryotic RNA polymerases. *J Mol Biol*, **326**, 1413-1426.
- Roberts, J. and Park, J.S. (2004) Mfd, the bacterial transcription repair coupling factor: translocation, repair and termination. *Curr Opin Microbiol*, **7**, 120-125.
- Roberts, J.W., Yarnell, W., Bartlett, E., Guo, J., Marr, M., Ko, D.C., Sun, H. and Roberts, C.W. (1998) Antitermination by bacteriophage  $\lambda$  Q protein. *Cold Spring Harb Symp Quant Biol*, **63**, 319-325.

- Rosenthal, A.Z., Hu, M. and Gralla, J.D. (2006) Osmolyte-induced transcription: -35 region elements and recognition by  $\sigma^{38}$  (RpoS). *Mol Microbiol*, **59**, 1052-1061.
- Ross, W. and Gourse, R.L. (2005) Sequence-independent upstream DNA-alphaCTD interactions strongly stimulate *Escherichia coli* RNA polymerase-*lacUV5* promoter association. *Proc Natl Acad Sci U S A*, **102**, 291-296.
- Ross, W., Schneider, D.A., Paul, B.J., Mertens, A. and Gourse, R.L. (2003) An intersubunit contact stimulating transcription initiation by *E. coli* RNA polymerase: interaction of the  $\alpha$  C-terminal domain and sigma region 4. *Genes Dev*, **17**, 1293-1307.
- Roy, S., Semsey, S., Liu, M., Gussin, G.N. and Adhya, S. (2004) GalR represses *galP1* by inhibiting the rate-determining open complex formation through RNA polymerase contact: a GalR negative control mutant. *J Mol Biol*, **344**, 609-618.
- Ruiz, N. and Silhavy, T.J. (2003) Constitutive activation of the *Escherichia coli* Pho regulon upregulates *rpoS* translation in an Hfq-dependent fashion. *J Bacteriol*, **185**, 5984-5992.
- Ruiz, N. and Silhavy, T.J. (2005) Sensing external stress: watchdogs of the *Escherichia coli* cell envelope. *Curr Opin Microbiol*, **8**, 122-126.
- Saecker, R.M., Tsodikov, O.V., McQuade, K.L., Schlax, P.E., Jr., Capp, M.W. and Record, M.T., Jr. (2002) Kinetic studies and structural models of the association of *E. coli*  $\sigma^{70}$  RNA polymerase with the  $\lambda P(R)$  promoter: large scale conformational changes in forming the kinetically significant intermediates. *J Mol Biol*, **319**, 649-671.
- Salmon, K.A., Hung, S.P., Steffen, N.R., Krupp, R., Baldi, P., Hatfield, G.W. and Gunsalus, R.P. (2005) Global gene expression profiling in *Escherichia coli* K12: effects of oxygen availability and ArcA. *J Biol Chem*, **280**, 15084-15096.
- Sauter, C., Basquin, J. and Suck, D. (2003) Sm-like proteins in Eubacteria: the crystal structure of the Hfq protein from *Escherichia coli*. *Nucleic Acids Res*, **31**, 4091-4098.
- Schickor, P., Metzger, W., Werel, W., Lederer, H. and Heumann, H. (1990) Topography of intermediates in transcription initiation of *E. coli*. *Embo J*, **9**, 2215-2220.
- Schilling, O., Langbein, I., Muller, M., Schmalisch, M.H. and Stulke, J. (2004) A protein-independent riboswitch controlling *ptsGHI* operon expression in *Bacillus subtilis*: RNA structure rather than sequence provides interaction specificity. *Nucleic Acids Res*, **32**, 2853-2864.
- Schleif, R. (2003) AraC protein: a love-hate relationship. *Bioessays*, **25**, 274-282.
- Schmitz, A. and Galas, D.J. (1979) The interaction of RNA polymerase and lac repressor with the lac control region. *Nucleic Acids Res*, **6**, 111-137.
- Schneider, D., Gold, L. and Platt, T. (1993) Selective enrichment of RNA species for tight binding to *Escherichia coli* rho factor. *Faseb J*, **7**, 201-207.
- Schroder, I., Darie, S. and Gunsalus, R.P. (1993) Activation of the *Escherichia coli* nitrate reductase (*narGHJI*) operon by NarL and Fnr requires integration host factor. *J Biol Chem*, **268**, 771-774.
- Schumacher, M.A., Pearson, R.F., Moller, T., Valentin-Hansen, P. and Brennan, R.G. (2002) Structures of the pleiotropic translational regulator Hfq and an Hfq-RNA complex: a bacterial Sm-like protein. *Embo J*, **21**, 3546-3556.
- Schweder, T., Lee, K.-H., Lomovskaya, O. and Matin, A. (1996) Regulation of *Escherichia coli* starvation sigma factor  $\sigma^S$  by ClpXP protease. *J. Bacteriol.*, **178**, 470-476.
- Sclavi, B., Zaychikov, E., Rogozina, A., Walther, F., Buckle, M. and Heumann, H. (2005) Real-time characterization of intermediates in the pathway to open complex formation by *Escherichia coli* RNA polymerase at the T7A1 promoter. *Proc Natl Acad Sci U S A*, **102**, 4706-4711.
- Semsey, S., Geanacopoulos, M., Lewis, D.E. and Adhya, S. (2002) Operator-bound GalR dimers close DNA loops by direct interaction: tetramerization and inducer binding. *Embo J*, **21**, 4349-4356.

- Sen, R., Nagai, H., Hernandez, V.J. and Shimamoto, N. (1998) Reduction in abortive transcription from the  $\lambda$ PR promoter by mutations in region 3 of the  $\sigma^{70}$  subunit of *Escherichia coli* RNA polymerase. *J Biol Chem*, **273**, 9872-9877.
- Severinova, E., Severinov, K. and Darst, S.A. (1998) Inhibition of *Escherichia coli* RNA polymerase by bacteriophage T4 AsiA. *J Mol Biol*, **279**, 9-18.
- Sha, Y., Lindahl, L. and Zengel, J.M. (1995) RNA determinants required for L4-mediated attenuation control of the S10 r-protein operon of *Escherichia coli*. *J Mol Biol*, **245**, 486-498.
- Sharp, M.M., Chan, C.L., Lu, C.Z., Marr, M.T., Nechaev, S., Merritt, E.W., Severinov, K., Roberts, J.W. and Gross, C.A. (1999) The interface of sigma with core RNA polymerase is extensive, conserved, and functionally specialized. *Genes Dev*, **13**, 3015-3026.
- Sheridan, S.D., Benham, C.J. and Hatfield, G.W. (1998) Activation of gene expression by a novel DNA structural transmission mechanism that requires supercoiling-induced DNA duplex destabilization in an upstream activating sequence. *J Biol Chem*, **273**, 21298-21308.
- Sheridan, S.D., Benham, C.J. and Hatfield, G.W. (1999) Inhibition of DNA supercoiling-dependent transcriptional activation by a distant B-DNA to Z-DNA transition. *J Biol Chem*, **274**, 8169-8174.
- Sheridan, S.D., Opel, M.L. and Hatfield, G.W. (2001) Activation and repression of transcription initiation by a distant DNA structural transition. *Mol Microbiol*, **40**, 684-690.
- Shiba, T., Tsutsumi, K., Yano, H., Ihara, Y., Kameda, A., Tanaka, K., Takahashi, H., Munekata, M., Rao, N.N. and Kornberg, A. (1997) Inorganic polyphosphate and the induction of *rpoS* expression. *Proc Natl Acad Sci U S A*, **94**, 11210-11215.
- Shiina, T., Tsunoyama, Y., Nakahira, Y. and Khan, M.S. (2005) Plastid RNA polymerases, promoters, and transcription regulators in higher plants. *Int Rev Cytol*, **244**, 1-68.
- Shimamoto, N., Kamigochi, T. and Utiyama, H. (1986) Release of the sigma subunit of *Escherichia coli* DNA-dependent RNA polymerase depends mainly on time elapsed after the start of initiation, not on length of product RNA. *J Biol Chem*, **261**, 11859-11865.
- Shin, M., Kang, S., Hyun, S.J., Fujita, N., Ishihama, A., Valentin-Hansen, P. and Choy, H.E. (2001) Repression of *deoP2* in *Escherichia coli* by CytR: conversion of a transcription activator into a repressor. *Embo J*, **20**, 5392-5399.
- Shin, M., Song, M., Rhee, J.H., Hong, Y., Kim, Y.J., Seok, Y.J., Ha, K.S., Jung, S.H. and Choy, H.E. (2005) DNA looping-mediated repression by histone-like protein H-NS: specific requirement of E $\sigma^{70}$  as a cofactor for looping. *Genes Dev*, **19**, 2388-2398.
- Siebenlist, U., Simpson, R.B. and Gilbert, W. (1980) *E. coli* RNA polymerase interacts homologously with two different promoters. *Cell*, **20**, 269-281.
- Siegele, D.A., Hu, J.C., Walter, W.A. and Gross, C.A. (1989) Altered promoter recognition by mutant forms of the  $\sigma^{70}$  subunit of *Escherichia coli* RNA polymerase. *J Mol Biol*, **206**, 591-603.
- Skordalakes, E. and Berger, J.M. (2003) Structure of the Rho transcription terminator: mechanism of mRNA recognition and helicase loading. *Cell*, **114**, 135-146.
- Sledjeski, D.D., Gupta, A. and Gottesman, S. (1996) The small RNA, DsrA, is essential for the low temperature expression of RpoS during exponential growth in *E.coli*. *EMBO J.*, **15**, 3993-4000.
- Sonenshein, A.L. (2000) Bacterial sporulation: a response to environmental signals. In Storz, G. and Hengge-Aronis, R. (eds.), *Bacterial Stress Responses*. ASM Press, Washington, D.C., pp. 199-215.

- Sorenson, M.K., Ray, S.S. and Darst, S.A. (2004) Crystal structure of the flagellar sigma/anti-sigma complex  $\sigma^{28}$ /FlgM reveals an intact sigma factor in an inactive conformation. *Mol Cell*, **14**, 127-138.
- Sosunova, E., Sosunov, V., Kozlov, M., Nikiforov, V., Goldfarb, A. and Mustaev, A. (2003) Donation of catalytic residues to RNA polymerase active center by transcription factor Gre. *Proc Natl Acad Sci U S A*, **100**, 15469-15474.
- Squires, C.L., Greenblatt, J., Li, J. and Condon, C. (1993) Ribosomal RNA antitermination in vitro: requirement for Nus factors and one or more unidentified cellular components. *Proc Natl Acad Sci U S A*, **90**, 970-974.
- Stefano, J.E. and Gralla, J.D. (1982) Spacer mutations in the lac ps promoter. *Proc Natl Acad Sci U S A*, **79**, 1069-1072.
- Straney, D.C. and Crothers, D.M. (1985) Intermediates in transcription initiation from the *E. coli lac UV5* promoter. *Cell*, **43**, 449-459.
- Straney, D.C. and Crothers, D.M. (1987) A stressed intermediate in the formation of stably initiated RNA chains at the *Escherichia coli lac UV5* promoter. *J Mol Biol*, **193**, 267-278.
- Stüdemann, A., Noirclerc-Savoye, M., Klauck, E., Becker, G., Schneider, D. and Hengge, R. (2003) Sequential recognition of two distinct sites in  $\sigma^S$  by the proteolytic targeting factor RssB and ClpX. *Embo J*, **22**, 4111-4120.
- Studholme, D.J. and Buck, M. (2000) The biology of enhancer-dependent transcriptional regulation in bacteria: insights from genome sequences. *FEMS Microbiol Lett*, **186**, 1-9.
- Studholme, D.J. and Dixon, R. (2003) Domain architectures of  $\sigma^{54}$ -dependent transcriptional activators. *J Bacteriol*, **185**, 1757-1767.
- Stulke, J. (2002) Control of transcription termination in bacteria by RNA-binding proteins that modulate RNA structures. *Arch Microbiol*, **177**, 433-440.
- Subbarayan, P.R. and Sarkar, M. (2004a) A comparative study of variation in codon 33 of the *rpoS* gene in *Escherichia coli* K12 stocks: implications for the synthesis of  $\sigma^S$ . *Mol Genet Genomics*, **270**, 533-538.
- Subbarayan, P.R. and Sarkar, M. (2004b) *Escherichia coli rpoS* gene has an internal secondary translation initiation region. *Biochem Biophys Res Commun*, **313**, 294-299.
- Subbarayan, P.R. and Sarkar, M. (2004c) A stop codon-dependent internal secondary translation initiation region in *Escherichia coli rpoS*. *Rna*, **10**, 1359-1365.
- Sugiura, M., Aiba, H. and Mizuno, T. (2003) Identification and classification of two-component systems that affect *rpoS* expression in *Escherichia coli*. *Biosci Biotechnol Biochem*, **67**, 1612-1615.
- Sukhodolets, M.V., Cabrera, J.E., Zhi, H. and Jin, D.J. (2001) RapA, a bacterial homolog of SWI2/SNF2, stimulates RNA polymerase recycling in transcription. *Genes Dev*, **15**, 3330-3341.
- Tadigotla, V.R., Maoileidigh, D.O., Sengupta, A.M., Epshteyn, V., Ebright, R.H., Nudler, E. and Ruckenstein, A.E. (2006) Thermodynamic and kinetic modeling of transcriptional pausing. *Proc Natl Acad Sci U S A*, **103**, 4439-4444.
- Tan, S. and Troxler, R.F. (1999) Characterization of two chloroplast RNA polymerase sigma factors from *Zea mays*: photoregulation and differential expression. *Proc Natl Acad Sci U S A*, **96**, 5316-5321.
- Tanaka, K., Takayanagi, Y., Fujita, N., Ishihama, A. and Takahashi, H. (1993) Heterogeneity of the principal sigma factor in *Escherichia coli*: the *rpoS* gene product,  $\sigma^{38}$ , is a second principal sigma factor of RNA polymerase in stationary phase *Escherichia coli*. *Proc. Natl. Acad. Sci. USA*, **90**, 3511-3515.

- Tebbutt, J., Rhodius, V.A., Webster, C.L. and Busby, S.J. (2002) Architectural requirements for optimal activation by tandem CRP molecules at a class I CRP-dependent promoter. *FEMS Microbiol Lett*, **210**, 55-60.
- Teich, A., Meyer, S., Lin, H.Y., Andersson, L., Enfors, S. and Neubauer, P. (1999) Growth rate related concentration changes of the starvation response regulators  $\sigma^S$  and ppGpp in glucose-limited fed-batch and continuous cultures of *Escherichia coli*. *Biotechnol Prog*, **15**, 123-129.
- Tomsic, M., Tsujikawa, L., Panaghie, G., Wang, Y., Azok, J. and deHaseth, P.L. (2001) Different roles for basic and aromatic amino acids in conserved region 2 of *Escherichia coli*  $\sigma^{70}$  in the nucleation and maintenance of the single-stranded DNA bubble in open RNA polymerase-promoter complexes. *J Biol Chem*, **276**, 31891-31896.
- Torres, M., Balada, J.M., Zellars, M., Squires, C. and Squires, C.L. (2004) In vivo effect of NusB and NusG on rRNA transcription antitermination. *J Bacteriol*, **186**, 1304-1310.
- Torres, M., Condon, C., Balada, J.M., Squires, C. and Squires, C.L. (2001) Ribosomal protein S4 is a transcription factor with properties remarkably similar to NusA, a protein involved in both non-ribosomal and ribosomal RNA antitermination. *Embo J*, **20**, 3811-3820.
- Touati, E., Dassa, E., Dassa, J., Boquet, P.L. and Touati, D. (1991) Are *appR* and *katF* the same *Escherichia coli* gene encoding a new sigma transcription initiation factor? *Res Microbiol*, **142**, 29-36.
- Travers, A. and Muskhelishvili, G. (2005a) Bacterial chromatin. *Curr Opin Genet Dev*, **15**, 507-514.
- Travers, A. and Muskhelishvili, G. (2005b) DNA supercoiling - a global transcriptional regulator for enterobacterial growth? *Nat Rev Microbiol*, **3**, 157-169.
- Travers, A.A. and Burgess, R.R. (1969) Cyclic re-use of the RNA polymerase sigma factor. *Nature*, **222**, 537-540.
- Trotocaud, A.E. and Wassarman, K.M. (2004) 6S RNA function enhances long-term cell survival. *J Bacteriol*, **186**, 4978-4985.
- Trotocaud, A.E. and Wassarman, K.M. (2005) A highly conserved 6S RNA structure is required for regulation of transcription. *Nat Struct Mol Biol*, **12**, 313-319.
- Tsunoyama, Y., Ishizaki, Y., Morikawa, K., Kobori, M., Nakahira, Y., Takeba, G., Toyoshima, Y. and Shiina, T. (2004) Blue light-induced transcription of plastid-encoded *psbD* gene is mediated by a nuclear-encoded transcription initiation factor, AtSig5. *Proc Natl Acad Sci U S A*, **101**, 3304-3309.
- Tu, X., Latifi, T., Bougdour, A., Gottesman, S. and Groisman, E.A. (2006) The PhoP/PhoQ two-component system stabilizes the alternative sigma factor RpoS in *Salmonella enterica*. *Proc Natl Acad Sci U S A*, **103**, 13503-13508.
- Tucker, B.J. and Breaker, R.R. (2005) Riboswitches as versatile gene control elements. *Curr Opin Struct Biol*, **15**, 342-348.
- Ueguchi, C., Misonou, N. and Mizuno, T. (2001) Negative control of *rpoS* expression by phosphoenolpyruvate: carbohydrate phosphotransferase system in *Escherichia coli*. *J Bacteriol*, **183**, 520-527.
- Uptain, S.M. and Chamberlin, M.J. (1997) *Escherichia coli* RNA polymerase terminates transcription efficiently at rho-independent terminators on single-stranded DNA templates. *Proc Natl Acad Sci U S A*, **94**, 13548-13553.
- Uptain, S.M., Kane, C.M. and Chamberlin, M.J. (1997) Basic mechanisms of transcript elongation and its regulation. *Annu Rev Biochem*, **66**, 117-172.
- Valentin-Hansen, P., Eriksen, M. and Udesen, C. (2004) The bacterial Sm-like protein Hfq: a key player in RNA transactions. *Mol Microbiol*, **51**, 1525-1533.

- van Schaik, W. and Abee, T. (2005) The role of  $\sigma^B$  in the stress response of Gram-positive bacteria -- targets for food preservation and safety. *Curr Opin Biotechnol*, **16**, 218-224.
- Vassylyev, D.G., Sekine, S., Laptenko, O., Lee, J., Vassylyeva, M.N., Borukhov, S. and Yokoyama, S. (2002) Crystal structure of a bacterial RNA polymerase holoenzyme at 2.6 Å resolution. *Nature*, **417**, 712-719.
- Venturi, V. (2003) Control of *rpoS* transcription in *Escherichia coli* and *Pseudomonas*: why so different? *Mol Microbiol*, **49**, 1-9.
- Visca, P., Leoni, L., Wilson, M.J. and Lamont, I.L. (2002) Iron transport and regulation, cell signalling and genomics: lessons from *Escherichia coli* and *Pseudomonas*. *Mol Microbiol*, **45**, 1177-1190.
- Vo, N.V., Hsu, L.M., Kane, C.M. and Chamberlin, M.J. (2003) In vitro studies of transcript initiation by *Escherichia coli* RNA polymerase. 3. Influences of individual DNA elements within the promoter recognition region on abortive initiation and promoter escape. *Biochemistry*, **42**, 3798-3811.
- von Hippel, P.H. (1998) An integrated model of the transcription complex in elongation, termination, and editing. *Science*, **281**, 660-665.
- Vrentas, C.E., Gaal, T., Ross, W., Ebright, R.H. and Gourse, R.L. (2005) Response of RNA polymerase to ppGpp: requirement for the omega subunit and relief of this requirement by DksA. *Genes Dev*, **19**, 2378-2387.
- Vuthoori, S., Bowers, C.W., McCracken, A., Dombroski, A.J. and Hinton, D.M. (2001) Domain 1.1 of the  $\sigma^{70}$  subunit of *Escherichia coli* RNA polymerase modulates the formation of stable polymerase/promoter complexes. *J Mol Biol*, **309**, 561-572.
- Wade, J.T., Belyaeva, T.A., Hyde, E.I. and Busby, S.J. (2001) A simple mechanism for co-dependence on two activators at an *Escherichia coli* promoter. *Embo J*, **20**, 7160-7167.
- Wade, J.T. and Struhl, K. (2004) Association of RNA polymerase with transcribed regions in *Escherichia coli*. *Proc Natl Acad Sci U S A*, **101**, 17777-17782.
- Waldburger, C., Gardella, T., Wong, R. and Susskind, M.M. (1990) Changes in conserved region 2 of *Escherichia coli*  $\sigma^{70}$  affecting promoter recognition. *J Mol Biol*, **215**, 267-276.
- Wang, D. and Landick, R. (1997) Nuclease cleavage of the upstream half of the nontemplate strand DNA in an *Escherichia coli* transcription elongation complex causes upstream translocation and transcriptional arrest. *J Biol Chem*, **272**, 5989-5994.
- Wassarman, K.M. and Storz, G. (2000) 6S RNA regulates *E. coli* RNA polymerase activity. *Cell*, **101**, 613-623.
- Watnick, R.S. and Gottesman, M.E. (1998) Escherichia coli NusA is required for efficient RNA binding by phage HK022 nun protein. *Proc Natl Acad Sci U S A*, **95**, 1546-1551.
- Webb, C., Moreno, M., Wilmes-Riesenber, M., Curtiss III, R. and Foster, J.W. (1999) Effects of DksA and ClpP protease on  $\sigma^S$  production and virulence in *Salmonella typhimurium*. *Mol. Microbiol.*, **34**, 112-123.
- Weber, H., Polen, T., Heuveling, J., Wendisch, V.F. and Hengge, R. (2005) Genome-wide analysis of the general stress response network in *Escherichia coli*:  $\sigma^S$ -dependent genes, promoters, and sigma factor selectivity. *J Bacteriol*, **187**, 1591-1603.
- Weiner, L., Brissette, J.L., Ramani, N. and Model, P. (1995) Analysis of the proteins and cis-acting elements regulating the stress-induced phage shock protein operon. *Nucleic Acids Res*, **23**, 2030-2036.
- Weyand, N.J., Braaten, B.A., van der Woude, M., Tucker, J. and Low, D.A. (2001) The essential role of the promoter-proximal subunit of CAP in *pap* phase variation: Lrp- and helical phase-dependent activation of *papBA* transcription by CAP from -215. *Mol Microbiol*, **39**, 1504-1522.

- Wilson, K.S., Conant, C.R. and von Hippel, P.H. (1999) Determinants of the stability of transcription elongation complexes: interactions of the nascent RNA with the DNA template and the RNA polymerase. *J Mol Biol*, **289**, 1179-1194.
- Winkler, W.C. (2005) Riboswitches and the role of noncoding RNAs in bacterial metabolic control. *Curr Opin Chem Biol*, **9**, 594-602.
- Wise, A., Brems, R., Ramakrishnan, V. and Villarejo, M. (1996) Sequences in the -35 region of *Escherichia coli* rpoS-dependent genes promote transcription by E $\sigma$ <sup>S</sup>. *J Bacteriol*, **178**, 2785-2793.
- Wu, H., Tyson, K.L., Cole, J.A. and Busby, S.J. (1998) Regulation of transcription initiation at the *Escherichia coli* nir operon promoter: a new mechanism to account for co-dependence on two transcription factors. *Mol Microbiol*, **27**, 493-505.
- Xu, J. and Johnson, R.C. (1995) Fis activates the RpoS-dependent stationary-phase expression of *proP* in *Escherichia coli*. *J Bacteriol*, **177**, 5222-5231.
- Xu, J. and Johnson, R.C. (1997) Activation of RpoS-dependent *proP* P2 transcription by the Fis protein in vitro. *J Mol Biol*, **270**, 346-359.
- Yamashino, T., Ueguchi, C. and Mizuno, T. (1995) Quantitative control of the stationary phase-specific sigma factor,  $\sigma$ <sup>S</sup>, in *Escherichia coli*: involvement of the nucleoid protein H-NS. *Embo J*, **14**, 594-602.
- Yanofsky, C. (1981) Attenuation in the control of expression of bacterial operons. *Nature*, **289**, 751-758.
- Yanofsky, C. (2004) The different roles of tryptophan transfer RNA in regulating trp operon expression in *E. coli* versus *B. subtilis*. *Trends Genet*, **20**, 367-374.
- Yudkin, M.D. and Clarkson, J. (2005) Differential gene expression in genetically identical sister cells: the initiation of sporulation in *Bacillus subtilis*. *Mol Microbiol*, **56**, 578-589.
- Yura, T., Kanemori, M. and Morita, M.T. (2000) The heat shock response: Regulation and function. In Storz, G. and Hengge-Aronis, R. (eds.), *Bacterial Stress Responses*. ASM Press, Washington, D.C., pp. 3-18.
- Zellars, M. and Squires, C.L. (1999) Antiterminator-dependent modulation of transcription elongation rates by NusB and NusG. *Mol Microbiol*, **32**, 1296-1304.
- Zengel, J.M. and Lindahl, L. (1993) Domain I of 23S rRNA competes with a paused transcription complex for ribosomal protein L4 of *Escherichia coli*. *Nucleic Acids Res*, **21**, 2429-2435.
- Zgurskaya, J.I., Keyhan, M. and Matin A. (1997) The  $\sigma$ <sup>S</sup> level in starving *Escherichia coli* cells increases solely as a result of its increased stability, despite decreased synthesis. *Mol Microbiol*, **24**, 643-651.
- Zhang, A., Altuvia, S., Tiwari, A., Argaman, L., Hengge-Aronis, R. and Storz, G. (1998) The OxyS regulatory RNA represses *rpoS* translation and binds the Hfq (HF-I) protein. *Embo J*, **17**, 6061-6068.
- Zhang, A., Wassarman, K.M., Ortega, J., Steven, A.C. and Storz, G. (2002) The Sm-like Hfq protein increases OxyS RNA interaction with target mRNAs. *Mol Cell*, **9**, 11-22.
- Zhang, G., Campbell, E.A., Minakhin, L., Richter, C., Severinov, K. and Darst, S.A. (1999) Crystal structure of *Thermus aquaticus* core RNA polymerase at 3.3 Å resolution. *Cell*, **98**, 811-824.
- Zhang, Y., Nakano, S., Choi, S.Y. and Zuber, P. (2006) Mutational Analysis of the *Bacillus subtilis* RNA Polymerase  $\alpha$  C-Terminal Domain Supports the Interference Model of Spx-Dependent Repression. *J Bacteriol*, **188**, 4300-4311.
- Zhou, Y. and Gottesman, S. (2006) Modes of regulation of RpoS by H-NS. *J Bacteriol*, **188**, 7022-7025.

- Zhou, Y., Gottesman, S., Hoskins, J.R., Maurizi, M.R. and Wickner, S. (2001) The RssB response regulator directly targets  $\sigma^S$  for degradation by ClpXP. *Genes Dev*, **15**, 627-637.
- Zuber, P., Healy, J., Carter, H.L., 3rd, Cutting, S., Moran, C.P., Jr. and Losick, R. (1989) Mutation changing the specificity of an RNA polymerase sigma factor. *J Mol Biol*, **206**, 605-614.
- Zupancic, M.L., Tran, H. and Hofmeister, A.E. (2001) Chromosomal organization governs the timing of cell type-specific gene expression required for spore formation in *Bacillus subtilis*. *Mol Microbiol*, **39**, 1471-1481.

