

9 References

- Aeschbacher, K., Messikommer, R. and Wenk, C. (2001)
Physiological characteristics of Bt176 corn in poultry and destiny of recombinant plant DNA in poultry products.
Annals of Nutr. and Metabo.**45** (Suppl. 1), 376 (Abstract)
- Aeschbacher, K., Meile, L., Messikommer, R. and Wenk, C. (2002a)
Influence of genetically modified maize on performance and product quality of chickens.
Proc. Soc. Nutr. Physiol. **11**, 196 (Abstract)
- Aeschbacher, K., Messikommer, R., Meile, L., and Wenk, C. (2002b)
Evaluation of the suitability of Bt176 maize as a GM feed in poultry nutrition.
11th Europ. Poultry Conf. (Bremen, Germany), 64-65
- Anklam, E., Gadani, F., Heinze, P., Pijnenburg, H. and Van Den Eede, G. (2002)
Analytical methods for detection and determination of genetically modified organisms in agricultural crops and plant-derived food products.
Eur. Food Res. Technol. **214**, 3-26
- Anonymous (2002)
No L -15.05.1, Amtlich Sammlung von Untersuchungsverfahren nach § 35 LMBG. Untersuchung von Lebensmitteln: Nachweis gentechnischer Veränderungen in Mais (*Zea mays L.*) mit Hilfe der PCR (Polymerase Chain Reaction) und Restriktionsanalyse oder Hybridisierung des PCR-Produktes Loose leaf edition, Berlin, Köln, Beuth Verlag GmbH
- Aulrich, K., Böhme, H., Daenicke, R., Halle, I. and Flachowsky, G. (2001)
Genetically modified feeds in animal nutrition: 1st Communication: *Bacillus thuringiensis* (Bt) corn in poultry, pig and ruminant nutrition.
Arch. Anim. Nutr. **54**, 183-195
- Aulrich, K., Reuter, T. and Flachowsky, G. (2002)
The fate of foreign DAN in farm animals fed with genetically modified plants.
Proc. Soc. Nutr. Physiol. **11**, 187-188
- Aulrich, K., Pahlow, G. and Flachowsky, G. (2004)
Influence of ensiling on the DNA-degradation in isogenic and transgenic corn.
Proc. Soc. Nutr. Physiol. **13**, (in press)

References

- Beever, D. E. and Kemp, C. F. (2000)
Safety issues associated with the DNA in animal feed derived from genetically modified crops. A review of scientific and regulatory procedures.
Nutr. Abstr. Rev. **70**, 175–182
- Beever, D. E. and Phipps, R. H. (2001)
The fate of plant DNA and novel proteins in feeds for farm livestock: A United Kingdom perspective.
J. Anim. Sci. **79** (E. Suppl.), E290–E295
- Berger, B., Aulrich, K., Fleck, G. and Flachowsky, G. (2003)
Influence of processing of isogenic and transgenic rapeseed on DNA-degradation.
Proc. Soc. Nutr. Physiol. **12**, 108 (Abstract)
- Block, A. and Schwarz, G. (2003)
Validation of different genomic and cloned DNA calibration standards for construct-specific quantification of LibertyLink in rapeseed by real-time PCR.
Eur. Food Res. Technol. **216**, 421-427
- Böhme, H., Aulrich, K., Daenicke, R. and Flachowsky, G. (2001)
Genetically modified feeds in animal nutrition 2nd communication: Glufosinate tolerant sugar beets (roots and silage) and maize grains for ruminants and pigs.
Arch. Anim. Nutr. **54**, 197-207
- Brake, J. and Vlachos, D. (1998)
Evaluation of transgenic event 176 “Bt” corn in broiler chickens.
Poultry Sci. **77**, 648-653
- Broll, H., Wagner, U., Spiegelberg, A., Zagon, J., and Schauzu, M. (1998)
Anwendung von Methoden zum Nachweis von gentechnisch veränderten Sojabohnen und gentechnisch verändertem Mais in im Handel befindlichen Lebensmitteln.
Bundesgesundhbl. **12**, 560-562
- Brunnert, H.-J., Spener, F. and Börchers, T. (2001)
PCR-ELISA for the CaMV-35S promoter as a screening method for genetically modified Roundup Ready soybeans.
Eur. Food Res. Technol. **213**, 366-371
- Buhk, H.-J. (2002)
Genetically modified food and feed; regulations, recent developments and open questions.
Proc. Soc. Nutr. Physiol. **11**, 177-178

- Burns, M., Shanahan, D., Valdivia, H. and Harris, N. (2003)
Quantitative event-specific multiplex PCR detection of Roundup Ready soya using
LabChip technology.
Eur. Food Res. Technol. **216**, 428-433
- Chambers, P. A., Duggan, P. S., Heritage, J. and Forbes, J. M. (2002)
The fate of antibiotic resistance marker genes in transgenic plant feed material fed
to chickens.
J. Antimicrob. Chemother. **49**, 161-164
- Chargelegue, D., Vine, N. D., van Dolleweerd, C., Darke, P. M. W. and Ma, J. K.-C.
(2000)
A murine monoclonal antibody produced in transgenic plants with plant-specific
glycans is not immunogenic in mice.
Transgenic Res. **9**, 187-194
- Chesson, A. and Flachowsky, G. (2003)
Transgenic plants in poultry nutrition.
World's Poultry Science J., **59**, 201-207
- Chrastinová, L., Sommer, A., Rafay, J., Čaniga, R. and Prostredná-Nitra (2002)
Genetically modified maize in diets for rabbits-influence on performance and product
quality.
Proc. Soc. Nutr. Physiol. **11**, 195 (Abstract)
- Chrenková, M., Čerešňáková, Z., Sommer, A., Ulrichová, Z. and Žitňan-Nitra, R. (2002)
In sacco nutrient degradability of RR maize.
Proc. Soc. Nutr. Physiol. **11**, 194 (Abstract)
- Clark, J. H. and Ipharraguerre, I. R. (2001)
Livestock performance: Feeding biotech crops.
J. Dairy Sci. **84** (E Suppl.), E9-E18
- De Broer, S. H., Ward, L. J., Li, X., Chittaranjan, S. (1995)
Attenuation of PCR inhibition in the presence of plant compounds by addition of
BLOTO.
Nucl. Acids Res. **23**, 2567-2586
- Denbow, D. M., Grabau, E. A., Lacy, G. H., Kornegay, E. T., Russell, D. R. and
Umbeck, P. F. (1998)
Soybeans transformed with a fungal phytase gene improve phosphorus availability
for broilers.
Poultry Sci. **77**, 878-881

- DLG (Deutsche Landwirtschafts-Gesellschaft) (1995)
DLG-Futterwerttabellen Wiederkäuer. 7. erw. u. völlig neu gestaltete Aufl. DLG-Verlag, Frankfurt (Main), Germany, pp. 212
- Doerfler, W., Schubbert, R., Heller, H., Kammer, C., Hilger-Eversheim, K., Knoblauch, M. and Remus, R. (1997)
Integration of foreign DNA in its consequences in mammalian systems.
Trends in Biotechnology **15**, 297–301
- Doerfler, W. (2000)
Foreign DNA in Mammalian Systems.
Wiley-VCH Verlag GmbH, Weinheim
- EC (Commission of the European Communities) (1997)
Recommendation concerning the scientific aspects of the information necessary to support applications for the placing on the market of novel foods and novel food ingredients.
Official Journal of the European Communities, L **253**, 1-36
- EC (Commission of the European Communities) (1999)
Recommendation concerning regulation on organic production of agricultural products and indications referring thereto on agricultural products and foodstuffs to include livestock.
Official Journal of the European Communities, L **222**, 1-28
- EC (Commission of the European Communities) (2000)
No 50/2000 of 10 January on the labelling of foodstuffs and food ingredients containing additives and flavourings that have been genetically modified or have been produced from genetically modified organisms. <http://europa.eu.int>
- EC (Commission of the European Communities) (2001)
Proposal for a regulation of the European Parliament and of the council on genetically modified food and feed. (COM 2001-425 final). <http://europa.eu.int>
- EC (Commission of the European Communities) (2003)
Guidance document for the risk assessment of genetically modified plants and derived food and feed.
Prepared for the Scientific Steering Committee by the Joint Working Group on Novel Foods and GMOs Composed of members of the Scientific Committees on Plants, Food and Animal Nutrition (6-7 March) <http://europa.eu.int>

- Ehlers, B., Strauch, E., Goltz, M., Kubsch, D., Wagner, H., Maidhof, H., Bendiek, J., Appel, B. and Buhk, H.-J. (1997)
Nachweis gentechnischer Veränderungen in Mais mittels PCR.
Bundesgesundheitsblatt **4**, 118-121
- Einspanier, R., Klotz, A., Kraft, J., Aulrich, K., Poser, R., Schwägele, F., Jahreis, G. and Flachowsky, G. (2001)
The fate of forage plant DNA in farm animals: a collaborative case-study investigating cattle and chicken fed recombinant plant material.
Eur. Food Res. Technol. **212**, 129–34
- Falco, S. C., Guida, T., Locke, M., Mauvais, J., Sanders, C., Ward, R. T. and Webber, P. (1995)
Transgenic canola and soybean seeds with increased lysine.
Biotechnology **13**, 577-582
- FAO (Food and Agriculture Organization) (1996)
Biotechnology and food safety, report of a joint FAO/WHO consultation.
FAO report, p. 61
- FAO/WHO (Food and Agriculture Organization / World Health Organization) (2000)
Safety aspects of genetically modified foods of plant origin, report of a joint FAO/WHO consultation. FAO report, p. 7-8
- FDA and CDC (Food and Drug Administration / Centers for Disease Control and Prevention) (2001)
Blood serum testing to investigate the allergenic potential of the Cry9C protein in StarLink™ corn. Report on June 13, 2001.
<http://www.cast-science.org/cast-science.lh/biotechnology/200106fda-cdc.htm>
- Flachowsky, G. (2004)
Beeinflussen Futtermittel aus gentechnisch veränderten Pflanzen (GVP) die Lebensmittelqualität?
AFT-Frühjahrssymposium zur Sicherheit von Lebensmitteln tierischen Ursprungs, Wiesbaden-Naurod, Deutschland (in press)
- Flachowsky, G. and Aulrich, K. (2001a)
Nutritional assessment of feeds from genetically modified organism.
J. Anim. Feed Sci. **10**, Suppl. **1**, 181-194
- Flachowsky, G. and Aulrich, K. (2001b)
Zum Einsatz gentechnisch veränderter Organismen (GVO) in der Tierernährung.
Übers. Tierernähr. **29**, 45-79

- Flachowsky, G., Aulrich, K., Berk, A., Daenicke, R. and Reuter, T. (2002)
Nutritional assessment of feeds from genetically modified (GM) crops.
Proc. Soc. Nutr. Physiol. **11**, 183-186
- Flachowsky, G., Aulrich, K., Böhme, H. and Daenicke, R. (2000)
GMO in animal nutrition-Results of experiments at our Institute.
Proc. 6th Int. Production Conf., Piacenza, 291-307
- Forbes, J. M., Blair, G. E., Chiter, A. and Perks, S. (2000)
Effect of feed processing conditions on DNA fragmentation.
U.K. MAFF Report, CS0116
- Frankenhuyzen, K. (1993)
In *Bacillus thuringiensis*. An environmental biopesticide: Theory and Practice,
Entwistle, P.F., Cory, J.S., Bailey, M.J., Higgs, S., Eds., John Wiley and Sons
(Eds.) New York, NY, pp. 1-35
- Gaede, W. (1997)
Transgenic plants and animals for food production including the application of
recombinant growth hormone in dairy cattle.
BgVV-Hefte **1**, 22-39
- Gaines, A. M., Allee, G. L. and Ratliff, B. W. (2001)
Nutritional evaluation of Bt (MON810) and Roundup Ready corn compared with
commercial hybrids in broilers.
J. Anim. Sci. **79**, Suppl. 1
- Gasser, C. H. S. and Fraley, R. T. (1989)
Genetically engineering plants for crop improvement.
Science **244**, 1293-1299
- GfE (Gesellschaft für Ernährungsphysiologie) (1999)
Empfehlungen zur Energie- und Nährstoffversorgung der Legehennen und
Masthühner Broiler.
DLG-Verlag, Frankfurt (Main), Germany
- Gylstorff, I. and Grimm, F. (1998)
Vogelkrankheiten.
Verlag Eugen Ulmer, Stuttgart, pp. 105–134

- Hahnen, S., Offermann, S., Miedl, B., Rüger, B. and Peterhänsel, C. (2002)
Automated DNA preparation from maize tissues and food samples suitable for
real-time PCR detection of native genes.
Eur. Food Res. Technol. **215**, 443-446
- Halle, I., Aulrich, K. and Flachowsky, G. (2004)
Four generations feeding of GMO-corn to breeder quails.
Proc. Soc. Nutr. Physiol. 13, (in press)
- Hammond, B. G., Vicini, J. L., Hartnell, G. F., Naylor, M. W., Knight, C. D.,
Robinson, E. H., Fuchs, R. L. and Padgette, S. R. (1996)
The feeding value of soybeans fed to rats, chickens, catfish and dairy cattle is not
altered by genetic incorporation of glyphosate tolerance.
J. Nutr. 126, 717-727
- Hardegger, M., Brodmann, P. and Herrmann, A. (1999)
Quantitative detection of the 35S promoter and the Nos terminator using
quantitative competitive PCR.
Eur. Food Res. Technol. **209**, 83-87
- Heid, C. A., Stevens J., Livak, K. J. and Williams, P. A. (1996)
Real-time quantitative PCR.
Genome Res. **6**, 986–994
- Herbers, K., Flint, H. J. and Sonnewald, U. (1996)
Apoplastic expression of the xylanase and β (1,3-1,4) glucanase domains of the
xynD gene from *Ruminococcus flavefaciens* leads to functional polypeptides in
transgenic tobacco plants.
Mol. Breeding **2**, 81–87
- Hernández, M., Pla, M., Esteve, T., Prat, S., Puigdomènech, P. and Ferrando, A. (2003)
A specific real-time quantitative PCR detection system for event MON810 in
maize YieldGard® based on the 3'-transgene integration sequence.
Transgenic Research **12**, 179-189
- Hofmann, C., Vanderbruggen, H. V., Hofte, H., Van Rie, J., Jansens, S. and Van-
Mellaert, H. (1988)
Specificity of *B. thuringiensis* delta-endotoxins is correlated with the presence of
high affinity binding sites in the brush border membrane of target insect midguts.
Proc. Natl. Acad. Sci. USA **85**, 7844-7848

- Hohlweg, U., and Derfler, W. (2001)
On the fate of plant or other foreign genes upon the uptake in food or after intramuscular injection in mice.
Mol. Genet. Genom. **265**, 225–233
- Höhne, M., Santisi, C. R. and Meyer, R. (2002)
Real-time multiplex PCR: An accurate method for the detection and quantification of 35S-CaMV promoter in genetically modified maize-containing food.
Eur. Food Res. Technol. **215**, 59-64
- Holck, A., Va, M., Didierjean, L. and Rudi, K. (2002)
5'-Nuclease PCR for quantitative event-specific detection of the genetically modified MON 810 MaisGard maize.
Eur. Food Res. Technol. **214**, 449-453
- Holst-Jensen, A. (2001)
GMO detection methods and validation review.
National Veterinary Institute, Section of Food & Feed Microbiology, Oslo,
Norway. Version June 22nd
- Hupfer, C., Hotzel, H., Sachse, K. and Engel, K.-H. (1997)
Detection of genetically modified insect-resistant Bt maize by means of polymerase chain reaction.
Lebensm. Unters. Forsch. A **205**, 442-445
- Hupfer, C., Hotzel, H., Sachse, K. and Engel, K.-H. (1998)
Detection of the genetic modification in heat-treated products of Bt maize by polymerase chain reaction.
Lebensm. Unters. Forsch. A **206**, 203-207
- Hupfer, C., Mayer, J., Hotzel, H., Sachse, K. and Engel, K. (1999)
The effect of ensiling on PCR-based detection of genetically modified Bt maize.
Eur. Food Res. Technol. **209**, 301–304
- Hupfer, C., Hotzel, H., Sachse, K., Moreano, F. and Engel, K.-H. (2000)
PCR-based quantification of genetically modified Bt maize: single-competitive versus dual-competitive approach.
Eur. Food Res. Technol. **212**, 95–99
- IFST (Institute of Food Science and Technology) (1999)
Genetic modification and food.
Food Sci. Tech. Today **13**, (4), 213-220

- ILSI (International Life Sciences Institute) (1996)
The safety assessment of novel foods: Guidelines prepared by ILSI, Europe Novel Food Task Force. ILSI, European Branch, Brussels.
- Ives, A. (1996)
Evolution of insect resistance to *Bacillus thuringensis* – transformed plants.
Sci. **273**, 1412-1413
- James, C. (2002)
Global review of commercialized transgenic crops: 2001.
International Service for the Acquisition of Agri-biotech Applications “ISAAA”
Briefs No. **24**, ISAAA, Ithaca, USA, <http://www.isaaa.org>
- James, C. (2003)
Global review of commercialized transgenic crops: 2002. International Service for the Acquisition of Agri-biotech Applications “ISAAA” Briefs No. **26**, ISAAA, Ithaca, USA, <http://www.isaaa.org>
- Jankiewicz, A., Broll, H. and Zagon, J. (1999)
The official methods for the detection of genetically modified soybeans (German Food Act LMBG § 35): a semi-quantitative study of sensitivity limits with glyphosate-tolerant soybeans (Roundup Ready) and insect-resistant Bt maize (Maximizer).
Eur. Food Technol. **209**, 77-82
- Jennings, J. C., Albee, L. D., Kolwyck, D. C., Surber, J. B., Taylor, M. L., Hartnell, G. F., Lurette, R. P. and Glenn, K. C. (2003)
Attempts to detect transgenic and endogenous plant DNA and transgenic protein in muscle from broilers fed YielGard corn Borer Corn.
Poultry Sci. **82**, 371-380
- Kan, C. A., Versteegh, H. A. J., Uijttenboogaart, T. G., Reimert, H. G. M. and Hartnell, G. F. (2001)
Comparison of broiler performance and carcass characteristics when fed Bt, parental control or commercial varieties of dehulled soybean meal.
J. Anim. Sci. **79**, Suppl. 1
- Klinedinst, D. and Drinkwater, N. (1992)
Mutagenesis by apurinic sites in normal and ataxia telangiectasia human lymphoblastoid cells.
Molecular Carcinogenesis **6**, 32–42

References

- Klotz, A., Mayer, J. and Einspanier, R. (2002)
Degradation and possible carry over of feed DNA monitored in pigs and poultry.
Eur. Food Res. Technol. **214**, 271-275
- Laube, I., Spiegelberg, A., Butschke, A., Zagon, J., Schauzu, M., Kroh, L. and Broll, H. (2003)
Methods for the detection of beef and pork in foods using real-time polymerase chain reaction.
Intr. J. Food Sci. and Technol. **38**, 111-118
- Lipp, M., Bluth, A., Eyquem, F., Kruse, L., Schimmel, H., Van den Eede, G. and Anklam, E. (2001)
Validation of a method based on polymerase chain reaction for the detection of genetically modified organisms in various processed foodstuffs.
Eur. Food Res. Technol. **212**, 497-504
- Matissek, R. (1998)
Gentechnik im Lebensmittelbereich.
Behr's Verlag, Hamburg.
- Matsuoka, T., Kuribara, H., Takubo, K., Akiyama, H., Miura, H., Goda, Y., Kusakabe, Y., Isshiki, K., Toyoda, M. and Hino, A. (2002)
Detection of recombinant DNA segments introduced to genetically modified maize (*Zea mays*).
J. Agric. Food Chem. **50**, 2100-2109
- McAllan, A. B. (1980)
The degradation of nucleic acids in, and the removal of breakdown products from the small intestines of steers.
Br. J. Nutr. **44**, 99-112
- McAllan, A. B. (1982)
The fate of nucleic acids in ruminants.
Prac. Nutr. Soc. **41**, 309–317
- McDonald, P., Edwards, R. A., Greenhalgh, J. F. D. and Morgan, C. A. (1995)
Animal Nutrition.
Edinburgh Gate, Harlow, United Kingdom, Fifth Edition, PP. 221-225
- Metcalfe, D. D., Astwood, J. D., Townsend, R., Sampson, H. A., Taylor, S. L. and Fuchs, R. L. (1996)
Assessment of the allergenic potential of foods derived from genetically engineered crop plants.
Critical Rev. Food Sci. Nutr. **36**, S165-S186

- Meyer, R. (1995)
Nachweis gentechnologisch veränderter Pflanzen mittels der Polymerase Kettenreaktion (PCR) am Beispiel der F_{LAVR}S_{AVR}TM-Tomate.
Lebensm. Unters. Forsch. **201**, 583-586
- Meyer, R., Chardonnens, F., Hübner, P. and Lüthy, J. (1996)
Polymerase chain reaction (PCR) in the quality and safety assurance of food:
Detection of soya in processed meat products.
Lebensm. Unters. Forsch. **203**, 339-344
- MHLW (Ministry of Health, Labour and Welfare, Japan) (2002)
FAQs on labeling system for genetically modified foods in Japan.
Policy Planning Division, Department of Food, Safety Pharmaceutical and Food Safety Bureau. <http://www.mhlw.go.jp/english/topics/qa/gm-food/index.html>
- Mireles, A., Kim, S., Thompson, R. and Amundsen, B. (2000)
GMO (Bt) corn is similar in composition and nutrient availability to broilers as non-GMO corn.
Poultry Sci. **79** Suppl. 1, 65
- Naumann, C. and Bassler, R. (1993)
Die chemische Untersuchung von Futtermitteln.
VDLUFA-Verlag, Darmstadt
- Nielsen, K. M., Bones, A. M., Smalla, K. and van Elsas, J. D. (1998)
Horizontal gene transfer from transgenic plants to terrestrial bacteria – a rare events?
FEMS Microbiology Reviews **22**, 79-103
- Nordlee, J. A., Taylor, S. L., Townsend, J. A., Thomas, L. A. and Bush, R. K. (1996)
Identification of a Brazil-nut allergen in transgenic soybeans.
The New England J. of Med. **334**, Supp. **11**, 688–692
- Novartis (1999)
Bt-maize and non-target organisms.
Novartis Report, Basel, October, 1999, <http://www.novartis.com>
- NRC (National Research Council) (1995)
Nutrient requirements of poultry, Feedstuffs composition tables.
Washington, D.C.

- OECD (Organisation for Economic Cooperation and Development) (1993)
Safety evaluation of foods derived by modern biotechnology, Concept and principles.
OECD report, p. 6-10
- OECD (Organisation for Economic Cooperation and Development) (1996)
Food safety evaluation.
Workshop report, Oxford, UK. ISBN 92-64-14867-1
- Pardigol, A., Guillet, S. and Pöpping, B. (2003)
A simple procedure for quantification of genetically modified organisms using hybrid amplicon standards.
Eur. Food Res. Technol. 216, 412-420
- Pauli, U., Liniger, M. and Zimmermann, A. (1998)
Detection of DNA in soybean oil.
Z Lebensm Unters Forsch A **207**, 264-267
- Pauli, U., Zimmermann, A. and Hemmer, W. (1999)
Multiplex PCR for the detection of genetically modified foods.
BgVV-Hefte **5**, 43-45
- Pauwels, J., Kramer, G. N., Schimmel, H., Anklam, E., Lipp, M., Brodmann, P. (1999)
EUR 18863/EN, Commercialization of Reference Materials and Methods & Scientific Liaison, Institute for Reference Materials and Measurements, Retieseweg, B- 2440 Geel, Belgium, <http://www.irmm.jrc.be/rm/cert-reports.html>
- Piva, G., Morlacchini, M., Pietri, A., Rossi, F. and Grandini, A. (2001)
Growth performance of broilers fed insect protected (MON810) or near isogenic control corn.
J. Anim. Sci. **79** Supp. 1
- Pöpping, B. and Broll, H. (2001)
Detection of genetically modified foods past and future.
L'Actualité Chimique **11**, 3-12
- Reuter, T. and Aulrich, K. (2003)
Investigations on genetically modified maize (Bt-maize) in pig nutrition: Fate of feed-ingested foreign DNA in pig bodies.
Eur. Food Res. Technol. **216**, 185-192

References

- Reuter, T., Aulrich, K., Berk, A. and Flachowsky, G. (2001)
Nutritional evaluation of Bt-maize in pigs.
Proc. Soc. Nutr. Physiol. 10, 111 (Abstract)
- Reuter, T., Aulrich, K., Berk, A. and Flachowsky, G. (2002)
Investigations on genetically modified maize (Bt-Maize) in pig nutrition: chemical composition and nutritional evaluation.
Arch. Anim. Nutr. **56**, 23-31
- Rønning, S. B., Vätilingom, M., Berdal, K. G. and Holst-Jensen, A. (2003)
Event specific real-time quantitative PCR for genetically modified Bt11 maize (*Zea mays*).
Eur Food Res. Technol. **216**, 347-354
- Rossen, L., Nørskov, P. and Holmstrøm, K. O. F. (1992)
Inhibition of PCR by components of food samples, microbial diagnostic assays and DNA-extraction solutions.
Int. J. Food Microbiol. **17**, 37-45
- Rudi, K., Rud, I. and Holck, A. (2003)
A novel multiplex quantitative DNA array based PCR (MQDA-PCR) for quantification of transgenic maize in food and feed.
Nucleic Acids Res. **1**, 31 (11), E62
- Sampson, H. A. and Burkes, A. W. (1996)
Mechanisms of food allergy.
Annual Rev. Nutr. **16**, 161-177
- Sanderson, H.-Y. I. R. and Walker, W. A. (1994)
Uptake, transport and metabolism of exogenous nucleosides in intestinal epithelial cell cultures.
J. Nutr. **124**, 1942–1949
- SAS-Institute Inc., SAS®, SAS/STAT Software (1986)
User Guide-Statistics.
6 th Edition. SAS-Institute Inc. Cary, North Carolina, USA
- Schauzu, M. (2000)
The concept of substantial equivalence in safety assessment of foods derived from genetically modified organisms.
AgBiotechNet **2**, ABN 044

References

- Schubbert, R., Renz, D., Schmitz, B. and Doerfler, W. (1997)
Foreign (M13) DNA ingested by mice reaches peripheral leukocytes, spleen, and liver via the intestinal wall mucosa and can be covalently linked to mouse DNA.
Proc. Natl. Acad. Sci. USA **94**, 961–966
- Sell, J. L., Eastwood, J. A. and Mateos, G. G. (1983)
Influence of supplemental fat on diet metabolizable energy and ingesta transit time in laying hens.
Nutr. Rep. Intern. **28**, 487-495
- Shah, D. M., Rommens, C. M. T. and Beachy, R. N. (1995)
Resistance to diseases and insects in transgenic plants – progress and applications to agriculture.
Trends Biotech. **13**, 362-368
- Shires, A., Thompson, J. R., Turner, B. V. Kennedy, P. M. and Goh, Y. K. (1987)
Rate of passage of corn-canola meal and corn-soybean meal diets through the gastrointestinal tract of broiler and white leghorn chickens.
Poultr. Sci. **66**, 289-298
- Sidhu, R. S., Hammond, B. G., Fuchs, R. L., Mutz, J. N., Holden, L. R., George, B. and Olson, T. (2000)
Glyphosate-Tolerant corn: The composition and feeding value of grain from glyphosate-tolerant corn is equivalent to that of conventional corn (*Zea mays L.*).
J. Agric. Food Chem. **48**, 2305-2312
- Sommer, A., Chrenková, M., Nitrayová, S., Čerešňáková, Z., Bulla, J. and Prostredná-Nitra, M. (2002)
Compositional and nutritional equivalence of genetically modified maize based on rat performance test.
Proc. Soc. Nutr. Physiol. **11**, 193 (Abstract)
- Sonoda, T. and Tatibana, M. (1978)
Metabolic fate of pyrimidines and purines in dietary nucleic acids ingested by mice. Biochimica Et. Biophysica Acta **521**, 55–66
- Spencer, J. D., Allee, G. L. and Sauber, T. E. (2000 a)
Phosphorus bioavailability and digestibility of normal and genetically modified low-phytate corn for pigs.
J Anim. Sci. **78**, 675–681

References

- Spencer, J. D., Allee, G. L. and Sauber, T.E. (2000 b)
Growing-finishing performance and carcass characteristics of pigs fed normal and genetically low-phytate corn.
J Anim. Sci. **78**, 1529–1536
- Studer, E., Rhyner, C., Lüthy, J. and Hübner, P. (1998)
Quantitative competitive PCR for the detection of genetically modified soybean and maize.
Lebensm. Unters. Forsch. A. **207**, 207-213
- Taverniers, I., Windels, P., Van Bockstaele, E. and De Loose, M. (2001)
Use of cloned DNA fragments for event-specific quantification of genetically modified organisms in pure and mixed food products.
Eur. Food Res. Technol. **213**, 417-424
- Taylor, M. L., Hartnell, G. F. and Cook, D. R. (2001a)
Comparison of broiler performance when fed diets containing Roundup Ready corn event NK603, parental line or commercial corn.
J. Anim. Sci. **79**, Suppl. 1, 86
- Taylor, M. L., Hartnell, G. F., Nemeth, M. A., George, B. and Astwood, J. D. (2001b)
Comparison of broiler performance when fed diets containing YieldGard, YieldGard and Roundup Ready corn, parental lines or commercial corn.
J. Anim. Sci. **79**, Suppl. 1, 56
- Taylor, M. L., Hartnell, G. F., Riordan, S. G., Nemeth, M. A., Karunanananda, K., George, B. and Astwood, J. D. (2003)
Comparison of broiler performance when fed diet containing grain from Roundup Ready (NK603), YieldGard X Roundup Ready (MON810 x NK603), non-transgenic control, or commercial maize.
Poultry Sci. **82**, 443-453
- Taylor, S. L. (1997)
Food from genetically modified organisms and potential for food allergy.
Environ. Toxicol. Pharmacol. **4**, 121-126
- Terry, C. F. and Harris, N. (2001)
Event specific detection of Roundup Ready soya using two different real time PCR detection chemistries.
Eur. Food Res. Technol. **213**, 425-431
- Thomson, J. A. (2001)
Horizontal transfer of DNA from GM crops to bacteria and to mammalian cells.
J. Food Sci. **66**, Suppl. 2, 188-193

- UK-ACNFP (Ministry of Agriculture, Fisheries and Food, United Kingdom) (1995)
Advisory committee on novel foods and processes. Annual report, ACNFP,
London
- Valenta, H., Dänicke, S., Flachowsky, G. and Böhme, T. (2001)
Comparative study on concentration of the fusarium mycotoxins deoxynivalenol
and zearalenone in kernels of transgenic Bt maize hybrids and non transgenic
hybrids.
Proc. Soc. Nutr. Physiol. **10**, 182 (Abstract)
- Vältilingom, M., Pijnenburg, H., Gendre, F. and Brignon, P. (1999)
Real-time quantitative PCR for detection of genetically modified Maximizer
maize and Roundup Ready soybean in some representative foods.
J. Agric. Food Chem. **47**, 5261-5266
- Vogt, H. (1986)
Report of the meeting of working group No. 2 "Nutrition" of the European
Federation of the World's Poultry Science Association (WPSA).
World's Poultry Sci. J. **42**, 189-190
- Vollenhofer, S., Burg, K., Mansfeld, M. and Kroath, H. (1999)
PCR, hybridisation and restriction protocols for the detection of genetically
modified organisms in foodstuffs.
BgVV-Hefte **5**, 55-64
- Watson, J. C. and Thompson, W. F. (1988)
Purification and restriction endonuclease analysis of plant nuclear DNA. In:
Weissbach A. and Weissbach H., (Eds.). Methods for Plant Molecular Biology.
Academic Press, San Diego.
- Whittow, G. C. (2001)
Sturkie's Avian Physiology.
Fifth Edition pp. 299–325
- WHO (World Health Organization) (1991)
Strategies for assessing the safety of foods produced by biotechnology. Report of
a joint FAO/WHO Consultation. WHO, Geneva
- WHO (World Health Organization) (1993)
Health aspects of marker genes in genetically modified plants. Report of WHO
workshop. WHO, Geneva

References

- WHO (World Health Organization) (1995)
Application of the principle of substantial equivalence to the safety evaluation of foods or food components from plants derived by modern biotechnology. Report of WHO workshop. WHO, Geneva
- Windels, P., Taverniers, I., Depicker, A., Van Bockstaele, E. and De Loose, M. (2001)
Characterisation of the Roundup Ready soybean insert.
Eur. Food Res. Technol. **213**, 107-112
- Windels, P., Bertrand, S., Depicker, A., Moens, W., Bockstaele, E. and Loose, M. (2003)
Qualitative and event-specific PCR real-time detection methods for StarLink maize.
Eur. Food Res. Technol. **216**, 259-263
- Wittwer, C. T. and Hermann, M. G. (1999)
Rapid thermocycling and PCR kinetics. In Innis, M. A., Gelfand, D. H., and Sininsky, J. J., (Eds.), PCR applications.
Academic Press, London pp. 356 – 375
- Wurz, A. and Willmund R. (1997)
Identification of transgenic glyphosate-resistant soybeans.
BgVV-Hefte **1**, 115-117
- Yang, S.-H., Moran, D. L., Jia, H.-W., Bicar, E. H., Lee, M. and Scott, M. P. (2002)
Expression of a synthetic porcine α -lactalbumin gene in the kernels of transgenic maize.
Transgenic Res. **11**, 11-20
- Zagon, J., Schauzu, M., Broll, H., Bögl, K. W. and Winkler, D. (1998)
Methods for the detection of genetic modifications in transgenic organisms.
BgVV-Hefte **6**, 7-54
- Zimmermann, A., Lüthy, J. and Pauli, U. (1998)
Quantitative and qualitative evaluation of nine different extraction methods for nucleic acids on soya bean food samples.
Lebensm. Unters. Forsch. A **207**, 81-90
- Zimmermann, A., Lüthy, J. and Pauli, U. (2000)
Event specific transgene detection in Bt11 corn by quantitative PCR at the integration site.
Lebensm. Wiss. Technol. **33**, 210-216

ooooOoooo