

F Literatur

- 1) Albee, F.: Transplantation of a portion of the tibia into spine for Potts disease: A preliminary report, JAMA 1911: 57: 885-886
- 2) Allington, Nanni J.; Bowen, J. Richard: Adolescent idiopathic scoliosis: Treatment with the Wilmington brace, J Bone Joint Surgery 1996: 78 (Am): 1056-1062
- 3) Archer, A.; Dickson, R. A.: Stature and idiopathic scoliosis, J Bone Joint Surgery 1985:67 (Br):185-188
- 4) Ascani, E.; Bartolozzi, P.; Logroscino, C. A.; Marchetti, P. G.; Ponte, A.; Savini, R.; Travaglini, F.; Binazzi, R.; Di Silvestre, M.: Natural history of scoliosis after skeletal maturity, Spine 1985:11:784-789
- 5) Bailey, Stewart I.; Bartolozzi, Pietro; Bertagnoli, Rudolf; Boriani, Stefano; van Beurden, Ad f. A.; Cross, Anthony T.; Friedl, Hans P.; Gurr, Kevin R.; Halm, Henry; Kruls, Hein J. A.; Metz-Stavenhagen, Peter; Schulz, Kurt-Jürgen: The BWM spinal fixator system, Spine 1996: 21: 2006-2015
- 6) Barr, Stephen J.; Schuette, Austin M.; Emans, John B.: Lumbar pedicle screws versus hooks. Results in double major curves in adolescent idiopathic scoliosis, Spine 1997: 22: 1369-1379
- 7) Bauer, R. ; Kerschbaumer, F.; Poisel, S.: Orthopädische Operationslehre, Band 1
Wirbelsäule, Georg Thieme Verlag Stuttgart New York 1991
- 8) Benzel E. C.: Biomechanics of spine stabilization. McGraw-Hill, New York Toronto 1995
- 9) Bernhardt, Mark; Bridwell, Keith H.: Segmental analysis of the sagittal plane alignment of the normal thoracic and lumbar spines and thoracolumbar junction: Spine 1989: 14: 717-721

- 10) Braunewell, A.; Dehe, W.; Schmitt, E.; Mentzos, S.: Psychodynamische Aspekte von Korsettbehandlungen bei Jugendlichen; Z. Orthop. 1987: 125: 132-134
- 11) Bridwell, K. H.: Point of view, Spine 1998: 23: 2073
- 12) Bridwell, Keith H.; Betz, Randall; Capelli, Ann. M.; Huss, Gail; Harvey, Charles.:
Sagittal plane analysis in idiopathic scoliosis treated with Cotrell-Dubousset Instrumentation, Spine 1990:15:921-926
- 13) Bridwell, Keith H.; McAllister, John W.; Betz, Randall R.; Huss, Gail; Clancy, Michael; Schoenecker, Perry L.: Coronal decompensation produced by Cotrel-Dubousset „derotation“ maneuver for idiopathic right thoracic scoliosis, Spine 1991: 16: 769-777
- 14) Cobb, J. R: Outline study for the study of scoliosis, Instruct. Course Lect. Amer. Acad. Othop. Surg. 1948: 5: 261
- 15) Cochran, Thomas; Irstum, Lars; Nachemson, Alf: Long-term anatomic and functional changes in patients with adolescent idiopathic scoliosis treated by Harrington Rod Fusion, Spine 1983: 8: 576-584
- 16) Coonrad, Ralph W.; Murell, George A. C., Motley Ggregory; Lytle, Eric; Hey, Lloyd A.:
A logical coronal pattern classification of 2000 consecutive idiopathic scoliosis cases based on the Scoliosis Research Society-defined apical vertebra, Spine 1998: 23: 1380-1391
- 17) Cruickshank, J. L.; Koike, M.; Dickson, R. A.: Curve patterns in idiopathic scoliosis, J Bone Joint Surgery 1989:71 (Br):259-263

- 18) Cummings, R. Jay; Loveless, Eric A.; Campbell, Joseph; Sameson, Stephen; Mazur, John M.: Interobserver reliability and intraobserver reproducibility of the system of King et al. for the scoliosis classification of adolescent idiopathic scoliosis, *J Bone Joint surgery* 1998; 80 (Am): 1107-1111
- 19) Cundy, Peter J.; Paterson, Dennis C.; Hillier, Terence M.; Sutherland, Andrew D.; Stephen, John P.; Foster, Bruce K.: Cotrel-Dubousset Instrumentation and vertebral rotation in adolescent idiopathic scoliosis, *J Bone Joint Surgery* 1991; 72 (Br.): 670-674
- 20) Dhar, Sunil; Dangerfield, P. H.; Dorgan, J. C.; Klenerman, L.: Correlation between bone age and Risser's sign in adolescent idiopathic scoliosis, *Spine* 1993; 18: 14-19
- 21) Dickson, R. A.; Lawton, J. O., Archer, I. A.; Butt, W. P.: The pathogenesis of idiopathic scoliosis, *J Bone Joint Surgery* 1984; 66 (Br): 8-15
- 22) Dohin, B.; Dubousset, J. F.: Prevention of the crankshaft phenomenon with anterior spinal epiphysiodesis in surgical treatment of severe scoliosis of the younger patient, *Eur Spine J* 1994; 3: 165-168
- 23) Dubousset, Jean; Cotrel, Yves: Die CD-Instrumentation in der Behandlung von Wirbelsäulendeformitäten, *Der Orthopäde* 1989; 18: 118-127
- 24) Durham, John W.; Moskowitz, Alan; Whitney, John: Surface electrical stimulation versus brace in treatment of idiopathic scoliosis, *Spine* 1990; 15: 888-892
- 25) Dwyer, A. F.: Experience of anterior correction of scoliosis, *Clin Orthop* 1973; 93: 191-206
- 26) Edelmann, P.: Konservative Therapie, in: Witt, Alfred N; Rettig, Hans; Schlegel, K. F.: *Orthopädie in Praxis und Klinik*, Band 5, Stuttgart 1990, 7.121-7.154

- 27) Edelmann, P.; Hopf, C.: Neue Standards für die konservative Skoliosebehandlung, Mitteilungen des Arbeitskreises Skoliose der DGOT 1996: 135-136
- 28) Emans, John B.; Kaelin, Andre; Bancel, Philippe; Hall, John E.; Miller, M. E.: The Boston Bracing System for idiopathic scoliosis. Follow-up results in 295 patients, Spine 1986: 11: 792-801
- 29) Eysel, Peer: Die ventrale Instrumentation der Rumpfwirbelsäule, Stuttgart 1998, 1-5
- 30) Eysel, Peer: Die ventrale Instrumentation der Rumpfwirbelsäule, Stuttgart 1998, 60-80
- 31) Focarile, Fabio A.; Bonaldi, Antonio; Giarolo, Maria-Adele; Ferrari, Umberto; Zilioli, Enrico, Ottaviani, Carlo: Effectiveness of nonsurgical treatment for idiopathic scoliosis, Spine 1991: 16: 395-401
- 32) Galloway, H. P.: The treatment of paralytic scoliosis by bone grafting, Am J Orthop Surg 1914: 12: 252-258
- 33) Ghormley, R. K.: Low back pain with special reference to the articular facets with presentation of an operative procedure, JAMA 1933: 101: 1733
- 34) Giehl, J. P.; Zielke, K.; Hauck, H.-P.: Die Ventrale Derotationsspondylodese nach Zielke, Der Orthopäde 1989: 18: 101-117
- 35) Götze, H. G.: Der Rotationsindex bei idiopathischen Thorakalskoliosen, Z. Orthop. 1973: 111: 737-743
- 36) Götze, H. G.: Klinik der Skoliose, in: Witt, Alfred N; Rettig, Hans; Schlegel, K. F.: Orthopädie in Praxis und Klinik, Band 5, Stuttgart 1990, 7.76-7.119

- 37) Götze, C.; Götze, H.-G.; Halm, H.: Der Einfluss der Harrington-Instrumentationsspondylodese auf die skoliotische Thoraxdeformität, *Z. Orthop.* 1999: 137: 423-429
- 38) Guerin, J.: Lettre sur le traitement des deviations laterales de l'épine pour la section sous cutanee de muscles du dos et de la colone vertebrale, *Gaz Med Pans* 1839: 403-404
- 39) Hall, J. E.: Spinal surgery before and after Paul Harrington, *Spine* 1998: 23:1356-1361
- 40) Halm, H.: Ventrale und dorsale korrigierende und stabilisierende Verfahren bei idiopathischer Skoliose, *Der Orthopäde* 2000: 29: 543-562
- 41) Halm, H.; Liljenqvist, U.; Castro, W. H. M.; Jerosch, J.: Die operative Behandlung idiopathischer thorakolumbalen Skoliosen: Cotrel-Dubousset Instrumentation versus Ventrale Derotationsspondylodese, *Z. Orthop.* 1995: 133: 282-288
- 42) Halm, H.; Liljenqvist, U.; Niemeyer, Th.; Winkelmann, W.; Zielke, K.: Halm-Zielke Instrumentation (Münsteraner Anteriores Doppelstab System) als Weiterentwicklung der Zielke-VDS, *Z. Orthop.* 1987: 135: 403-411
- 43) Halm, H.; Niemeyer, T.; Halm, B.; Liljenqvist, U.; Steinbeck, J.: Halm-Zielke-Instrumentation als primärstabile Weiterentwicklung der Zielke-VDS bei idiopathischen Skoliosen, *Der Orthopäde* 2000: 29: 563-570
- 44) Harrington; P. Treatment of scoliosis: Correction and internal fixation by spinal instrumentation, *J Bone Joint Surgery* 1962: 44 (Am): 592-610
- 45) Hefti, Fritz: *Kinderorthopädie in der Praxis*, Berlin Heidelberg New York 1997
- 46) Hibbs, R.; Risser, J.; Ferguson, A. B.: Scoliosis treated by the fusion operation: An end-result study of three hundred and sixty cases, *J Bone Joint Surgery* 1931: 13: 91-104

- 47) Hodgson, A. R.; Stock, F. E.; Fang, H. S. I.; Ong, G. B.: Anterior spine fusion for the treatment of tuberculosis of the spine: The operative approach and pathological findings in 412 patients with Pott's disease of the spine, *Br J Surg* 1960: 48: 172
- 48) Hopf, C.: Kriterien zur Behandlung idiopathischer Skoliosen zwischen 40° und 50°, *Der Orthopäde* 2000: 29: 500-506
- 49) Hopf, Ch.; Eysel, P.; Dubousset, J.: CDH - ein vorläufiger Ergebnisbericht über ein primärstabiles ventrales Wirbelsäuleninstrumentarium, *Z. Orthop.* 1995: 133: 274-281
- 50) Hopf, Ch.; Scheidecker, M.; Steffan, K.; Bodem, F.; Eysel, P.: Gait analysis in idiopathic scoliosis before and after surgery: a comparison of the pre-and postoperative muscle activation pattern, *Eur Spine J* 1998: 7: 6-11
- 51) Jackson, Roger P.; Simmons, Edward H.; Strippins, Daniel: Incidence and severity of back pain in adult idiopathic scoliosis, *Spine* 1983: 8: 749-756
- 52) Kaneda, Kiyoshi; Shono, Yasuhiro; Satoh, Shigenobu; Abumi, Kuniyoshi: Anterior correction of thoracic scoliosis with Kaneda anterior spinal system: a preliminary report, *Spine* 1997: 22: 1358-1368
- 53) Kanedea, Kiyoshi; Shono, Yasuhiro; Satoh, Shigenobu; Abumi, Kuniyoshi: New anterior instrumentation for the management of thoracolumbar and lumbar scoliosis: application of the Kaneda-Two-Rod System, *Spine* 1996: 21: 1250-1262
- 54) Karbowski, A.; Liljenqvist, U.; Bettin, D.; Heine, J.: Langfristige Behandlungsergebnisse ventraler und kombinierter ventrodorsaler Spondylodesen in der operativen Therapie der Skoliose, *Z. Orthop.* 1996: 134: 81-88
- 55) Karol, Lorie A.; Johnston, Charles E.; Browne, Richard H.; Madison, Michael: Progression of the curve in boys who have idiopathic scoliosis, *J Bone Joint surgery* 1993: 75 (Am): 1804-10

- 56) Kenelly, K. P.; Stokes, M. J.: Pattern of asymmetry of paraspinal muscle size in adolescent idiopathic scoliosis examined by real-time ultrasound imaging: a preliminary study, *Spine* 1993: 18: 913-917
- 57) King, Howard A.; Moe, John H.; Bradford, David S.; Winter, Robert B.: The selection of fusion levels in thoracic idiopathic scoliosis, *J Bone Joint Surgery* 1983: 65 (Am): 1302-1313
- 58) Krismer, M.; Bauer, R.; Wimmer, C.: Die operative Behandlung der idiopathischen Skoliose, *Der Orthopäde* 1998: 27: 147-157
- 59) Krismer, Martin; Bauer, Rudolf, Sterzinger, Wolfgang: Scoliosis correction by Cotrel-Doubusset Instrumentation, *Spine* 1992: 17 (Suppl): S263-S269
- 60) Kruls, Hein J. A.; van Beurden, Ad F. A.: The BWM Spinal Fixator System, in: Szpalski, M.; Gunzburg, R.; Sprengler, M.; Nachemson, A.: Instrumented fusion of the degenerative lumbar spine : State of the art, questions, and controversies, Lippincott-Raven Publishers, Philadelphia 1996, 221-232
- 61) Landauer, F.; Krismer, M.; Bauer, R.: Konservative Behandlung der Skoliose, *Der Orthopäde* 1997: 26: 808-817
- 62) Lenke, Lawrence G.; Betz, Randall R.; Bridwell, Keith H.; Clements, David H.; Harms, Jürgen; Lowe, Thomas G.; Shufflebarger, Harry L.: Intraobserver and interobserver reliability of the classification of thoracic adolescent idiopathic scoliosis, *J Bone Joint surgery* 1998: 80 (Am): 1097-1106
- 63) Lenke, L. G.; Betz, R. R.; Harms, J.; Bridwell, K. H.; Winter, R. B.: A new comprehensive classification system of adolescent idiopathic scoliosis. Scoliosis Research Society, Annual Meeting, St. Louis, September 1997

- 64) Lenke, Lawrence C.; Bridwell, Keith H.; Blanke, Kathy; Balkdus, Christy; Weston, Joetta: Radiographic results of arthrodesis with Cotrel-Dubousset Instrumentation for the treatment of adolsecent idiopathic scoliosis, J Bone Joint Surgery 1998: 80 (Am): 807-813
- 65) Lonstein, John E.; Bradford, David S.: Moe`s textbook of scoliosis and other spinal deformities, 3 rd edition 1994, Saunders Philadelphia
- 66) Lonstein, John E; Carlson, J. Martin: The prediction of curve progression in untreated idiopathic scoliosis during growth, J Bone Joint Surgery 1984: 66 (Am): 1061-1071
- 67) Luque, E. R.: The anatomic basis and developement of spinl instrumentation, Spine 1982: 7: 256
- 68) Mason, Dan E.; Carango, Paul: Spinal decompensation in Cotrel-Dubousset instrumentation, Spine 1991: 16 (Suppl): S394-S403
- 69) Matussek, J.; Mellerowicz, H.; Klöckner, C.; Sauerlandt, B.; Nahr, K.; Neff, G.: Zwei-und dreidimensionale Korrektu von Skoliosen durch Korsettbehandlungen: Optimierte konservative Therapie der idiopathischen Skoliose durch ein weiterentwickeltes Cheneau-Korsett, Der Orthopäde 2000: 29: 490-499
- 70) Moe, John H.; Purcell, Graham A.; Bradford, David S.:Zielke Instrumentation (VDS) for the correction of spinal curvature, Clin Orthop 1983: 180: 133-153
- 71) Moskowitz, A.; Moe, J. H., Winter, R. B.; Binner, H.: Long-term follow-up of scoliosis fusion, J Bone Joint Surgery 1980: 62 (Am): 364-376
- 72) Moskowitz, Alan; Trommanhauser, Scott: Surgical and clinical results of scoliosis surgery using Zielke Instrumentation, Spine 1993: 18: 2444-2451

- 73) Nachemson, Alf. L.; Peterson, Lars-Erik: Effectiveness of treatment with a brace in girls who have adolescent idiopathic scoliosis, *J Bone Joint Surgery* 1995: 77 (Am): 815-822
- 74) Nash, C. L; Moe, H.: A study of vertebral rotation, *J Bone Joint Surgery* 1969: 51 (Am): 223-229
- 75) Niemeyer, T.; Liljenqvist, U.; Halm, H.; Winkelmann, W.: 2-bis 4-Jahres-Ergebnisse dorsaler Doppelstabinstrumentationsspondylodesen bei idiopathischer Skoliose, *Z. Orthop.* 1999: 137: 430-436
- 76) Pedriolle, R.: *La scoliose. Son étude tridimensionnelle.* Maloine, Paris 1979
- 77) Polly, David W.; Sturm, Peter F.: Traction versus supine side bending, *Spine* 1998: 23: 804-808
- 78) Puno, R. M.; Mehta, S.; Byrd, J. B.: Surgical treatment of idiopathic thoracolumbar and lumbar scoliosis in adolescent patients, *Orthop. Clin. North Am* 1994: 25: 275
- 79) Richards, B. S.: Lumbar curve response in type II idiopathic scoliosis after posterior instrumentation of thoracic curve, *Spine* 1992: 17 (Suppl): S282-S286
- 80) Richards, B. Stephens; Birch, John G.; Herring, John A.; Johnston, Charles E.; Roach, James W.: Frontal plane and sagittal plane balance following Cotrel-Dubousset Instrumentation for idiopathic scoliosis, *Spine* 1989: 14: 733-737
- 81) Roye, David P., Farcy, Jean Pierre; Rickert, James B.; Godfried, David: Results of spinal instrumentation of adolescent idiopathic scoliosis by King type, *Spine* 1992: 17 (Suppl.): 270-273
- 82) Shufflebarger, Harry L; Clark, Cynthia E.: Fusion levels and hook patterns in thoracic scoliosis with Cotrel-Dubousset instrumentation, *Spine* 1990: 15: 916-920

- 83) Shufflebarger, Harry L.; Clark, Cynthia E.: Prevention of the crankshaft phenomenon, *Spine* 1991: 16 (Suppl): S409-S411
- 84) Stagnara, Pierre; De Mauroy, Jean Claude; Dran, Georges; Gonon, Guisepe; Costanzo, Guisepe; Dimnet, Joannes; Pasquet, Annick: Reciprocal angulation of vertebral bodies in a sagittal plane: Approach to references for the evaluation of kyphosis and lordosis, *Spine* 1982: 7: 335-342
- 85) Suk, Se Il; Lee, Choon Ki; Chung, Sung Soo: Comparison of Zielke Ventral Derotation System and Cotrel-Dubousset Instrumentation in the treatment of idiopathic lumbar and thoracolumbar scoliosis, *Spine* 1994: 19: 419-429
- 86) Suk, S. I.; Lee, C. K.; Jeong, S. T.; Chung, Y. J.; Kim, W. J.: Comparison of Cotrel-Dubousset pedicle screws and hooks in the treatment of idiopathic scoliosis, *Int. Orthop.* 1994: 18: 341-346
- 87) Swank, Susan M.; Mauri, Thomas M.; Brown, John C.: The lumbar lordosis below Harrington Instrumentation for scoliosis, *Spine* 1990: 15: 181-186
- 88) Terminology Committee of the Scoliosis Research Society: A glossary of terms, *Spine* 1976: 1: 57-58
- 89) Thompson, J. P.; Transfeldt, E. E.; Bradford, D. S.; Ogilvie, J. W.; Boachie-Adjei, O.: Decompensation after Cotrel-Dubousset instrumentation of idiopathic scoliosis, *Spine* 1990: 15: 927-931
- 90) Turi, Mario; Johnston II, Charles E.; Richards, B. Stephens: Anterior correction of idiopathic scoliosis using TSRH Instrumentation, *Spine* 1993: 18: 417-422
- 91) Vaughan, John J.; Winter, Robert B.; Lonstein, John E.: Comparison of supine side bending and traction radiographs in the selection of the fusion area in adolescent idiopathic scoliosis, *Spine* 1996: 21: 2469-2473

- 92) Weatherley, C. R.; Draycott, V.; O'Brien, J. F.; Benson, D. R.; Gopalakrishnan, K. C.; Evans, J. H.; O'Brien, J. P.: The rib deformity in adolescent idiopathic scoliosis. A prospective study to evaluate changes after Harrington distraction and posterior fusion, *J Bone Joint Surgery* 1987: 69 (Br): 179-182
- 93) Weinstein, S. L.: Die idiopathische Adoleszentskoliose. Häufigkeit und Progression unbehandelter Skoliosen, *Der Orthopäde* 1989: 18: 74-86
- 94) Weiss, H.-R.: Die skoliosespezifische Rückenschule nach Schroth - erste Ergebnisse einer prospektiven Verlaufskontrolle, *Z. Orthop.* 1995: 133: 114-117
- 95) Weiss, H.-R.: Measurement of vertebral rotation: Pedriolle versus Raimondi, *Eur Spine J* 1995: 4: 34-38
- 96) Weiss, Hans Rudolf: The effect of an exercise program on vital capacity and rib mobility in patients with idiopathic scoliosis, *Spine* 1991: 16: 88-93
- 97) Willers, U.; Hedlund, R.; Aaro, S.; Normelli, H.; Westman, L.: Long-term results of Harrington Instrumentation in idiopathic scoliosis, *Spine* 1993: 18: 713-717
- 98) Willers, U.; Normelli, H.; Aaro, S.; Svensson, O.; Hedlund, R.: Long-term resultsof Boston Brace treatment on vertebral rotation in idiopathic scoliosis, *Spine* 1993: 18: 432-435
- 99) Willner, S; Johnson, B.: Thoracic kyphosis and lumbar lordosis during the growth period in children, *Acta Paediatr Scand* 1983: 72: 873-878
- 100) Winter, R. B.:Surgery for idiopathic scoliosis, in: Ewerts, C. M. (Hrsg.): *Surgery of the muscolskeletal system*, Churchill Livingstone New York 1990: 1917-1990

- 101) Wood, Kirkham B.; Transfeldt, Ensore E.; Ogilvie, James W.; Schendel, Michael J.; Bradford, David S.: Rotational changes of the vertebral-pelvis axis following Cotrel-Dubousset Instrumentation, *Spine* 1991: 16 (Suppl): S404-S408
- 102) Wright, J.; Herbert, M. A.; Bobechko, W. P.: Morphologic and histochemical characteristics of skeletal muscle after long-term intramuscular electrical stimulation, *Spine* 1992: 17: 767-770
- 103) Zielke, K.: Ventrale Derotationsspondylodese. Behandlungsergebnisse bei idiopathischen Lumbalskoliosen, *Z. Orthop.* 1982: 120: 320-329