

## VII. Literaturverzeichnis

- 1 Parkin DM, Pisani P et al.: Global cancer statistics. *CA Cancer J Clin* 1999; 49:33-64, 31.
- 2 Howaldt HP, Vorast H et al.: [Results of the DOSAK tumor register]. *Mund Kiefer Gesichtschir* 2000; 4 Suppl 1:216-225.
- 3 Parkin DM, Pisani P et al.: Estimates of the worldwide incidence of 25 major cancers in 1990. *Int J Cancer* 1999; 80:827-841.
- 4 Gesellschaft der epidemiologischen Krebsregister in Deutschland e.V. und das RKI: Krebs in Deutschland. 5. überarbeitete, aktualisierte Ausgabe, Saarbrücken 2006 [www.rki.de](http://www.rki.de).
- 5 Pignon JP, Bourhis J et al.: Chemotherapy added to locoregional treatment for head and neck squamous-cell carcinoma: three meta-analyses of updated individual data. MACH-NC Collaborative Group. *Meta-Analysis of Chemotherapy on Head and Neck Cancer. Lancet* 2000; 355:949-955.
- 6 Cohen EE, Lingen MW et al.: The expanding role of systemic therapy in head and neck cancer. *J Clin Oncol* 2004; 22:1743-1752.
- 7 Pless M: [Value of chemotherapy in curative therapy of head and neck therapy]. *Hno* 2000; 48:873-876.
- 8 Arnow PM, Quimosing EM et al.: Consequences of intravascular catheter sepsis. *Clin Infect Dis* 1993; 16:778-784.
- 9 Soufir L, Timsit JF et al.: Attributable morbidity and mortality of catheter-related septicemia in critically ill patients: a matched, risk-adjusted, cohort study. *Infect Control Hosp Epidemiol* 1999; 20:396-401.
- 10 Wenke K, Markewitz A: [Fully implantable catheter systems. Long-term results--complications]. *Fortschr Med* 1990; 108:276-279.
- 11 Broviac JW, Cole JJ et al.: A silicone rubber atrial catheter for prolonged parenteral alimentation. *Surg Gynecol Obstet* 1973; 136:602-606.
- 12 Hickman RO, Buckner CD et al.: A modified right atrial catheter for access to the venous system in marrow transplant recipients. *Surg Gynecol Obstet* 1979; 148:871-875.
- 13 Greene FL, Moore W et al.: Comparison of a totally implantable access device for chemotherapy (Port-A-Cath) and long-term percutaneous catheterization (Broviac). *South Med J* 1988; 81:580-583.

- 14 Claessen KA, de Vries JT et al.: Long-term venous access with a Hickman catheter: complications and patient satisfaction. *Neth J Surg* 1990; 42:47-49.
- 15 Hovsepian DM, Bonn J et al.: Techniques for peripheral insertion of central venous catheters. *J Vasc Interv Radiol* 1993; 4:795-803.
- 16 Coco OHofmann VE: [Eleven years of experience with permanently implanted port-systems in 329 cancer patients]. *Ther Umsch* 2001; 58:425-434.
- 17 Pullyblank AM, Carey PD et al.: Comparison between peripherally implanted ports and externally sited catheters for long-term venous access. *Ann R Coll Surg Engl* 1994; 76:33-38.
- 18 Niederhuber JE, Ensminger W et al.: Totally implanted venous and arterial access system to replace external catheters in cancer treatment. *Surgery* 1982; 92:706-712.
- 19 Gyves J, Ensminger W et al.: Totally implanted system for intravenous chemotherapy in patients with cancer. *Am J Med* 1982; 73:841-845.
- 20 Pollmann D, Schildhauer S et al.: Venenzugänge, Kathetersysteme (Ports): Portsystem. 2006. [www.onkodin.de](http://www.onkodin.de)
- 21 Muller HZierski J: [The Huber needle as a special cannula for the puncture of implanted ports and pumps--a mistake in multiple variations]. *Klin Wochenschr* 1988; 66:963-969.
- 22 Smiths Medical Produktliste: Huber Needles, Gripper® Needles without Y-site. [www.smiths-medical.com](http://www.smiths-medical.com)
- 23 Kock HJ, Pietsch M et al.: Implantable vascular access systems: experience in 1500 patients with totally implanted central venous port systems. *World J Surg* 1998; 22:12-16.
- 24 Böhme K: Injektions- und Infusionstechnik. In: *Portkathetersysteme*, Haindl H, Müller M, Schmoll E (Eds), Springer-Verlag, Berlin Heidelberg New York 1993. 153-161.
- 25 Schmoll E: Das Portsystem in der systemischen i.v. Chemotherapie. In: *Portkathetersysteme*, Haindl H, Müller H, Schmoll E (Eds), Springer-Verlag, Berlin Heidelberg New York 1993. 17-21.
- 26 Dahl HD, Hengstmann JH et al.: [Clinical application of a totally implantable catheter system]. *Dtsch Med Wochenschr* 1986; 111:88-92.
- 27 Kock HJ, Krause U et al.: [Implantable catheter systems. Experiences with 1000 patients with central venous ports]. *Dtsch Med Wochenschr* 1996; 121:47-51.

- 28 Schwarz RE, Groeger JS et al.: Subcutaneously implanted central venous access devices in cancer patients: a prospective analysis. *Cancer* 1997; 79:1635-1640.
- 29 Maloisel F, Geiss S et al.: [Clinical experience with totally implantable venous access systems in pediatric hematology and oncology]. *Ann Pediatr (Paris)* 1993; 40:353-359.
- 30 Biffi R, de Braud F et al.: Totally implantable central venous access ports for long-term chemotherapy. A prospective study analyzing complications and costs of 333 devices with a minimum follow-up of 180 days. *Ann Oncol* 1998; 9:767-773.
- 31 Brown DF, Muirhead MJ et al.: Mode of chemotherapy does not affect complications with an implantable venous access device. *Cancer* 1997; 80:966-972.
- 32 Di Carlo I, Cordio S et al.: Totally implantable venous access devices implanted surgically: a retrospective study on early and late complications. *Arch Surg* 2001; 136:1050-1053.
- 33 Barrios CH, Zuke JE et al.: Evaluation of an implantable venous access system in a general oncology population. *Oncology* 1992; 49:474-478.
- 34 Silver DF, Hempling RE et al.: Complications related to indwelling caval catheters on a gynecologic oncology service. *Gynecol Oncol* 1998; 70:329-333.
- 35 Puel V, Caudry M et al.: Superior vena cava thrombosis related to catheter malposition in cancer chemotherapy given through implanted ports. *Cancer* 1993; 72:2248-2252.
- 36 Kurul S, Saip P et al.: Totally implantable venous-access ports: local problems and extravasation injury. *Lancet Oncol* 2002; 3:684-692.
- 37 Laffer U, Durig M et al.: Surgical experiences with 191 implanted venous Port-a-Cath systems. *Recent Results Cancer Res* 1991; 121:189-197.
- 38 Spitz MR: Epidemiology and risk factors for head and neck cancer. *Semin Oncol* 1994; 21:281-288.
- 39 Lewin F, Norell SE et al.: Smoking tobacco, oral snuff, and alcohol in the etiology of squamous cell carcinoma of the head and neck: a population-based case-referent study in Sweden. *Cancer* 1998; 82:1367-1375.
- 40 Andre K, Schraub S et al.: Role of alcohol and tobacco in the aetiology of head and neck cancer: a case-control study in the Doubs region of France. *Eur J Cancer B Oral Oncol* 1995; 31B:301-309.

- 41 Murata M, Takayama K et al.: A nested case-control study on alcohol drinking, tobacco smoking, and cancer. *Cancer Detect Prev* 1996; 20:557-565.
- 42 Silverman S, Jr., Gorsky M et al.: Oral leukoplakia and malignant transformation. A follow-up study of 257 patients. *Cancer* 1984; 53:563-568.
- 43 Tumorzentrum Freiburg: Kopf-Hals-Tumoren: Empfehlungen zur standardisierten Diagnostik, Therapie und Nachsorge. 2004. [www.tumorzentrum-freiburg.de](http://www.tumorzentrum-freiburg.de)
- 44 Hausamen J, Becker J et al.: Curriculum Mund-, Kiefer- und Gesichtschirurgie Band III, Quintessenz Verlags-GmbH, 2003.
- 45 Greene JN: Catheter-related complications of cancer therapy. *Infect Dis Clin North Am* 1996; 10:255-295.
- 46 Woolgar JA, Scott J et al.: Survival, metastasis and recurrence of oral cancer in relation to pathological features. *Ann R Coll Surg Engl* 1995; 77:325-331.
- 47 Wittekind C, Meyer H et al.: TNM-Klassifikation maligner Tumoren, 6 ed, Springer, 2002.
- 48 Autosuture™: Handbuch ChemoSite™ Implantierbare Port-Systeme. 2004 [www.autosuture.com](http://www.autosuture.com).
- 49 Autosuture™: Produktliste, United States Surgical, Tyco Healthcare Group LP. 2006. [www.autosuture.com](http://www.autosuture.com)
- 50 List MA, D'Antonio LL et al.: The Performance Status Scale for Head and Neck Cancer Patients and the Functional Assessment of Cancer Therapy-Head and Neck Scale. A study of utility and validity. *Cancer* 1996; 77:2294-2301.
- 51 Cella DF, Tulsky DS et al.: The Functional Assessment of Cancer Therapy scale: development and validation of the general measure. *J Clin Oncol* 1993; 11:570-579.
- 52 List MA, Siston A et al.: Quality of life and performance in advanced head and neck cancer patients on concomitant chemoradiotherapy: a prospective examination. *J Clin Oncol* 1999; 17:1020-1028.
- 53 Lippman SM, Spitz M et al.: Epidemiology, biology, and chemoprevention of aerodigestive cancer. *Cancer* 1994; 74:2719-2725.
- 54 Shaha AR, Patel S et al.: Head and Neck Cancer. In: *Clinical Oncology*, The American Cancer Society, Lenhard RE, Osteen RT, Gansler T (Eds), Atlanta, Georgia 2001.

- 55 Heermann R, Lenarz T et al.: Lippen-, Mundhöhlen- und Oropharynxtumoren. In: Kompendium Internistische Onkologie, 3. ed, Schmoll H-J, Höffken K, Possinger K (Eds), Springer Verlag, Berlin Heidelberg New York 1999.
- 56 Biffi R, Corrado F et al.: Long-term, totally implantable central venous access ports connected to a Groshong catheter for chemotherapy of solid tumours: experience from 178 cases using a single type of device. *Eur J Cancer* 1997; 33:1190-1194.
- 57 Ballarini C, Intra M et al.: Complications of subcutaneous infusion port in the general oncology population. *Oncology* 1999; 56:97-102.
- 58 Bodner LJ, Nosher JL et al.: Peripheral venous access ports: outcomes analysis in 109 patients. *Cardiovasc Intervent Radiol* 2000; 23:187-193.
- 59 Foley MJ: Radiologic placement of long-term central venous peripheral access system ports (PAS Port): results in 150 patients. *J Vasc Interv Radiol* 1995; 6:255-262.
- 60 Salmela LAromaa U: Verification of the position of a central venous catheter by intra-atrial ECG. When does this method fail? *Acta Anaesthesiol Scand* 1993; 37:26-28.
- 61 Hammersen S, Pietila TA et al.: Accurate placement of the distal end of a ventriculoatrial shunt catheter using Alphacard: direct intraoperative comparison with fluoroscopy. *Acta Neurochir (Wien)* 2000; 142:563-566.
- 62 Khan F: A rare misplacement of a central venous catheter. *Eur J Anaesthesiol* 2000; 17:527-528.
- 63 Apsner R, Muhm M et al.: Expanding our interventional skills: placement of totally implantable injection ports by internists/intensivists. *Acta Med Austriaca* 2001; 28:23-26.
- 64 Lersch C, Paschalidis M et al.: [Deep venous thrombosis caused by central venous catheter]. *Vasa* 1999; 28:71-78.
- 65 Hartkamp A, van Boxtel AJ et al.: Totally implantable venous access devices: evaluation of complications and a prospective comparative study of two different port systems. *Neth J Med* 2000; 57:215-223.
- 66 Kellner O, Dempke W et al.: Zentralvenöse Katheter in der Hämatologie und Onkologie. In: Kompendium Internistische Onkologie, 3. ed, Schmoll H-J, Höffken K, Possinger K (Eds), Springer-Verlag, Berlin Heidelberg New York 1999.

- 67 Rauthe G: Perkutane venöse Implantation. In: Portkathetersysteme, Haindl H, Müller H, Schmoll E (Eds), Springer-Verlag, Berlin Heidelberg New York 1993. 30-33.
- 68 Torramade JR, Cienfuegos JA et al.: The complications of central venous access systems: a study of 218 patients. *Eur J Surg* 1993; 159:323-327.
- 69 De Backer A, Vanhulle A et al.: Totally implantable central venous access devices in pediatric oncology--our experience in 46 patients. *Eur J Pediatr Surg* 1993; 3:101-106.
- 70 Mannel RS, Manetta A et al.: Cost analysis of Hickman catheter insertion at bedside in gynecologic oncology patients. *J Am Coll Surg* 1994; 179:558-560.
- 71 D'Angelo F, Ramacciato G et al.: [Totally implantable venous access systems. Analysis of complications]. *Minerva Chir* 1997; 52:937-942.
- 72 Biffi R, De Braud F et al.: A randomized, prospective trial of central venous ports connected to standard open-ended or Groshong catheters in adult oncology patients. *Cancer* 2001; 92:1204-1212.
- 73 Andris DA, Krzywda EA et al.: Pinch-off syndrome: a rare etiology for central venous catheter occlusion. *JPEN J Parenter Enteral Nutr* 1994; 18:531-533.
- 74 Wickham R, Purl S et al.: Long-term central venous catheters: issues for care. *Semin Oncol Nurs* 1992; 8:133-147.
- 75 Rodier JM, Malbec L et al.: Mediastinal infusion of epirubicin and 5-fluorouracil. A complication of totally implantable central venous systems. Report of a case. *J Cancer Res Clin Oncol* 1996; 122:566-567.
- 76 Deutsche Sepsis-Gesellschaft e.V. und Deutsche Interdisziplinäre Vereinigung für Intensiv- und Notfallmedizin (DIVI): Diagnostik und Therapie der Sepsis, Leitlinien. 2005. [www.awmf-online.de](http://www.awmf-online.de)
- 77 Del Campo C, Ing VW et al.: Prospective evaluation of a totally implantable drug delivery system. Improved results at 4-year follow-up. *Can J Surg* 1991; 34:278-281.
- 78 Groeger JS, Lucas AB et al.: Infectious morbidity associated with long-term use of venous access devices in patients with cancer. *Ann Intern Med* 1993; 119:1168-1174.
- 79 Fuchs R, Leimer L et al.: [Clinical experience with bacterial contamination of Port-A-Cath systems in tumor patients]. *Dtsch Med Wochenschr* 1987; 112:1615-1618.

- 80 Hall P, Cedermark B et al.: Implantable catheter system for long-term intravenous chemotherapy. *J Surg Oncol* 1989; 41:39-41.
- 81 Domingo P, Fontanet A: Management of complications associated with totally implantable ports in patients with AIDS. *AIDS Patient Care STDS* 2001; 15:7-13.
- 82 de Gregorio MA, Miguelena JM et al.: Subcutaneous ports in the radiology suite: an effective and safe procedure for care in cancer patients. *Eur Radiol* 1996; 6:748-752.
- 83 Raab R: Operative venöse Implantation. In: *Portkathetersysteme*, Haindl H, Müller H, Schmoll E (Eds), Springer-Verlag, Berlin Heidelberg New York 1993. 22-29.
- 84 Müller H: Das Problem der Blutentnahme. In: *Portkathetersysteme*, Haindl H, Müller H, Schmoll E (Eds), Springer-Verlag, Berlin Heidelberg New York 1993. 162-168.
- 85 Vlasveld LT, Rodenhuis S et al.: Catheter-related complications in 52 patients treated with continuous infusion of low dose recombinant interleukin-2 via an implanted central venous catheter. *Eur J Surg Oncol* 1994; 20:122-129.
- 86 De Boer MF, McCormick LK et al.: Physical and psychosocial correlates of head and neck cancer: a review of the literature. *Otolaryngol Head Neck Surg* 1999; 120:427-436.
- 87 de Graeff A, de Leeuw JR et al.: A prospective study on quality of life of patients with cancer of the oral cavity or oropharynx treated with surgery with or without radiotherapy. *Oral Oncol* 1999; 35:27-32.
- 88 Bow EJ, Kilpatrick MG et al.: Totally implantable venous access ports systems for patients receiving chemotherapy for solid tissue malignancies: A randomized controlled clinical trial examining the safety, efficacy, costs, and impact on quality of life. *J Clin Oncol* 1999; 17:1267.
- 89 Borst CG, de Kruif AT et al.: Totally implantable venous access ports--the patients' point of view. A quality control study. *Cancer Nurs* 1992; 15:378-381.
- 90 Rodgers HC, Liddle K et al.: Totally implantable venous access devices in cystic fibrosis: complications and patients' opinions. *Eur Respir J* 1998; 12:217-220.