

## 9. Literaturverzeichnis

- ALLEN, W. M., SANSOM, B. F. (1985):  
Milk fever and calcium metabolism.  
J. Vet. Pharmacol. Ther. 8, 19-29.
- ANDREWS, A. H., LAVEN, R., MAISEY, I. (1991):  
Treatment and control of an outbreak of fat cow syndrome in a large dairy herd.  
Vet. Rec. 129, 216-219.
- BALDWIN, R. L., ALLISON, M. J. (1983):  
Rumen metabolism.  
J. Anim. Sci. 57, 461-477.
- BARNOUIN, J. E. A. (1990):  
Components of the diet in the dry period as risk factors for milk fever in dairy herds. in  
france.  
Prevent. vet. Med. 10, 185-194.
- BEEDE, D. K. (1992b):  
The DCAD concept: Transition rations for dry pregnant cows.  
Feed stuffs 64, 12-19.
- BEEDE, D. K., RISCO, C. A., DONOVAN, G. A., WANG, C., ARCHIBALD, L. F.,  
SANCHEZ, W. K. (1992a):  
Nutritional management of the late pregnant dry cow with particular reference to dietary  
cation-anion difference and calcium supplementation.  
Proc. 24<sup>th</sup> Ann. Convention Am. Assoc. Bovine Pract., 51.
- BEENING, S. (1998):  
Untersuchungen zu den Effekten einer Veränderung des Kationen-Anionen-Verhältnisses  
(DCAB) in Wiederkäuerrationen auf Parameter des Säuren-Basen-Status und auf die  
Mineralstoffbilanz.  
Hannover: Tierärztliche Hochschule, Diss.
- BEITZ, D. C., BURKHART, D. J., JACOBSON, N. L. (1974):  
Effects of calcium to phosphorus ratio in the diet of dairy cows on incidence of parturient  
paresis.  
J. Dairy Sci. 57, 49-55.
- BENDER, S. (2002):  
Einsatz der Harnuntersuchung zur Beurteilung des Säure-Basen- und Mineralstoffhaushaltes  
im Rahmen der prophylaktischen Bestandsbetreuung von Milchviehherden.  
Berlin: Freie Univ., Fachbereich Veterinärmedizin, Diss.
- BENDER, S. (2003):  
Die Gebärparesie der Milchkuh.  
Großtierpraxis 4, 5-14.

- BENDER, S., GELFERT, C.-C., STAUFENBIEL, R. (2001):  
Einflüsse bestimmter Futterkomponenten in Milchkuhrationen auf diagnostische Parameter in Harnproben. II. Mengenelemente.  
Tierärztl. Umschau 56, 644-648.
- BENNINK, M. R., TYLER, T. R., WARD, G. M., JOHNSON, D. E. (1978):  
Ionic milieu of bovine and ovine rumen as affected by diet.  
J. Dairy Sci. 61, 315-323.
- BERGMAN, E. N. (1990):  
Energy contribution of volatile fatty acids from the gastrointestinal tract in various species.  
Physiol. Reviews 70, 567-590.
- BERGNER, H., KETZ, H.-A. (1969).  
Biochemische Verdauungsvorgänge in den Vormägen.  
In: Bergner, H., Ketz, H.-A. (Hrsg.): Verdauung, Resorption, Intermediärstoffwechsel bei landwirtschaftlichen Nutztieren.  
Berlin: Dt. Landwirtschaftsverlag, 45-58.
- BLOCK, E. (1984):  
Manipulating dietary anions and cations for prepartum dairy cows to reduce incidence of milk fever.  
J. Dairy Sci. 67, 2939-2948.
- BLOCK, E. (1994):  
Manipulation of dietary cation-anion difference on nutritionally related production diseases, productivity, and metabolic responses of dairy cows.  
J. Dairy Sci. 77, 1437-1450.
- BLUM, J. W. (1982):  
Zur Regulation des Calciumstoffwechsels beim Wiederkäuer.  
Tierzüchter 34, 211-213.
- BOSTEDT, H., WENDT, V., PRINZEN, R. (1979):  
Zum Festliegen des Milchrindes im peripartalen Zeitraum - klinische und biochemische Aspekte.  
Prakt. Tierarzt 60, 18-34.
- BRAITHWAITE, G. D. (1976):  
Calcium and phosphorus metabolism in ruminants with special reference to parturient paresis.  
J. Dairy Res. 43, 501-20.
- BRAITHWAITE, G. D. (1978b):  
The effect of 1-alpha-hydroxycholecalciferol on calcium and phosphorus metabolism in the lactating ewe.  
Br. J. Nutr. 40, 387-392.
- BREMNER, I., DAVIES, N. T. (1980).  
Dietary composition and the absorption of trace elements by ruminants.  
In: Ruckebusch, Y., Thivend, P. (Hrsg.): Digestive physiology and metabolism in ruminants.: MTP Press Limited, Falcon House, Lancaster, England, 409-428.

- BREUKINK, H. J. (1993):  
Dutch experiments related to milk fever prevention.  
*Acta Vet. Scand.* 89 (Suppl.), 125-129.
- BREVES, G., LEONHARD-MAREK, S. (2004).  
Verdauungsvorgänge in den Vormägen.  
In: Engelhardt V., W., Breves, G. (Hrsg.): *Physiologie der Haustiere*. 2. Aufl.  
Stuttgart: Enke Verlag in MVS Medizinverlage Stuttgart GmbH & Co, 357-366.
- BRONNER, F. (1987):  
Intestinal calcium absorption: mechanisms and applications.  
*J. Nutr.* 117, 1347.
- BURGSTALLER, G. (1986).  
Verdauung und Stoffwechsel beim Wiederkäuer.  
In: Kräußlich, H. (Hrsg.): *Praktische Rinderfütterung*. 4. Aufl.  
Stuttgart: Eugen Ulmer GmbH & Co, 11-28.
- CLARK, J. H., PLEGGE, A. W., DAVIS, C. L., MCCOY, G. C. (1989):  
Effects of calcium carbonate on ruminal fermentation, nutrient digestibility, and cow performance.  
*J. Dairy Sci.* 72, 493-500.
- CONTRERAS, P. A., MANSTON, R., SANSOM, B. F. (1982):  
Calcium mobilisation in hypomagnesaemic cattle.  
*Res. Vet. Sci.* 33, 10-16.
- COPPOCK, C. E. (1974):  
Displaced abomasum in dairy cattle: etiological factors.  
*J. Dairy Sci.* 57, 926-933.
- CORREA, M. T., CURTIS, C. R., ERB, H. N., SCARLETT, J. M., SMITH, R. D. (1990):  
An ecological analysis of risk factors for postpartum disorders of Holstein-Friesian cows from thirty-two New York farms.  
*J. Dairy Sci.* 73, 1515-1524.
- CRAWFORD, R. J., HOOVER, W. H., JUNKINS, L. L. (1980b):  
Effects of solids and liquid flows on fermentation in continuous cultures. II nitrogen partition and efficiency of microbial synthesis.  
*J. Anim Sci.* 51, 986-1002.
- CURTIS, C. R., ERB, H. N., SNIFFEN, C. J., SMITH, R. D. (1984):  
Epidemiology of parturient paresis: predisposing factors with emphasis on dry cow feeding and management.  
*J. Dairy Sci.* 67, 817-825.
- CURTIS, C. R., ERB, H. N., SNIFFEN, C. J., SMITH, R. D., KRONFELD, D. S. (1985):  
Path analysis of dry period nutrition, postpartum metabolic and reproductive disorders, and mastitis in Holstein cows.  
*J. Dairy Sci.* 68, 2347-2360.

- CURTIS, C. R., ERB, H. N., SNIFFEN, C. J., SMITH, R. D., POWERS, P. A., SMITH, M. C., WHITE, M. E., HILLMAN, R. B., PEARSON, E. J. (1983):  
Association of parturient hypocalcemia with eight periparturient disorders in Holstein cows.  
*J. Am. Vet. Med. Assoc.* 183, 559-561.
- CZERKAWSKI, J. W. (1986).  
Digestion of carbohydrates.  
In: Czerkawski, J. W. (Hrsg.): An introduction to rumen studies.  
Oxford, New York: Pergamon Press, 151-171.
- DELAQUIS, A. M., BLOCK, E. (1995a):  
Acid-base status, renal function, water, and macromineral metabolism of dry cows fed diets differing in cation-anion difference.  
*J Dairy Sci* 78, 604-19.
- DIRKSEN, G. (1990).  
Verdauungsapparat.  
In: Dirksen, G., Gruender, H., Stoeber, M. (Hrsg.): Die klinische Untersuchung des Rindes. 3. Aufl.  
Berlin, Hamburg: Verlag Paul Parey, 288-400.
- DISHINGTON, I. W. (1975):  
Prevention of milk fever (hypocalcemic paresis puerperalis) by dietary salt supplements.  
*Acta Vet. Scand. Suppl* 16, 503-512.
- DISHINGTON, I. W., BJØRNSTAD, J. (1982):  
Prevention of milk fever by dietary means. The effect of a concentrate fortified with mineral salts.  
*Acta Vet. Scand.* 23, 336-343.
- EL-SAMAD, H., GOFF, J. P., KHAMMASH, M. (2002):  
Calcium homeostasis and parturient hypocalcemia: an integral feedback perspective.  
*J. Theor. Biol.* 214, 17-29.
- ENDER, F., DISHINGTON, I. W., HELGEBOSTAD, A. (1971):  
Calcium balance studies in dairy cows under experimental induction and prevention of hypocalcemic paresis puerperalis.  
*Z. Tierphysiol., Tierernähr. und Futtermittelkde.* 28, 233-256.
- ERB, H. N., GROHN, Y. T. (1988):  
Epidemiology of metabolic disorders in the periparturient dairy cow.  
*J. Dairy Sci.* 71, 2557-2571.
- ERB, H. N., MARTIN, S. W. (1978):  
Age, breed and seasonal patterns in the occurrence of ten dairy cow diseases: a case control study.  
*Can. J. Comp. Med.* 42, 1-9.

- ESDALE, W. J., SATTER, L. D. (1972):  
Manipulation of ruminal fermentation IV. Effect of altering ruminal pH on volatile fatty acid production.  
J. Dairy Sci. 55, 964-971.
- FLACHOWSKY, G. (2004).  
Spurenelemente.  
In: Engelhardt V., W., Breves, G. (Hrsg.): Physiologie der Haustiere. 2. Aufl.  
Stuttgart: Enke Verlag in MVS Medizinverlage Stuttgart GmbH & Co, 628-638.
- FLACHOWSKY, G., KOCH, H., TIROKE, K., MATTHEY, M. (1993):  
Influence of the ratio between wheat straw and ground barley, ground corn or dried sugar beet pulp on in sacco dry matter degradation of ryegrass and wheat straw, rumen fermentation and apparent digestibility in sheep.  
Arch. Anim. Nutr. 43, 157-167.
- FLEISCHER, P., METZNER, M., BEYERBACH, M., HOEDEMAKER, M., KLEE, W. (2001):  
The relationship between milk yield and the incidence of some diseases in dairy cows.  
J. Dairy Sci. 84, 2025-2035.
- FREDEEN, A. H., DEPETERS, E. J., BALDWIN, R. L. (1988a):  
Characterization of acid-base disturbances and effects on calcium and phosphorus balances of dietary fixed ions in pregnant or lactating does.  
J. Anim. Sci. 66, 159-73.
- FREDEEN, A. H., DEPETERS, E. J., BALDWIN, R. L. (1988b):  
Effects of acid-base disturbances caused by differences in dietary fixed ion balance on kinetics of calcium metabolism in ruminants with high calcium demand.  
J. Anim. Sci. 66, 174-184.
- FRÖMER, S. (2005):  
Untersuchungen zum Effekt verschiedener Anionenergänzungen auf die renale Elektrolytausscheidung und ihre diagnostische Aussagekraft hinsichtlich eines Einsatzes in der Gebäpareseprophylaxe bei Milchkühen.  
Berlin: Freie Universität, Fachbereich Veterinärmedizin, Diss.
- FÜRLL, M., JÄKEL, L., BAUERFELD, J., GROPPEL, B. (1996):  
Gebäpareseprophylaxe mit "Anionenrationen".  
Prakt. Tierarzt, Collegium veterinarium XXVI, 31-34.
- GANONG, W. F. (1991).  
In. (Hrsg.): Review of medical physiology. 5th Ed. Norwalk, CT: Appleton & Lange.
- GAYNOR, P. J., MUELLER, F. J., MILLER, J. K., RAMSEY, N., GOFF, J. P., HORST, R. L. (1989):  
Parturient hypocalcemia in jersey cows fed alfalfa haylage-based diets with different cation to anion ratios.  
J. Dairy Sci. 72, 2525-2531.

GERLOFF, B. J. (1988):

Feeding the dry cow to avoid metabolic disease.

Vet. Clin. North. Am. Food. Anim. Pract. 4, 379-390.

GOFF, J. P. (2000):

Pathophysiology of calcium and phosphorus disorders.

Vet. Clin. North. Am. Equine Pract. 16, 319-337, vii.

GOFF, J. P., HORST, R. L. (1997a):

Effects of the addition of potassium or sodium, but not calcium, to prepartum ratios on milk fever in dairy cows.

J. Dairy Sci. 80, 176-186.

GOFF, J. P., HORST, R. L. (1997b):

Physiological changes at parturition and their relationship to metabolic disorders.

J. Dairy Sci. 80, 1260-1268.

GOFF, J. P., HORST, R. L. (1998):

Use of hydrochloric acid as a source of anions for prevention of milk fever.

J. Dairy Sci. 81, 2874-2880.

GOFF, J. P., HORST, R. L., JARDON, P. W., BORELLI, C., WEDAM, J. (1996):

Field trials of an oral calcium propionate paste as an aid to prevent milk fever in periparturient dairy cows.

J. Dairy Sci. 79, 378-383.

GOFF, J. P., HORST, R. L., LITTLEDIKE, E. T., BORIS, A., USKOKOVIC, M. R. N. I. L. (1986):

Bone resorption, renal function and mineral status in cows treated with 1,25-dihydroxycholecalciferol and its 24-fluoro analogues.

J. Nutr. 116, 1500-1510.

GOFF, J. P., HORST, R. L., MUELLER, F. J., MILLER, J. K., KIESS, G. A., DOWLEN, H. H. (1991):

Addition of chloride to a prepartal diet high in cations increases 1,25-dihydroxyvitamin D response to hypocalcemia preventing milk fever.

J. Dairy Sci. 74, 3863-3871.

GOFF, J. P., HORST, R. L., REINHARDT, T. A. (1987):

The pathophysiology and prevention of milk fever.

Vet. Med. 943-950.

GOFF, J. P., HORST, R.L. (1995):

Dietary Potassium and Sodium, but not Calcium, induces milk fever in dairy cows.

Proceedings IX th Int. Conf. Prod. Dis. in Farm Animals 22, 1995, Berlin, Germany.

GOFF, J. P., KEHRLI, M. E. J., HORST, R. L. (1989):

Periparturient hypocalcemia in cows: prevention using intramuscular parathyroid hormone.

J. Dairy Sci. 72, 1182-1187.

- GOFF, J. P., LITTLEDIKE, E. T., HORST, R. L. (1986):  
Effect of synthetic bovine parathyroid hormone in dairy cows: prevention of hypocalcemic parturient paresis.  
*J. Dairy Sci.* 69, 2278-2289.
- GOFF, J. P., REINHARDT, T. A., HORST, R. L. (1991):  
Enzymes and factors controlling vitamin D metabolism and action in normal and milk fever cows.  
*J. Dairy Sci.* 74, 4022-4032.
- GOFF, J. P., REINHARDT, T. A., HORST, R. L. (1995):  
Milk fever and dietary cation-anion balance effects on concentration of vitamin D receptor in tissue of periparturient dairy cows.  
*J. Dairy Sci.* 78, 2388-2394.
- GOINGS, R. L., JACOBSON, N. L., BEITZ, D. C., LITTLEDIKE, E. T., WIGGERS, K. D. (1974):  
Prevention of parturient paresis by a prepartum, calcium-deficient diet.  
*J. Dairy Sci.* 57, 1184-1188.
- GREEN, H. B., HORST, R. L., BEITZ, D. C., LITTLEDIKE, E. T. (1981):  
Vitamin D metabolites in plasma of cows fed a prepartum low-calcium diet for prevention of parturient hypocalcemia.  
*J. Dairy Sci.* 64, 217-226.
- GREENFIELD, T. L., BALDWIN, R. L. T., ERDMAN, R. A., MCLEOD, K. R. (2001):  
Ruminal fermentation and intestinal flow of nutrients by lactating cows consuming brown midrib corn silages.  
*J. Dairy Sci.* 84, 2469-2477.
- GREENSPAN, F. S., BAXTER, J. D. (1993).  
In: Greenspan, F. S., Baxter, J. D. (Hrsg.): *Basic & clinical endocrinology*. 4th Edn.  
Norwalk: CT: Appleton & Lange.
- GROHN, Y. T., EICKER, S. W., DUCROCQ, V., HERTL, J. A. (1998):  
Effect of diseases on the culling of Holstein dairy cows in New York State.  
*J. Dairy Sci.* 81, 966-978.
- GRÜNDER, H.-D. (1985):  
Rezidivprophylaxe und Vorbeuge der hypocalämischen Gebäparese des Rindes.  
*Tierärztl. Umschau* 40, 166-168.
- GÜRTLER, H., SCHWEIGERT, F. J. (2004).  
Physiologie der Laktation.  
In: Engelhardt V., W., Breves, G. (Hrsg.): *Physiologie der Haustiere*. 2. Aufl.  
Stuttgart: Enke Verlag in MVS Medizinverlage Stuttgart GmbH & Co, 552-574.
- HANSARD, S. L., COMAR, C. L., DAVIS, G. K. N. I. L. (1954):  
Effects of age upon the physiological behavior of calcium in cattle.  
*Am. J. Physiol.* 177, 383-389.

- HARRIS, D. J. (1981):  
Factors predisposing to parturient paresis.  
Aust. Vet. J. 57, 357-361.
- HARRISON, D. G., BEEVER, D. E., THOMSON, D. J., OSBOURN, D. F. (1975):  
Manipulation of rumen fermentation in sheep by increasing the rate of flow of water from the rumen.  
J. Agric. Sci. 85, 93-101.
- HARRISON, D. G., BEEVER, D. E., THOMSON, D. J., OSBOURN, D. F. (1976):  
Manipulation of fermentation in the rumen.  
J. Sci. Fd. Agric. 27, 617-620.
- HEMSLEY, J. A. (1975):  
Effect of high intakes of sodium chloride on the utilization of a protein concentration by sheep. I. Wool growth.  
J. Agric. Sci. 26, 709.
- HERDT, T. H. (1988):  
Fatty liver in dairy cows.  
Vet. Clin. North. Am. Food Anim. Pract. 4, 269-287.
- HIBBS, J. W. (1950):  
Milk fever (parturient paresis) in dairy cows: a review.  
J. Dairy Sci. 33, 758.
- HOLDEN, L. A., MULLER, L. D., VARGA, G. A., HILLARD, P. J. (1994):  
Ruminal digestion and duodenal nutrient flows in dairy cows consuming grass as pasture, hay, or silage.  
J. Dairy Sci. 77, 3034-3042.
- HOOVER, W. H., KINCAID, C. R., VARGA, G. A., THAYNE, W. V., JUNKINS, L. L. (1984):  
Effects of solids and liquid flows on fermentation in continuous cultures. IV pH and dilution rate.  
J. Anim. Sci. 58, 692-699.
- HORST, R. L. (1986):  
Regulation of calcium and phosphorus homeostasis in the dairy cow.  
J. Dairy Sci. 69, 604-616.
- HORST, R. L., DELUCA, H. F., JORGENSEN, N. A. (1978):  
The effect of age on calcium absorption and accumulation of 1,25 dihydroxyvitamin D<sub>3</sub> in intestinal mucosa of rats.  
Metab. Bone Dis. Rel. Res. 1, 29.
- HORST, R. L., GOFF, J. P., REINHARDT, T. A. (1990):  
Advancing age results in reduction of intestinal and bone 1,25-dihydroxyvitamin D receptor.  
Endocrinology 126, 1053-1057.

- HORST, R. L., GOFF, J. P., REINHARDT, T. A. (1994):  
Calcium and vitamin D metabolism in the dairy cow.  
*J. Dairy Sci.* 77, 1936-1951.
- HORST, R. L., GOFF, J. P., REINHARDT, T. A., BUXTON, D. R. (1997):  
Strategies for preventing milk fever in dairy cattle.  
*J. Dairy Sci.* 80, 1269-1280.
- HORST, R. L., JORGENSEN, N. A. (1974):  
Effect of ammonium chloride on nitrogen and mineral balance in lactating and nonlactating goats.  
*J. Dairy Sci.* 57, 683-688.
- HORST, R. L., JORGENSEN, N. A., DELUCA, H. F. N. I. L. (1978):  
Plasma 1,25-dihydroxyvitamin D and parathyroid hormone levels in paretic dairy cows.  
*Am. J. Physiol.* 235, E634-637.
- HORST, R. L., REINHARDT, T. A. (1983):  
Vitamin D metabolism in ruminants and its relevance to the periparturient cow.  
*J. Dairy Sci.* 66, 661-678.
- HOUE, H., ØSTERGAARD, S., THILSING-HANSEN, T., JØRGENSEN, R. J., LARSEN, T., SØRENSEN, J. T., AGGER, J. F., BLOM, J. Y. (2001):  
Milk fever and subclinical hypocalcaemia-an evaluation of parameters on incidence risk, diagnosis, risk factors and biological effects as input for a decision support system for disease control.  
*Acta Vet. Scand.* 42, 1-29.
- HOVE, K. N. I. L. (1984):  
Effects of 1 alpha-hydroxylated metabolites of cholecalciferol on intestinal radiocalcium absorption in goats.  
*Br. J. Nutr.* 51, 157-164.
- HUHTANEN, P., VANHATALO, A., VARVIKKO, T. (1998):  
Enzyme activities of rumen particles and feed samples incubates in situ with different types of cloth.  
*Br. J. Nutr.* 79, 161-168.
- HUNGATE, R. E. (1966).  
The rumen and its microbes.  
In: Hungate, R. E. (Hrsg.): *The rumen and its microbes*.  
New York: Academic Press.
- HVELPLUND, T. (1991).  
Volatile fatty acids and protein production in the rumen in.  
In: Jouany, J. P. (Hrsg.): *Rumen microbial metabolism and ruminant digestion*. 165-178.
- IVANCIC, J., JR., WEISS, W. P. (2001):  
Effect of dietary sulfur and selenium concentrations on selenium balance of lactating Holstein cows.  
*J. Dairy Sci.* 84, 225-232.

- JEROCH, H., DROCHNER, W., SIMON, O. (1999).  
Mikrobielle Verdauung.  
In: Jeroch, H., Drochner, W., Simon, O. (Hrsg.): Ernährung landwirtschaftlicher Nutztiere.  
Stuttgart: Verlag Eugen Ulmer, 116-140.
- JOHNSON, J. A., BECKMAN, M. J., PANSINI-PORATA, A., CHRISTAKOS, S., BRUNS, M. E., BEITZ, D. C., HORST, R. L., REINHARDT, T. A. (1995):  
Age and gender effects on 1,25-dihydroxyvitamin D<sub>3</sub>-regulated gene expression.  
*Exp. Gerontol.* 30, 631-643.
- JÖNSSON, G. (1960):  
On the etiology and pathogenesis of parturient paresis in dairy cows.  
*Acta Agric. Scand. Suppl.* 8.
- JONSSON, G., PEHRSON, B., LUNDSTROM, K., EDQVIST, L. E., BLUM, J. W. (1980):  
Studies on the effect of the amount of calcium in the prepartum diet on blood levels of  
calcium, magnesium, inorganic phosphorus, parathyroid hormone and hydroxyproline in milk  
fever prone cows.  
*Zentralbl. Veterinarmed. A.* 27, 173-185.
- JORGENSEN, N. A. (1974):  
Combating milk fever.  
*J. Dairy Sci.* 57, 933-944.
- JOYCE, P. W., SANCHEZ, W. K., GOFF, J. P. (1997):  
Effect of anionic salts in prepartum diets based on alfalfa.  
*J. Dairy Sci.* 80, 2866-2875.
- KAMPHUES, J. (1996):  
Das DCAB-Konzept in der Gebärparesephylaxe.  
*Übers. Tierernährung* 24, 129-135.
- KENNEDY, P. M., MILLIGAN, L. P. (1978):  
Effects of cold exposure on digestion, microbial synthesis and nitrogen transformations in  
sheep.  
*Br. J. Nutr.* 39, 105-117.
- KICHURA, T. S., HORST, R. L., BEITZ, D. C., LITTLEDIKE, E. T. (1982):  
Relationships between prepartal dietary calcium and phosphorus, vitamin D metabolism, and  
parturient paresis in dairy cows.  
*J. Nutr.* 112, 480-487.
- KIRCHGEßNER, M. (1997).  
Die Verdauung.  
In: Kirchgeßner, M. (Hrsg.): Tierernährung.  
Frankfurt (Main), München, Münster-Hiltrup Wien, Wabern: VerlagsUnion Agrar.
- KOCABAGLI, N., RIOND, J. L., SPICHIGER, U. E., WANNER, M. (1995):  
Parathyroid hormone-related protein and calcium homeostasis during the periparturient period  
of dairy cows.  
*Am. J. Vet. Res.* 56, 380-385.

KOLB, E. (1989).

Die Verdauung im Wiederkäuermagen.

In: Kolb, E. (Hrsg.): Lehrbuch der Physiologie der Haustiere.

Stuttgart, New York: Gustav Fischer Verlag.

KUSUMANTI, E., AGGER, J. F., JENSEN, K. (1993):

Association between incidence risk of milk fever and lactation number, breed and season.

Acta Vet. Scand. 89 (Suppl), 141-142.

LECLERC, H., BLOCK, E. (1989):

Effects of reducing dietary cation-anion balance for prepartum dairy cows with specific references to hypocalcemic parturient paresis.

Can. J. Anim. Sci. 69, 411-423.

LITTLEDIKE, E. T., HORST, R. L. (1982):

Vitamin D<sub>3</sub> toxicity in dairy cows.

J. Dairy Sci. 65, 749-759.

LÖFFLER, L. (2005):

Untersuchungen zum Einfluss intraruminal verabreichter "Saurer Salze" auf den systemischen Säuren-Basen-Status (Henderson-Hasselbalch-Modell, Stewart-Modell) bei Kühen.

Berlin: Freie Universität, Fachbereich Veterinärmedizin, Diss.

LOMBA, F., CHAUVAUX, G., TELLER, E., LENGELE L., BIENFET, V. (1978):

Calcium digestibility in cows as influenced by the excess of alkaline ions over stable acid ions in their diet.

Br. J. Nutr. 39, 425-429.

MALZ, C., MAYER, C. (1992):

Neue Aspekte zur Pathogenes und Therapie der hypocalämischen Gebärparese.

Prakt. Tierarzt 6, 507-515.

MÄNNER, K., BRONSCH, K. (1987).

Mineralstoffe.

In: Scheunert, A., Trautmann, A.T. (Hrsg.): Lehrbuch der Veterinär-Physiologie. 7. Aufl.

Berlin und Hamburg: Verlag Paul Parey, 93-119.

MARINUCCI, M. T., DEHORITY, B. A., LOERCH, S. C. (1992):

In vitro and in vivo studies of factors affecting digestion of feeds in synthetic fiber bags.

J Anim Sci 70, 296-307.

MARTENS, H. (1995):

Die Konzentration von Mineralstoffen im Plasma von Wiederkäuern: Geeigneter Parameter zur Beurteilung der Mineralstoffversorgung?

Tierärztl. Umschau 45, 805 - 813.

MARTENS, H. (2004).

Resorptionsvorgänge.

In: Engelhardt V., W., Breves, G. (Hrsg.): Physiologie der Haustiere.

Stuttgart: Enke Verlag in MVS Medizinverlage Stuttgart GmbH & Co, 354-362.

- MAYER, G. P., RAMBERG, C. F., JR., KRONFELD, D. S., BUCKLE, R. M., SHERWOOD, L. M., AURBACH, G. D., POTTS, J. T., JR. NUR IN LISTE (1969): Plasma parathyroid hormone concentration in hypocalcemic parturient cows. Am. J. Vet. Res. 30, 1587-1597.
- MCDONALD, P., EDWARDS, R. A., GRENNHALGH, J. F. D., MORGAN, C. A. (1995). Digestion. In. (Hrsg.): Animal Nutrition. Harlow, United Kingdom: Addison Wesley Longman.
- MENG, Q., KERLEY, M. S., BELEYA, R. L. (1995): Effect of dilution rate and fermentable structural polysaccharides to protein ratio on microbial efficiency in continuous culture. J. Anim. Sci. 73 (Suppl 1), 262.
- MENG, Q., KERLEY, M. S., LUDDEN, P. A., BELEYA, R. L. (1999): Fermentation substrate and dilution rate interact to affect microbial growth and efficiency. J. Anim. Sci. 77, 206-214.
- MEYER, J. H. F., MACKIE, R. I. (1986): Microbiological evaluation of the intraruminal in sacculus digestion technique. Appl. Environ. Microbiol. 51, 622-629.
- MOORE, S. J., VANDEHAAR, M. J., SHARMA, B. K., PILBEAM, T. E., BEEDE, D. K., BUCHOLTZ, H. F., LIESMAN, J. S., HORST, R. L., GOFF, J. P. (2000): Effects of altering dietary cation-anion difference on calcium and energy metabolism in peripartum cows. J. Dairy Sci. 83, 2095-2104.
- MORROW, D. A. (1976): Fat cow syndrome. J. Dairy Sci. 59, 1625-1629.
- MULLER, L. D., KILMER, L. H. Sodium bicarbonate in dairy nutrition. (1979): Natl. Feed Ingred. Assoc. West des Moines IA.
- MÜLLER-ÖZKAN, E. (2002): Untersuchungen zu möglichen Auswirkungen anionischer Futterzusätze auf den Kohlenhydratstoffwechsel im Pansen des Rindes (in vitro). Hannover: Tierärztl. Hochschule, Diss.
- NATIONAL RESEARCH COUNCIL (1989): Nutrient requirements of dairy cattle. 6<sup>th</sup> rev. Ed. Natl. Acad. Sci, Washington, D.C.
- NOCEK, J. E. (1988): In situ and other methods to estimate ruminal protein and energy digestibility: A review. J. Dairy Sci. 71, 2051-2069.

- OETZEL, G. R. (1988):  
Parturient paresis and hypocalcemia in ruminant livestock.  
Vet. Clin. North Am. Food Anim. Pract. 4, 351-364.
- OETZEL, G. R. (1991):  
Meta-analysis of nutritional risk factors for milk fever in dairy cattle.  
J. Dairy Sci. 74, 3900-3912.
- OETZEL, G. R. (1993a):  
Effects of prophylactic treatment with a calcium chloride gel on serum calcium concentration at calving, milk fever and displaced abomasum in Holstein cows.  
J. Dairy Sci. 76 (Suppl), 304 A (Abstr.).
- OETZEL, G. R. (1993b):  
Use of anionic salts for prevention of milk fever in dairy cattle.  
Compend. Contin. Educ. Pract. Vet. 15, 1138-1146.
- OETZEL, G. R. (1998):  
Dairy nutrition management: nutritional management of dry dairy cows.  
Compend. Cont. Educ. Pract. Vet. : Food Animals 391-396.
- OETZEL, G. R. (2000):  
Management of dry cows for the prevention of milk fever and other mineral disorders.  
Vet. Clin. North Am. Food Anim. Pract. 16, 369-386, vii.
- OETZEL, G. R., BARMORE, J.A. (1993):  
Intake of a concentrate mixture containing various anionic salts fed to pregnant non-lactating dairy cows.  
J. Dairy Sci. 76, 1617-1623.
- OETZEL, G. R., FETTMAN, M. J., HAMAR, D. W., OLSON, J. D. (1991):  
Screening of anionic salts for palatability, effects on acid-base status, and urinary calcium excretion in dairy cows.  
J. Dairy Sci. 74, 965-971.
- OETZEL, G. R., GOFF, J. P. (1998).  
Milk fever (parturient paresis) in cows, ewes and doe goats.  
In: Howard, S. R. H. (Hrsg.): Current veterinary therapy 4: Food animal practice.  
Philadelphia: W.B. Saunders Co.
- OETZEL, G. R., OLSON, J. D., CURTIS, C. R., FETTMAN, M. J. (1988):  
Ammonium chloride and ammonium sulfate for prevention of parturient paresis in dairy cows.  
J. Dairy Sci. 71, 3302-3309.
- OETZEL, G. R., OLSON, J. D., CURTIS, C. R., FETTMAN, M. J. (1988):  
Ammonium chloride and ammonium sulfate for prevention of parturient paresis in dairy cows.  
J. Dairy Sci. 71, 3302-9.

## 9. Literaturverzeichnis

---

PEHRSON, B., SVENSSON, C., GRUVAEUS, I., VIRKKI, M. (1999):  
The influence of acidic diets on the acid-base balance of dry cows and the effect of  
fertilization on the mineral content of grass.  
J. Dairy Sci. 82, 1310-1306.

PFEFFER, E. (1987).  
Verdauung im Magen von Wiederkäuern.  
In: Scheunert, A., Trautmann, A. (Hrsg.): Lehrbuch der Veterinär-Physiologie. 7. Aufl.  
Berlin und Hamburg: Verlag Paul Parey, 38-58.

PHILLIPPO, M., REID, G. W., NEVISON, I. M. (1994):  
Parturient hypocalcaemia in dairy cows: effects of dietary acidity on plasma minerals and  
calciotrophic hormones.  
Res. Vet. Sci. 56, 303-309.

PIATKOWSKI, B., GÜRTLER, H., VOIGT, J. (1990).  
Verdauung beim Wiederkäuer.  
In: Piatkowski, B., Gürtler, H., Voigt, J. (Hrsg.): Grundzüge der Wiederkäuer- Ernährung.  
Jena: Gustav Fischer Verlag, 35-53.

POND, W. G., WALLACE, M. H. (1986):  
Effect of gestation-lactation diet calcium and zinc levels and of parenteral vitamins A, D and  
E during gestation on ewe body weight and on lamb weight and survival.  
J. Anim. Sci. 63, 1019-1025.

PRAECHTER, C. (2001):  
Untersuchungen zum Einfluss anionenreicher Rationen auf die Eigenschaften und die  
Zusammensetzung des Blutes und der Pansenflüssigkeit sowie auf die Ca-Absorption über die  
Pansenwand.  
Hannover: Tierärztl. Hochschule, Diss.

RAJALA, P. J., GROHN, Y. T. (1998):  
Disease occurrence and risk factor analysis in Finnish Ayrshire cows.  
Acta Vet. Scand. 39, 1-13.

RAMBERG, C. F., JR., JOHNSON, E. K., FARGO, R. D., KRONFELD, D. S. N. I. L.  
(1984):  
Calcium homeostasis in cows, with special reference to parturient hypocalcemia.  
Am. J. Physiol. 246, R 698-704.

REINHARDT, T. A., CONRAD, H. R. N. I. L. (1980):  
Specific binding protein for 1,25-dihydroxyvitamin D3 in bovine mammary gland.  
Arch. Biochem. Biophys. 203, 108-116.

REINHARDT, T. A., HORST, R. L., GOFF, J. P. (1988):  
Calcium, phosphorus, and magnesium homeostasis in ruminants.  
Vet. Clin. North Am. Food Anim. Pract. 4, 331-350.

RIOND, J. L. (2001):  
Animal nutrition and acid-base balance.  
Eur. J. Nutr. 40, 245-254.

- ROGERS, J. A., DAVIS, C. L. (1982a):  
Effects of intraruminal infusions of mineral salts on volatile fatty acid production in steers fed high-grain and high- roughage diets.  
J. Dairy Sci. 65, 953-962.
- ROGERS, J. A., DAVIS, C. L. (1982b):  
Rumen volatile fatty acid production and nutrient utilization in steers fed a diet supplemented with sodium bicarbonate and monensin.  
J. Dairy Sci. 69, 944-952.
- ROGERS, J. A., DAVIS, C. L., CLARK, J. H. (1982):  
Alteration of rumen fermentation, milk fat synthesis and nutrient utilization with mineral salts in dairy cows.  
J. Dairy Sci. 65, 577-586.
- ROGERS, J. A., MARKS, B. C., DAVIS, C. L., CLARK, D. L. (1979):  
Alteration of rumen fermentation in steers by increasing rumen fluid dilution rate with mineral salts.  
J. Dairy Sci. 62, 1599-1605.
- ROMO, G. A., KELLEMS, R. O., POWELL, K., WALLENTINE, M. V. (1991):  
Some blood minerals and hormones in cows fed variable mineral levels and ionic balance.  
J. Dairy Sci. 74, 3068-3077.
- RUKKWAMSUK, T., KRUIP, T. A., WENSING, T. (1999):  
Relationship between overfeeding and overconditioning in the dry period and the problems of high producing dairy cows during the postparturient period.  
Vet. Q. 21, 71-77.
- RUSSEL, J. B., CHOW, J. M. (1993):  
Another theory for the action of ruminal buffer salts: Decreased starch fermentation and propionate production.  
J. Dairy Sci. 76, 826-830.
- RUSSEL, J. B., DOMBROWSKI, D. B. (1980):  
Effect of pH on the Efficiency of Growth by Pure Cultures of Rumen Bacteria in Continuous Culture.  
Appl. Environ. Microbiol. 39, 604-610.
- SACHS, M. (1987):  
Fütterungsprophylaxe von Stoffwechselstörungen bei Hochleistungskühen.  
Prakt. Tierarzt: Collegium Veterinarium XVIII, 68-70.
- SALEWSKI, A. (1997):  
Ketose und Mineralstoffstörungen beim Rind.  
Milchpraxis 35, 153-156.
- SCHONEVILLE, J. T., VAN 'T KLOOSTER, A. T., DIRKZWAGER, A., A.C., B. (1994):  
Stimulatory effect of an anion (chloride)- rich ration on apparent calcium absorption in dairy cows.  
Livest. Prod. Sci. 40, 233-240.

- SHAPPELL, N. W., HERBEIN, J. H., DEFTOS, L. J., AIELLO, R. J. (1987):  
Effects of dietary calcium and age on parathyroid hormone, calcitonin and serum and milk  
minerals in the periparturient dairy cow.  
J. Nutr 117, 201-207.
- SPEARS, J. W. (2003):  
Trace mineral bioavailability in ruminants.  
J Nutr 133, 1506S-9S.
- SPIEKERS, H. (1995):  
Fütterung von Hochleistungskühen im Hinblick auf allgemeine gesundheit und  
Eutergesundheit.  
Prakt. Tierazrt, Collegium Veterinarium XXV, 20 - 22.
- STAUFENBIEL, R. (1999a):  
Hinweise zur Therapie der Gebärparesen der Milchkuh, Teil I.  
Nutztierspiegel 1/99, 44-50.
- STAUFENBIEL, R. (1999b):  
Hinweise zur Therapie der Gebärparesen der Milchkuh, Teil II.  
Nutztierspiegel 1/00, 58-61.
- STAUFENBIEL, R. (2000):  
Prophylaxe der Gebärparesen, Teil II.  
Nutztierspiegel 1/00, 58-61.
- STAUFENBIEL, R. (2002):  
Stoffwechselüberwachung der Milchvieherde - Zur Stabilisierung von Gesundheit und  
Leistung, Teil II.  
Großtierpraxis 3, 5-13.
- STEVENS, C. E., ARGENTZIO, R. A., CLEMENS, E. T. (1980):  
Microbial digestion:rumen versus large intestine  
In: Ruckebusch, Y., Thivend, P.(Hrsg.): Digestive physiology and metabolism in ruminants.  
MTP Press Limited, Falcon House, Lancaster, England 685-706.
- STEWART, P. A. (1983):  
Modern quantitative acid-base chemistry.  
Can. J. Physiol. Pharmacol. 61, 1444-1461.
- STOKES, M. R., BULL, L. S., HALTEMAN, W. A. (1985):  
Rumen liquid dilution rate in dairy cows fed once daily: Effects of diet and sodium  
bicarbonate supplementation.  
J. Dairy Sci. 68, 1171-1180.
- TAKAGI, H., BLOCK, E. (1991a):  
Effects of manipulating dietary cation-anion balance on macromineral balance in sheep.  
J. Dairy Sci. 74, 4202-4214.

- TAKAGI, H., BLOCK, E. (1991b):  
Effects of various dietary cation-anion balances on response to experimentally induced hypocalcemia in sheep.  
*J. Dairy Sci.* 74, 4215-4224.
- TAKAGI, H., BLOCK, E. (1991c):  
Effects of reducing dietary cation-anion balance on calcium kinetics in sheep.  
*J. Dairy Sci.* 74, 4225-4237.
- TANAKA, Y., DELUCA, H. F. N. I. L. (1973):  
The control of 25-hydroxyvitamin D metabolism by inorganic phosphorus.  
*Arch. Biochem. Biophys.* 154, 566-574.
- THILSING-HANSEN, T., JORGENSEN, R. J., OSTERGAARD, S. (2002):  
Milk fever control principles: a review.  
*Acta Vet. Scand.* 43, 1-19.
- THOMSON, D. J., BEEVER, D. E., LATHAM, M. J., SHARPE, M. E., THERRY, R. A. (1978):  
The effect of inclusion of mineral salts in the diet on dilution rate, the pattern of rumen fermentation and the composition of the rumen microflora.  
*J. Agric. Sci.* 91, 1-6.
- THUN, R. (1993):  
Michfieber beim Rind.  
*Milchpraxis* 31., 12-14.
- TUCKER, W. B., HARRISON, G. A., HEMKEN, R. W. (1988):  
Influence of dietary cation-anion balance on milk, blood, urine, and rumen fluid in lactating dairy cattle.  
*J. Dairy Sci.* 71, 346-354.
- TUCKER, W. B., HOGUE, J. F., ADAMS, G. D., ASLAM, M., SHIN, I. S., MORGAN, G. (1992):  
Influence of dietary cation-anion balance during the dry period on the occurrence of parturient paresis in cows fed excess calcium.  
*J. Anim. Sci.* 70, 1238-1250.
- TUCKER, W. B., HOGUE, J. F., WATERMAN, D. F., SWENSON, T. S., XIN, Z., HEMKEN, R. W., JACKSON, J. A., ADAMS, G. D., SPICER, L. J. (1991):  
Role of sulfur and chloride in the dietary cation-anion balance equation for lactating dairy cattle.  
*J. Anim. Sci.* 69, 1205-1213.
- UDÉN, P., VAN SOEST, P. J. (1984):  
Investigations of the in situ bag technique and a comparison of the fermentation in heifers, sheep, ponies and rabbits.  
*J. Anim. Sci.* 58, 213-221.

- VAGG, M. J., PAYNE, J. M. (1970):  
The effect of ammonium chloride induced acidosis on calcium metabolism in ruminants.  
Br. Vet. J. 126, 531-537.
- VAGNONI, D. B., OETZEL, G. R. (1998):  
Effects of dietary cation-anion difference on the acid-base status of dry cows.  
J. Dairy Sci. 81, 1643-1652.
- VAN DE BRAAK, A. E., VAN 'T KLOOSTER, A. T., MALESTEIN, A. (1986):  
Influence of prepartum calcium intake on calcium mobilization rate around parturition in dairy cows fed at a high prepartum feeding level.  
Vet. Q. 8, 24-37.
- VAN DIJK, C. J., LOURENS, D. C. (2001):  
Effects of anionic salts in a pre-partum dairy ration on calcium metabolism.  
J. S. Afr. Vet. Assoc. 72, 76-80.
- VAN MILGEN, J., ROACH, M. L., BERGER, L. L., MURPHY, M. R., MOORE, D. M. (1992):  
Technical note: mineral deposits on Dacron bags during ruminal incubation.  
J. Anim. Sci. 70, 2551-2555.
- VAN MOSEL, M., VAN 'T KLOOSTER, A. T., WOUTERSE, H. S. (1991):  
Effects of a deficient magnesium supply during the dry period on bone turnover of dairy cows at parturition.  
Vet. Q. 13, 199-208.
- VAN MOSEL, M., VAN'T KLOOSTER, A. T., VAN MOSEL, F., VAN DER KUILEN, J. (1993):  
Effects of reducing dietary  $[(\text{Na}^+ + \text{K}^+) - (\text{Cl}^- + \text{SO}_4^{=})]$  on the rate of calcium mobilisation by dairy cows at parturition.  
Res. Vet. Sci. 54, 1-9.
- VAN NEVEL, C. J., DEMEYER, D. I. (1988):  
Manipulation of rumen fermentation. In: Hobson, P.N.(Hrsg): The rumen microbial ecosystem.  
Elsevier , New York 387-443.
- VAN SAUN, R. J. (1991):  
Dry cow nutrition. The key to improving fresh cow performance.  
Vet. Clin. North Am. Food Anim. Pract. 7, 599-620.
- VANZANT, E. S., COCHRAN, R. C., TITGEMEYER, E. C. (1998):  
Standardization of in situ techniques for ruminant feedstuff evaluation.  
J. Anim. Sci. 76, 2717-2729.
- VARVIKKO, T., VANHATALO, A. (1993):  
Use of a combined synthetic fibre bag method to estimate the true total tract digestion of organic matter and nitrogen of hay and grass silage in cows.  
Arch. Anim. Nutr. 43, 53-61.

- WANG, C., BEEDE, D. K. (1992a):  
Effects of ammonium chloride and sulfate on acid-base status and calcium metabolism of dry Jersey cows.  
J. Dairy Sci. 75, 820-828.
- WANG, C., BEEDE, D. K. (1992b):  
Effects of diet magnesium on acid-base status and calcium metabolism of dry cows fed acidogenic salts.  
J. Dairy Sci. 75, 829-836.
- WANG, C., RISCO, C. A., VELEZ, J. S., BEEDE, D. K. (1994):  
Recent advances in prevention of parturient paresis in dairy cows.  
Comp. Contin. Educ. Pract. Vet. 16, 1373 - 1381.
- WANNER, M. (1991):  
Fütterung und Fruchtbarkeit der Milchkuh.  
Prakt. Tierarzt, Collegium Veterinarium XXII, 9-12.
- WATERMAN, D. F., SWENSON, T. S., TUCKER, W. B., HEMKEN, R. W. (1991):  
Role of magnesium in the dietary cation-anion balance equation for ruminants.  
J. Dairy Sci. 74, 1866-1873.
- WIGGERS, K. D., NELSON, D. K., JACOBSON, N. L. (1975):  
Prevention of parturient paresis by a low-calcium diet prepartum: a field study.  
J. Dairy Sci. 58, 430-431.
- WOLFFRAM, S. (2001):  
Konzept der Kationen-Anionen-Bilanz (DCAB) - Grundlagen und praktische Anwendung.  
Schriftenreihe der Agrar- u. Ernährungswiss. Fakultät der Univ. Kiel 92, 117 - 125.
- ZENTEK (1996):  
Neues zur Mineralstoffversorgung von Rindern.  
Übersichten Tierernährung 24, 76-82.
- ZEPPERITZ, H. (1994):  
Untersuchungen zur Diagnostik, Prophylaxe und Therapie der Gebärparese des Rindes unter besonderer Berücksichtigung des ionisierten Kalziums im Blut und dem Einsatz von Vitamin D<sub>3</sub> und 1 $\alpha$  OH - Cholekalziferol.  
Vet. Med. Habil.- Schrift