

Literaturverzeichnis

1. Gawkrödger DJ: Dermatology an illustrated colour text. Churchill Livingstone-Verlag 2002, Band 3, S.2-7
2. www.medizinfo.de: Aufgaben der Haut.
3. Kresken J: Hautschutz am Arbeitsplatz. Skin Care Forum, Band 21, www.scf-online.com
4. Kütting B, Drexler H: Effectiveness of skin protection creams as a preventive measure in occupational dermatitis: a critical update according to criteria of evidence-based medicine. Springer-Verlag 2003
5. Schiebler TH, Schmidt W, Zilles K: Anatomie. Springer-Verlag 1999, Band 8, S.205-218
6. Junqueira LC, Carneiro J: Histologie. Springer-Verlag 2005, Band 6, S.305-317
7. Schaefer H, Redelmeier TE: Skin barrier. Principles of percutaneous absorption. Karger-Verlag 1996
8. Baumhoer D, Steinbrück I, Götz W: Histologie mit Schemazeichnungen. Urban & Fischer-Verlag 2000, Band 1, S.223-234
9. Norlén L: Molecular skin barrier models and some central problems for the understanding of skin barrier structure and function. Skin Pharmacology and Applied Skin Physiology 2003, 16, S.203-211
10. Stevens A, Lowe J: Human Histology. Elsevier Mosby-Verlag 2005
11. Skin Care Forum: Schutzfunktionen der Haut. Skin Care Forum 2004, Band 36 www.scf-online.com

12. Jacobi U, Weigmann HJ, Ulrich J, Sterry W, Lademann J: Estimation of the relative stratum corneum amount removed by tape stripping. *Skin Research and Technology* 2005, *11*, S.91-96
13. Teichmann A, Jacobi U, Ossadnik M, Richter H, Koch S, Sterry W, Lademann J: Differential stripping: determination of topically substances penetrated into the hair follicles. *The Journal of Investigative Dermatology* 2005, *125*, S.264-269
14. Daniels R: Strategien zur Verbesserung der Hautpenetration. *Skin Care Forum* 2004, Band 37 www.scf-online.com
15. Kampf G, Ennen J: Regular use of a hand cream can attenuate skin dryness and roughness caused by frequent hand washing. *BMC Dermatology* 2006, *6(1)*
16. Kresken J, Klotz A: Occupational skin-protection products-a review. *International Archives of Occupational Environment Health* 2003, *76*, S.355-358
17. Zhai H, Maibach HI: Barrier creams-skin protectans: can you protect skin?. *J Cosmet Dermatol* 2002, *1*, S.20-23
18. Mellström GA, Boman A: Comparative evaluation of permeation testing of protective gloves to solvent: in vitro in permeation cells versus in vivo in guinea pigs. *Contact Dermatitis* 1992, *26*, S.120-127
19. Zhai H, Maibach HI: Effect of barrier creams: human skin in vivo. *Contact Dermatitis* 1996, *35*, S.92-96
20. Teichmann A, Jacobi U, Waibler E, Sterry W, Lademann J: An in vivo model to evaluate the efficacy of barrier creams on the level of skin penetration of chemicals. *Contact Dermatitis* 2006, *54*, S.5-13
21. Sun Q, Tran M, Smith B, Winefordner JD: In-situ evaluation of barrier-cream performance on human skin using laser induced breakdown spectroscopy. *Contact Dermatitis* 2000, *43*, S.259-263

22. Kucharekova M, Schwalkwijk J, van de Kerkhof PCM, van der Valk PGM: Effect of a lipid-rich emollient containing ceramide 3 in experimentally induced skin barrier dysfunction. *Contact Dermatitis* 2002, *46*, S.331-338
23. Frosch PJ, Kurte A: Efficacy of skin barrier creams (IV). The repetitive irritation test (RIT) with a set of 4 standard irritants. *Contact Dermatitis* 1994, *31*, S.161-168
24. Treffel P, Gabard B, Juch R: Evaluation of barrier creams: an in vitrotechnique on human skin. *Acta Dermato-Venereologica* 1994, *74*, S.7-11
25. Elsner P, Wigger-Alberti W, Pantini G: Perfluoropolyethers in the prevention of irritant contact dermatitis. *International Journal for Clinical and Investigative Dermatology* 1998, *197(2)*, S.141-145
26. Saary J, Qureshi R, Palda V, DeKoven J, Pratt M, Skotnicki S, Holness L: A systematic review of contact dermatitis treatment and prevention. *Journal of the American Academy of Dermatology* 2005, *53(5)*, S.845-855
27. Zhai H, Brachman F, Pelosi A, Anigbogu A, Ramos MB, Torralba MC, Maibach HI: A bioengineering study on the efficacy of a skin protectant lotion in prevention SLS-induced dermatitis. *Skin Res Technol* 2000, *6*, S.77-80
28. Frosch PJ, Schulze-Dirks A, Hoffmann M, Axtelm I: Efficacy of skin barrier creams (II). Ineffectiveness of a popular "skin protector" against various irritants in the repetitive irritation test in the guinea pig. *Contact Dermatitis* 1993, *29*, S.74-77
29. Berndt U, Wigger-Alberti W, Gabard B, Elsner P: Efficacy of a barrier cream and its vehicle as protective measures against occupational irritant contact dermatitis. *Contact Dermatitis* 2000, *42*, S.77-80
30. Frosch PJ, Kurte A, Pilz B: Efficacy of skin barrier creams (III). The repetitive irritation test (RIT) in humans. *Contact Dermatitis* 1993, *29*, S.113-118

31. Wigger-Alberti W, Rougier A, Richard A, Elsner P: Efficacy of protective creams in a modified repeated irritation test. *Acta Dermato-Venereologica* 1998, 78, S.270-273
32. Schnetz E, Diepgen TL, Elsner P, Frosch PJ, Klotz AJ, Kresken J, Kuss O, Merk H, Schwanitz HJ, Wigger-Alberti W, Fartasch M: Multicentre study for the development of an in vivo model to evaluate the influence of topical formulations on irritation. *Contact Dermatitis* 2000, 42, S.336-343
33. zur Mühlen A, Klotz A, Weimans S, Veeger M, Thörner B, Diener B, Hermann M: Using skin models to assess the effects of a protection cream on skin barrier function. *Skin Pharmacology and Physiology* 2004, 17, S.167-175
34. de Fine Olivarius F, Brinch Hansen A, Karlsmark T, Wulf HC: Water protective effect of barrier creams and moisturizing creams: a new in vivo test method. *Contact Dermatitis* 1996, 35, S.219-225
35. Chilcott RP, Jenner J, Hotchkiss SAM, Rice P: Evaluation of barriercreams against sulphur mustard. *Skin Pharmacology and applied skin Physiology* 2002, 15, S.225-235
36. Chilcott RP, Dalton CH, Hill I, Davison CM, Blohm KL, Clarkson ED, Hamilton MG: Evaluation of a barrier cream against the chemical warfare agent VX using the domestic white pig. *Basic & Clinical Pharmacology & Toxicology* 2005, 97, S.35-38
37. Swindle LD, Thomas SG, Freeman M, Delaney PM: View of normal human skin in vivo as observed using fluorescent fiber-optic confocal microscopic imaging. *The Journal of Investigative Dermatology* 2003, 121(4), S.706-712
38. Roderfeld M, Matern S, Roeb E: Konfokale Laserscanning-Mikroskopie: Der Blick in die Zelle. *Dtsch Med Wochenschr* 2003, 128, S.2539-2542
39. Aspres N, Egerton IB, Lim AC, Shumack SP: Imaging the skin. *Australasian Journal of Dermatology* 2003, 44, S.19-27

40. Just T, Zeisner C, Stave J, Pau HW: Konfokale Laser-Scanning-Mikroskopie zur Beurteilung des Zungenepithels. *Laryngo-Rhino-Otol* 2004, 83, S.108-112
41. Selkin B, Rajadhyaksha M, Gonzalez S, Langley RG: In vivo confocal microscopy in dermatology. *Dermatologic Clinics* 2001, 19(2), S.369-376
42. Jacobi U, Toll R, Audring H, Sterry W, Lademann J: The porcine snout- an in vitro model for human lips?. *Experimental Dermatology* 2005, 14, S.96-102
43. Lademann J, Richter H, Otberg N, Lawrenz F, Blume-Peytavi U, Sterry W: Application of a dermatological laser scanning confocal microscope for investigation in skin physiology. *Laser Physics* 2003, 13(5), S.756-760
44. Vardaxis NJ, Brans TA, Boon ME, Marres LM: Confocal laser scanning microscopy of porcine skin: implications for human wound healing studies. *J Anat* 1997, 190, S.601-611
45. Saumet JL, Kellogg DL, Taylor WF, Johnson JM: Cutaneous laser-doppler flowmetry: influence of underlying muscle blood flow. *Journal of Applied Physiology* 1988, 65(1), S.478-481
46. Kellogg DL, Zhao JL, Coey U, Green JV: Acetylcholine-induced vasodilatation is mediated by nitric oxide and prostaglandins in human skin. *Journal of Applied Physiology* 2005, 98, S.629-632
47. Lima A, Bakker J: Noninvasiv monitoring of peripheral perfusion. *Intensive Care Medicine*, Springer-Verlag 2005
48. Choi CM, Bennett RG: Laser dopplers to determine cutaneous blood flow. *Dermatologic Surgery* 2003, 29, S.272-280
49. Lodén M, Bárány E: Skin-identical lipids versus petrolatum in the treatment of tape-stripped and detergent-perturbed human skin. *Acta Dermato-venereologica* 2000, 80, S.412-415

50. Duval C, Lindberg M, Boman A, Johnsson S, Edlund F, Lodén M: Differences among moisturizers in affecting skin susceptibility to hexylnicotinate, measured as time to increase skin blood flow. *Skin Research and Technology* 2003, *9*, S.59-63
51. Surber C, Schwarb FP, Smith EW: Tape-stripping technique. *J. Toxicol Cut Ocular Toxicol* 2001, *20(4)*, S.461-474
52. Weigmann HJ, Lademann J, Meffert H, Schaefer H, Sterry W: Determination of the horny layer profile by tape stripping in combination with optical spectroscopy in the visible range as a prerequisite to quantify percutaneous absorption. *Skin Pharmacology and Applied Skin Physiology* 1999, *12*, S.34-45
53. Öhman H, Vahlquist A: In vivo studies concerning a pH gradient in human stratum corneum and upper epidermis. *Acta Dermato-Venereologica* 1994, *74*, S.375-379
54. Kalia YN, Pirot F, Guy RH: Homogeneous transport in a heterogeneous membrane: Water diffusion across stratum corneum in vivo. *Biophysical Journal* 1996, *71*, S.2692-2700
55. Weigmann HJ, Lademann J, v. Pelchrzim R, Sterry W, Hagemeister T, Molzahn R, Schaefer M, Lindscheid M, Schaefer H, Shah VP: Bioavailability of clobetasol propionate-Quantification of drug concentration in the stratum corneum by dermatopharmacokinetics using tape stripping. *Skin Pharmacology and Applied Skin Physiology* 1999, *12*, S.46-53
56. Ashworth J, Watson WS, Finalay AY: The lateral spread of clobetasol 17-propionate in the stratum corneum in vivo. *British Journal of Dermatology* 1988, *119*, S.351-358
57. Coderch L, de Pera M, Perez-Cullell N, Estelrich J, de la Maza A, Parra JL: The effect of liposomes on skin barrier structure. *Skin Pharmacology and applied skin physiology* 1999, *12*, S.235-246
58. Jacobi U, Kaiser M, Koscielny J, Schutz R, Meinke M, Sterry W, Lademann J: Comparison of blood flow to the cutaneous temperature and redness after topical application of benzyl nicotinate. *Journal of Biomedical Optics* 2006, *11(1)*

59. Ryatt KS, Stevenson JM, Maibach HI, Guy RH: Pharmacodynamic measurement of percutaneous penetration enhancement in vivo. *J Pharm Sci* 1986, *75*, S.374-377
60. Zhai H, Maibach HI: Effects of skin occlusion on percutaneous absorption: an overview. *Skin Pharmacology and Applied Skin Physiology* 2001, *14*, S.1-10
61. Lademann J, Weigmann HJ, Schanzer S, Richter H, Audring H, Antoniou C, Tsikrikas G, Gers-Barlag H, Sterry W: Optical investigation to avoid the disturbing influences of furrows and wrinkles quantifying penetration of drugs and cosmetics into the skin by tape stripping. *Journal of Biomedical Optics* 2005, *10(5)*, S.1-8
62. Alvarez-Román R, Naik A, Kalia YN, Fessi H, Guy RH: Visualization of skin penetration using confocal laser scanning microscopy. *European Journal of Pharmaceutics and Biopharmaceutics* 2004, *58*, S.301-316
63. Teichmann A: Das Reservoir des Stratum corneums: Bestimmung des Reservoirs für topisch applizierte Substanzen und Untersuchung von Einflussmöglichkeiten auf diese Reservoirfunktion. Dissertation, Charité-Universitätsmedizin Berlin
64. Goetz U: Die "Pillen nach Maß" erregen jetzt schon Besorgnis. *Basler Zeitung* 12.06.2004
65. Zhai H, Maibach HI: Skin occlusion and irritant and allergic contact dermatitis: an overview. *Contact Dermatitis* 2001, *44*, S.201-206
66. Schwarb FP, Imanidis G, Smith EW, Haigh JM, Surber C: Effect of concentration and degree of saturation of topical fluocinonide formulations on in vitro membrane transport and in vivo availability on human skin. *Pharmaceutical Research* 1999, *16(6)*, S.909-915
67. Reiche AI: In-vivo- und In-vitro-Untersuchungen zur Penetration und lateralen Ausbreitung von UV-Filtern. Dissertation, Charité-Universitätsmedizin Berlin
68. Yourick JJ, Bronaugh RL: Percutaneous absorption and metabolism of coumarin in human and rat skin. *Journal of Applied Toxicology* 1997, *17(3)*, S.153-158

69. Zhai H, Willard P, Maibach HI: Putative skin-protective formulations in preventing and/or inhibiting experimentally-produced irritant and allergic contact dermatitis. *Contact Dermatitis* 1999, *41*, S.190-192

70. Wigger-Alberti W, Elsner P: Petrolatum prevents irritation in a human cumulative exposure model in vivo. *Dermatology* 1997, *194*, S.247-250

71. Kucharekova M, Van De Kerkhof PCM, Van Der Valk PGM: A randomized comparison of an emollient containing skin-related lipids with a petrolatum-based emollient as adjunct in the treatment of chronic hand dermatitis. *Contact Dermatitis* 2003, *48*, S.293-299

72. Marks R, Dykes PJ, Hamami I: Two novel techniques for the evaluation of barrier creams. *British Journal of Dermatology* 1989, *120*, S.655-660

73. de Paepe K, Derde M P, Roseeuw D, Rogiers V: Incorporation of ceramide 3B in dermatocosmetic emulsions: effect on the transepidermal water loss of sodiumlaurylsulphate-damaged skin. *J Eur Acad Dermatol Venereol* 2000, *14*, S.272-279

74. Bouwstra JA, Gooris GS, Dubbelaar FER, Weerheim AM, Ijzerman AP, Ponc M: Role of ceramide 1 in the molecular organization of the stratum corneum lipids. *J Lipid Res* 1998, *39*, S.186-196

75. Buchter A (Hrsg.): Diagnostik arbeitsbedingter Erkrankungen und arbeitsmedizinisch-diagnostische Tabellen, Medizinische Fakultät der Universität des Saarlandes

76. Hauptverband der gewerblichen Berufsgenossenschaft (Hrsg.): Übersicht über die Geschäfts- und Rechnungsergebnisse der gewerblichen Berufsgenossenschaft im Jahre 1995, Sutter Duckerei, Essen 1996