

7. Literaturverzeichnis

Abrams P, Cardozo L, Fall M, et al. 2003. The standardisation of terminology in lower urinary tract function: report from standardisation sub-committee of the International Continence Society. *Urology* 61:37-49

Alcalay N, Monga A, Stanton SA 1995. Burch Colposuspension: a 10-20 years follow-up. *J Obstet Gynaecol* 102: 740-45

Alper T, Cetinkaya M, Okutgen S, Kokcu A, Malatyalioglu E 2001. Evaluation of urethrovesical angle by ultrasound in women with and without urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct* 12: 308-311

Aslan E, Beji NK, Coskun A, Yalcin O 2003. An assessment of the importance of pad testing in stress urinary incontinence and the effects of incontinence on the life quality of women. *Int Urogynecol J Pelvic Floor Dysfunct* 14: 316-19

Bader W, Tunn R, Viereck V, Merz E 2004. Introital and perineal sonography in diagnosing stress urinary incontinence – possible clinical applications. *Ultraschall Med* 25:181-190

Bidmead J, Cardozo L 2001. Retropubic urethropexy (Burch colposuspension). *Int Urogynecol J pelvic Floor Dysfunct* 12:262-65

Bidmead J, Cardozo L, McLellan A, Khullar V, Kelleher C 2001. A comparison of the objective and subjective outcomes of colposuspension for stress urinary incontinence in women. *BJOG* 108:408-13

Bonney V 1923. A diurnal incontinence of urine in women. *J Obstet Gynaecol* 62:696-99

Bors E 1948. A simple squincterometer. *J Urol* 56:287

Bump RC, Norton PA 1998. Epidemiology and natural history of pelvic floor dysfunction. *Obstet Gynecol Clin North Am* 25:723-46

Bump RC, Norton PA, Zinner NR, Yalcin I 2003. Mixed urinary incontinence symptoms: urodynamic findings, incontinence severity, and treatment response. *Obstet Gynecol* 102:76-83

Burch JC 1961. Urethrovaginal fixation to Cooper's Ligament for correction of stress urinary incontinence, cystocele, and prolapse. *Am J Obstet Gynecol* 81:281-90

Burch JC 1968. Cooper's Ligament urethrovesical suspension for stress urinary incontinence. Nine years' experience-results, complications, technique. *Am J Obstet Gynecol* 100:764-74

Cammu H, Van Nylen M, Derde Mp, DeBruyne R, Amy JJ 1991. Pelvic physiotherapy in genuine stress incontinence. *Urology* 38:332-37

Chaliha C, Digesu GA, Salvatore S, Khullar V 2006. Changes in urethral resistance in the presence of detrusor activity. *Int Urogynecol J Pelvic Floor Dysfunct* 17:215-18

Cindolo L, Salzano L, Rota G, Bellini S, D' Afiero A 2004. Tension-free transobturator approach for female stress urinary incontinence. *Minerva Urol Nefrol* 56:89-98

DeLancey JO 1988. Structural aspects of the extrinsic continence mechanism. *Obstet Gynecol* 72:296-301

DeLancey JO 1990 (1). Anatomy and physiology of urinary continence. *Clin Obstet Gynecol*. 33:298-307

DeLancey JO 1990 (2). Functional anatomy of the female lower urinary tract and pelvic floor. *Ciba Found Symp* 151:57-69

DeLancey JO, Starr RA, 1990. Histology of the connection between the vagina and levator ani muscles. Implications for urinary tract function. *J Reprod Med* 35:765-71

DeLancey JO 1994 (1). The anatomy of the pelvic floor. *Curr Opin Obstet Gynecol* 6:313-16

DeLancey JO 1994 (2). Structural support of the urethra as it relates to stress urinary incontinence: the hammock hypothesis. *Am J Obstet Gynecol* 170:1713-20

Dietz HP, Wilson PD 2000. Colposuspension success and failure: a long-term objective follow-up study. *Int Urogynecol J Pelvic Floor Dysfunct* 11:346-51

Digesu GA, Athanasiou S, Chaliha C, et al. 2006 (1). Urethral retro-resistance pressure and urodynamic diagnosis in women with lower urinary tract symptoms. *BJOG* 113:34-38

Digesu GA, Chaliha C, Khullar V, et al. 2006 (2). The relationship of urethral resistance pressure and pressure flow parameters in women with lower urinary tract symptoms. *Int Urogyn J*

Dmochowski RR, Miklos JR, Norton JR, Zinner NR, Yalcin I, Bump RC 2003. Duloxetine versus placebo for the treatment of North American women with stress urinary incontinence. *J Urol* 170:1259-63

Drouin J, Tessier J, Bertrand PE, Schick E 1999. Burch Colposuspension: long-term results and review of published reports. *Urology* 54:808-14

Dwyer PL 2004. Differentiating stress urinary incontinence from urge urinary incontinence. *Int J Gynaecol Obstet* 86 Suppl 1:S17-S24

Enhörning GE 1961. Simultaneous recording of intravesical and intraurethral pressure. A study on urethral closure in normal and stress incontinent women. *Acta Chir Scand* 276:1-68

Enzelsberger H, Helmer H, Schaten C 1996. Comparison of Burch and Lyodura sling procedures for repair of unsuccessful incontinence surgery. *Obstet Gynecol* 88:251-56

Feldner PC Jr, Bezerra LR, de Castro RA, et al. 2004. Correlation between valsalva leakpoint pressure and maximal urethral closure pressure in women with stress urinary incontinence. *Int Urogynecol J Pelvic Floor dysfunct* 15:194-97

Gray M 1998. Measuring the severity of stress urinary incontinence with use of urodynamic techniques. *J Wound Ostomy Continence Nurs* 25:2-71

Griffith JM, Black NA, Pope C, Stanley J, Bowling A, Abel PD 1998. What determines the choice of procedure in stress incontinence surgery? The use of multilevel modeling. *Int J Technol Assess Health Care* 14:431-45

Grischke EM, Anton HW, Dietz P, Schmidt W 1989. Perineal sonography and roentgenologic procedures within the scope of diagnosis of female urinary incontinence. *Geburtshilfe Frauenheilkd* 49:733-36

Groutz A, Blaivas JG, Rosenthal JE 2000. A simplified urinary incontinence score for the evaluation of treatment outcomes. *Neurourol Urodyn* 19:127-35

Hahn I, Fall M 1991. Objective Quantification of urinary stress incontinence: A short, reproducible provocative Pad Test. *Neurourol Urodyn* 10:475-81

Harms L, Emons G, Bader W, Lange R, Hilgers G, Viereck V 2006. Funneling before and after anti-incontinence surgery – a prognostic indicator? Part 2: tension-free vaginal tape. *Int Urogynecol J Pelvic Floor Dysfunct* (Epub ahead of print)

Höfner K, Jonas U 2000. *Praxisratgeber Harninkontinenz*. Bremen. Uni Med Science

Homma Y; Imajo C, Takahashi S 1994. Urinary symptoms and urodynamics in a normal elderly population. *Scand J Urol Nephrol Suppl* 157:27-30

Ingelman–Sundberg A 1982. Operative treatment of female urinary incontinence. *Ann Chir Gynaecol* 71:208-20

Ingelman–Sundberg A, Ulmsten U 1983. Surgical treatment of female urinary stress incontinence. *Contrib Gynecol Obstet* 10:51-69

Jolleys JV 1988. Reported prevalence of urinary incontinence in women in general practice. *Br Med J* 296:1300-03

Jost W 2004. *Neurologie des Beckenbodens – Neurourologie*. Bremen. Uni Med Science

Kelleher CJ, Cardozo LD, Khullar V, Salvatore S 1997. A new questionnaire to assess the quality of life of urinary incontinent women. *Br J Obstet Gynaecol* 104:1374-9

Kobata SA, Girao MJ, Sartori MG, Baracat EC, Rodrigues de Lima G 1999. Urodynamic and ultrasonographic evaluation after incontinence surgery. *Int Urogynecol J Pelvic Floor Dysfunct* 10:321-4

Kölbl H, Bernascheck G 1990. Introital sonography – a new method in the diagnosis of bladder function. *Geburtshilfe Frauenheilkd* 50:295-8

Ku JH, Kim SW, Kim HH, Paick JS, Son H, Oh SJ 2004. Patient experience with a urodynamic study: a prospective study in 208 patients. *J Urol* 171:2307-10

Kuuva N, Nilsson CG 2002. A nationwide analysis of complications associated with the tension-free vaginal tape (TVT) procedure. *Acta Obstet Gynecol Scand* 81:72-7

Langer R, Lipshitz Y, Halperin R, Pansky M, Bukovsky I, Sherman D 2001. Long – Term (10-15 years) follow-up after Burch colposuspension for urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct* 12:323-6

Lapides J, Ajemian EP, Stewart BH 1956. Further observations on the kinetics of the urethrovesical sphincter. *J Urol* 84:86-94

Lo TS, Wang AC, Horng SG, Liang CC, Song YK 2001. Ultrasonographic and urodynamic evaluation after tension free vaginal tape procedure (TVT). *Acta Obstet Gynecol Scand* 80:65-70

Martin JL, Williams KS, Abrams KR et al. 2006. Systematic review and evaluation of methods of assessing urinary incontinence. *Health Technol Assess* 10: 1-132

Millard RJ, Moore K, Rencken R, Yalcin I, Bump RC 2004. Duloxetine vs placebo in the treatment of stress urinary incontinence: a four continent randomized clinical trial. *BJU Int* 93:311-18

Nilsson CG, Kuuva N, Falconer C, Rezapour M, Ulmsten U 2001. Long-term results of the tension-free vaginal tape (TVT) procedure for surgical treatment of female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct* 12 Suppl 2:S5-S8

Nilsson CG 2004 (1). Latest Advanced in TVT Tension-Free Support for Urinary Incontinence. *Surg Technol Int* 12:171-76

Nilsson CG 2004 (2). Introduction of a new surgical procedure for treatment of female urinary incontinence. *Acta Obstet Gynecol Scand* 83:877-80

Norton PA 2002. Duloxetine versus placebo in the treatment of stress urinary incontinence. *Am J Obstet Gynecol* 187:40-48

Nygaard I, DeLancey JO, Arnsdorf L, Murphy E 1990. Exercise and incontinence *Obstet Gynecol* 75:848-51

Palmtag H, Goepel M, Heidler H 2004. *Urodynamik*. Berlin Heidelberg New York. Springer-Verlag

Payne CK 1998. Epidemiology, pathophysiology and evaluation of urinary incontinence and overactive bladder. *Urology* 51:3-10

Peschers UM, Tunn R, Buczkowski M, Perucchini D 2000. Tension-free vaginal tape for the treatment of stress urinary incontinence. Clin Obstet Gynecol 43:670-75

Petri E 2001. Colposuspension in treatment of female stress incontinence. Urologe A 40:292-9

Petri E, Kölbl H, Eberhard J 2001. Surgical concepts in female urinary stress incontinence. Zentralbl Gynäkol 123:689-98

Petros PE, Ulmsten U 1993. An integral theory and its method for the diagnosis and management of female urinary incontinence. Scand J Urol Nephrol Suppl 153:1-93

Petros PE, Ulmsten U 1995. Urethral pressure increase on effort originates from within the urethra, and continence from musclovaginal closure. Neurourol Urodyn 14:337-46

Petros PE, Ulmsten U 1997 (1). Role of the pelvic floor in bladder neck opening and closure 1: muscle forces. Int Urogynecol J Pelvic Floor Dysfunct 8:74-80

Petros PE, Ulmsten U 1997 (2). Role of the pelvic floor in bladder neck opening and closure 2: vagina. Int Urogynecol J Pelvic Floor Dysfunct 8:69-73

Rezapour M, Ulmsten U 2001. Tension-Free vaginal tape (TVT) in women with recurrent stress urinary incontinence – a long-term follow up. Int Urogynecol J Pelvic Floor Dysfunct 12 Suppl 2:S9-S11

Richardson AC, Edmonds PB, Williams NL 1981. Treatment of stress urinary incontinence due to paravaginal fascial defect. Obstet Gynecol 57:357-62

Ryhammer AM, Djurhuus JC, Laurberg S 1999. Pad testing in incontinent women: a review. Int Urogynecol J 10:111-115

Schick E, Jolivet-Tremblay M, Tessier J, Dupont C, Bertrand PE 2004. Observations on the function of the female urethra 3: An overview with special reference to the

relation between urethral hypermobility and urethral incompetence. *Neurourol Urodynam* 23: 22-26

Shafic A 1992. Micturation and urinary continence: new concepts. *Int Urogynecol J* 3:168-75

Skala C, Emons G, Krauss T et al. 2004. Postoperative funneling after anti-incontinence surgery – a prognostic indicator? Part 1: Colposuspension. *Neurourol Urodynam* 23:636-42

Slack M, Tracey M, Hunsicker K, Godwin A, Patel B, Sumeray M 2004 (1). Urethral retro - resistance pressure: A new clinical measure of urethral function. *Neurourol Urodyn* 23:1-6

Slack M, Tracey M, Hunsicker K, Godwin A, Patel B, Sumeray M 2004 (2). Relationship of urethral retro – resistance pressure to urodynamic measurements and incontinence severity. *Neurourol Urodyn* 23:109-14

Soulie M, Cuvillier X, Benaissa A, et al. 2001. The tension-free transvaginal tape procedure in the treatment of female urinary incontinence: a French prospective multicentre study. *Eur Urol* 39:709-14

Sykes D, Castro R, Pons ME, et al. 2005. Characteristics of female outpatients with urinary incontinence participating in 6-month observational study in 14 European countries. *Maturitas* 52:13-23

Tunn R, Perucchini D 2001. Morphologic assessment for diagnosing urogynaecologic disorders. *Zentralbl Gynäkol* 123:672-79

Tunn R 2001. Morphologie des Stressharninkontinenz – Kontrollsystems und seiner pathomorphologischen Veränderungen bei Stressinkontinenz. Dissertation

Tunn R, Petri E 2003. Introital and transvaginal ultrasound as the main tool in the assessment of urogenital and pelvic floor dysfunction: an imaging panel and practical approach. *Ultrasound Obstet Gynecol* 22:205-13

Tunn R, Goldammer K, Gauruder – Burmester A, Wildt B, Beyersdorff D 2005 Pathogenesis of urethral funnelling in women with stress urinary incontinence assessed by introital ultrasound. *Ultrasound Obstet Gynecol* 26:287-92

Ulmsten U, Petros PE 1992. Surgery for female urinary incontinence. *Curr Opin Obstet Gynecol* 4:456-62

Ulmsten U, Henriksson L, Johnson P, Varhos G 1996. An ambulatory surgical procedure under local anesthesia for treatment of female urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct* 7:81-85

Ulmsten U 1997. Some reflections and hypothesis on the pathophysiology of female urinary incontinence. *Acta Obstet Gynecol Scand Suppl* 166:3-8

Ulmsten U, Falconer C, Johnson P, et al. 1998. A multicenter study of tension-free vaginal tape (TVT) for surgical treatment of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct* 9:210-13

Ulmsten U, Johnson P, Rezapour M 1999. A three-year follow up of tension free vaginal tape for surgical treatment of female stress urinary incontinence. *Br J Obstet Gynecol* 106:345-50

Ulmsten U 2001 (1). The basic understanding and clinical results of tension-free vaginal tape for stress urinary incontinence. *Urologe A* 40: 269-73

Ulmsten U 2001 (2). An introduction to tension-free vaginal tape (TVT) – a new surgical procedure for treatment of female urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct* 12 Suppl 2: S3-S4

Literaturverzeichnis

Welz – Barth A, Wiedemann A, Wohltmann D, Füssgen I 2001. Tabu – Erkrankung Harninkontinenz – auch in der urologischen Praxis? Urologe B 3:299-302