

## 6 LITERATURVERZEICHNIS

- Abbruzzese M, Bellodi L, Ferri S, Scarone S (1995).** Frontal lobe dysfunction in schizophrenia and obsessive-compulsive disorder: a neuropsychological study. *Brain and Cognition* 27: 202-212
- Abbruzzese M, Ferri S, Scarone S (1997).** The selective breakdown of frontal functions in patients with obsessive-compulsive disorder and in patients with schizophrenia: a double dissociation experimental finding. *Neuropsychologia* 35: 907-912
- Adler CM, McDonough-Ryan P, Sax KW, Holland SK, Arndt S, Strakowski SM (2000).** fMRI of neuronal activation with symptom provocation in unmedicated patients with obsessive-compulsive disorder. *Journal of Psychiatric Research* 34: 317-324
- Alexander GE, DeLong MR, Strick PL (1986).** Parallel organization of functionally segregated circuits linking basal ganglia and cortex. *Annual Review of Neuroscience* 9: 357-381
- Alexander GE, Crutcher MD (1990).** Functional architecture of basal ganglia circuits: neural substrates of parallel processing. *Trends in Neurosciences* 13: 266-271
- Alptekin K, Degirmenci B, Kivircik B, Durak H, Yemez B, Derebek E, Tunca H (2001).** Tc-99m-HMPAO brain perfusion SPECT in drug-free obsessive-compulsive patients without depression. *Psychiatry Research: Neuroimaging Section* 107: 51-56
- Anderson AK, Christoff K, Stappen I, Panitz D, Ghahremani DG, Glover G, Gabrieli JD, Sobel N (2003).** Dissociated neural representations of intensity and valence in human olfaction. *Nature Neuroscience* 6: 196-202
- Atmaca M, Yildirim BH, Ozdemir BH, Aydin BA, Tezcan AE, Ozler AS (2006).** Volumetric MRI assessment of brain regions in patients with refractory OCD. *Prog Neuropsychopharmacol Biol Psychiatry* 30: 1051-1057
- Atmaca M, Yildirim H, Ozdemir H, Tezcan E, Kursad Poyraz A (2007).** Volumetric MRI study of key brain regions implicated in obsessive-compulsive disorder. *Prog Neuropsychopharmacol Biol Psychiatry* 31: 46-52
- Bar M, Kassam KS, Ghuman AS, Boshyan J, Schmid AM, Dale AM, Hämäläinen MS, Marinkovic K, Schacter DL, Rosen BR, Halgren E (2006).** Top-down facilitation of visual recognition. *Proceedings of the National Academy of Sciences of the USA* 103(2): 449-454
- Barbas H (1988).** Anatomic organization of basoventral and mediodorsal visual recipient prefrontal regions in the rhesus monkey. *Journal of Comparative Neurology* 276: 313-342
- Bartha R, Stein MB, Williamson PC, Drost DJ, Neufeld RWJ, Carr TJ, Canaran G, Densmore M, Anderson G, Siddiqui AR (1998).** A short echo H spectroscopy and volumetric MRI study of the corpus striatum in patients with obsessive-compulsive disorder and comparison subjects. *American Journal of Psychiatry* 155(11): 1584-1591

- Baxter Jr LR, Phelps ME, Mazziotta JC, Guze BH, Schwartz JM, Selin CE (1987).** Local cerebral glucose metabolic rates in obsessive-compulsive disorder. A comparison with rates in unipolar depression and in normal controls. (erratum appears in Archives of General Psychiatry 1987 Sep; 44(9):800) Archives of General Psychiatry 44, 211-218
- Baxter Jr LR, Schwartz JM, Mazziotta JC, Phelps ME, Pahl JJ, Guze BH, Fairbanks L (1988).** Cerebral glucose metabolic rates in nondepressed patients with obsessive-compulsive disorder. American Journal of Psychiatry 145, 1560-1563
- Baxter Jr LR, Schwartz JM, Bergman KS, Szuba MP et al. (1992).** Caudate glucose metabolic rate changes with both drug and behavior therapy for obsessive-compulsive disorder. American Journal of Psychiatry 49(9), 1560-1563
- Baxter Jr LR, Schwartz JM, Bergman KS, Szuba MP, Guze BH, Mazziotta JC et al. (1992).** Caudate glucose metabolic rate changes with both drug and behavior therapy for obsessive-compulsive disorder. Archives of General Psychiatry 49: 681-689
- Baylis LL, Gaffan D (1991).** Amygdalectomy and ventromedial prefrontal ablation produce similar deficits in food choice and in simple object discrimination learning for an unseen reward. Experimental Brain Research 86: 617-622
- Baylis LL, Rolls ET, Baylis GC (1994).** Afferent connections of the orbitofrontal cortex taste area of the primate. Neuroscience 64: 801-812
- Bechara A, Damasio AR, Damasio H, Anderson SW (1994).** Insensitivity to future consequences following damage to human prefrontal cortex. Cognition 50: 7-15
- Bechara A, Damasio H, Tranel D, Anderson SW (1998).** Dissociation of working memory from decision making within the human prefrontal cortex. Journal of Neurosciences 18: 428-437
- Bechara A, Damasio H, Damasio AR, Lee GP (1999).** Different contributions of the human amygdala and ventromedial prefrontal cortex to decision-making. Journal of Neurosciences 19: 5473-5481
- Beech HR, Ciesielski KT, Gordon PK (1983).** Further observations of evoked potentials in obsessional patients. British Journal of Psychiatry 142: 605-609
- Benkelfat C, Nordahl TE, Semple WE, King AC, Murphy DL, Cohen RM (1990).** Local cerebral glucose metabolic rates in obsessive-compulsive disorder. Patients treated with clomipramine. Archives of General Psychiatry 47: 840-848
- Berlin H, Rolls ET, Kischka U (2004).** Impulsivity, time perception, emotion and reinforcement sensitivity in patients with orbitofrontal cortex lesions. Brain 127: 1108-1126
- Berns GS, McClure SM, Pagnoni G, Montague PR (2001).** Predictability modulates human brain response to reward. The Journal of Neuroscience 21: 2793-2798
- Blood AJ, Zatorre RJ, Bermudez P, Evans AC (1999).** Emotional responses to pleasant and unpleasant music correlate with activity in paralimbic brain regions. Nature Neuroscience 2: 382-387

- Bornschlegl S (2005).** Orbitofrontale EEG-Aktivität bei Belohnung und Bestrafung. Dissertation
- Breiter HC, Rauch SL, Kwong KK, Baker JR, Weisskoff RM, Kennedy DN, Kendrick AD, Davis TL, Jiang A, Cohen MS, Stern CE, Belliveau JW, Baer L, O'Sullivan RL, Savage CR, Jenike MA, Rosen BR (1996).** Functional magnetic resonance imaging of symptom provocation in obsessive-compulsive disorder. *Archives of General Psychiatry* 53: 595-606
- Brodmann K (1909).** Vergleichende Lokalisationslehre der Großhirnrinde in ihren Prinzipien dargestellt aufgrund des Zellenbaues. Barth, Leipzig
- Busatto GF, Zamignani DR, Buchpiguel CA, Garrido GE, Glabus MF, Rocha ET, Maia AF, Rosario-Campos MC, Castro CC, Furuie SS, Gutierrez MA, McGuire PK, Miguel EC (2000).** A voxel-based investigation of regional cerebral blood flow abnormalities in obsessive-compulsive disorder using single photon emission computed tomography (SPECT). *Psychiatry Research* 99 (1): 15-27
- Butter CM (1969).** Perseveration in extinction and in discrimination reversal tasks following selective prefrontal ablations in *Macaca mulatta*. *Physiology and Behavior* 4: 163-171
- Carmichael ST, Clugnet MC, Price JL (1994).** Central olfactory connections in the macaque monkey. *Journal of Comparative Neurology* 346: 403-434
- Carmichael ST, Price JL (1995b).** Sensory and premotor connections of the orbital and medial prefrontal cortex of macaque monkeys. *Journal of Comparative Neurology* 363: 642-664
- Carillo-de-la-Pena MT, Cadaveira F (2000).** The effect of motivational instructions on P300 amplitude. *Clinical Neurophysiology* 30: 232-239
- Cavedini P, Ferri S, Scarone S, Bellodi L (1998).** Frontal lobe dysfunction in obsessive-compulsive disorder and major depression: a clinical-neuropsychological study. *Psychiatry Research* 78: 21-28
- Chamberlain SR, Muller U, Blackwell AD, Clark L, Robbins TW, Sahakian BJ (2006).** Neurochemical modulation of response inhibition and probabilistic learning in humans. *Science* 311 (5762): 861-863.
- Chamberlain SR, Fineberg NA, Blackwell AD, Clark L, Robbins TW, Sahakian BJ (2007).** A neuropsychological comparison of obsessive-compulsive disorder and trichotillomania. *Neuropsychologia* 45: 654-662.
- Choi JS, Kang DH, Kim JJ, Ha TH, Lee JM, Youn T, Kim IY, Kim SI, Kwon JS (2004).** Left anterior subregion of orbitofrontal cortex volume reduction and impaired organizational strategies in obsessive-compulsive disorder. *Journal of Psychiatric Research* 38: 193-199
- Ciesielski KT, Beech HR, Gordon PK (1981).** Some electrophysiological observations in obsessional states. *British Journal of Psychiatry* 138: 479-484

- Cohen L, Angladette L, Benoit N, Pierrot-Deseilligny C (1999).** A man who borrowed cars. *Lancet*; 353:34
- Cottreaux J, Gerard D, Cinotti L, Froment JC, Deiber MP, Le Bars D, Galy G, Millet P, Labbe C, Lavenne F, Bouvard M, Mauguiere F (1996).** A controlled positron emission tomography study of obsessive and neutral auditory stimulation in obsessive-compulsive disorder with checking rituals. *Psychiatry Research* 60: 101-112
- Crespo-Facorro B, Cabranes JA, Lopez-Ibor Alcocer MI, Paya B, Fernandez Perez C, Encinas M, Ayuso Mateos JL, Lopez-Ibor Jr JJ (1999).** Regional cerebral blood flow in obsessive-compulsive patients with and without a chronic tic disorder. A SPECT study. *European Archives of Psychiatry and Clinical Neuroscience* 249, 156-161
- Critchley HD, Rolls ET (1996a).** Hunger and satiety modify the responses of olfactory and visual neurons in the primate orbitofrontal cortex. *Journal of Neurophysiology* 75: 1673-1686
- Critchley HD, Rolls ET (1996b).** Olfactory neuronal responses in the primate orbitofrontal cortex: analysis in an olfactory discrimination task. *Journal of Neurophysiology* 75: 1659-1672
- Damasio AR, Grabowski TJ, Bechara A, Damasio H, Ponto LL, Parvizi J, Hichwa RD (2000).** Subcortical and cortical brain activity during the feeling of self-generated emotions. *Nature Neuroscience* 3: 1049-1056
- Ebert D, Speck O, König A, Berger M, Hennig J, Hohagen F (1997).** H-magnetic resonance spectroscopy in obsessive-compulsive disorder: evidence for neuronal loss in the cingulate gyrus and the right striatum. *Psychiatry Research: Neuroimaging Section* 74: 173-176
- Elliott R, Frith CD, Dolan RJ (1997).** Differential neural response to positive and negative feedback in planning and guessing tasks. *Neuropsychologia* 35: 1395-1404
- Elliott R, Friston KJ, Dolan RJ (2000).** Dissociable neural responses in human reward systems. *The Journal of Neuroscience* 20(16): 6159-6165
- Elliott R, Newman JL, Longe OA, Deakin JFW (2003).** Differential response patterns in the striatum and orbitofrontal cortex to financial reward in humans: A parametric functional magnetic resonance imaging study. *Journal of Neuroscience* 23(1): 303-307
- Eslinger PJ, Damasio AR (1985).** Severe disturbance of higher cognition after bilateral frontal lobe ablation: patient EVR. *Neurology, Cleveland* 35: 1731-1741
- Fitzgerald KD, Moore GJ, Paulson LA, Stewart CM, Rosenberg DR (2000).** Proton spectroscopic imaging of the thalamus in treatment-naïve pediatric obsessive-compulsive disorder. *Biological Psychiatry* 47: 174-182
- Francis S, Rolls ET, Bowtell R, McGlone F, O'Doherty J, Browning A, Clare S, Smith E (1999).** The representation of pleasant touch in the brain and its relationship with taste and olfactory areas. *Neuroreport* 10: 453-459

- Freedman M, Black S, Ebert P, Binns M (1998).** Orbitofrontal function, object alternation and perseveration. *Cerebral Cortex* 8: 18-27
- Frey S, Kostopoulos P, Petrides M (2000).** Orbitofrontal involvement in the processing of unpleasant auditory information. *European Journal of Neuroscience* 12: 3709-3712
- Fuster JM (1997).** The prefrontal cortex. New York: Raven Press (3<sup>rd</sup> edition).
- Gallinat J und Hegerl U (1998).** Elektroenzephalographie. In: Hegerl U (Hrsg.) *Neurophysiologische Untersuchungen in der Psychiatrie*. Wien: Springer, pp 7-94
- Gohle D, Juckel G, Mavrogiorgou P, Pogarell O, Mulert C, Rujescu D, Giegling I, Zaudig M, Hegerl U (2008).** Electrophysiological evidence for cortical abnormalities in obsessive-compulsive disorder – a replication study using auditory event-related P300 subcomponents. *Journal of Psychiatric Research* 42 (4): 297-303
- Goodman WK, Price LH, Rasmussen SA, Mazure C, Fleischmann RL, Hill CL (1989).** The Yale-Brown-Obsessive-Compulsive-Scale. 1. Development, use, reliability. *Archives of General Psychiatry* 46: 1006-1011
- Grachev ID, Breiter HC, Rauch SL, Savage CR, Baer L, Shera DM, Kennedy DN, Makris N, Caviness VS, Jenike MA (1998).** Structural abnormalities of frontal neo-cortex in obsessive-compulsive disorder. *Archives of General Psychiatry* 55: 181-182
- Gross-Isseroff R, Sasson Y, Voet H, Hendler T, Luca-Haimovici K, Kandel-Sussman H, Zohar J (1996).** Alternation learning in obsessive-compulsive disorder. *Biological Psychiatry* 39: 733-738
- Gu BM, Park JY, Kang DH, Lee SJ, Yoo SY, Jo HJ, Choi CH, Lee JM, Kwon JS (2008).** Neural correlates of cognitive inflexibility during task-switching in obsessive-compulsive disorder. *Brain* 131: 155-164
- Hendler T, Goshen E, Tadmor R, Lustig M, Zwas ST, Zohar J (1999).** Evidence for striatal modulation in the presence of fixed cortical injury in obsessive-compulsive disorder. *European Neuropsychopharmacology* 9: 371-376
- Hillbom E (1960).** After-effects of brain injuries. *Acta Psychiatrica et Neurologica Scandinavica* 35: (Suppl 142): 1-195
- Hornak J, Rolls ET, Wade D (1996).** Face and voice expression identification in patients with emotional and behavioural changes following ventral frontal lobe damage. *Neuropsychologia* 34: 247-261
- Hornak J, Bramham J, Rolls ET, Morris RG, O'Doherty J, Bullock PR, Polkey CE (2003).** Changes in emotion after circumscribed surgical lesions of the orbitofrontal and cingulate cortices. *Brain* 126: 1671-1712
- Hornak J, O'Doherty J, Bramham J, Rolls ET, Morris RG, Bullock PR, Polkey CE (2004).** Reward-related reversal learning after surgical excisions in orbitofrontal and dorsolateral prefrontal cortex in humans. *Journal of Cognitive Neurosciences* 16:463-478

- Hsieh JC, Belfrage M, Stoe-Elander S, Hansson P, Ingvar M (1995).** Central representation of chronic ongoing neuropathic pain studied by positron emission tomography. *Pain* 63: 225-236
- Iversen SD und Mishkin M (1970).** Perseverative interference in monkeys following selective lesions of the inferior prefrontal convexity. *Experimental Brain Research* 11: 376-386
- Jang JHJ, Kwon JS, Jang DP, Moon WJ, Lee JM, Ha TH, Chung EC, Kim IY, Kim SI (2006).** A proton MRSI study of brain N-acetylaspartate level after 12 weeks of citalopram treatment in drug-naïve patients with obsessive-compulsive disorder. *American Journal of Psychiatry* 163(7): 1202-1207
- Jasper HH (1958).** Report of the committee on methods of clinical examination in electroencephalography: The ten twenty electrode system of the international federation. *Electroencephalography and Clinical Neurophysiology* 10: 371-375
- Jenike MA, Breiter HC, Baer L, Kennedy DN, Savage CR, Olivares MJ, O'Sullivan RL, Shera DM, Rauch SL, Keuthen N, Rosen BR, Caviness VS, Filipek PA (1996).** Cerebral structural abnormalities in obsessive-compulsive disorder. A quantitative morphometric magnetic resonance imaging study. *Archives of General Psychiatry* 53: 625-632
- Jones B, Mishkin M (1972).** Limbic lesions and the problem of stimulus-reinforcement associations. *Experimental Neurology* 36: 362-377
- Kang DH, Kim JJ, Choi JS, Kim YI, Kim CW, Youn T, Han MH, Chang KH, Kwon JS (2004).** Volumetric investigation of the frontal-subcortical circuitry in patients with OCD. *Journal of Neuropsychiatry and Clinical Neurosciences* 16: 342-349
- Khanna S, Mukundan CR, Channabasavanna SM (1989).** Middle latency evoked potentials in obsessive-compulsive disorder. *Biological Psychiatry* 25: 975-987
- Kim JJ, Lee MC, Kim J, Kim IY, Kim SI, Han MH, Chang KH, Kwon JS (2001).** Grey matter abnormalities in obsessive-compulsive disorder. Statistical parametric mapping of segmented magnetic resonance images. *British Journal of Psychiatry* 179: 330-334
- Kim KW, Lee DY (2002).** Obsessive-compulsive disorder associated with a left orbitofrontal infarct. *Journal of Neuropsychiatry and Clinical Neurosciences* 14:1, 88-89
- Kim MS, Kang SS, Youn T, Kang DH, Kim JJ, Kwon JS (2003).** Neuropsychological correlates of P300 abnormalities in patients with schizophrenia and obsessive-compulsive disorder. *Psychiatry Research: Neuroimaging* 123: 109-123
- Koles ZK (1998).** Trends in EEG source localization. *Electroencephalography and Clinical Neurophysiology* 106: 127-137
- Kringelbach ML, O'Doherty JO, Rolls ET, Andrews C (2003).** Activation of the human orbitofrontal cortex to a liquid food stimulus is correlated with its subjective pleasantness. *Cerebral Cortex* 13: 1064-1071

- Kringelbach ML, Rolls ET (2004).** The functional neuroanatomy of the human orbitofrontal cortex: evidence from neuroimaging and neuropsychology. *Progress in Neurobiology* 72: 341-372
- Kronfeldt D (2005).** Orbitofrontale Verarbeitung positiver Rückmeldungsstimuli im Alter und bei Patienten mit Demenz vom Alzheimer-Typ. Dissertation.
- Kwon JS, Kim JJ, Lee DW, Lee JS, Lee DS, Kim MS, Lyoo IK, Cho MJ, Lee MC (2003).** Neural correlates of clinical symptoms and cognitive dysfunctions in obsessive-compulsive disorder. *Psychiatry Research: Neuroimaging* 122: 37-47
- Lawrence AD, Sahakian BJ, Rogers RD, Hodges JR, Robbins TW (1999).** Discrimination, reversal and shift learning in Huntington's disease: mechanisms of impaired response selection. *Neuropsychologia* 37: 1359-1374
- Lucey JV, Costa DC, Blanes T, Busatto GF, Pilowsky LS, Takei N, Marks IM, Eil PJ, Kerwin RW (1995).** Regional cerebral blood flow in obsessive-compulsive disordered patients at rest. Differential correlates with obsessive-compulsive and anxious-avoidant dimensions. *British Journal of Psychiatry* 167, 629-634
- Lopes Da Silva F (1993).** Dynamics of EEGs as signals of neuronal populations: Models and theoretical considerations. In: Niedermeyer E, Lopes Da Silva F (Hrsg.): *Electroencephalography – basic principles, clinical applications and related fields*. 3<sup>rd</sup> edition. Baltimore, Maryland: Williams & Wilkins
- Machlin SR, Harris GJ, Pearlson GD, Hoehn-Saric R, Jeffery P, Camargo EE (1991).** Elevated medial-frontal cerebral blood flow in obsessive-compulsive patients: A SPECT study. *American Journal of Psychiatry* 148 (9): 1240-1242
- Mavrogiorgou P, Juckel G, Frodl T, Gallinat J, Hauke W, Zaudig M, Dammann G, Möller HJ, Hegerl U (2002).** P300 subcomponents in obsessive-compulsive disorder. *Journal of Psychiatric Research* 36: 399-406
- McGuire PK, Bench CD, Marks IM, Frackowiak RSJ, Dolan RJ (1994).** Graded activation of symptoms in obsessive-compulsive disorder. *British Journal of Psychiatry* 164: 459-468
- McKeon J, McGuffin P, Robinson P (1984).** Obsessive-compulsive neurosis following head injury. *British Journal of Psychiatry* 144: 190-192
- Malloy P, Rasmussen S, Braden W, Haier RJ (1989).** Topographic evoked potential mapping in obsessive-compulsive disorder: evidence of frontal lobe dysfunction. *Psychiatry Research* 28: 63-71
- Mell T, Heekeren HR, Marschner A, Wartenburger I, Villringer A, Reischies FM (2005).** Effect of aging on stimulus-reward association learning. *Neuropsychologia* 43: 554-563
- Meunier M, Bachevalier J, Mishkin M (1997).** Effects of orbital frontal and anterior cingulate lesions on object and spatial memory in rhesus monkeys. *Neuropsychologia* 35: 999-1015

- Mindus P, Nyman H, Mogard J, Meyerson B, Ericson K (1991).** Orbital and caudate glucose metabolism studied by positron emission tomography (PET) in patients undergoing capsulotomy for obsessive-compulsive disorder. *Understanding Obsessive-Compulsive Disorder* (eds M.A.Jenike und M.Asberg) pp 52-57, Hogrefe and Huber Publishers.
- Michel CM, Grave de Peralta R, Lantz G, Gonzalez S, Spinelli L, Blanke O, Landis T, Seeck M (1999).** Spatiotemporal EEG-analysis and distributed source estimation in presurgical epilepsy evaluation. *Journal of Clinical Neurophysiology* 16: 239-266
- Morecraft RJ, Geula C, Mesulam MM (1992).** Cytoarchitecture and neural afferents of orbitofrontal cortex in the brain of the monkey. *Journal of Comparative Neurology* 232: 341-358
- Moritz S, Fricke S, Wagner M, Hand I (2001b).** Further evidence for delayed alternation deficits in obsessive-compulsive disorder. *Journal of Nervous and Mental Disorders* 189: 562-564
- Mulert C, Gallinat J, Pascual-Marqui RD, Dorn H, Frick K, Schlattmann P, Mientus S, Herrmann WM, Winterer G (2001).** Reduced event-related current density in the anterior cingulate cortex in schizophrenia. *Neuroimage* 13: 589-600
- Nakao T, Nakagawa A, Yoshiura T, Nakatani E, Nabeyama M, Yoshizato C, Kudoh A, Tada K, Yoshioka K, Kawamoto M, Togao O, Kanba S (2005).** Brain activation of patients with obsessive-compulsive disorder during neuropsychological and symptom provocation tasks before and after symptom improvement: a functional magnetic resonance imaging study. *Biological Psychiatry* 57: 901-910
- Nakao T, Nakagawa A, Yoshiura T, Nakatani E, Nabeyama M, Yoshizato C, Kudoh A, Tada K, Yoshioka K, Kawamoto M (2005).** A functional MRI comparison of patients with obsessive-compulsive disorder and normal controls during a Chinese character Stroop task. *Psychiatry Research: Neuroimaging* 139: 101-114
- Nordahl TE, Benkelfat C, Semple WE, Gross M, King AC, Cohen RM (1989).** Cerebral glucose metabolic rates in obsessive-compulsive disorder. *Neuropsychopharmacology* 2, 23-28
- Northoff G, Richter A, Gessner M, Schlagenhaut F, Fell J, Baumgart F, Kaulisch T, Kötter R, Stephan KE, Leschinger A, Hagner T, Barger B, Witzel T, Hinrichs H, Bogerts B, Scheich H, Heinze HJ (2000).** Functional dissociation between medial and lateral prefrontal cortical spatiotemporal activation in negative and positive emotions: A combined fMRI/MEG study. *Cerebral Cortex* 10: 93-107
- O'Doherty J, Rolls ET, Francis S, Bowtell R, McGlone F, Kobal G, Renner B, Ahne G (2000).** Sensory-specific satiety-related olfactory activation of the human orbitofrontal cortex. *Neuroreport* 11(4): 893-897
- O'Doherty J, Kringelbach ML, Rolls ET, Hornak J, Andrews C (2001a).** Abstract reward and punishment representations in the human orbitofrontal cortex. *Nature of Neuroscience* 4(1): 95-102



- O'Doherty J, Rolls ET, Francis S, Bowtell R, McGlone F (2001b).** Representation of pleasant and aversive taste in the human brain. *Journal of Neurophysiology* 85(3): 1315-1321
- Ogai M, Iyo M, Mori N, Takei N (2005).** A right orbitofrontal region and OCD symptoms: a case report. *Acta Psychiatrica Scandinavica* 111(1) : 74-76 ; discussion 76-77
- Öngür D, Price JL (2000).** The organization of networks within the orbital and medial prefrontal cortex of rats, monkeys and humans. *Cerebral Cortex* 10: 206-219
- Pascual-Marqui RD, Michel CM, Lehmann D (1994).** Low resolution electromagnetic tomography: a new method for localizing electrical activity in the brain. *International Journal of Psychophysiology* 18: 49-65
- Pascual-Marqui RD, Lehmann D, Koenig T, Kochi K, Merlo MCG, Hell D, Koukkou M (1999).** Low resolution electromagnetic tomography (LORETA) functional imaging in acute, neuroleptic-naïve first-episode, productive schizophrenia. *Psychiatry Research: Neuroimaging Section* 90: 169-179
- Petrides M, Pandya DN (1994).** Comparative cytoarchitectonic analysis of the human and the macaque frontal cortex. In: Boller F, Grafman J (Eds.), *Handbook of Neuropsychology*, vol.9, Elsevier, Amsterdam, pp. 17-58
- Petrovic P, Petersson KM, Ghatan PH, Stone-Elander S, Ingvar M (2000).** Pain-related cerebral activation is altered by a distracting cognitive task. *Pain* 85: 19-30
- Pizzagalli D, Lehmann D, Koenig T, REGARD M, Pascual-Marqui RD (2001).** Face-elicited ERPs and affective attitude: brain electric microstate and tomography analysis. *Clinical Neurophysiology* 111: 521-531
- Puente A, Ysunza A, Pamplona M, Silva-Rojas A, Lara C (2002).** Short latency and long latency auditory evoked responses in children with attention deficit disorder. *International Journal of Pediatric Otorhinolaryngology* 62: 45-51
- Pujol J, Soriano-Mas C, Alonso P, Cardoner N, Menchon JM, Deus J, Vallejo J (2004).** Mapping structural brain alterations in obsessive-compulsive disorder. *Archives of General Psychiatry* 61: 720-730
- Rainville P, Hofbauer RK, Paus T, Duncan GH, Bushnell MC, Price DD (1999).** Cerebral mechanisms of hypnotic induction and suggestion. *Journal of Cognitive Neurosciences* 11: 110-125
- Rauch SL, Jenike MA, Alpert NM, Baer L, Breiter HC, Savage CR et al. (1994).** Regional cerebral blood flow measured during symptom provocation in obsessive-compulsive disorder using oxygen 15-labeled carbon dioxide and positron emission tomography. *Archives of General Psychiatry* 51: 62-70
- Rauch SL, Savage CR, Alpert NM, Dougherty D, Kendrick A, Curran T, Brown HD, Manzo P, Fischman AJ, Jenike MA (1997).** Probing striatal function in obsessive-compulsive disorder: a PET study of implicit sequence learning. *Journal of Neuropsychiatry* 9 (4): 568-573

- Redouté J, Stoléru S, Grégoire MC, Costes N, Cinotti L, Lavenne F, Le Bars D, Forest MG, Pujol JF (2000).** Brain processing of visual sexual stimuli in human males. *Human Brain Mapping* 11: 162-177
- Remijnse PL, Nielen MMA, van Balkom AJLM, Cath DC, van Oppen P, Uylings HBM, Veltman DJ (2006).** Reduced orbitofrontal-striatal activity on a reversal learning task in obsessive-compulsive disorder. *Archives of General Psychiatry* 63: 1225-1236
- Reischies FM (1999).** Pattern of disturbance of different ventral frontal functions in organic depression. *Annals of the New York Academy of Sciences* 877: 775-780
- Roberts AC, Wallis JD (2000).** Inhibitory control and affective processing in the prefrontal cortex: Neuropsychological studies in the common marmoset. *Cerebral Cortex* 10: 252-262
- Rogers RD, Blackshaw AJ, Middleton HC, Matthews K, Hawtin K, Crowley C et al. (1999).** Tryptophan depletion impairs stimulus-reward learning while methylphenidate disrupts attentional control in healthy young adults: Implications for the monoaminergic basis of impulsive behaviour. *Psychopharmacology (Berlin)* 146(4): 482-491
- Rogers RD, Tunbridge EM, Bhagwagar Z, Drevets WC, Sahakian BJ, Carter CS (2003).** Tryptophan depletion alters the decision-making of healthy volunteers through altered processing of reward cues. *Neuropsychopharmacology* 28(1): 153-162
- Rolls ET, Sienkiewicz ZJ, Yaxley S (1989).** Hunger modulates the responses to gustatory stimuli of single neurons in the caudolateral orbitofrontal cortex of the macaque monkey. *European Journal of Neuroscience* 1: 53-60
- Rolls ET, Yaxley S, Sienkiewicz ZJ (1990).** Gustatory responses of single neurons in the caudolateral orbitofrontal cortex of the macaque monkey. *Journal of Neurophysiology* 64: 1055-1066
- Rolls ET (1990).** A theory of emotion and its application to understanding the neural basis of emotion. *Cognition and Emotion* 4: 161-190
- Rolls ET, Hornak J, Wade D, McGrath J (1994).** Emotion-related learning in patients with social and emotional changes associated with frontal lobe damage. *Journal of Neurology, Neurosurgery and Psychiatry* 57: 1518-1524
- Rolls ET, Critchley HD, Mason R, Wakeman EA (1996).** Orbitofrontal cortex neurons: role in olfactory and visual association learning. *Journal of Neurophysiology* 75: 1970-1981
- Rolls ET, Francis S, Bowtell R, Browning D, Clare S, Smith E, McGlone F (1997).** Taste and olfactory activation of the orbitofrontal cortex. *Neuroimage* 5:199
- Rolls ET (1999a).** *The Brain and Emotion*. Oxford University Press, Oxford.
- Rolls ET (2000a).** The orbitofrontal cortex and reward. *Cerebral Cortex* 10: 284-294

- Rolls ET, Deco G (2002).** Computational Neuroscience of Vision. Oxford University Press, Oxford.
- Rolls ET, Kringelbach ML, de Araujo IET (2003a).** Different representations of pleasant and unpleasant odours in the human brain. *European Journal of Neuroscience* 18: 695-703
- Rolls ET, O'Doherty J, Kringelbach ML, Francis S, Bowtell R, McGlone F (2003b).** Representations of pleasant and painful touch in the human orbitofrontal and cingulate cortices. *Cerebral Cortex* 13: 308-317
- Rubin RT, Villanueva-Meyer J, Ananth J, Trajmar PG, Mena I (1992).** Regional Xenon 133 cerebral blood flow and cerebral Technetium 99m HMPAO uptake in unmedicated patients with obsessive-compulsive disorder and matched normal control subjects. Determination by high-resolution single-photon emission computed tomography. *Archives of General Psychiatry* 49: 695-702
- Sanz M, Molina V, Martin-Loeches M, Calcedo A, Rubia FJ (2001).** Auditory P300 event related potential and serotonin reuptake inhibitor treatment in obsessive-compulsive disorder patients. *Psychiatry Research* 101: 75-81
- Savage CR, Weilburg JB, Duffy FH, Baer L, Shera DM, Jenike MA (1994).** Low-level sensory processing in obsessive-compulsive disorder: an evoked potential study. *Biological Psychiatry* 35: 247-252
- Saxena S, Brody AL, Schwartz JM, Baxter LR (1998).** Neuroimaging and frontal subcortical circuitry in obsessive-compulsive disorder. *British Journal of Psychiatry* 173 (suppl 35): 26-37
- Saxena S, Brody AL, Maidment KM, Dunkin JJ, Colgan M, Alborzian S, Phelps ME, Baxter LR Jr. (1999).** Localized orbitofrontal and subcortical metabolic changes and predictors of response to paroxetine treatment in obsessive-compulsive disorder. *Neuropsychopharmacology* 21 (6): 683-693
- Saxena S, Brody AL, Ho ML, Alborzian S, Maidment KM, Zohrabi N, Ho MK, Huang SC, Wu HM, Baxter LR Jr (2002).** Differential cerebral metabolic changes with paroxetine treatment of obsessive-compulsive disorder vs major depression. *Archives of General Psychiatry* 59 (3): 250-261
- Sawle GV, Hymas NF, Lees AJ, Frackowiak RSJ (1991).** Obsessional slowness: functional studies with positron emission tomography. *Brain* 114, 2191-2202
- Schilder P (1938).** The organic background of obsessions and compulsions. *American Journal of Psychiatry* 94: 1397-1415
- Schwartz JM, Stoessel PW, Baxter LR, Martin KM, Phelps ME (1996).** Systematic changes in cerebral glucose metabolic rate after successful behavior modification treatment of obsessive-compulsive disorder. *Archives of General Psychiatry* 53: 109-113

- Seeck M, Lazeyras F, Michel CM, Blanke O, Gericke CA, Delavelle IJ, Golay X, Haenggeli CA, de Tribolet N, Landis T (1998).** Non-invasive epileptic focus localization using EEG-triggered functional MRI and electromagnetic tomography. *Electroencephalography and Clinical Neurophysiology* 106: 508-512
- Small DM, Zatorre RJ, Dagher A, Evans AC, Jones-Gotman M (2001).** Changes in brain activity related to eating chocolate: from pleasure to aversion. *Brain* 124: 1720-1733
- Spitznagel MB, Suhr JA (2002).** Executive function deficits associated with symptoms of schizotypy and obsessive-compulsive disorder. *Psychiatry Research* 110: 151-163
- Swedo SE, Schapiro MB, Grady CL, Cheslow DL, Leonard HL, Kumar A, Friedland R, Rapoport SI, Rapoport JL (1989).** Cerebral glucose metabolism in childhood-onset obsessive-compulsive disorder. *Archives of General Psychiatry* 46, 518-523
- Swedo SE, Pietrini P, Leonard HL, Schapiro MB, Rettew DC, Goldberger EL, Rapoport SI, Rapoport JL, Grady CL (1992).** Cerebral glucose metabolism in childhood-onset obsessive-compulsive disorder. Revisualization during pharmacotherapy. *Archives of General Psychiatry* 49: 690-694
- Swoboda KJ, Jenike MA (1995).** Frontal abnormalities in a patient with obsessive-compulsive disorder: The role of structural lesions in obsessive-compulsive behavior. *Neurology* 45, 2130-2134
- Szeszko PR, Robinson D, Alvir JM, Bilder RM, Lencz T, Ashtari M, Wu H, Bogerts B (1999).** Orbital frontal and Amygdala volume reductions in obsessive-compulsive disorder. *Archives of General Psychiatry* 56: 913-919
- Talairach J, Tournoux P (1988).** Co-planar stereotaxic atlas of the human brain. Thieme: Stuttgart
- Thorpe SJ, Fabre-Thorpe M (2001).** Seeking categories in the brain. *Science* 291: 260-263
- Thut G, Schultz W, Roelcke U, Nienhusmeier M, Missimer J, Maguire RP, Leiders KL (1997).** Activation of the human brain by monetary reward. *Neuroreport* 8: 1225-1228
- Tremblay L, Schultz W (1999).** Relative reward preference in primate orbitofrontal cortex. *Nature* 398: 704-708
- Valente AA, Miguel EC, Castro CC, Amaro E, Duran FLS, Buchpiguel CA, Chitnis X, McGuire PK, Busatto GF (2005).** Regional gray matter abnormalities in obsessive-compulsive disorder: a voxel-based morphometry study. *Biological Psychiatry* 58: 479-487
- Van den Heuvel OA, Veltman DJ, Groenewegen HJ, Cath DC, van Balkom AJLM, van Hartkamp J, Barkhof F, van Dyck R (2005).** Frontal-striatal dysfunction during planning in obsessive-compulsive disorder. *Archives of General Psychiatry* 62: 301-310
- Verhagen JV, Rolls ET, Kadohisa M (2003).** Neurons in the primate orbitofrontal cortex respond to fat texture independently of viscosity. *Journal of Neurophysiology* 90: 1514-1515

- Walker AE (1940).** A cytoarchitectural study of the prefrontal area of the macaque monkey. *Journal of Comparative Neurology* 73, 59-86
- Wallis JD, Miller EK (2003).** Neuronal activity in primate dorsolateral and orbital prefrontal cortex during performance of a reward preference task. *European Journal of Neuroscience* 18: 2069-2081
- Wang J, Jin Y, Xiao F, Fan S, Chen L (1999).** Attention-sensitive visual event-related potentials elicited by kinetic forms. *Clinical Neurophysiology* 110: 329-341
- Ward CD (1988).** Transient feelings of compulsion caused by hemispheric lesions: three cases. *Journal of Neurology, Neurosurgery and Psychiatry* 51: 266-268
- Weiss AP, Jenike MA (2000).** Late-onset obsessive-compulsive disorder: a case series. *The Journal of Neuropsychiatry and Clinical Neurosciences* 12: 265-268
- Whiteside SP, Port JD, Abramowitz JS (2004).** A meta-analysis of functional neuroimaging in obsessive-compulsive disorder. *Psychiatry Research: Neuroimaging* 132: 69-79
- Whiteside SP, Port JD, Deacon BJ, Abramowitz JS (2006).** A magnetic resonance spectroscopy investigation of obsessive-compulsive disorder and anxiety. *Psychiatry Research: Neuroimaging* 146: 137-147
- Woolley J, Heyman I, Brammer M, Frampton I, McGuire PK, Rubia K (2008).** Brain activation in paediatric obsessive-compulsive disorder during tasks of inhibitory control. *The British Journal of Psychiatry* 192: 25-31
- Worrell GA, Lagerlund TD, Sharbrough FW, Brinkmann BH, Busacker NE, Cicora KM, O'Brien TJ (2000).** Localization of the epileptic focus by low resolution electromagnetic tomography in patients with a lesion demonstrated by MRI. *Brain Tomography* 12: 273-282
- Zald DH, Pardo JV (1997).** Emotion, olfaction and the human amygdala: Amygdala activation during aversive olfactory stimulation. *Proceedings of the National Academy of Sciences of the USA* 94: 4119-4124
- Zald DH, Lee JT, Fluegel KW, Pardo JV (1998).** Aversive gustatory stimulation activates limbic circuits in humans. *Brain* 121: 1143-1154
- Zald DH, Hagen MC, Pardo JV (2002a).** Neural correlates of tasting concentrated quinine and sugar solutions. *Journal of Neurophysiology* 87: 1068-1075
- Zald DH, Curtis C, Folley BS, Pardo JV (2002b).** Prefrontal contributions to delayed spatial and object alternation: a positron emission tomography study. *Neuropsychology* 16 (2): 182-189
- Zatorre RJ, Jones-Gotman M, Evans AC, Meyer E (1992).** Functional localization and lateralization of human olfactory cortex. *Nature* 360: 339-340

