

7. Literaturverzeichnis

ACHEN, M. G., M. JELTSCH, E. KUKK, T. MÄKINEN, A. VITALI, A. F. WILKS, K. ALITALO u. S. A. STACKER (1998):

Vascular endothelial growth factor D (VEGF-D) is a ligand for the tyrosine kinases VEGF receptor 2 (Flk1) and VEGF receptor 3 (Flt4).

Proc. Natl. Acad. Sci. USA 95, 548-553

ALON, T., I. HEMO, A. ITIN, J. PE'ER, J. STONE u. E. KESHET (1995):

Vascular endothelial growth factor acts as a survival factor for newly formed retinal vessels and has implications for retinopathy of prematurity.

Nature Med. 1, 1024-1028

ASANO, M., A. YUKITA, T. MATSUMOTO, M. HANATANI u. H. SUZUKI (1998):

An anti-human VEGF monoclonal antibody, MV833, that exhibits potent anti-tumor activity in vivo.

Hybridoma 17, 185-190

AUERBACH, W. u. R. AUERBACH (1994):

Angiogenesis inhibition: A review.

Pharmac. Ther. 63, 265-311

AUSPRUNK, D.H. u. J. FOLKMAN (1977):

Migration and proliferation of endothelial cells in preformed and newly formed blood vessels during tumor angiogenesis.

Microvasc. Res. 14, 53-65

BAGAVANDOSS, P. u. J. W. WILKS (1990):

Specific inhibition of endothelial cell proliferation by thrombospondin.

Biochem. Biophys. Res. Commun. 170, 867-872

BAGAVANDOSS, P., P. KAYTES, G. VOGELI, P. A. WELLS u. J. P. WILKS (1993):

Recombinant truncated thrombospondin-1 monomer modulates endothelial cell plasminogen activator inhibitor 1 accumulation and proliferation in vitro.

Biochem. Biophys. Res. Commun. 192, 325-332

BEN-AV, P., L. J. CROFFORD, R. L. WILDER u. T. HLA (1995):
Induction of vascular endothelial growth factor expression in synovial fibroblasts by prostaglandin E and interleukin-1: A potential mechanism for inflammatory angiogenesis.

FEBS Letters 372, 83-87

BENJAMIN, L. E. u. E. KESHET (1997):

Conditional switching of vascular endothelial growth factor (VEGF) expression in tumors: Induction of endothelial cell shedding and regression of hemangioblastoma-like vessels by VEGF withdrawal.

Proc. Natl. Acad. Sci. USA 94, 8761-8766

BERSE, B., L. F. BROWN, L. v. d. WATER, H. F. DVORAK u. D. R. SENGER (1992):

Vascular permeability factor (vascular endothelial growth factor) gene is expressed differentially in normal tissues, macrophages, and tumors.

Mol. Biol. Cell 3, 211-220

BICKNELL, R. u. A. L. HARRIS (1991):

Novel growth regulatory factors and tumor angiogenesis.

Eur. J. Cancer 27, 781-785

BORGSTRÖM, P., M. A. BOURDON, K. J. HILLAN, P. SRIRAMARAO u. N. FERRARA (1998):

Neutralizing anti-vascular endothelial growth factor antibody completely inhibits angiogenesis and growth of human prostate carcinoma micro tumors in vivo.

Prostate 35, 1-10

BREKKN, R. A., X. HUANG, S. W. KING u. P. E. THORPE (1998):

Vascular endothelial growth factor as a marker of tumor endothelium.

Cancer Res. 58, 1952-1959

BREKKN, R. A., J. P. OVERHOLSER, V. A. STASTNY, J. WALTENBERGER, J. D. MINNA u. P. E. THORPE (2000):

Selective inhibition of vascular endothelial growth factor (VEGF) receptor 2 (KDR/Flk-1) activity by a monoclonal anti-VEGF antibody blocks tumor growth in mice.

Cancer Res. 60, 5117-5124

- BROCK, T. A., H. F. DVORAK u. D. R. SENGER (1991):
Tumor-secreted vascular permeability factor increases cytosolic Ca²⁺ and von Willebrand factor release in human endothelial cells.
Am. J. Pathol. 138, 213-221
- BROGI, E., T. WU, A. NAMIKI u. J. M. ISNER (1994):
Indirect angiogenic cytokines upregulate VEGF and bFGF gene expression in vascular smooth muscle cells, whereas hypoxia upregulates VEGF expression only.
Circulation 90, 649-652
- BROWN, L. F., B. BERSE, K. TOGNAZZI, E. J. MANSEAU, L. v. d. WATER, D. R. SENGER, H. F. DVORAK u. S. ROSEN (1992 a):
Vascular permeability factor mRNA and protein expression in human kidney.
Kidney Int. 42, 1457-1461
- BROWN, L. F., K.-T. YEO, B. BERSE, T.-K. YEO, D. R. SENGER, H. F. DVORAK u. L. v. d. WATER (1992 b):
Expression of vascular permeability factor (vascular endothelial growth factor) by epidermal keratinocytes during wound healing.
J. Exp. Med. 176, 1375-1379
- BROWN, L. F., K.- T. YEO, B. BERSE, A. MORGENTALER, H. F. DVORAK u. S. ROSEN (1995):
Vascular permeability factor (vascular endothelial growth factor) is strongly expressed in the normal male genital tract and is present in substantial quantities in semen.
J. Urol. 154, 576- 579
- BROWN, L. F., M. DETMAR, K. TOGNAZZI, G. ABU-JAWDEH u. M. L. IRUELA-ARISPE (1997):
Uterine smooth muscle cells express functional receptors (flt-1 and KDR) for vascular permeability factor/vascular endothelial growth factor.
Lab. Invest. 76, 245-255
- CHRISTOFERI, G., P. NAIK u. D. HANAHAN (1995):
Vascular endothelial growth factor and its receptors, flt-1 and flk-1, are expressed in normal pancreatic islets and throughout islet cell tumorigenesis.
Mol. Endo. 9, 1760-1770
- CLAFFEY, K. P., W. O. WILKISON u. B. M. SPIEGELMAN (1992):

Vascular endothelial growth factor.
J. Biol. Chem. 267, 16317-16322

CLAUSS, M., M. GERLACH, H. GERLACH, J. BRETT, F. WANG, P. C. FAMILLETTI, Y.-C. E. PAN, J. V. OLANDER, D. T. CONNOLLY u. D. STERN (1990):
Vascular permeability factor: A tumor-derived polypeptide that induces endothelial cell and monocyte procoagulant activity, and promotes monocyte migration.
J. Exp. Med. 172, 1535-1545

COHEN, T., D. NAHARI, L. W. CEREM, G. NEUFELD u. B.-Z. LEVI (1996):
Interleukin 6 induces the expression of vascular endothelial growth factor.
J. Biol. Chem. 271, 736-741

CONNOLLY, D. T. (1991):
Vascular permeability factor: A unique regulator of blood vessel function.
J. Cell. Biochem. 47, 219-223

DETMAR, M., L. F. BROWN, K. P. CLAFFEY, K.-T. YEO, O. KOCHER, R. W. JACKMAN, B. BERSE u. H. F. DVORAK (1994):
Overexpression of vascular permeability factor/vascular endothelial growth factor and its receptors in psoriasis.
J. Exp. Med. 180, 1141-1146

DETMAR, M., K.-T. YEO, J. A. NAGY, L. v. d. WATER, L. F. BROWN, B. BERSE, B. M. ELICKER, S. LEDBETTER u. H. F. DVORAK (1995):
Keratinocyte-derived vascular permeability factor (vascular endothelial growth factor) is a potent mitogen for microvascular endothelial cells.
J. Invest. Dermatol. 105, 44-50

DETMAR, M., L. F. BROWN, B. BERSE, R. W. JACKMAN, B. M. ELICKER, H. F. DVORAK u. K. P. CLAFFEY (1997):
Hypoxia regulates the expression of vascular permeability factor/vascular endothelial growth factor (VPF/VEGF) and its receptors in human skin.
J. Invest. Dermatol. 108, 263-268

De VRIES, C., J. A. ESCOBEDO, H. UENO, K. HOUCK, N. FERRARA u. L. T. WILLIAMS (1992):

The fms-like tyrosine kinase, a receptor for vascular endothelial growth factor.

Science 255, 989-991

DI SALVO, J., M. L. BAYNE, G. CONN, P. W. KWOK, P. G. TRIVEDI, D. D. SODERMAN, T. M. PALISI, K. A. SULLIVAN u. K. A. THOMAS (1995):

Purification and characterization of a naturally occurring vascular endothelial growth factor/placenta growth factor heterodimer.

J. Biol. Chem. 270, 7717-7723

DOUGHER- VERMAZEN, M., J. D. HULMES, P. BÖHLEN u. B. I. TERMAN (1994):

Biological activity and phosphorylation sites of the bacterially expressed cytosolic domain of the KDR VEGF-receptor.

Biochem. Biophys. Res. Commun. 205, 728-738

DVORAK, H. F. (1986):

Tumors: Wounds that do not heal.

N. Engl. J. Med. 26, 1650-1659

DVORAK, H. F., T. M. SIOUSSAT, L. F. BROWN, B. BERSE, J. A. NAGY, A. SOTREL, E. J. MANSEAU, L. v. d. WATER u. D. R. SENGER (1991):

Distribution of vascular permeability factor (vascular endothelial growth factor) in tumors: Concentration in tumor blood vessels.

J. Exp. Med. 174, 1275-1278

ELLIS, L. M. u. I. J. FIDLER (1996):

Angiogenesis and metastasis.

Eur. J. Cancer 32A, 2451-2460

ERGÜN, S., N. KILIC, W. FIEDLER u. A. K. MUKHOPADHYAY (1997):

Vascular endothelial growth factor and its receptors in normal human testicular tissue.

Mol. Cell. Endocrinol. 131, 9-20

ERGÜN, S., W. LUTTMER, W. FIEDLER u. A. F. HOLSTEIN (1998):

Functional expression and localization of vascular endothelial growth factor and its receptors in the human epididymis.

Biol. Reprod. 58, 160- 168

ESSER, S., K. WOLBURG, H. WOLBURG, G. BREIER, T. KURZCHALIA u. W. RISEAU (1998):

Vascular endothelial growth factor induces endothelial fenestrations in vitro.
J. Cell Biol. 140, 947-959

EZEKOWITZ, R. A. B., J. B. MULLIKEN u. J. FOLKMAN (1992):

Interferon alfa-2a therapy for life-threatening hemangiomas of infancy.
N. Engl. J. Med. 326, 1456-1463

FANTL, W. J., D. E. JOHNSON u. L. T. WILLIAMS (1993):

Signalling by receptor tyrosine kinases.
Annu. Rev. Biochem. 62, 453-481

FERRARA, N. u. W. J. HENZEL (1989):

Pituitary follicular cells secrete a novel heparin-binding growth factor specific for vascular endothelial cells.
Biochem. Biophys. Res. Commun. 161, 851-858

FERRARA, N., K. L. KING, J. WINER u. R. M. JOHNSON (1991 a):

Early transmembrane signaling events of vascular endothelial growth factor (VEGF) in bovine capillary endothelial cells (BCEC).
FASEB J. A 904, 3106 (Abstract)

FERRARA, N., D. W. LEUNG, G. CACHIANES, J. WINER u. W. J. HENZEL (1991 b):

Purification and cloning of vascular endothelial growth factor secreted by pituitary folliculostellate cells.
Methods. Enzymol. 198, 391-405

FOLKMAN, J. (1971):

Tumor angiogenesis: Therapeutic implications.
N. Engl. J. Med. 285, 1182-1186

FOLKMAN, J. u. R. COTRAN (1976):

Relation of vascular proliferation to tumor growth.
Int. Rev. Exp. Pathol. 16, 207-248

FOLKMAN, J. (1985):
Tumor Angiogenesis.
Adv. Cancer Res. 43, 175-203

FOLKMAN, J. (1986):
How is blood vessel growth regulated in normal and neoplastic tissue?- G. H. A.
clowes memorial award lecture.
Cancer Res. 46, 467-473

FOLKMAN, J. (1990):
What is the evidence that tumors are angiogenesis dependent ?
J. Natl. Cancer Inst. 82, 4-6

FOLKMAN, J. u. Y. SHING (1992):
Angiogenesis.
J. Biol. Chem. 267, 10931-10934

FOLKMAN, J. (1995):
Angiogenesis in cancer, vascular, rheumatoid and other disease.
Nature Med. 1, 27-31

FRANK, S., G. HÜBNER, G. BREIER, M. T. LONGAKER, D. G. GREENHALGH u. S.
WERNER (1995):
Regulation of vascular endothelial growth factor expression in cultured keratinocytes.
J. Biol. Chem. 270, 12607-12613

FRÀTER-SCHRÖDER, M., W. RISAU, R. HALLMANN, P. GAUTSCHI u. P. BÖHLEN
(1987):
Tumor necrosis factor type α , a potent inhibitor of endothelial cell growth in vitro, is
angiogenic in vivo.
Proc. Natl. Acad. Sci. USA 84, 5277-5281

FREEMAN, M. R., F. X. SCHNECK, M. L. GAGNON, C. CORLESS, S. SOKER, K.
NIKNEJAD, G. E. PEOPLES u. M. KLAGSBRUN (1995):
Peripheral blood T lymphocytes and lymphocytes infiltrating human cancers express
vascular endothelial growth factor: A potential role for T cells in angiogenesis.
Cancer Res. 55, 4140-4145

FROMER, C. H. u. G. K. KLINTWORTH (1975):

An evaluation of the role of leukocytes in the pathogenesis of experimentally induced corneal vascularization.

Am. J. Pathol. 79, 537-554

FUH, G., B. LI, C. CROWLEY, B. CUNNINGHAM u. J. A. WELLS (1998):

Requirement for binding and signaling of the kinase domain receptor for vascular endothelial growth factor.

J. Biol. Chem. 273, 11197- 11204

GABRILOVICH, D. I., H. L. CHEN, K. R. GIRGES, H. T. CUNNINGHAM, G. M. MENY, S. NADAF, D. KAVANAUGH u. D. P. CARBONE (1996):

Production of vascular endothelial growth factor by human tumors inhibits the functional maturation of dendritic cells.

Nature Med. 2, 1096-1103

GOLDMAN, C. K., J. KIM, W.-L. WONG, V. KING, T. BROCK u. G. Y. GILLESPIE (1993):

Epidermal growth factor stimulates vascular endothelial growth factor production by human malignant glioma cells: A model of glioblastoma multiforme pathophysiology.

Mol. Biol. Cell 4, 121-133

GOOD, D. J., P. J. POLVERINI, F. RASTINEJAD, M. M. LE BEAU, R. S. LEMMENS, W. A. FRAIZIER u. N. P. BOUCK (1990):

A tumor suppressor-dependent inhibitor of angiogenesis is immunologically and functionally indistinguishable from a fragment of thrombospondin.

Proc. Natl. Acad. Sci. USA 87, 6624-6628

GOSPODAROWICZ, D. u. K. K. THAKRAL (1978):

Production of a corpus luteum angiogenic factor responsible for proliferation of capillaries and neovascularization of the corpus luteum.

Proc. Natl. Acad. Sci. USA 75, 847-851

GOTO, F., K. GOTO, K. WEINDEL u. J. FOLKMAN (1993):

Synergistic effects of vascular endothelial growth factor and basic fibroblast growth factor on the proliferation and cord formation of bovine capillary endothelial cells within collagen gels.

Lab. Invest. 69, 508-517

GROSS, J. L., D. MOSCATELLI u. D. B. RIFKIN (1983):
Increased capillary endothelial cell protease activity in response to angiogenic stimuli
in vitro.

Proc. Natl. Acad. Sci. USA 80, 2623-2627

GRUGEL, S., G. FINKENZELLER, K. WEINDEL, B. BARLEON u. D. MARMÉ (1995):
Both v-ha-ras and v-raf stimulate expression of vascular endothelial growth factor in
NIH 3T3 cells.

J. Biol. Chem. 270, 25915-25919

GUERRIN, M., H. MOUKADIRI, P. CHOLLET, F. MORO, K. DUTT, F. MALECAZE u.
J. PLOUET (1995):

Vasculotropin/ vascular endothelial growth factor is an autocrine growth factor for
human retinal pigment epithelial cells cultured in vitro.

J. Cell. Physiol. 164, 385- 394

GUO, D., Q. JIA, H.-Y. SONG, R. S. WARREN u. D. B. DONNER (1995):

Vascular endothelial cell growth factor promotes tyrosine phosphorylation of media-
tors of signal transduction that contain SH2 domains.

J. Biol. Chem. 270, 6729-6733

HANAHAN, D. u. J. FOLKMAN (1996):

Patterns and emerging mechanisms of the angiogenic switch during tumorigenesis.

Cell 86, 353-364

HATVA, E., A. KAIPAINEN, P. MENTULA, J. JÄÄSKELÄINEN, A. PAETAU, M.
HALTIA u. K. ALITALO (1995):

Expression of endothelial cell-specific receptor tyrosine kinases and growth factors in
human brain tumors.

Am. J. Path. 146, 368-378

HERTIG, A.T. (1935):

Angiogenesis in the early human chorion and in the primary placenta of the macaque
monkey.

Contrib. Embryol. 25, 37-82

HOUCK, K. A., N. FERRARA, J. WINER, G. CACHIANES, B. LI u. D. W. LEUNG (1991):

The vascular endothelial growth factor family: Identification of a fourth molecular species and characterization of alternative splicing of RNA.

Mol. Endo. 5, 1806-1814

HOUCK, K. A., D. W. LEUNG, A. M. ROWLAND, J. WINER u. N. FERRARA (1992):

Dual regulation of vascular endothelial growth factor bioavailability by genetic and proteolytic mechanism.

J. Biol. Chem. 267, 26031-26037

HULL, M. A., D. J. E. CULLEN u. C. J. HAWKEY (1994):

Basic fibroblast growth factor in gastric ulceration: Mucosal levels and therapeutic potential.

Gastroenterology 106, A97

IJIMA, K., N. YOSHIKAWA, D. T. CONNOLLY u. H. NAKAMURA (1993):

Human mesangial cells and peripheral blood mononuclear cells produce vascular permeability factor.

Kidney Int. 44, 959-966

IJICHI, A., S. SAKUMA u. P. J. TOFILON (1995):

Hypoxia-induced vascular endothelial growth factor expression in normal rat astrocyte cultures.

Glia 14, 87-93

IKEDA, E., M. G. ACHEN, G. BREIER u. W. RISAU (1995):

Hypoxia-induced transcriptional activation and increased mRNA stability of vascular endothelial growth factor in C6 glioma cells.

J. Biol. Chem. 270, 19761-19766

ISNER, J. M., A. PIECZEK, R. SCHAINFELD, R. BLAIR, L. HALEY, T. ASAHARA, K. ROSENFELD, S. RAZVI, K. WALSH u. J. F. SYMES (1996):

Clinical evidence of angiogenesis after arterial gene transfer of phVEGF₁₆₅ in patient with ischaemic limb.

Lancet 348, 370-374

ITAKURA, J., T. ISHIWATA, B. SHEN, M. KORNMANN u. M. KORC (2000):
Concomitant over-expression of vascular endothelial growth factor and its receptors
in pancreatic cancer.

Int. J. Cancer 85, 27-34

JAKEMAN, L. B., J. WINER, G. L. BENNETT, C. A. ALTAR u. N. FERRARA (1992):
Binding sites for vascular endothelial growth factor are localized on endothelial cells
in adult rat tissues.

J. Clin. Invest. 89, 244-253

JOUKOV, V., K. PAJUSOLA, A. KAIPAINEN, D. CHILOV, I. LAHTINEN, E. KUKK, O.
SAKSELA, N. KALKKINEN u. K. ALITALO (1996):

A novel vascular endothelial growth factor, VEGF-C, is a ligand for the Flt4 (VEGFR-
3) and KDR (VEGFR-2) receptor tyrosine kinases.

EMBO J. 15, 290-298

KAIPAINEN, A., J. KORHONEN, T. MUSTONEN, V. W. M. van HINSBERGH, G.-H.
FANG, D. DUMONT, M. BREITMAN u. K. ALITALO (1995):

Expression of the fms-like tyrosine kinase 4 gene becomes restricted to lymphatic
endothelium during development.

Proc. Natl. Acad. Sci. USA 92, 3566-3570

KALEBIC, T., S. GARBISA, B. GLASER u. L. A. LIOTTA (1983):

Basement membrane collagen: Degradation by migrating endothelial cells.

Science 221, 281-283

KATOH, O., H. TAUCHI, K. KAWAISHI, A. KIMURA u. Y. SATOW (1995):

Expression of the vascular endothelial growth factor (VEGF) receptor gene, KDR, in
hematopoietic cells and inhibitory effect of VEGF on apoptotic cell death caused by
ionizing radiation.

Cancer Res. 55, 5687- 5692

KECK, P. J., S. D. HAUSER, G. KRIVI, K. SANZO, T. WARREN, J. FEDER u. D. T.
CONNOLLY (1989):

Vascular permeability factor, an endothelial cell mitogen related to PDGF.

Science 246, 1309-1312

KEYT, B. A., H. V. NGUYEN, L. T. BERLEAU, C. M. DUARTE, J. PARK, H. CHEN u. N. FERRARA (1996):
Identification of vascular endothelial growth factor determinants for binding KDR and FLT-1 receptors.
J. Biol. Chem. 271, 5638-5646

KIESER, A., H. A. WEICH, G. BRANDNER, D. MARMÉ u. W. KOLCH (1994):
Mutant p53 potentiates protein kinase C induction of vascular endothelial growth factor expression.
Oncogene 9, 963-969

KIM, K. J., B. LI, J. WINER, M. ARMANINI, N. GILLET, H. S. PHILLIPS u. N. FERRARA (1993):
Inhibition of vascular endothelial growth factor-induced angiogenesis suppresses tumor growth in vivo.
Nature 362, 841-844

KLAGSBRUN, M., J. SASSE, R. SULLIVAN u. J. A. SMITH (1986):
Human tumor cells synthesize an endothelial cell growth factor that is structurally related to basic fibroblast growth factor.
Proc. Natl. Acad. Sci. USA 83, 2448-2452

KLAGSBRUN, M. u. P. A. D'AMORE (1991):
Regulators of angiogenesis.
Annu. Rev. Physiol. 53, 217-239

KONDO, S., M. ASANO u. H. SUZUKI (1993):
Significance of vascular endothelial growth factor/ vascular permeability factor for solid tumor growth, and its inhibition by the antibody.
Biochem. Biophys. Res. Commun. 194, 1234-1241

KORPELAINEN, E. I., M. J. KARKKAINEN, A. TENHUNEN, M. LAKSO, H. RAUVALA, M. VIERULA, M. PARVINEN u. K. ALITALO (1998):
Overexpression of VEGF in testis and epididymis causes infertility in transgenic mice: Evidence for nonendothelial targets for VEGF.
J. Cell. Biol. 143, 1705- 1712

LEE, J., A. GRAY, J. YUAN, S.-M. LUOH, H. AVRAHAM u. W. I. WOOD (1996):
Vascular endothelial growth factor-related protein: A ligand and specific activator of
the tyrosin kinase receptor Flt4.
Proc. Natl. Acad. Sci. USA 93, 1988-1992

LEIBOVICH, S. J., P. J. POLVERINI, H. M. SHEPARD, D. M. WISEMAN, V.
SHIVELY u. N. NUSEIR (1987):
Macrophage-induced angiogenesis is mediated by tumor necrosis factor- α .
Nature 329, 630-635

LEUNG, D. W., G. CACHIANES, W.-J. KUANG, D. V. GOEDDEL u. N. FERRARA
(1989):
Vascular endothelial growth factor is a secreted angiogenic mitogen.
Science 246, 1306-1309

LI, V. W., R. D. FOLKERTH, H. WATANABE, C. YU, M. RUPNICK, P. BARNES, R.
M. SCOTT, P. McL. BLACK, S. E. SALLAN u. J. FOLKMAN (1994):
Microvessel count and cerebrospinal fluid basic fibroblast growth factor in children
with brain tumours.
Lancet 344, 82-86

LI, J., M. A. PERRELLA, J.-C. TSAI, S.-F. YET, C.-M. HSIEH, M. YOSHIZUMI, C.
PATTERSON, W. O. ENDEGE, F. ZHOU u. M.-E. LEE (1995):
Induction of vascular endothelial growth factor gene expression by interleukin-1 β in
rat aortic smooth muscle cells.
J. Biol. Chem. 270, 308-312

LIU, Y., S. R. COX, T. MORITA u. S. KOUREMBANAS (1995):
Hypoxia regulates vascular endothelial growth factor gene expression in endothelial
cells.
Circ. Res. 77, 638-643

LUO, Y., D. RAIBLE u. J. RAPPER (1993):
Collapsin: A protein in brain that induces the collapse and paralysis of neuronal
growth cones.
Cell 75, 217-227

MADRI, J. A., B. M. PRATT u. A. M. TUCKER (1988):

Phenotypic modulation of endothelial cells by transforming growth factor- β depends upon the composition and organization of the extracellular matrix.

J. Cell Biol. 106, 1375-1384

MAGLIONE, D., V. GUERRIERO, G. VIGLIETTO, P. DELLI-BOVI u. M. G. PERSICO (1991):

Isolation of a human placenta cDNA coding for a protein related to the vascular permeability factor.

Proc. Natl. Acad. Sci. USA 88, 9267-9271

MATTHEWS, W., C. T. JORDAN, M. GAVIN, N. A. JENKINS, N. G. COPELAND u. I. R. LEMISCHKA (1991):

A receptor tyrosine kinase cDNA isolated from a population of enriched primitive hematopoietic cells and close genetic linkage to c-kit.

Proc. Natl. Acad. Sci. USA 88, 9026-9030

MENRAD, A., K.-H. THIERAUCH, G. MARTINY-BARON, G. SIEMEISTER, M. SCHIRNER u. M. SCHNEIDER (1997):

Novel antibodies directed against the extracellular domain of the human VEGF-receptor type II.

Hybridoma 16, 465-471

MEYER, M., M. CLAUSS, A. LEPPLE-WIENHUES, J. WALTENBERGER, H. G. AUGUSTIN, M. ZICHE, C. LANZ, M. BÜTTNER, H.-J. RZIHA u. C. DEHIO (1999):

A novel vascular endothelial growth factor encoded by Orf virus, VEGF-E, mediates angiogenesis via signalling through VEGFR-2 (KDR) but not VEGFR-1 (Flt-1) receptor tyrosine kinases.

EMBO J 18, 363-374

MILLAUER, B., S. WIZIGMANN-VOSS, H. SCHNÜRCH, R. MARTINEZ, N. P. H. MOLLER, W. RISAU u. A. ULLRICH (1993):

High affinity VEGF binding and developmental expression suggest flk-1 as a major regulator of vasculogenesis and angiogenesis.

Cell 72, 835-846

MOCHIDA, S., K. ISHIKAWA, M. INAO, M. SHIBUYA u. K. FUJIWARA (1996):
Increased expression of vascular endothelial growth factor and its receptors, flt-1 and KDR/ flk-1, in regenerating rat liver.
Biochem. Biophys. Res. Commun. 226, 176-179

MOCHIDA, S., K. ISHIKAWA, K. TOSHIMA, M. INAO, H. IKEDA, A. MATSUI, M. SHIBUYA u. K. FUJIWARA (1998):
The mechanisms of hepatic sinusoidal endothelial cell regeneration: A possible communication system associated with vascular endothelial growth factor in liver cells.
J Gastroenterol. Hepatol. 13 (Suppl.), 1-5

MONTESANO, R., J.-D. VASSALLI, A. BAIRD, R. GUILLEMIN u. L. ORCI (1986):
Basic fibroblast growth factor induces angiogenesis in vitro.
Proc. Natl. Acad. Sci. USA 83, 7297-7301

MOSCATELLI, D., J. L. GROSS u. D. B. RIFKIN (1981):
Angiogenic factors stimulate plasminogen activator and collagenase production by capillary endothelial cells.
J. Cell. Biol. 91, 201a

MOSES, M. A., J. SUDHALTER u. R. LANGER (1990):
Identification of an inhibitor of neovascularization from cartilage.
Science 248, 1408-1410

MOSIMANN, W. u. T. KOHLER (1990):
Zytologie, Histologie und mikroskopische Anatomie der Haussäugetiere.
Verlag Paul Parey, 1. Auflage

MÜLLER, G., J. BEHRENS, U. NUSSBAUMER, P. BÖHLEN u. W. BIRCHMEIER (1987):
Inhibitory action of transforming growth factor β on endothelial cells.
Proc. Natl. Acad. Sci. USA 84, 5600-5604

MUKHOPADHYAY, D., L. TSIOKAS u. V. P. SUKHATME (1995):
Wild-type p53 and v-Src exert opposing influences on human vascular endothelial growth factor gene expression.
Cancer Res. 55, 6161-6165

NAISH, S.J. (1989):

Handbuch II immunchemischer Färbemethoden

DAKO Corporation, p.22

NEUFELD, G., T. COHEN, S. GENGRINOVITCH u. Z. POLTORAK (1999):

Vascular endothelial growth factor (VEGF) and its receptors.

FASEB J. 13, 9- 22

NGUYEN, M., H. WATANABE, A. BUDSON, J. P. RICHIE, D. F. HAYES u.

J.FOLKMAN (1992):

Basic fibroblast growth factor (bFGF) is elevated in the urine of patients with a wide variety of neoplasms.

Mol. Biol. Cell 3, 234a

NODEN, D.M. (1989):

Embryonic origins and assembly of blood vessels.

Am. Rev. Respir. Dis. 140, 1097-1103

OGAWA, S., A. OKU, A. SAWANO, S. YAMAGUCHI, Y. YAZAKI u. M. SHIBUYA (1998):

A novel type of vascular endothelial growth factor, VEGF-E (NZ-7 VEGF), preferentially utilizes KDR/Flk-1 receptor and carries a potent mitotic activity without heparin-binding domain.

J. Biol. Chem. 273, 31273-31282

OLANDER, J. V., D. T. CONNOLLY u. J. E. DeLARCO (1991):

Specific binding of vascular permeability factor to endothelial cells.

Biochem. Biophys. Res. Commun. 175, 68-76

OLOFSSON, B., K. PAJUSOLA, A. KAIPAINEN, G. v. EULER, V. JOUKOV, O.

SAKSELA, A. ORPANA, R. F. PETTERSSON, K. ALITALO u. U. ERIKSSON (1996):

Vascular endothelial growth factor B, a novel growth factor for endothelial cells.

Proc. Natl. Acad. Sci. USA 93, 2576-2581

ORLANDINI, M., L. MARCONCINI, R. FERRUZZI u. S. OLIVIERO (1996):

Identification of a c-fos-induced gene that is related to the platelet-derived growth factor/vascular endothelial growth factor family.

Proc. Natl. Acad. Sci. USA 93, 11675-11680

ORLIDGE, A. u. P. A. D'AMORE (1986):

Pericyte and smooth muscle cell modulation of endothelial cell proliferation.

J. Cell Biol. 103 (No.5) part 2, 471a

ORLIDGE, A. u. P. A. D'AMORE (1987):

Inhibition of capillary endothelial cell growth by pericytes and smooth muscle cells.

J. Cell Biol. 105, 1455-1462

PARK, J. E., H. H. CHEN, J. WINER, K. A. HOUCK u. N. FERRARA (1994):

Placenta growth factor.

J. Biol. Chem. 269, 25646-25654

PEKALA, P., M. MARLOW, D. HEUVELMAN u. D. CONNOLLY (1990):

Regulation of hexose transport in aortic endothelial cells by vascular permeability factor and tumor necrosis factor- α , but not by insulin.

J. Biol. Chem. 265, 18051-18054

PEPPER, M. S., N. FERRARA, L. ORCI u. R. MONTESANO (1992):

Potent synergism between vascular endothelial growth factor and basic fibroblast growth factor in the induction of angiogenesis in vitro.

Biochem. Biophys. Res. Commun. 189, 824-831

PERETZ, D., H. GITAY-GOREN, M. SAFRAN, N. KIMMEL, D. GOSPODAROWICZ u. G. NEUFELD (1992):

Glycosylation of vascular endothelial growth factor is not required for its mitogenic activity.

Biochem. Biophys. Res. Commun. 182, 1340-1347

PIERCE, E. A., R. L. AVERY, E. D. FOLEY, L. P. AIELLO u. L. E. H. SMITH (1995):

Vascular endothelial growth factor/ vascular permeability factor expression in a mouse model of retinal neovascularization.

Proc. Natl. Acad. Sci. USA 92, 905-909

PLOUET, J., J. SCHILLING u. D. GOSPODAROWICZ (1989):

Isolation and characterization of a newly identified endothelial cell mitogen produced by AtT-20 cells.

EMBO J. 8, 3801-3806

PLOUET, J. u. H. MOUKADIRI (1990):

Characterization of the receptor to vasculotropin on bovine adrenal cortex-derived capillary endothelial cells.

J. Biol. Chem. 265, 22071-22074

POLTORAK, Z., T. COHEN, R. SIVAN, Y. KANDELIS, G. SPIRA, I. VLODAVSKY, E. KESHET u. G. NEUFELD (1997):

VEGF₁₄₅, a secreted vascular endothelial growth factor isoform that binds to extracellular matrix.

J. Biol. Chem. 272, 7151- 7158

POLVERINI, P. J. u. S. J. LEIBOVICH (1984):

Induction of neovascularization in vivo and endothelial proliferation in vitro by tumor-associated macrophages.

Lab. Invest. 51, 635-642

PUJOL, B. F., F. C. LUCIBELLO, M. ZUZARTE, P. LÜTJENS, R. MÜLLER u. K. HAVEMANN (2001):

Dendritic cells derived from peripheral monocytes express endothelial markers and in the presence of angiogenic growth factors differentiate into endothelial-like cells.

Europ. J. Cell Biol. 80, 99-110

RAINES, E. W. u. R. ROSS (1982):

Platelet-derived growth factor.

J. Biol. Chem. 257, 5154-5160

RAK, J., Y. MITSUHASHI, L. BAYKO, J. FILMUS, S. SHIRASAWA, T. SASAZUKI u. R. S. KERBEL (1995):

Mutant ras oncogenes upregulated VEGF/VPF expression: Implications for induction and inhibition of tumor angiogenesis.

Cancer Res. 55, 4575-4580

REHM, H. (1997):

Der Experimentator: Proteinbiochemie.

Gustav Fischer Verlag, 2. Auflage

RIFKIN, D. B., D. MOSCATELLI, J. BIZIK, N. QUARTO, F. BLEI, P. DENNIS, R. FLAUMENHAFT u. P. MIGNATTI (1990):

Growth factor control of extracellular proteolysis.

Cell Differ. Dev. 32, 313-318

ROOMAN, I., F. SCHUIT u. L. BOUWENS (1997):

Effect of vascular endothelial growth factor on growth and differentiation of pancreatic ductal epithelium.

Lab. Invest. 76, 225-232

SENGER, D. R., S. J. GALLI, A. M. DVORAK, C. A. PERRUZZI, V. S. HARVEY u. H. F. DVORAK (1983):

Tumor cells secrete a vascular permeability factor that promotes accumulation of ascites fluid.

Science 219, 983-985

SHIBUYA, M., S. YAMYGUCHI, A. YAMANE, T. IKEDA, A. TOJO, H. MATSUSHIME u. M. SATO (1990):

Nucleotide sequence and expression of a novel human receptor-type tyrosine kinase gene (flt) closely related to the fms family.

Oncogene 5, 519-524

SHWEIKI, D., A. ITIN, D. SOVER u. E. KESHET (1992):

Vascular endothelial growth factor induced by hypoxia may mediate hypoxia-initiated angiogenesis.

Nature 359, 843-845

SHWEIKI, D., A. ITIN, G. NEUFELD, H. GITAY-GOREN u. E. KESHET (1993):

Patterns of expression of vascular endothelial growth factor (VEGF) and VEGF receptors in mice suggest a role in hormonally regulated angiogenesis.

J. Clin. Invest. 91, 2235-2243

SIDKY, Y. A. u. E. C. BORDEN (1987):

Inhibition of angiogenesis by interferons: Effects on tumor- and lymphocyte-induced vascular responses.

Cancer Res. 47, 5155-5161

SIEMEISTER, G., M. SCHIRNER, P. REUSCH, B. BARLEON, D. MARMÉ u. G. MARTINY-BARON (1998):

An antagonistic vascular endothelial growth factor (VEGF) variant inhibits VEGF-stimulated receptor autophosphorylation and proliferation of human endothelial cells. Proc. Natl. Acad. Sci. USA 95, 4625-4629

SIMON, M., H.-J. GRÖNE, O. JÖHREN, J. KULLMER, K. H. PLATE, W. RISAU u. E. FUCHS (1995):

Expression of vascular endothelial growth factor and its receptors in human renal ontogenesis and adult kidney. Am. J. Physiol. 268, F240-F250

SKOBE, M., T. HAWIGHORST, D. G. JACKSON, R. PREVO, L. JANES, P. VELASCO, L. RICCARDI, K. ALITALO, K. CLAFFEY u. M. DETMAR (2001):

Induction of tumor lymphangiogenesis by VEGF-C promotes breast cancer metastasis. Nature Med. 7, 192-198

SMYTH, A. P., S. L. ROOK, M. DETMAR u. G. S. ROBINSON (1997):

Antisense oligonucleotides inhibits vascular endothelial growth factor/ vascular permeability factor expression in normal human epidermal keratinocytes. J. Invest. Dermatol. 108, 523-526

SOKER, S., S. TAKASHIMA, H. Q. MIAO, G. NEUFELD u. M. KLAGSBRUN (1998):

Neuropilin-1 is expressed by endothelial and tumor cells as an isoform-specific receptor for vascular endothelial growth factor. Cell 92, 735-745

STACKER, S. A., C. CAESAR, M. E. BALDWIN, G. E. THORNTON, R. A. WILLIAMS, R. PREVO, D. G. JACKSON, S.-I. NISHIKAWA, H. KUBO u. M. G. ACHEN (2001):

VEGF-D promotes metastatic spread of tumor cells via the lymphatics. Nature Med. 7, 186-191

STEIN, I., M. NEEMAN, D. SHWEIKI, A. ITIN u. E. KESHET (1995):

Stabilization of vascular endothelial growth factor mRNA by hypoxia and hypoglycemia and coregulation with other ischemia-induced genes. Mol. Cell. Biol. 15, 5363-5368

STEINER, R., WEISZ, P. B. u. LANGER, R. (1992):
Angiogenesis. Key Principles-Science-Technology-Medicine.
Birkhäuser Verlag, Basel

STETLER-STEVENSON, W. G., P. D. BROWN, M. ONISTO, A. T. LEVY u. L. A. LIOTTA (1990):
Tissue inhibitor of metalloproteinase-2 (TIMP-2) mRNA expression in tumor cell lines and human tumor tissues.
J. Biol. Chem. 265, 13933-13938

STILES, C. D. (1983):
The molecular biology of platelet-derived growth factor.
Cell 33, 653-655

TAICHMAN, N. S., A. T. CRUNCHLEY, L. M. FLETCHER, E. P. HAGI-PAVLI, E. M. PALEOLOG, W. R. ABRAMS, V. BOOTH, R. M. EDWARDS u. D. MALAMUD (1998):
Vascular endothelial growth factor in normal human salivary glands and saliva: A possible role in the maintenance of mucosal homeostasis.
Lab. Invest. 78, 869- 875

TAKIGAWA, M., H.-O. PAN, M. ENOMOTO, A. KINOSHITA, Y. NISHIDA, F. SUZUKI u. K. TAJIMA (1990):
A clonal human chondrosarcoma cell line produces an anti-angiogenetic antitumor factor.
Anticancer Res. 10, 311-316

TANNOCK, I. F. (1968):
The relation between cell proliferation and the vascular system in a transplanted mouse mammary tumour.
Br. J. Cancer 22, 258-273

TANNOCK, I. F. (1970):
Population kinetics of carcinoma cells, capillary endothelial cells, and fibroblasts in a transplanted mouse mammary tumor.
Cancer Res. 30, 2470-2476

TARABOLETTI, G., D. ROBERTS, L. A. LIOTTA u. R. GIAVAZZI (1990):
Platelet thrombospondin modulates endothelial cell adhesion, motility, and growth: A potential angiogenesis regulatory factor.
J. Cell Biol. 111, 765-772

TERMAN, B. I., M. E. CARRION, E. KOVACS, B. A. RASMUSSEN, R. L. EDDY u. T. B. SHOWS (1991):
Identification of a new endothelial cell growth factor receptor tyrosine kinase.
Oncogene 6, 1677-1683

TERMAN, B. I., M. DOUGHER-VERMAZEN, M. E. CARRION, D. DIMITROV, D. C. ARMELLINO, D. GOSPODAROWICZ u. P. BÖHLEN (1992):
Identification of the KDR tyrosine kinase as a receptor for vascular endothelial cell growth factor.
Biochem. Biophys. Res. Commun. 187, 1579-1586

TISCHER, E., D. GOSPODAROWICZ, R. MITCHELL, M. SILVA, J. SCHILLING, K. LAU, T. CRISP, J. C. FIDDES u. J. A. ABRAHAM (1989):
Vascular endothelial growth factor: A new member of the platelet-derived growth factor gene family.
Biochem. Biophys. Res. Commun. 165, 1198-1206

TISCHER, E., R. MITCHELL, T. HARTMAN, M. SILVA, D. GOSPODAROWICZ, J. C. FIDDES u. J. A. ABRAHAM (1991):
The human gene for vascular endothelial growth factor.
J. Biol. Chem. 266, 11947-11954

VAISMAN, N., D. GOSPODAROWICZ u. G. NEUFELD (1990):
Characterization of the receptors for endothelial growth factor.
J. Biol. Chem. 265, 19461-19466

VANE, Sir J. R., G. V. R. BORN u. D. WELZEL (Eds.) (1995):
The endothelial cell in health and disease.
Schattauer-Verlag, 1. Auflage

WALTENBERGER, J., L. CLAEISSON-WELSH, A. SIEGBAHN, M. SHIBUYA u. C.-H. HELDIN (1994):

Different signal transduction properties of KDR and Flt1, two receptors for vascular endothelial growth factor.

J. Biol. Chem. 269, 26988-26995

WALTENBERGER, J., U. MAYR, S. PENTZ u. V. HOMBACH (1996):
Functional upregulation of the vascular endothelial growth factor receptor KDR by hypoxia.

Circulation 94, 1647-1654

WATANABE, H., M. NGUYEN, M. SCHIZER, V. LI, D. F. HAYES, S. SALLAN u. J. Folkman (1992):

Basic fibroblast growth factor in human serum-a prognostic test for breast cancer.

Mol. Biol. Cell 3, 234a

WEIDNER, N., J. P. SEMPLE, W. R. WELCH u. J. FOLKMAN (1991):

Tumor angiogenesis and metastasis-correlation in invasive breast carcinoma.

N. Engl. J. Med. 324, 1-8

WEIDNER, N., P. R. CARROLL, J. FLAX, W. BLUMENFELD u. J. FOLKMAN (1993):

Tumor angiogenesis correlates with metastasis in invasive prostate carcinoma.

Am. J. Pathol. 143, 401-409

WHEELER-JONES, C., R. ABU-GHAZALEH, R. COSPEDAL, R. A. HOULISTON, J. MARTIN u. I. ZACHARY (1997):

Vascular endothelial growth factor stimulates prostacyclin production and activation of cytosolic phospholipase A₂ in endothelial cells via p42/p44 mitogen-activated protein kinase.

FEBS Letters 420, 28-32

WINTHER, H., A. AHMED u. V. Dantzer (1999):

Immunohistochemical localization of vascular endothelial growth factor (VEGF) and its two specific receptors, Flt-1 and KDR, in the porcine placenta and non-pregnant uterus.

Placenta 20, 35-43

WOLFE, M. M., T. E. BYNUM, W. G. PARSONS, K. M. MALONE, S. SZABO u. J. FOLKMAN (1994):

Safety and efficacy of an angiogenic peptide, basic fibroblast growth factor (bFGF), in the treatment of gastroduodenal ulcers: A preliminary report.

Gastroenterology 106, A212

WOOD, J. M., G. BOLD, E. BUCHDUNGER, R. COZENS, S. FERRARI, J. FREI, F. HOFMANN, J. MESTAN, H. METT, T. O'REILLY, E. PERSOHN, J. RÖSEL, C. SCHNELL, D. STOVER, A. THEURER, H. TOWBIN, F. WENGER, K. WOODS-COOK, A. MENRAD, G. SIEMEISTER, M. SCHIRNER, K.-H. THIERAUCH, M. R. SCHNEIDER, J. DREVS, G. MARTINY-BARON, F. TOTZKE u. D. MARMÉ (2000):

PTK787/ZK 222584, a novel and potent inhibitor of vascular endothelial growth factor receptor tyrosine kinases, impairs vascular endothelial growth factor-induced responses and tumor growth after oral administration.

Cancer Res. 60, 2178-2189

YAMADA, T., M. SAWATSUBASHI, H. YAKUSHIJI, Y. ITOH, G. EDAKUNI, M. MORI, L. ROBERT u. K. MIYAZAKI (1998):

Lokalisation of vascular endothelial growth factor in synovial membrane mast cells: examination with „multi-labelling subtraction immunostaining“.

Virchows Arch. 433, 567- 570

YAMANE, A., L. SEETHARAM, S. YAMAGUCHI, N. GOTOH, T. TAKAHASHI, G. NEUFELD u. M. SHIBUYA (1994):

A new communication system between hepatocytes and sinusoidal endothelial cells in liver through vascular endothelial growth factor and Flt tyrosine kinase receptor family (Flt-1 and KDR/ Flk-1).

Oncogene 9, 2683-2690

ZHANG, G., J. D. SATO, M. T. HERLEY, M. W.-K. TSANG, H. YE, H. LIU, T. ICHIMURA, G. YAN, W. L. McKEEHAN u. J. L. STEVENS (1994):

Stable and temperature-sensitive transformation of rat kidney epithelial cells suppresses expression of acidic fibroblast growth factor 1 but activates secretion of fibroblast growth factor 3 (int-2) and vascular endothelial growth factor.

Cell Growth Differ. 5, 349-357