

Literaturverzeichnis

- [Akk94] A. Akkerman, T. Boutboul, A. Breskin, R. Chechik, and A. Gibrekhterman. Low-energy electron transport in alkali halides. *J.Appl.Phys.* **76**(8), 4656 – 4662 (1994).
- [Alk70] G.D. Alkhazov. Statistics of electron avalanches and ultimate resolution of proportional counters. *Nucl. Instr. and Meth.* **89**, 155–165 (1970).
- [Alm95a] J. Almeida et al.. Microanalysis surface studies and photoemission properties of CsI photocathodes. *Nucl. Instr. and Meth.* **A 367**, 337 – 341 (1995).
- [Alm95b] J. Almeida et al.. Morphological effects in the quantum yield of cesium iodine. *Nucl. Instr. and Meth.* **A 361**, 524 – 538 (1995).
- [And92] D.F. Anderson, S. Kwan, V. Peskov, and B. Hoeneisen. Properties of CsI and CsI–TMAE photocathodes. *Nucl. Instr. and Meth.* **A 323**, 626 – 634 (1992).
- [Ang93] F. Angelini et al.. The micro-gap chamber. *Nucl. Instr. and Meth.* **A 335**, 69–77 (1993).
- [Bäc82] A. Bäcklin et al.. Levels in ^{156}Gd studied in the (n,γ) reaction. *Nucl. Phys.* **A 380**, 189 – 260 (1982).
- [Ben98] J. Benlloch et al.. Further developments and beam tests of the gas electron multiplier (GEM). *Nucl. Instr. and Meth.* **A 419**, 410–417 (1998).
- [Bia89] S.F. Biagi. A multiterm Boltzmann analysis of drift velocity, diffusion, gain and magnetic-field effects in argon-methane-water-vapour mixtures. *Nucl. Instr. and Meth.* **A 283**, 716 – 722 (1989).
- [Bia91] S.F. Biagi. Accurate three-dimensional simulation of straw chambers using slow, medium and fast gas mixtures. *Nucl. Instr. and Meth.* **A 310**, 133 – 136 (1991).
- [Bia95] S.F. Biagi. University of Liverpool, private communication (1995).
- [Bia97] S.F. Biagi. MSGCSIM. Publikation in Vorbereitung (1997).
- [Bia98] S.F. Biagi, D. Duxbury, and E. Gabathuler. Experimental results from a microdot detector overcoated with a semiconducting layer. *Nucl. Instr. and Meth.* **A 419**, 438 – 443 (1998).
- [Boi82] R.A. Boie et al.. High resolution X-ray gas proportional detectors with delay line position sensing for high counting rates. *Nucl. Instr. and Meth.* **201**, 93 – 115 (1982).
- [Bou97] R. Bouclier et al.. *IEEE Trans. Nucl. Sci.* **NS-44**, 646 (1997).
- [Bou99] T. Boutboul et al.. On the surface morphology of thin alkali halide photocathode films. *WIS-99/16/Apr.-DPP* (1999). Preprint from Weizmann Institut of Science.
- [Brä93] H. Bräuning, A. Breskin, R. Chechik, P. Miné, and D. Vartsky. Investigation of CsI and CsI–TMAE VUV-photocathodes in vacuum and gas media. *Nucl. Instr. and Meth.* **A 327**, 369 – 377 (1993).

- [Bra99] G. Braun et al.. An Eight Channel Time-to-Digital and Latch Integrated Circuit Development for the COMPASS Experiment at CERN. Universität Freiburg (1999).
- [Bre94] A. Breskin et al.. On the two-stage operation mechanism of low-pressure microstrip gas chambers. *Nucl. Instr. and Meth. A* **345**, 205 – 209 (1994).
- [Bre96] A. Breskin. CsI UV photocathodes: history and mystery. *Nucl. Instr. and Meth. A* **371**, 116 – 136 (1996).
- [Bre97] A. Breskin, R. Chechik, G. Garty, A. Pansky, E. Shefer, and S.F. Biagi. On the high gain operation of low-pressure microdot gas avalanche chambers. *Nucl. Instr. and Meth. A* **394**, 21 – 26 (1997).
- [Bre99] A. Bressan et al.. High rate behavior and discharge limits in micro-pattern detectors. *Nucl. Instr. and Meth. A* **424**, 321–342 (1999).
- [Bro69] I.M. Bronshtein and B.S. Fraiman. „Secondary electron emission“, pp. 245, 283 – 293. Nauka, Moskau (1969). In russisch.
- [Bru99] G. Bruckner, A. Czermak, H. Rauch, and P. Weilhammer. Position sensitive detection of thermal neutrons with solid state detectors (Gd Si planar detectors). *Nucl. Instr. and Meth. A* **424**, 183 – 189 (1999).
- [Buz95a] A. Buzulutskov, A. Breskin, and R. Chechik. Field enhancement of the photoelectric and secondary electron emission from CsI. *J.Appl.Phys.* **77**(5), 2138 – 2145 (1995).
- [Buz95b] A. Buzulutskov, A. Breskin, and R. Chechik. Heat enhancement of the photoyield from CsI, NaI and CuI photocathodes. *Nucl. Instr. and Meth. A* **366**, 410 – 412 (1995).
- [Cha68] G. Charpak et al.. *Nucl. Instr. and Meth.* **62**, 235 (1968).
- [Chi88] C. Chianelli, P. Ageron, J.P. Bouvet, M. Karolak, S. Martin, and J.P. Robert. Weakly ionizing charged particle detectors with high efficiency using transitory electronic secondary emission of porous CsI. *Nucl. Instr. and Meth. A* **273**, 245 – 256 (1988).
- [Cho98] H.S. Cho et al.. A Columnar Cesium Iodide (CsI) Drift Plane Layer for Gas Avalanche Microdetectors. *IEEE Transactions on Nuclear Science* **45**(3), 275 – 279 (1998).
- [Cho99] H.S. Cho, I.J. Park, W.S. Hong, V. Perez-Mendez, and J. Kadyk. Utilization of a thin columnar cesium iodide (CsI) layer in gas avalanche microdetector. *Nucl. Instr. and Meth. A* **422**, 269 – 272 (1999).
- [Dan94] V. Dangendorf, A. Demian, H. Friedrich, V. Wagner, A. Akkerman, A. Breskin, R. Chechik, and A. Gibrekhterman. Thermal neutron imaging detectors combining novel composite foil convertors and gaseous electron multipliers. *Nucl. Instr. and Meth. A* **350**, 503 – 510 (1994).
- [Fei68] B. Feigl and H. Rauch. Der Gd-Neutronenzähler. *Nucl. Instr. and Meth.* **61**, 349 (1968).

- [For88] J.B. Forsyth, R.T. Lawrence, and C.C. Wilson. A PSD for Neutron Diffraction. *Nucl. Instr. and Meth.* **A 273**, 741 – 747 (1988).
- [Gat82] E. Gatti, G. Padovini, and V. Radeka. Signal evaluation in multielectrode radiation detectors by means of a time dependent weighting vector. *Nucl. Instr. and Meth.* **193**, 651–653 (1982).
- [Geb97] B. Gebauer, Ch. Schulz, and Th. Wilpert. Novel large–area thermal neutron imaging detectors comprising $^{157}\text{Gd}/\text{CsI}$ –convertors and micro–strip gas detectors with low–pressure, two–stage amplification and delay line readout. *Nucl. Instr. and Meth.* **A 392**, 68–72 (1997).
- [Geb98] B. Gebauer, Ch. Schulz, Th. Wilpert, and S.F. Biagi. Large–area low–pressure microstrip gas chambers for thermal neutron imaging. *Nucl. Instr. and Meth.* **A 409**, 56–62 (1998).
- [Gib94] A. Gibrekhterman, A. Akkerman, A. Breskin, and R. Chechik. Spatial characteristics of electron– and photon–induced secondary electron cascades in CsI. *J.Appl.Phys.* **76**(3), 1676 – 1680 (1994).
- [Gin60] R.J. Ginther and J.H. Schulman. *IRE Trans. Nucl. Sci.* **NS–7**, 28 (1960).
- [Gre78] R.C. Greenwood et al.. Collective and two–quasiparticle states in ^{158}Gd observed through study of radiative neutron capture in ^{157}Gd . *Nucl. Phys.* **A 304**, 327 – 428 (1978).
- [Har95] C.K. Hargrove, Ira Blevis, David Paterson, and E. Davis Earle. Use of Gd in gas counters as neutron detectors in SNO. *Nucl. Instr. and Meth.* **A 357**, 157 – 169 (1995).
- [Hön89] W. Hönlein and H. Reisinger. ONO technology. *Applied Surface Science* **39**, 178 – 191 (1989).
- [IMT] IMT Masken und Teilungen AG, Im Langacher, CH–8606 Greifensee.
- [Joh97] M.W. Johnson. Neutron Data Acquisition, Analysis and Display – Past, Present and Future. In „Proceedings of the Int. Workshop on Data Acquisition Systems for Neutron Experimental Facilities“, p. 122, Dubna, Russia (June 2–4 1997).
- [Kni98] M. Knitel. „New Inorganic Scintillators and Storage Phosphors for Detection of Thermal Neutrons“. Dissertation, Technische Universität Delft (1998).
- [Kob68] E.J. Kobetich and R. Katz. *Phys. Rev.* **170**, 391 (1968).
- [Lem99] M. LEMONNIER AND F. SAULI, editors. „Proc. Int. Workshop on Micro–Pattern Gas Detectors“, Orsay, France (June 28–30 1999).
- [Lew56] I.A.D. Lewis and F.H. Wells. „Millimicrosecond pulse techniques“. Pergamon Press (1956).
- [Lor95] M.P. Lorikyan. Detectors of nuclear radiation and multiply charged particles with porous dielectric working media. *Physics–Uspekhi* **38**(11), 1271 – 1281 (1995).
- [MAX] MAXWELL 3D. Ansoft Corp. Pittsburgh, USA.
- [Mic97] HP Microwave and RF design system, V. 7.10 (1997). Hewlett–Packard Company, 3000 Hanover St., Palo Alto, CA 34303.

- [Mic99] T. Michely, M. Kalff, J. Krug, and P. Politi. Hochzeitstorten und Zipfelmützen: Strukturbildung auf Platin. *Physikalische Blätter* **55**(11), 53 – 56 (1999).
- [Möl98] U. Möller. Hahn–Meitner–Institut, Berlin, Abt. Datenverarbeitung und Elektronik, private Mitteilung (1998).
- [Oed88] A. Oed. Position–sensitive Detector with Micro–strip Anode for Electron Multiplication with Gases. *Nucl. Instr. and Meth.* **A 263**, 351 – 359 (1988).
- [Pes99] V. Peskov and P. Fonte. In M. LEMONNIER AND F. SAULI, editors, „Proc. Int. Workshop on Micro–Pattern Gas Detectors“, p. 55, Orsay (June 28–30 1999).
- [Pet96] C. Petrillo, F. Sacchetti, O. Toker, and N.J. Rhodes. Solid state neutron detectors. *Nucl. Instr. and Meth.* **A 378**, 541 – 551 (1996).
- [Phe85] A.V. Phelps and L.C. Pitchford. Anisotropic scattering of electrons by N₂ and its effect on electron transport. *Phys. Rev.* **A31**(5), 2932 – 2949 (1985).
- [Pop98] M. Popall et al.. ORMOCERs – New Photo–Patternable Dielectric and Optical Materials for MCM–Packaging. In „Electronic Components and Technology Conference“, pp. 1018 – 1025. IEEE (1998).
- [PSp91] PSpice Version 5.0 (1991). MicroSim Corp., 20 Fairbanks, Irvine, California 92718.
- [Rad74] V. Radeka. Signal, noise and resolution in position–sensitive detectors. *IEEE Transactions on Nuclear Science* **NS–21**, 51 – 64 (1974).
- [Rad98] V. Radeka, N.A. Schaknowski, G.C. Smith, and B. Yu. High performance, imaging, thermal neutron detectors. *Nucl. Instr. and Meth.* **A 419**, 642 – 647 (1998).
- [Rau96] Christian Rausch. „Detektoren für thermische Neutronen mit hoher Ortsauflösung“. Dissertation, Technische Universität München (1996).
- [Ree94] P.L. Reeder. Neutron detection using GSO scintillator. *Nucl. Instr. and Meth.* **A 340**, 371 – 378 (1994).
- [Rho] Rhombus Industries Inc. www.rhombus-ind.com, 15801 Chemical Lane, Huntington Beach, CA 92649-1595.
- [Sau97] F. Sauli. GEM: A new concept for electron amplification in gas detectors. *Nucl. Instr. and Meth.* **A 386**, 531–534 (1997).
- [Sau98] F. Sauli. Gas detectors: Recent developments and future perspectives. *Nucl. Instr. and Meth.* **A 419**, 189 – 201 (1998).
- [Sch74] K. Schreckenbach. Konversionselektronen von ¹⁵⁶Gd nach Neutroneneinfang. *Z. Naturforsch.* **29 a**, 17 – 30 (1974).
- [Sch95] Ch. Schulz. Untersuchungen zur Optimierung von schnellen, großflächigen Bragg–Ionisationskammern. Diplomarbeit, Hahn–Meitner–Institut Berlin und TU–Berlin (1995).
- [Ség96] J. Séguinot et al.. CsI reflective photocathodes and their use for RICH detectors. *Nucl. Instr. and Meth.* **A 371**, 64 – 78 (1996).

- [Smi88] G.C. Smith, J. Fischer, and V. Radeka. Capacitive charge division in centroid finding cathode readouts in MWPCs. *IEEE Transactions on Nuclear Science* **35**(1), 409 – 413 (1988).
- [Smi92] G.C. Smith, B. Yu, J. Fischer, V. Radeka, and J.A. Harder. High rate, high resolution, two-dimensional gas proportional detectors for X-ray synchrotron radiation experiments. *Nucl. Instr. and Meth.* **A 323**, 78 – 85 (1992).
- [Son83] M. Sonoda, M. Takano, J. Miyahara, and H. Kato. Computed Radiography Utilizing Scanning Laser Stimulated Luminescence. *Radiology* **148**, 833 – 838 (1983).
- [Spi93] Spice Version 3f4 (1993). Berkeley University, Berkeley, CA 94720, USA.
- [Ste88] H. Steemers and R. Weisfield. Stable thin film resistors for amorphous silicon integrated circuits. In „Mat. Res. Soc. Symp. Proc.“, volume 118, pp. 445 – 449 (1988).
- [Tri99] Trixell. <http://www.trixell.com>. (1999). Joint stock company (SAS) with three shareholders: Thomson Tubes Electroniques, Siemens Medical Engineering and Philips Medical Systems.
- [Va'96] J. Va'vra. Photon detectors. *Nucl. Instr. and Meth.* **A 371**, 33 – 56 (1996).
- [Vee99] Rob Veenhof. „Garfield Version 6.27“. CERN (1999).
- [Vel97] N. Vellettaz, J.E. Assaf, and A. Oed. Two-dimensional gaseous microstrip detector for thermal neutrons. *Nucl. Instr. and Meth.* **A 392**, 73 – 79 (1997).
- [vV55] M.E. van Valkenburg. „Network Analysis“. Prentice-Hall, Inc., Englewood Cliffs (1955).
- [Wal78] A.H. Walenta. Left-right assignment in drift chambers and MWPC's using induced signals. *Nucl. Instr. and Meth.* **151**, 461–472 (1978).
- [Zve67] A.I. Zverev. „Handbook of filter synthesis“. Wiley, New York (1967).