

5. REFERENCES

Adelman, J. P., K. Z. Shen, M. P. Kavanaugh, R. A. Warren, Y. N. Wu, A. Lagrutta, C. T. Bond and R. A. North (1992). "Calcium-activated potassium channels expressed from cloned complementary DNAs." *Neuron* **9**(2): 209-16.

Alvarez, J., M. Montero and J. Garcia-Sancho (1992). "High affinity inhibition of Ca(2+)-dependent K⁺ channels by cytochrome P-450 inhibitors." *J Biol Chem* **267**(17): 11789-93.

Archer, S. L., J. M. Huang, V. Hampl, D. P. Nelson, P. J. Shultz and E. K. Weir (1994). "Nitric oxide and cGMP cause vasorelaxation by activation of a charybdotoxin-sensitive K channel by cGMP-dependent protein kinase." *Proc Natl Acad Sci U S A* **91**(16): 7583-7.

Asano, M., K. Masuzawa-Ito and T. Matsuda (1993). "Charybdotoxin-sensitive K⁺ channels regulate the myogenic tone in the resting state of arteries from spontaneously hypertensive rats." *Br J Pharmacol* **108**(1): 214-22.

Atkinson, N. S., G. A. Robertson and B. Ganetzky (1991). "A component of calcium-activated potassium channels encoded by the *Drosophila* slo locus." *Science* **253**(5019): 551-5.

Ayabe, T., H. Wulff, D. Darmoul, M. D. Cahalan, K. G. Chandy and A. J. Ouellette (2002). "Modulation of mouse Paneth cell alpha-defensin secretion by mKCa1, a Ca²⁺-activated, intermediate conductance potassium channel." *J Biol Chem* **277**(5): 3793-800.

Barrett, J. N., K. L. Magleby and B. S. Pallotta (1982). "Properties of single calcium-activated potassium channels in cultured rat muscle." *J Physiol* **331**: 211-30.

Beeton, C., H. Wulff, J. Barbaria, O. Clot-Faybesse, M. Pennington, D. Bernard, M. D. Cahalan, K. G. Chandy and E. Beraud (2001). "Selective blockade of T lymphocyte K(+) channels ameliorates experimental autoimmune encephalomyelitis, a model for multiple sclerosis." *Proc Natl Acad Sci U S A* **98**(24): 13942-7.

Beny, J. L. and P. C. Brunet (1988). "Neither nitric oxide nor nitroglycerin accounts for all the characteristics of endothelially mediated vasodilatation of

pig coronary arteries." *Blood Vessels* **25**(6): 308-11.

Biedermann, B., S. N. Skatchkov, I. Brunk, A. Bringmann, T. Pannicke, H. G. Bernstein, F. Faude, A. Germer, R. Veh and A. Reichenbach (1998). "Spermine/spermidine is expressed by retinal glial (Muller) cells and controls distinct K⁺ channels of their membrane." *Glia* **23**(3): 209-20.

Bielen, E., R. Fagard and A. Amery (1991). "The inheritance of left ventricular structure and function assessed by imaging and Doppler echocardiography." *Am Heart J* **121**(6 Pt 1): 1743-9.

Blanco, G. and R. W. Mercer (1998). "Isozymes of the Na-K-ATPase: heterogeneity in structure, diversity in function." *Am J Physiol* **275**(5 Pt 2): F633-50.

Bolotina, V. M., S. Najibi, J. J. Palacino, P. J. Pagano and R. A. Cohen (1994). "Nitric oxide directly activates calcium-dependent potassium channels in vascular smooth muscle." *Nature* **368**(6474): 850-3.

Bolton, T. B., R. J. Lang and T. Takewaki (1984). "Mechanisms of action of noradrenaline and carbachol on smooth muscle of guinea-pig anterior mesenteric artery." *J Physiol* **351**: 549-72.

Bond, C. T., R. Sprengel, J. M. Bissonnette, W. A. Kaufmann, D. Pribnow, T. Neelands, T. Storck, M. Baetscher, J. Jerecic, J. Maylie, H. G. Knaus, P. H. Seeburg and J. P. Adelman (2000). "Respiration and parturition affected by conditional overexpression of the Ca²⁺-activated K⁺ channel subunit, SK3." *Science* **289**(5486): 1942-6.

Bond, C. T., P. S. Herson, T. Strassmaier, R. Hammond, R. Stackman, J. Maylie and J. P. Adelman (2004). "Small conductance Ca²⁺-activated K⁺ channel knock-out mice reveal the identity of calcium-dependent afterhyperpolarization currents." *J Neurosci* **24**(23): 5301-6.

Bradley, A., M. Evans, M. H. Kaufman and E. Robertson (1984). "Formation of germ-line chimaeras from embryo-derived teratocarcinoma cell lines." *Nature* **309**(5965): 255-6.

Brandes, R. P., F. H. Schmitz-Winnenthal, M. Feletou, A. Godecke, P. L. Huang, P. M. Vanhoutte, I. Fleming and R. Busse (2000). "An endothelium-derived hyperpolarizing factor distinct from NO and prostacyclin is a major endothelium-dependent vasodilator in resistance vessels of

wild-type and endothelial NO synthase knockout mice." *Proc Natl Acad Sci U S A* **97**(17): 9747-52.

Brugnara, C., B. Gee, C. C. Armsby, S. Kurth, M. Sakamoto, N. Rifai, S. L. Alper and O. S. Platt (1996). "Therapy with oral clotrimazole induces inhibition of the Gardos channel and reduction of erythrocyte dehydration in patients with sickle cell disease." *J Clin Invest* **97**(5): 1227-34.

Butler, A., S. Tsunoda, D. P. McCobb, A. Wei and L. Salkoff (1993). "mSlo, a complex mouse gene encoding "maxi" calcium-activated potassium channels." *Science* **261**(5118): 221-4.

Cachofeiro, V. and A. Nasjletti (1991). "Increased vascular responsiveness to bradykinin in kidneys of spontaneously hypertensive rats. Effect of N omega-nitro-L-arginine." *Hypertension* **18**(5): 683-8.

Capecchi, M. R. (1989). "Altering the genome by homologous recombination." *Science* **244**(4910): 1288-92.

Carrier, G. O., L. C. Fuchs, A. P. Winecoff, A. D. Giulumian and R. E. White (1997). "Nitrovasodilators relax mesenteric microvessels by cGMP-induced stimulation of Ca-activated K channels." *Am J Physiol* **273**(1 Pt 2): H76-84.

Chen, G., H. Suzuki and A. H. Weston (1988). "Acetylcholine releases endothelium-derived hyperpolarizing factor and EDRF from rat blood vessels." *Br J Pharmacol* **95**(4): 1165-74.

Chisaka, O. and M. R. Capecchi (1991). "Regionally restricted developmental defects resulting from targeted disruption of the mouse homeobox gene hox-1.5." *Nature* **350**(6318): 473-9.

Cohen, R. A. (1995). "The role of nitric oxide and other endothelium-derived vasoactive substances in vascular disease." *Prog Cardiovasc Dis* **38**(2): 105-28.

Cox, D. H., J. Cui and R. W. Aldrich (1997). "Allosteric gating of a large conductance Ca-activated K⁺ channel." *J Gen Physiol* **110**(3): 257-81.

Devor, D. C., A. K. Singh, R. A. Frizzell and R. J. Bridges (1996). "Modulation of Cl⁻ secretion by benzimidazolones. I. Direct activation of a Ca(2⁺)-dependent K⁺ channel." *Am J Physiol* **271**(5 Pt 1): L775-84.

Doetschman, T., N. Maeda and O. Smithies (1988). "Targeted mutation of the Hprt gene in mouse embryonic stem cells." *Proc Natl Acad Sci U S A* **85**(22): 8583-7.

Donehower, L. A., M. Harvey, B. L. Slagle, M. J. McArthur, C. A. Montgomery, Jr., J. S. Butel and A. Bradley (1992). "Mice deficient for p53 are developmentally normal but susceptible to spontaneous tumours." *Nature* **356**(6366): 215-21.

Doyle DA, Cabral JM and P. RA (1998). "The structure of the potassium channel: molecular basis of K conduction and selectivity." *Science* **280**: 69-77.

Drouin, H. and A. Hermann (1994). "Intracellular action of spermine on neuronal Ca²⁺ and K⁺ currents." *Eur J Neurosci* **6**(3): 412-9.

Dworetzky, S. I., C. G. Boissard, J. T. Lum-Ragan, M. C. McKay, D. J. Post-Munson, J. T. Trojnacki, C. P. Chang and V. K. Gribkoff (1996). "Phenotypic alteration of a human BK (hSlo) channel by hSlobeta subunit coexpression: changes in blocker sensitivity, activation/relaxation and inactivation kinetics, and protein kinase A modulation." *J Neurosci* **16**(15): 4543-50.

Edwards, G., K. A. Dora, M. J. Gardener, C. J. Garland and A. H. Weston (1998). "K⁺ is an endothelium-derived hyperpolarizing factor in rat arteries." *Nature* **396**(6708): 269-72.

Eichler, I., J. Wibawa, I. Grgic, A. Knorr, S. Brakemeier, A. R. Pries, J. Hoyer and R. Kohler (2003). "Selective blockade of endothelial Ca²⁺-activated small- and intermediate-conductance K⁺-channels suppresses EDHF-mediated vasodilation." *Br J Pharmacol* **138**(4): 594-601.

Fanger, C. M., S. Ghanshani, N. J. Logsdon, H. Rauer, K. Kalman, J. Zhou, K. Beckingham, K. G. Chandy, M. D. Cahalan and J. Aiyar (1999). "Calmodulin mediates calcium-dependent activation of the intermediate conductance KCa channel, IKCa1." *J Biol Chem* **274**(9): 5746-54.

Feletou, M. and P. M. Vanhoutte (1988). "Endothelium-dependent hyperpolarization of canine coronary smooth muscle." *Br J Pharmacol* **93**(3): 515-24.

Feletou, M. and P. M. Vanhoutte (2000). "Endothelium-dependent hyperpolarization of vascular smooth muscle cells." *Acta Pharmacol Sin*

21(1): 1-18.

Fleming, I., B. Fisslthaler and R. Busse (1996). "Interdependence of calcium signaling and protein tyrosine phosphorylation in human endothelial cells." *J Biol Chem* **271**(18): 11009-15.

Francis, M. J., E. E. Jones, E. R. Levy, R. L. Martin, S. Ponnambalam and A. P. Monaco (1999). "Identification of a di-leucine motif within the C terminus domain of the Menkes disease protein that mediates endocytosis from the plasma membrane." *J Cell Sci* **112** (Pt 11): 1721-32.

Frieden, M., M. Sollini and J. Beny (1999). "Substance P and bradykinin activate different types of K_{Ca} currents to hyperpolarize cultured porcine coronary artery endothelial cells." *J Physiol* **519** Pt 2: 361-71.

Furchgott, R. F. and J. V. Zawadzki (1980). "The obligatory role of endothelial cells in the relaxation of arterial smooth muscle by acetylcholine." *Nature* **288**(5789): 373-6.

Furchgott, R. F. and P. M. Vanhoutte (1989). "Endothelium-derived relaxing and contracting factors." *Faseb J* **3**(9): 2007-18.

Garcia-Calvo, M., H. G. Knaus, O. B. McManus, K. M. Giangiacomo, G. J. Kaczorowski and M. L. Garcia (1994). "Purification and reconstitution of the high-conductance, calcium-activated potassium channel from tracheal smooth muscle." *J Biol Chem* **269**(1): 676-82.

Gardos, G. (1958). "The function of calcium in the potassium permeability of human erythrocytes." *Biochim Biophys Acta* **30**(3): 653-4.

Garippa, R. J., A. Johnson, J. Park, R. L. Petrush and T. E. McGraw (1996). "The carboxyl terminus of GLUT4 contains a serine-leucine-leucine sequence that functions as a potent internalization motif in Chinese hamster ovary cells." *J Biol Chem* **271**(34): 20660-8.

Garland, C. J., F. Plane, B. K. Kemp and T. M. Cocks (1995). "Endothelium-dependent hyperpolarization: a role in the control of vascular tone." *Trends Pharmacol Sci* **16**(1): 23-30.

Ghanshani, S., M. Coleman, P. Gustavsson, A. C. Wu, J. J. Gargus, G. A. Gutman, N. Dahl, H. Mohrenweiser and K. G. Chandy (1998). "Human calcium-activated potassium channel gene KCNN4 maps to chromosome

19q13.2 in the region deleted in diamond-blackfan anemia." *Genomics* **51**(1): 160-1.

Ghanshani, S., H. Wulff, M. J. Miller, H. Rohm, A. Neben, G. A. Gutman, M. Cahalan and G. Chandy (2000). "Up-regulation of the IKCa1 Potassium Channel during T-cell Activation." *J. Biol. Chem.* **275**: 37137-37149.

Ghanshani, S., H. Wulff, M. J. Miller, H. Rohm, A. Neben, G. A. Gutman, M. D. Cahalan and K. G. Chandy (2000). "Up-regulation of the IKCa1 potassium channel during T-cell activation. Molecular mechanism and functional consequences." *J Biol Chem* **275**(47): 37137-49.

Golding, E. M., S. P. Marrelli, J. You and R. M. Bryan, Jr. (2002). "Endothelium-derived hyperpolarizing factor in the brain: a new regulator of cerebral blood flow?" *Stroke* **33**(3): 661-3.

Gordon, J. L. and W. Martin (1983). "Endothelium-dependent relaxation of the pig aorta: relationship to stimulation of 86Rb efflux from isolated endothelial cells." *Br J Pharmacol* **79**(2): 531-41.

Grgic, I., I. Eichler, P. Heinau, H. Si, S. Brakemeier, J. Hoyer and R. Kohler (2005). "Selective blockade of the intermediate-conductance Ca²⁺-activated K⁺ channel suppresses proliferation of microvascular and macrovascular endothelial cells and angiogenesis in vivo." *Arterioscler Thromb Vasc Biol* **25**(4): 704-9.

Griffith, T. M. (2004). "Endothelium-dependent smooth muscle hyperpolarization: do gap junctions provide a unifying hypothesis?" *Br J Pharmacol* **141**(6): 881-903.

Grygorczyk, R. and W. Schwarz. (1983). "Properties of the Ca²⁺ activated K⁺ conductance of human red cells as revealed by the patch clamp technique." *Cell Calcium* **4**: 499–510.

Gu, H., J. D. Marth, P. C. Orban, H. Mossmann and K. Rajewsky (1994). "Deletion of a DNA polymerase beta gene segment in T cells using cell type-specific gene targeting." *Science* **265**(5168): 103-6.

Gutman, G. A., K. G. Chandy, J. P. Adelman, J. Aiyar, D. A. Bayliss, D. E. Clapham, M. Covarriubias, G. V. Desir, K. Furuichi, B. Ganetzky, M. L. Garcia, S. Grissmer, L. Y. Jan, A. Karschin, D. Kim, S. Kuperschmidt, Y. Kurachi, M. Lazdunski, F. Lesage, H. A. Lester, D. McKinnon, C. G. Nichols, I. O'Kelly, J.

Robbins, G. A. Robertson, B. Rudy, M. Sanguinetti, S. Seino, W. Stuehmer, M. M. Tamkun, C. A. Vandenberg, A. Wei, H. Wulff and R. S. Wymore (2003). "International Union of Pharmacology. XLI. Compendium of voltage-gated ion channels: potassium channels." *Pharmacol Rev* **55**(4): 583-6.

Hille, B., C. M. Armstrong and R. MacKinnon (1999). "Ion channels: from idea to reality." *Nat Med* **5**(10): 1105-9.

Hodgkin, A. L. (1964). "The Ionic Basis of Nervous Conduction." *Science* **145**: 1148-54.

Holmgren, M., K. S. Shin and G. Yellen (1998). "The activation gate of a voltage-gated K⁺ channel can be trapped in the open state by an intersubunit metal bridge." *Neuron* **21**(3): 617-21.

Horrigan, F. T. and R. W. Aldrich (1999). "Allosteric voltage gating of potassium channels II. Mslo channel gating charge movement in the absence of Ca(2+)." *J Gen Physiol* **114**(2): 305-36.

Horrigan, F. T., J. Cui and R. W. Aldrich (1999). "Allosteric voltage gating of potassium channels I. Mslo ionic currents in the absence of Ca(2+)." *J Gen Physiol* **114**(2): 277-304.

Hosseini, R., D. C. Benton, P. M. Dunn, D. H. Jenkinson and G. W. Moss (2001). "SK3 is an important component of K(+) channels mediating the afterhyperpolarization in cultured rat SCG neurones." *J Physiol* **535**(Pt 2): 323-34.

Huang, P. L., Z. Huang, H. Mashimo, K. D. Bloch, M. A. Moskowitz, J. A. Bevan and M. C. Fishman (1995). "Hypertension in mice lacking the gene for endothelial nitric oxide synthase." *Nature* **377**(6546): 239-42.

Huxley, A. F. (1964). "Excitation and Conduction in Nerve: Quantitative Analysis." *Science* **145**: 1154-9.

Ignarro, L. J., G. M. Buga, K. S. Wood, R. E. Byrns and G. Chaudhuri (1987). "Endothelium-derived relaxing factor produced and released from artery and vein is nitric oxide." *Proc Natl Acad Sci U S A* **84**(24): 9265-9.

Ishii, T. m., C. Silvia, B. Hirschberg, C. T. Bond, J. P. Adelman and J. Maylie (1997). "A human intermediate conductance calcium-activated potassium channel." *Proc. Natl. Acad. Sci. USA* **94**: 11651-11656.

Jensen, B. S., Dorte Strøbæk, Palle Christophersen, Tino Dyhring Jørgensen, Claus Hansen, Asli Silahtaroglu, Søren-Peter Olesen, P. K. Ahring. and C. JM (1998). "Characterization of the cloned human intermediate-conductance Ca²⁺-activated K¹ channel." *Am. J. Physiol.* **275**: C848–C856.

Jensen, B. S., N. Odum, N. K. Jorgensen, P. Christophersen and S. P. Olesen (1999). "Inhibition of T cell proliferation by selective block of Ca(2+)-activated K(+) channels." *Proc Natl Acad Sci U S A* **96**(19): 10917-21.

Joiner, W. J., L. Y. Wang, M. D. Tang and L. K. Kaczmarek (1997). "hSK4, a member of a novel subfamily of calcium-activated potassium channels." *Proc. Natl Acad. Sci. USA* **94**: 11013–11018.

Joiner, W. J., R. Khanna, L. C. Schlichter and L. K. Kaczmarek (2001). "Calmodulin Regulates Assembly and Trafficking of SK4/IK1 Ca²⁺-activated K⁺ Channels." *J. Biol. Chem.* **276**: 37980–37985.

Jones, H. M., K. L. Hamilton, G. D. Papworth, C. A. Syme, S. C. Watkins, N. A. Bradbury and D. D. C. (2004). "Role of the NH2 Terminus in the Assembly and Trafficking of the Intermediate Conductance Ca²⁺-activated K⁺ Channel IK1." *J. Biol. Chem.* **279**: 15531–15540.

Joyner, A. L. and F. Guillemot (1994). "Gene targeting and development of the nervous system." *Curr Opin Neurobiol* **4**(1): 37-42.

Kaide, J. I., F. Zhang, Y. Wei, H. Jiang, C. Yu, W. H. Wang, M. Balazy, N. G. Abraham and A. Nasjletti (2001). "Carbon monoxide of vascular origin attenuates the sensitivity of renal arterial vessels to vasoconstrictors." *J Clin Invest* **107**(9): 1163-71.

Keen, J. E., R. Khawaled, D. L. Farrens, T. Neelands, A. Rivard, C. T. Bond, A. Janowsky, B. Fakler, J. P. Adelman and J. Maylie (1999). "Domains responsible for constitutive and Ca(2+)-dependent interactions between calmodulin and small conductance Ca(2+)-activated potassium channels." *J Neurosci* **19**(20): 8830-8.

Khanna, R., M. C. Chang, W. J. Joiner, L. K. Kaczmarek and L. C. Schlichter (1999). "hSK4/hIK1, a calmodulin-binding KCa channel in human T lymphocytes. Roles in proliferation and volume regulation." *J Biol Chem* **274**(21): 14838-49.

Knaus, H. G., K. Folander, M. Garcia-Calvo, M. L. Garcia, G. J. Kaczorowski, M. Smith and R. Swanson (1994). "Primary sequence and immunological characterization of beta-subunit of high conductance Ca(2+)-activated K⁺ channel from smooth muscle." *J Biol Chem* **269**(25): 17274-8.

Kobayashi, K., T. Ohye, I. Pastan and T. Nagatsu (1996). "A novel strategy for the negative selection in mouse embryonic stem cells operated with immunotoxin-mediated cell targeting." *Nucleic Acids Res* **24**(18): 3653-5.

Kobe, B. and J. Deisenhofer (1994). "The leucine-rich repeat: a versatile binding motif." *Trends Biochem Sci* **19**(10): 415-21.

Kohler, M., B. Hirschberg, C. T. Bond, J. M. Kinzie, N. V. Marrion, J. Maylie and J. P. Adelman (1996). "Small-conductance, calcium-activated potassium channels from mammalian brain." *Science* **273**(5282): 1709-14.

Kohler, R., C. Degenhardt, M. Kuhn, N. Runkel, M. Paul and J. Hoyer (2000). "Expression and function of endothelial Ca(2+)-activated K(+) channels in human mesenteric artery: A single-cell reverse transcriptase-polymerase chain reaction and electrophysiological study in situ." *Circ Res* **87**(6): 496-503.

Kohler, R., S. Brakemeier, M. Kuhn, C. Behrens, R. Real, C. Degenhardt, H. D. Orzechowski, A. R. Pries, M. Paul and J. Hoyer (2001). "Impaired hyperpolarization in regenerated endothelium after balloon catheter injury." *Circ Res* **89**(2): 174-9.

Kohler, R., H. Wulff, I. Eichler, M. Kneifel, D. Neumann, A. Knorr, I. Grgic, D. Kampfe, H. Si, J. Wibawa, R. Real, K. Borner, S. Brakemeier, H. D. Orzechowski, H. P. Reusch, M. Paul, K. G. Chandy and J. Hoyer (2003). "Blockade of the intermediate-conductance calcium-activated potassium channel as a new therapeutic strategy for restenosis." *Circulation* **108**(9): 1119-25.

Kohler, R., I. Eichler, H. Schonfelder, I. Grgic, P. Heinau, H. Si and J. Hoyer (2005). "Impaired EDHF-mediated vasodilation and function of endothelial Ca-activated K channels in uremic rats." *Kidney Int* **67**(6): 2280-7.

Kolski-Andreaco, A., H. Tomita, V. G. Shakkottai, G. A. Gutman, M. D. Cahalan, J. J. Gargus and K. G. Chandy (2004). "SK3-1C, a dominant-negative suppressor of SKCa and IKCa channels." *J Biol Chem* **279**(8): 6893-904.

- Lang, R. J., J. R. Harvey, G. J. McPhee and M. F. Klemm (2000). "Nitric oxide and thiol reagent modulation of Ca²⁺-activated K⁺ (BKCa) channels in myocytes of the guinea-pig taenia caeci." *J Physiol* **525 Pt 2**: 363-76.
- Latorre, R., C. Vergara and E. Moczydlowski (1983). "Properties of a Ca²⁺-activated K⁺ channel in a reconstituted system." *Cell Calcium* **4(5-6)**: 343-57.
- Latorre, R., A. Oberhauser, P. Labarca and O. Alvarez (1989). "Varieties of calcium-activated potassium channels." *Annu Rev Physiol* **51**: 385-99.
- Lee, W. S., T. J. Ngo-Anh, A. Bruening-Wright, J. Maylie and J. P. Adelman (2003). "Small conductance Ca²⁺-activated K⁺ channels and calmodulin: cell surface expression and gating." *J Biol Chem* **278(28)**: 25940-6.
- Lischke, V., R. Busse and M. Hecker (1995). "Volatile and intravenous anesthetics selectively attenuate the release of endothelium-derived hyperpolarizing factor elicited by bradykinin in the coronary microcirculation." *Naunyn Schmiedebergs Arch Pharmacol* **352(3)**: 346-9.
- Liu, Y., A. G. Hudetz, H. G. Knaus and N. J. Rusch (1998). "Increased expression of Ca²⁺-sensitive K⁺ channels in the cerebral microcirculation of genetically hypertensive rats: evidence for their protection against cerebral vasospasm." *Circ Res* **82(6)**: 729-37.
- Lobe, C. G. and A. Nagy (1998). "Conditional genome alteration in mice." *Bioessays* **20(3)**: 200-8.
- Logsdon, N. J., J. Kang, J. A. Togo, E. P. Christian and J. Aiyar (1997). "A novel gene, hKCa4, encodes the calcium-activated potassium channel in human T lymphocytes." *J. Biol. Chem.* **272**: 32723–32726.
- Lu, G., B. Mazet, M. G. Sarr and J. H. Szurszewski (1998). "Effect of nitric oxide on calcium-activated potassium channels in colonic smooth muscle of rabbits." *Am J Physiol* **274(5 Pt 1)**: G848-56.
- Mansour, S. L., K. R. Thomas and M. R. Capecchi (1988). "Disruption of the proto-oncogene int-2 in mouse embryo-derived stem cells: a general strategy for targeting mutations to non-selectable genes." *Nature* **336(6197)**: 348-52.
- Mansour, S. L., J. M. Goddard and M. R. Capecchi (1993). "Mice homozygous for a targeted disruption of the proto-oncogene int-2 have developmental

- defects in the tail and inner ear." *Development* **117**(1): 13-28.
- Marchenko, S. M. and S. O. Sage (1993). "Electrical properties of resting and acetylcholine-stimulated endothelium in intact rat aorta." *J Physiol* **462**: 735-51.
- Mark S. Taylor, Adrian D. Bonev, Tobias P. Gross, Delrae M. Eckman, Joseph E. Brayden, Chris T. Bond, John P. Adelman and M. T. Nelson (2003). "Altered Expression of Small-Conductance Ca^{2+} -Activated K^+ (SK3) Channels Modulates Arterial Tone and Blood Pressure." *Circ Res.* **93**: 124-131.
- Marrelli, S. P., M. S. Eckmann and M. S. Hunte (2003). "Role of endothelial intermediate conductance KCa channels in cerebral EDHF-mediated dilations." *Am J Physiol Heart Circ Physiol* **285**(4): H1590-9.
- McManus, O. B., L. M. Helms, L. Pallanck, B. Ganetzky, R. Swanson and R. J. Leonard (1995). "Functional role of the beta subunit of high conductance calcium-activated potassium channels." *Neuron* **14**(3): 645-50.
- Mehrke, G. and J. Daut (1990). "The electrical response of cultured guinea-pig coronary endothelial cells to endothelium-dependent vasodilators." *J Physiol* **430**: 251-72.
- Melvin, D. R., B. J. Marsh, A. R. Walmsley, D. E. James and G. W. Gould (1999). "Analysis of amino and carboxy terminal GLUT-4 targeting motifs in 3T3-L1 adipocytes using an endosomal ablation technique." *Biochemistry* **38**(5): 1456-62.
- Meyer, R., R. Schonherr, O. Gavrillova-Ruch, W. Wohlrab and S. H. Heinemann (1999). "Identification of ether a go-go and calcium-activated potassium channels in human melanoma cells." *J Membr Biol* **171**(2): 107-15.
- Mistry, D. K. and C. J. Garland (1998). "Nitric oxide (NO)-induced activation of large conductance Ca^{2+} -dependent K^+ channels (BK(Ca)) in smooth muscle cells isolated from the rat mesenteric artery." *Br J Pharmacol* **124**(6): 1131-40.
- Mohammed, T., J. Stulc, J. D. Glazier, R. D. Boyd and C. P. Sibley (1993). "Mechanisms of potassium transfer across the dually perfused rat placenta." *Am J Physiol* **265**(2 Pt 2): R341-7.
- Nagy, A. (2000). "Cre recombinase: the universal reagent for genome tailoring." *Genesis* **26**(2): 99-109.

Najibi, S., C. L. Cowan, J. J. Palacino and R. A. Cohen (1994). "Enhanced role of potassium channels in relaxations to acetylcholine in hypercholesterolemic rabbit carotid artery." *Am J Physiol* **266**(5 Pt 2): H2061-7.

Nakashima, M., J. V. Mombouli, A. A. Taylor and P. M. Vanhoutte (1993). "Endothelium-dependent hyperpolarization caused by bradykinin in human coronary arteries." *J Clin Invest* **92**(6): 2867-71.

Nara, M., P. D. Dhulipala, G. J. Ji, U. R. Kamasani, Y. X. Wang, S. Matalon and M. I. Kotlikoff (2000). "Guanylyl cyclase stimulatory coupling to K(Ca) channels." *Am J Physiol Cell Physiol* **279**(6): C1938-45.

Neher, E. and B. Sakmann (1976). "Single-channel currents recorded from membrane of denervated frog muscle fibres." *Nature* **260**(5554): 799-802.

Nelson, M. T., J. B. Patlak, J. F. Worley and N. B. Standen (1990). "Calcium channels, potassium channels, and voltage dependence of arterial smooth muscle tone." *Am J Physiol* **259**(1 Pt 1): C3-18.

Nilius, B., G. Droogmans and R. Wondergem (2003). "Transient receptor potential channels in endothelium: solving the calcium entry puzzle?" *Endothelium* **10**(1): 5-15.

Palmer, R. M., A. G. Ferrige and S. Moncada (1987). "Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor." *Nature* **327**(6122): 524-6.

Paterno, R., D. D. Heistad and F. M. Faraci (1997). "Functional activity of Ca²⁺-dependent K⁺ channels is increased in basilar artery during chronic hypertension." *Am J Physiol* **272**(3 Pt 2): H1287-91.

Pena, T. L. and S. G. Rane (1999). "The fibroblast intermediate conductance K(Ca) channel, FIK, as a prototype for the cell growth regulatory function of the IK channel family." *J Membr Biol* **172**(3): 249-57.

Petersson, J., P. M. Zygmunt and E. D. Hogestatt (1997). "Characterization of the potassium channels involved in EDHF-mediated relaxation in cerebral arteries." *Br J Pharmacol* **120**(7): 1344-50.

Petersson, J., P. M. Zygmunt, P. Jonsson and E. D. Hogestatt (1998). "Characterization of endothelium-dependent relaxation in guinea pig basilar

artery - effect of hypoxia and role of cytochrome P450 mono-oxygenase." *J Vasc Res* **35**(4): 285-94.

Petris, M. J., J. Camakaris, M. Greenough, S. LaFontaine and J. F. Mercer (1998). "A C-terminal di-leucine is required for localization of the Menkes protein in the trans-Golgi network." *Hum Mol Genet* **7**(13): 2063-71.

Robertson, B. E., R. Schubert, J. Hescheler and M. T. Nelson (1993). "cGMP-dependent protein kinase activates Ca-activated K channels in cerebral artery smooth muscle cells." *Am J Physiol* **265**(1 Pt 1): C299-303.

Roux, B. (2005). "Ion conduction and selectivity in K(+) channels." *Annu Rev Biophys Biomol Struct* **34**: 153-71.

Schopperle, W. M., M. H. Holmqvist, Y. Zhou, J. Wang, Z. Wang, L. C. Griffith, I. Keselman, F. Kusinitz, D. Dagan and I. B. Levitan (1998). "Slob, a novel protein that interacts with the Slowpoke calcium-dependent potassium channel." *Neuron* **20**(3): 565-73.

Schreiber, M. and L. Salkoff (1997). "A novel calcium-sensing domain in the BK channel." *Biophys J* **73**(3): 1355-63.

Schumacher, M. A., A. F. Rivard, H. P. Bachinger and J. P. Adelman (2001). "Structure of the gating domain of a Ca²⁺-activated K⁺ channel complexed with Ca²⁺/calmodulin." *Nature* **410**(6832): 1120-4.

Schumacher, M. A., M. Crum and M. C. Miller (2004). "Crystal structures of apocalmodulin and an apocalmodulin/SK potassium channel gating domain complex." *Structure (Camb)* **12**(5): 849-60.

Schwartzberg, P. L., S. P. Goff and E. J. Robertson (1989). "Germ-line transmission of a c-abl mutation produced by targeted gene disruption in ES cells." *Science* **246**(4931): 799-803.

Scotland, R. S., M. Madhani, S. Chauhan, S. Moncada, J. Andresen, H. Nilsson, A. J. Hobbs and A. Ahluwalia (2005). "Investigation of vascular responses in endothelial nitric oxide synthase/cyclooxygenase-1 double-knockout mice: key role for endothelium-derived hyperpolarizing factor in the regulation of blood pressure in vivo." *Circulation* **111**(6): 796-803.

Sedova, M., A. Klishin, J. Huser and L. A. Blatter (2000). "Capacitative Ca²⁺ entry is graded with degree of intracellular Ca²⁺ store depletion in bovine

vascular endothelial cells." *J Physiol* **523 Pt 3**: 549-59.

Segev, N. and G. Cohen (1981). "Control of circularization of bacteriophage P1 DNA in *Escherichia coli*." *Virology* **114**(2): 333-42.

Shen, N. V., X. Chen, M. M. Boyer and P. J. Pfaffinger (1993). "Deletion analysis of K⁺ channel assembly." *Neuron* **11**(1): 67-76.

Shin, J. H., S. Chung, E. J. Park, D. Y. Uhm and C. K. Suh (1997). "Nitric oxide directly activates calcium-activated potassium channels from rat brain reconstituted into planar lipid bilayer." *FEBS Lett* **415**(3): 299-302.

Sikorski, R. and R. Peters (1997). "Transgenics on the Internet." *Nat Biotechnol* **15**(3): 289.

Simpson, E. M., C. C. Linder, E. E. Sargent, M. T. Davisson, L. E. Mobraaten and J. J. Sharp (1997). "Genetic variation among 129 substrains and its importance for targeted mutagenesis in mice." *Nat Genet* **16**(1): 19-27.

Soh, H. and C. S. Park (2001). "Inwardly rectifying current-voltage relationship of small-conductance Ca²⁺-activated K⁺ channels rendered by intracellular divalent cation blockade." *Biophys J* **80**(5): 2207-15.

Soh, H. and C. S. Park (2002). "Localization of divalent cation-binding site in the pore of a small conductance Ca(2⁺)-activated K(+) channel and its role in determining current-voltage relationship." *Biophys J* **83**(5): 2528-38.

Sternberg, N. (1981). "Bacteriophage P1 site-specific recombination. III. Strand exchange during recombination at lox sites." *J Mol Biol* **150**(4): 603-8.

Stocker, M., K. Hirzel, D. D'Hoedt and P. Pedarzani (2004). "Matching molecules to function: neuronal Ca²⁺-activated K⁺ channels and afterhyperpolarizations." *Toxicon* **43**: 933-949.

Stocker, M. P., P. (2000). "Differential distribution of three Ca(2⁺)-activated K(+) channel subunits, SK1, SK2, and SK3, in the adult rat central nervous system." *Mol Cell Neurosci* **15**(5): 476-93.

Syme, C. A., K. L. Hamilton, H. M. Jones, A. C. Gerlach, L. Giltinan, G. D. Papworth, S. C. Watkins, N. A. Bradbury and D. C. Devor (2002). "Trafficking of the Ca²⁺-activated K⁺ Channel, hK1, Is Dependent upon a C-terminal Leucine Zipper." *J. Biol. Chem.* **278**: 8476–8486.

- Tacconi, S., R. Carletti, B. Bunnemann, C. Plumpton, E. Merlo Pich and G. C. Terstappen (2001). "Distribution of the messenger RNA for the small conductance calcium-activated potassium channel SK3 in the adult rat brain and correlation with immunoreactivity." *Neuroscience* **102**(1): 209-15.
- Talukder, G. and R. W. Aldrich (2000). "Complex voltage-dependent behavior of single unliganded calcium-sensitive potassium channels." *Biophys J* **78**(2): 761-72.
- Taylor, S. G. and A. H. Weston (1988). "Endothelium-derived hyperpolarizing factor: a new endogenous inhibitor from the vascular endothelium." *Trends Pharmacol Sci* **9**(8): 272-4.
- Thompson, S., A. R. Clarke, A. M. Pow, M. L. Hooper and D. W. Melton (1989). "Germ line transmission and expression of a corrected HPRT gene produced by gene targeting in embryonic stem cells." *Cell* **56**(2): 313-21.
- Tomioka, H., Y. Hattori, M. Fukao, A. Sato, M. Liu, I. Sakuma, A. Kitabatake and M. Kanno (1999). "Relaxation in different-sized rat blood vessels mediated by endothelium-derived hyperpolarizing factor: importance of processes mediating precontractions." *J Vasc Res* **36**(4): 311-20.
- Tomita, H., V. G. Shakkottai, G. A. Gutman, G. Sun, W. E. Bunney, M. D. Cahalan, K. G. Chandy and J. J. Gargus (2003). "Novel truncated isoform of SK3 potassium channel is a potent dominant-negative regulator of SK currents: implications in schizophrenia." *Mol Psychiatry* **8**(5): 524-35, 460.
- Tseng-Crank, J., N. Godinot, T. E. Johansen, P. K. Ahring, D. Strobaek, R. Mertz, C. D. Foster, S. P. Olesen and P. H. Reinhart (1996). "Cloning, expression, and distribution of a Ca(2+)-activated K⁺ channel beta-subunit from human brain." *Proc Natl Acad Sci U S A* **93**(17): 9200-5.
- Vandorpe, D. H., B. E. Shmukler, L. Jiang, B. Lim, J. Maylie, J. P. Adelman, L. de Franceschi, M. D. Cappellini, C. Brugnara and S. L. Alper (1998). "cDNA cloning and functional characterization of the mouse Ca²⁺-gated K⁺ channel, mIK1. Roles in regulatory volume decrease and erythroid differentiation." *J Biol Chem* **273**(34): 21542-53.
- Vanheel, B. and J. Van de Voorde (1997). "Evidence against the involvement of cytochrome P450 metabolites in endothelium-dependent hyperpolarization of the rat main mesenteric artery." *J Physiol* **501** (Pt 2): 331-41.

- Vergara, C., R. Latorre, N. V. Marrion and J. P. Adelman (1998). "Calcium-activated potassium channels." *Curr Opin Neurobiol* **8**(3): 321-9.
- Vogalis, F., J. F. Storm and B. Lancaster (2003). "SK channels and the varieties of slow after-hyperpolarizations in neurons." *Eur. J. Neurosci.* **18**: 3155-3166.
- Wang, R., L. Wu and Z. Wang (1997). "The direct effect of carbon monoxide on KCa channels in vascular smooth muscle cells." *Pflugers Arch* **434**(3): 285-91.
- Wei, A., C. Solaro, C. Lingle and L. Salkoff (1994). "Calcium sensitivity of BK-type KCa channels determined by a separable domain." *Neuron* **13**(3): 671-81.
- Wulff, H., M. J. Miller, W. Hansel, S. Grissmer, M. D. Cahalan and K. G. Chandy (2000). "Design of a potent and selective inhibitor of the intermediate-conductance Ca²⁺-activated K⁺ channel, IKCa1: a potential immunosuppressant." *Proc Natl Acad Sci U S A* **97**(14): 8151-6.
- Wulff, H., G. A. Gutman, M. D. Cahalan and K. G. Chandy (2001). "Delineation of the clotrimazole/TRAM-34 binding site on the intermediate conductance calcium-activated potassium channel, IKCa1." *J Biol Chem* **276**(34): 32040-5.
- Wulff, H., P. A. Calabresi, R. Allie, S. Yun, M. Pennington, C. Beeton and K. G. Chandy (2003). "The voltage-gated Kv1.3 K(+) channel in effector memory T cells as new target for MS." *J Clin Invest* **111**(11): 1703-13.
- Wulff, H., H. G. Knaus, M. Pennington and K. G. Chandy (2004). "K⁺ channel expression during B cell differentiation: implications for immunomodulation and autoimmunity." *J Immunol* **173**(2): 776-86.
- Xia, X., B. Hirschberg, S. Smolik, M. Forte and J. P. Adelman (1998). "dSLo interacting protein 1, a novel protein that interacts with large-conductance calcium-activated potassium channels." *J Neurosci* **18**(7): 2360-9.
- Xia, X. M., B. Fakler, A. Rivard, G. Wayman, T. Johnson-Pais, J. E. Keen, T. Ishii, B. Hirschberg, C. T. Bond, S. Lutsenko, J. Maylie and J. P. Adelman (1998). "Mechanism of calcium gating in small-conductance calcium-activated potassium channels." *Nature* **395**(6701): 503-7.

Yagi, T., Y. Ikawa, K. Yoshida, Y. Shigetani, N. Takeda, I. Mabuchi, T. Yamamoto and S. Aizawa (1990). "Homologous recombination at c-fyn locus of mouse embryonic stem cells with use of diphtheria toxin A-fragment gene in negative selection." *Proc Natl Acad Sci U S A* **87**(24): 9918-22.

Yellen, G. (2002). "The voltage-gated potassium channels and their relatives." *Nature* **419**(6902): 35-42.

Zaritsky, J. J., D. M. Eckman, G. C. Wellman, M. T. Nelson and T. L. Schwarz (2000). "Targeted disruption of Kir2.1 and Kir2.2 genes reveals the essential role of the inwardly rectifying K(+) current in K(+)-mediated vasodilation." *Circ Res* **87**(2): 160-6.

Zhang, B. M., V. Kohli, R. Adachi, J. A. Lopez, M. M. Udden and R. Sullivan (2001). "Calmodulin binding to the C-terminus of the small-conductance Ca²⁺-activated K⁺ channel hSK1 is affected by alternative splicing." *Biochemistry* **40**(10): 3189-95.

Zygmunt, P. M., G. Edwards, A. H. Weston, S. C. Davis and E. D. Hogestatt (1996). "Effects of cytochrome P450 inhibitors on EDHF-mediated relaxation in the rat hepatic artery." *Br J Pharmacol* **118**(5): 1147-52.