

8 Literaturverzeichnis

- Alvarez, J. O., Salazar-Lindo, E., Kohatsu, J., Miranda, P., & Stephensen, C. B. (1995) Urinary excretion of retinol in children with acute diarrhea. *Am J Clin Nutr* 61: 1273-1276.
- American Heart Association, A. (2002) What's the Difference Between LDL and HDL Cholesterol? *American Heart Association im Internet*: www.americanheart.org.
- Barrie, J., Watson, T. D. G., & Stear, M. J. (1993) Plasma cholesterol and lipoprotein concentrations in the dog: The effects of age, breed, gender and endocrine disease. *J Small Animal Pract* 34: 507-512.
- Bässler, K.-H. G., I.; Loew, D.; Pietrzik, K.; Grühn, E. (1997) *Vitamin-Lexikon für Ärzte, Apotheker und Ernährungswissenschaftler*. Gustav Fischer Verlag -Stuttgart; Jena; Lübeck; Ulm.
- Berr, F., & Kern, F., Jr. (1984) Plasma clearance of chylomicrons labeled with retinyl palmitate in healthy human subjects. *J Lipid Res* 25: 805-812.
- Berr, F. (1992) Characterization of chylomicron remnant clearance by retinyl palmitate label in normal humans. *J Lipid Res* 33: 915-930.
- Biesalski, H. K. G., Peter (1999) *Taschenatlas der Ernährung*. Georg-Thieme-Verlag, Stuttgart, New York.
- Blaner, W. S. (1989) Retinol-binding protein: the serum transport protein for vitamin A. *Endocr Rev* 10: 308-316.
- Blomhoff, R. (1987) Hepatic retinol metabolism: role of the various cell types. *Nutr Rev* 45: 257-263.
- Buchholz, I., Wenzel, U. D., & Schweigert, F. J. (1993) Bestimmung von Vitamin A im Blutplasma, in Geweben und im Harn von Nerzen mittels HPLC und Photodiodenarray. In: G. Flachowsky, F. Schöne, & A. Hennig, eds. *4. Symposium Vitamine und weitere Zusatzstoffe in der Ernährung von Mensch und Tier* Wissenschaftlicher Fachverlag Dr. Fleck, Niederkleen.
- Christensen, E. I., & Willnow, T. E. (1999) Essential role of megalin in renal proximal tubule for vitamin homeostasis. *J Am Soc Nephrol* 10: 2224-2236.
- Collins, M. D., Eckhoff, C., Slikker, W., Bailey, J. R., & Nau, H. (1992) Quantitative plasma disposition of retinol and retinyl esters after high-dose oral vitamin A administration in the cynomolgus monkey. *Fundam Appl Toxicol* 19: 109-116.
- Eckhoff, C., Collins, M. D., & Nau, H. (1991) Human plasma all-trans-, 13-cis- and 13-cis-4-oxoretinoic acid profiles during subchronic vitamin A supplementation: comparison to retinol and retinyl ester plasma levels. *J Nutr* 121: 1016-1025.
- Goodman, D. S. (1979) Vitamin A and retinoids: recent advances. Introduction, background, and general overview. *Fed Proc* 38: 2501-2503.

- Goodman, D. S. (1984a) Overview of current knowledge of metabolism of vitamin A and carotenoids. *J Natl Cancer Inst* 73: 1375-1379.
- Goodman, D. S. (1984b) Plasma Retinol-binding Protein. In: M.B. Sporn, A.B. Roberts, & D.S. Goodman, eds. *Retinoids* Academic Press, Vol. 2, Orlando, FL.
- Green, M. H., Uhl, L., & Green, J. B. (1985) A multicompartmental model of vitamin A kinetics in rats with marginal liver vitamin A stores. *J Lipid Res* 26: 806-818.
- Green, M. H., Green, J. B., Berg, T., Norum, K. R., & Blomhoff, R. (1993) Vitamin A metabolism in rat liver: a kinetic model. *Am J Physiol* 264: G509-521.
- Hadjadj, S., Paul, J. L., Meyer, L., Durlach, V., Verges, B., Ziegler, O., Drouin, P., & Guerci, B. (1999) Delayed changes in postprandial lipid in young normolipidemic men after a nocturnal vitamin A oral fat load test. *J Nutr* 129: 1649-1655.
- Harrison, E. H., & Hussain, M. M. (2001) Mechanism Involved in the Intestinal Digestion and Absorption of Dietary Vitamin A. *Am Soc Nutr Sci*: 1405-1408.
- Hayes, K. C. (1982) Nutritional problems in cats: taurine deficiency and vitamin A excess. *Can vet J* 23: 2-5.
- Hong, C. Y., & Chia, K. S. (1998) Markers of diabetic nephropathy. *J Diabetes Complications* 12: 43-60.
- Iben, C. (1996) Diätmanagement bei Hund und Katze. *Gustav Fischer Verlag Jena*: 65-66.
- Ishihara K., S. Y., Watanabe Y. (1976) Elektrophoretical Studies on Serum Lipoprotein Fractions in Normal Dogs. *Jap J vet Sci* 39, 149-157 (1977).
- Karpe, F., Bell, M., Björkegren, J., & Hamsten, A. (1995) Quantification of postprandial triglyceride-rich lipoproteins in healthy men by retinyl ester labeling and simultaneous measurement of apolipoproteins B-48 and B-100. *Arterioscler Thromb Vasc Biol* 15: 199-207.
- Kolb, E., & Seehawer, J. (1998) Ernährungsbiochemische Aspekte der Anwendung des β -Carotins, der Vitamine A, D und E sowie der Ascorbinsäure bei Haustieren und Einfluß auf die Sekretion und Wirksamkeit von Hormonen. *Tierärztl Umschau* 53: 150-156.
- Kolb, E., & Seehawer, J. (2001) Verwertung, Stoffwechsel, Bedeutung und Anwendung des Vitamins A bei Hund und Katze. *Prakt Tierarzt* 82: 98-106.
- Koutsari, C., Malkova, D., & Hardman, A. E. (2000) Postprandial Lipemia After Short-Term Variation in Dietary Fat and Carbohydrate. *Metabolism* Vol 49: 1150-1155.
- Kovanen, P. T., Bilheimer, D. W., Goldstein, J. L., Jaramillo, J. J., & Brown, M. S. (1981) Regulatory role for hepatic low density lipoprotein receptors in vivo in the dog. *Proc Natl Acad Sci USA Medical Sciences* 78: 1194-1198.

- Krasinski, S. D., Russell, R. M., Otradovec, C. L., Sadowski, J. A., Hartz, S. C., Jacob, R. A., & McGandy, R. B. (1989) Relationship of vitamin A and vitamin E intake to fasting plasma retinol, retinol-binding protein, retinyl esters, carotene, alpha- tocopherol, and cholesterol among elderly people and young adults: increased plasma retinyl esters among vitamin A-supplement users. *Am J Clin Nutr* 49: 112-120.
- Laemmli, U. K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227: 680-685.
- Lambert, W. E., & De Leenheer, A. P. (1985) Demonstration of retinoic acid isomers in human urine under physiological conditions. *Experientia* 41: 359-360.
- Lawrie, N. R., Moore, T., & Rajagopal, K. R. (1941) The excretion of vitamin A in urine. *Biochem J* 35: 825-836.
- Le, N. A., Coates, P. M., Gallagher, P. R., & Cortner, J. A. (1997) Kinetics of retinyl esters during postprandial lipemia in man: a compartmental model. *Metabolism* 46: 584-594.
- Lorente, C., & Miller, S. (1977) Fetal and maternal vitamin-A-levels in tissues of hypervitaminotic A in rats rabbits. *J Nutr* 107: 1816-1821.
- Mahley, R., Weisgraber, K. (1974) Canine lipoprotein and atherosclerosis. I. Isolation and characterization of plasma lipoproteins from control dogs. *Circ Res* 35: 713-721.
- Mallia, A. K., Smith, J. E., & Goodman, D. W. (1975) Metabolism of retinol-binding protein and vitamin A during hypervitaminosis A in the rat. *J Lipid Res* 16: 180-188.
- Matthews, J. N., Altman, D. G., Campbell, M. J., & Royston, P. (1990) Analysis of serial measurements in medical research. *Bmj* 300: 230-235.
- Melchior, G. W., Mahley, R. W., & Buckhold, D. K. (1981) Chylomicron metabolism during dietary-induced hypercholesterolemia in dogs. *J Lipid Res* 22: 598-609.
- Meyer, H., & Bronsch, K. (1993) *Supplemente zu Vorlesungen und Übungen in der Tierernährung*. Verlag M.& Scharper, Alfeld-Hannover.
- Meyer, H., & Zentek, J., eds. (1998) *Ernährung des Hundes*, 3. aktualisierte Auflage 1998 ed. Parey Buchverlag im Blackwell Wissenschaft Verlag GmbH, Berlin.
- Meysken, F. L., Jr. (1994) Retinoids for the management of human cancer: Discovered and rediscovered. In: M.A.L.G. Vidali, ed. *Retinoids: From Basic to Clinical Applications* Birkhäuser Verlag, Basel/ Switzerland.
- Nelson, R. A. (1985) Dietary habits of the polar bear and their significance for vitamin A nutrition in captivity. *Am Assoc of Zoo Veterinarians, Scottsdale, AR*.
- Olejniczak, K., Siegert, M. & Weik, H. (1986) Lipidzusammensetzung der Plasma-Lipoproteine des Hundes. *J Vet Med A*, 33, 293-307.
- Raila, J. (2000) Untersuchungen zur Ausscheidung von Vitamin A im Harn von Kaniden. *Diss vet med: Leipzig*.

- Raila, J., Buchholz, I., Aupperle, H., Raila, G., Schoon, H.-A., & Schweigert, F. J. (2000) The distribution of vitamin A and retinol-binding protein in the blood plasma, urine, liver and kidneys of carnivores. *Vet Res* 31: 541-551.
- Raila, J., Mathews, U., & Schweigert, F. J. (2001) Plasma transport and tissue distribution of β -carotene, vitamin A and retinol-binding protein in domestic cats. *Comp Biochem Physiol Part A* 130: 849-856.
- Raila, J., & Schweigert, F. J. (2001a) Zur Bedeutung der Nieren im Vitamin-Stoffwechsel. *Berl Münch Tierärztl Wschr* 1-10.
- Raila, J., & Schweigert, F. J. (2001b) Physiologische Besonderheiten im Vitamin-A-Stoffwechsel von Karnivoren. *Tierärztl Praxis* 30: 1-7.
- Raila, J., Forterre, S., Kohn, B., Brunnberg, L., & Schweigert, F. J. (2003a) The effects of chronic renal disease on the transport of vitamin A in dogs. *Am J Vet Res* 64: 874-879.
- Raila, J., Neumann, U., & Schweigert, F. J. (2003b) Immunochemical localization of megalin, retinol-binding protein and Tamm-Horsfall glycoprotein in the kidneys of dogs. *Vet Res Commun* 27: 125-135.
- Raila, J., Wirth, K., Büscher, U., Dudenhausen, J. W., & Schweigert, F. J. (2003c) Excretion of retinol and retinol-binding protein in the urine of women during pregnancy. *Ann Nutr Metab* (in Druck).
- Reinersdorff, D. V., Bush, E., & Liberato, D. J. (1996) Plasma kinetics of vitamin A in humans after a single oral dose of [8,9,19-13C]retinyl palmitate. *J Lipid Res* 37: 1875-1885.
- Rindler, M. J., Naik, S. S., Li, N., Hoops, T. C., & Peraldi, M. N. (1990) Uromodulin (Tamm-Horsfall glycoprotein/uromucoid) is a phosphatidylinositol-linked membrane protein. *J Biol Chem* 265: 20784-20789.
- Roodenburg, A. J. L., R.; van het Hof, K. H., Weststrate, J. A.; Tijburg, L. BM. (2000) Amount of fat in the diet affects bioavailability of lutein esters but not of alpha-carotene, beta-carotene, and vitamin E in humans. *Am J Clin Nutr* 71: 1187-1193.
- Sass, J. O., Masgrau, E., Saurat, J. H., & Nau, H. (1995) Metabolism of oral 9-cis-retinoic acid in the human. Identification of 9-cis-retinoyl-beta-glucuronide and 9-cis-4-oxo-retinoyl-beta-glucuronide as urinary metabolites. *Drug Metab Dispos* 23: 887-891.
- Schneemann, B. O., Kotite, L., Todd, K. M., & Havel, R. J. (1993) Relationship between the responses of triglyceride-rich lipoprotein in blood plasma containing apolipoproteins B-48 and B-100 to fat-containing meal in normolipidemic humans. *Proc Natl Acad Sci U.S.A.* 90: 2069-2073.
- Schweigert, F. J. (1988) Insensitivity of dogs to the effects of nonspecific bound vitamin A in plasma. *Int J Vitam Nutr Res* 58: 23-25.
- Schweigert, F. J., Thomann, E., & Zucker, H. (1991) Vitamin A in the urine of carnivores. *Int J Vitam Nutr Res* 61: 110-113.

- Schweigert, F. J., & Zucker, H. (1991) Besonderheiten im Vitamin-A-Stoffwechsel der Ordnung Carnivora-Eine Übersicht. *Berl Munch Tierarztl Wochenschr* 104: 89-90; 95-88.
- Schweigert, F. J., & Thomann, E. (1993) Vitamin A und E bei Karnivoren: Transport im Blut und Organverteilung. *Mh Vet Med* 48: 25-29.
- Schweigert, F. J. (1998) Vitamin A: Stoffwechsel, Genexpression und embryonale Entwicklung. *Übers Tierernährg* 26: 1-24.
- Schweigert, F. J., Buchholz, I., & Bonitz, K. (1998a) Effect of age on the levels of retinol and retinyl esters in blood plasma, liver and kidney of dogs. *Int J Vitam Nutr Res* 68: 237-241.
- Schweigert, F. J., Raila, J., & Haebel, S. (1998b) Vitamin A excreted in urine of canines is associated with a Tamm-Horsfall like protein. *Biol Chem* 379: S 128.
- Schweigert, F. J., & Bok, V. (2000) Vitamin A in blood plasma and urine of dogs is affected by the dietary level of vitamin A. *Int J Vitam Nutr Res* 70: 84-91.
- Schweigert, F. J., Raila, J., & Haebel, S. (2002) Vitamin A excreted in the urine of canines is associated with a Tamm-Horsfall like protein. *Vet Res* 33: 299-311.
- Scott, D. W. (1985) Vitamin A-Responsive Dermatoses in the Cocker Spaniel. *J Am Animal Hospi Assoc* 22: 125-129.
- Silbernagel, S. D., A. (1991) *Taschenatlas der Physiologie*. Georg-Thieme-Verlag, Stuttgart, New York.
- Sloop, C. H. D., L.; Hamilton, R.; Krause, B. R.; Roheim, P. S. (1983) Characterization of dog peripheral lymph lipoproteins: the presence of a disc-shaped "nascent" high density lipoprotein. *J Lipid Res* 24: 1429-1440.
- Smith, F. R., & Goodman, D. S. (1976) Vitamin A transport in human vitamin A toxicity. *N Engl J Med* 294: 805-808.
- Smith, P. K., Krohn, R. I., Hermanson, G. T., Mallia, A. K., Gartner, F. H., Provenzano, M. D., Fujimoto, E. K., Goeke, N. M., Olson, B. J., & Klenk, D. C. (1985) Measurement of protein using bicinchoninic acid. *Anal Biochem* 150: 76-85.
- Sommer, A. (1994) Vitamin A: Its Effect on Childhood Sight and Life. *Nutr Rev* 52, Number 2.
- Soprano, D. R., Wyatt, M. L., Dixon, J. L., Soprano, K. J., & Goodman, D. S. (1988) Retinol-binding protein synthesis and secretion by the rat visceral yolk sac. Effect of retinol status. *J Biol Chem* 263: 2934-2938.
- Stephensen, C. B., Alvarez, J. O., Kohatsu, J., Hardmeier, R., Kennedy, J. I., Jr., & Gammon, R. B., Jr. (1994) Vitamin A is excreted in the urine during acute infection. *Am J Clin Nutr* 60: 388-392.
- Terpstra, A. H. (1985) Isolation of serum chylomicrons prior to density gradient ultracentrifugation of other serum lipoprotein classes. *Anal Biochem* 150: 221-227.

- Tong, P. S., Horowitz, N. N., & Wheeler, L. A. (1990) Transretinoic acid enhances the growth response of epidermal keratinocytes to epidermal growth factor and transforming growth factor beta. *J Invest Dermatol* 94: 126-131.
- Vaisman, N., Wolfhart, D., & Sklan, D. (1992) Vitamin A metabolism in plasma of normal and anorectic women. *Eur J Clin Nutr* 46: 873-878.
- Watson, T. D., Mackenzie, J. A., Stewart, J. P., & Barrie, J. (1995) Use of oral and intravenous fat tolerance tests to assess plasma chylomicron clearance in dogs. *Res Vet Sci* 58: 256-262.
- Whitley, R. D., McLaughlin, S. A., Gilger, B. C., & Lindley, D. M. (1991) The treatment for ceratokonjunctivitis sicca. *Vet Med* 86: 1076, 1078, 1080-1081, 1084-1093.
- Wilson, D. E., Hejazi, J., Elstad, N. L., Chan, I. F., Gleeson, J. M., & Iverius, P. H. (1987) Novel aspects of vitamin A metabolism in the dog: distribution of lipoprotein retinyl esters in vitamin A-deprived and cholesterol-fed animals. *Biochim Biophys Acta* 922: 247-258.