

7. LITERATUR

Ahnert-Hilger, G., Nürnberg, B., Exner, T., Schäfer, T., Jahn, R. (1998) The heterotrimeric G protein G_{o2} regulates catecholamine uptake by secretory vesicles. *EMBO J.*, **17**, 406-413.

al-Aoukaty, A., Rolstad, B., Maghazachi, A. A. (1999) Recruitment of pleckstrin and phosphoinositide 3-kinase γ into the cell membranes, and their association with G $\beta\gamma$ after activation of NK cells with chemokines. *J. Immunol.*, **162**, 3249-3255.

Alessi, D. R., Andjelkovic, M., Caudwell, B., Cron, P., Morrice, N., Cohen, P., Hemmings, B. A. (1996) Mechanism of activation of protein kinase B by insulin and IGF-1. *EMBO J.*, **15**, 6541-6551.

Alessi, D. R., James, S. R., Downes, C. P., Holmes, A. B., Gaffney, P. R., Reese, C. B., Cohen, P. (1997) Characterization of a 3-phosphoinositide-dependent protein kinase which phosphorylates and activates protein kinase B α . *Curr. Biol.*, **7**, 261-269.

Alessi, D. R. (2001) Discovery of PDK1, one of the missing links in insulin signal transduction. Colworth Medal Lecture. *Biochem. Soc. Trans.*, **29**, 1-14.

Antonetti, D. A., Algenstaedt, P., Kahn, C. R. (1996) Insulin receptor substrate 1 binds two novel splice variants of the regulatory subunit of phosphatidylinositol 3-kinase in muscle and brain. *Mol. Cell Biol.*, **16**, 2195-2203.

Aplin, A. E., Howe, A., Alahari, K., Juliano, R. (1998) Signal Transduction and Signal Modulation by Cell Adhesion Receptors: The Role of Integrins, Cadherins, Immunoglobulin-Cell Adhesion Molecules, and Selectins. *Pharmacol. Rev.*, **50**, 197-263.

Arcaro, A., Zvelebil, M. J., Wallasch, C., Ullrich, A., Waterfield, M. D., Domin, J. (2000) Class II Phosphoinositide 3-Kinases Are Downstream Targets of Activated Polypeptide Growth Factor Receptors. *Mol. Cell Biol.*, **20**, 3817-3830.

Auger, K. R., Serunian, L. A., Soltoff, S. P., Libby, P., Cantley, L. C. (1989) PDGF-dependent tyrosine phosphorylation stimulates production of novel polyphosphoinositides in intact cells. *Cell*, **57**, 167-175.

Bacqueville, D., Deleris, P., Mendre, C., Pieraggi, M. T., Chap, H., Guillon, G., Perret, B., Breton-Douillon, M. (2001) Characterization of a G protein-activated phosphoinositide 3-kinase in vascular smooth muscle cell nuclei. *J. Biol. Chem.*, **276**, 22170-22176.

Baggiolini, M., Dewald, B., Schnyder, J., Ruch, W., Cooper, P. H., Payne, T. G. (1987) Inhibition of the phagocytosis-induced respiratory burst by the fungal metabolite wortmannin and some analogues. *Exp. Cell. Res.*, **169**, 408-418.

Baier, R., Bondeva, T., Klinger, R., Bondev, A., Wetzker, R. (1999) Retinoic acid induces selective expression of phosphoinositide 3-kinase γ in myelomonocytic U937 cells. *Cell. Growth. Differ.*, **10**, 447-456.

- Balla, T., Bondeva, T., Várnai, P. (2000) How accurately can we image inositol lipids in living cells? *Trends Pharmacol. Sci.*, **21**, 238-241.
- Baltensperger, K., Kozma, L. M., Jaspers, S. R., Czech, M. P. (1994) Regulation by insulin of phosphatidylinositol 3'-kinase bound to α - and β -isoforms of p85 regulatory subunit. *J. Biol. Chem.*, **269**, 28937-28946.
- Benovic, J. L., Strasser, R. H., Caron, M. G., Lefkowitz, R. J. (1986) Beta-adrenergic receptor kinase: identification of a novel protein kinase that phosphorylates the agonist-occupied form of the receptor. *Proc. Natl. Acad. Sci. U S A*, **83**, 2797-2801.
- Benovic, J. L., Onorato, J. J., Arriza, J. L., Stone, W. C., Lohse, M., Jenkins, N. A., Gilbert, D. J., Copeland, N. G., Caron, M. G., Lefkowitz, R. J. (1991) Cloning, expression, and chromosomal localization of beta-adrenergic receptor kinase 2. A new member of the receptor kinase family. *J. Biol. Chem.*, **266**, 14939-14946.
- Berstein, G., Blank, J. L., Jhon, D. Y., Exton, J. H., Rhee, S. G., Ross, E. M. (1992) Phospholipase C- β 1 is a GTPase-activating protein for Gq/11, its physiologic regulator. *Cell*, **70**, 411-418.
- Bi, L., Okabe, I., Bernard, D. J., Wynshaw-Boris, A., Nussbaum, R. L. (1999) Proliferative defect and embryonic lethality in mice homozygous for a deletion in the p110 α subunit of phosphoinositide 3-kinase. *J. Biol. Chem.*, **274**, 10963-10968.
- Blank, J. L., Ross, A. H., Exton, J. H. (1991) Purification and characterization of two G-proteins that activate the β ₁ isozyme of phosphoinositide-specific phospholipase C. Identification as members of the G_q class. *J. Biol. Chem.*, **266**, 18206-18216.
- Bockaert, J., Pin, J. P. (1999) Molecular tinkering of G protein-coupled receptors: an evolutionary success. *EMBO J.*, **18**, 1723-1729.
- Bondeva, T., Pirola, L., Bulgarelli-Leva, G., Rubio, I., Wetzker, R., Wymann, M. P. (1998) Bifurcation of lipid and protein kinase signals of PI3K γ to the protein kinases PKB and MAPK. *Science*, **282**, 293-296.
- Bootman, M. D., Berridge, M. J. (1995) The elemental principles of calcium signalling. *Cell*, **83**, 675-678.
- Bourne, H. R. (1997) How receptors talk to trimeric G proteins. *Curr. Opin. Cell Biol.*, **9**, 134-142.
- Brazil, D. P., Park, J., Hemmings, B. A. (2002) PKB Binding Proteins. Getting in on the Akt. *Cell*, **111**, 293-303.
- Brown, R. A., Domin, J., Arcaro, A., Waterfield, M. D., Shepherd, P. R. (1999) Insulin Activates the α Isoform of Class II Phosphoinositide 3-Kinase. *J. Biol. Chem.*, **274**, 14529-14532.

- Cantley, L. C. (2002) The phosphoinositide 3-kinase pathway. *Science*, **296**, 1655-1657.
- Cantley, L. C., Neel, B. G. (1999) New insights into tumor suppression: PTEN suppresses tumor formation by restraining the phosphoinositide 3-kinase/AKT pathway. *Proc. Natl. Acad. Sci. U S A*, **96**, 4240-4245.
- Carpenter, C. L., Auger, K. R., Duckworth, B. C., Hou, W. M., Schaffhausen, B., Cantley, L. C. (1993) A tightly associated serine/threonine protein kinase regulates phosphoinositide 3-kinase activity. *Mol. Cell. Biol.*, **13**, 1657-1665.
- Casey, P. J., Fong, H. K., Simon, M. I., Gilman, A. G. (1990) G_z, a guanine nucleotide-binding protein with unique biochemical properties. *J. Biol. Chem.*, **265**, 2383-2390.
- Casey, P. J. (1994) Lipid modifications of G proteins. *Curr. Opin. Cell Biol.*, **6**, 219-25.
- Chamberlain, C., Hahn, K. M. (2000) Watching proteins in the wild: fluorescence methods to study protein dynamics in living cells. *Traffic*, **1**, 755-762.
- Chan, T. O., Tanaka, A., Bjorge, J. D., Fujita, D. J. (1990) Association of type I phosphatidylinositol kinase activity with mutationally activated forms of human pp60c-src. *Mol. Cell. Biol.*, **10**, 3280-3283.
- Chan, T. O., Tsiichlis, P. N. (2001) PDK2: a complex tail in one Akt. *Sci. STKE* 2001 Jan 23;2001(66):PE1.
- Chase, D. L., Patikoglou, G. A., Koelle, M. R. (2001) Two RGS proteins that inhibit G α_o and G α_q signaling in *C. elegans* neurons require a G β_5 -like subunit for function. *Curr. Biol.*, **11**, 222-231.
- Chen, W.-J., Andres, D. A., Goldstein, J. L., Russell, D. W., Brown, M. S. (1991) cDNA cloning and expression of the peptide-binding β subunit of rat p21ras farnesyltransferase, the counterpart of yeast DPR1/RAM1. *Cell*, **66**, 327-334.
- Chen, L. T., Gilman, A. G., Kozasa, T. (1999) A candidate target for G protein action in brain. *J. Biol. Chem.*, **274**, 26931-26938.
- Ching, T. T., Lin, H. P., Yang, C. C., Oliveira, M., Lu, P. J., Chen, C. S. (2001) Specific binding of the C-terminal Src homology 2 domain of the p85 α subunit of phosphoinositide 3-kinase to phosphatidylinositol 3,4,5-trisphosphate. Localization and engineering of the phosphoinositide-binding motif. *J. Biol. Chem.*, **276**, 43932-43938.
- Clapham, D. E., Neer, E. J. (1997) G protein $\beta\gamma$ subunits. *Annu. Rev. Pharmacol. Toxicol.*, **37**, 167-203.

Cook, L. A., Schey, K. L., Wilcox, M. D., Dingus, J., Hildebrandt, J. D. (1998) Heterogenous processing of a G protein γ subunit at a site critical for protein and membrane interactions. *Biochemistry*, **37**, 12280-12286.

Corey, S., Clapham, D. E. (2001) The Stoichiometry of G $\beta\gamma$ binding to G-protein-regulated inwardly rectifying K⁺ channels (GIRKs). *J. Biol. Chem.*, **276**, 11409-11413.

Crackower, M. A., Oudit, G. Y., Kozieradzki, I., Sarao, R., Sun, H., Sasaki, T., Hirsch, E., Suzuki, A., Shioi, T., Irie-Sasaki, J., Sah, R., Cheng, H. Y., Rybin, V. O., Lembo, G., Fratta, L., Oliveira-dos-Santos, A. J., Benovic, J. L., Kahn, C. R., Izumo, S., Steinberg, S. F., Wymann, M. P., Backx, P. H., Penninger, J. M. (2002) Regulation of myocardial contractility and cell size by distinct PI3K-PTEN signaling pathways. *Cell*, **110**, 737-749.

Cross, D. A., Alessi, D. R., Cohen, P., Andjelkovich, M., Hemmings, B. A. (1995) Inhibition of glycogen synthase kinase-3 by insulin mediated by protein kinase B. *Nature*, **378**, 785-789.

Cuevas, B. D., Lu, Y., Mao, M., Zhang, J., LaPushin, R., Siminovitch, K., Mills, G. B. (2001) Tyrosine phosphorylation of p85 relieves its inhibitory activity on phosphatidylinositol 3-kinase. *J. Biol. Chem.*, **276**, 27455-27461.

Czupalla, C. (2002) Isoform-spezifische Funktion und Regulation der Proteinkinase-Aktivität G-Protein-regulierter Phosphatidylinositol-3-Kinasen. *Dissertation an der Biologisch-Pharmazeutischen Fakultät der Friedrich-Schiller-Universität Jena*.

Dascal, N. (2001) Ion-channel regulation by G proteins. *Trends Endocrinol. Metab.*, **12**, 391-398.

De Vries, L., Zheng, B., Fischer, T., Elenko, E., Farquhar, M. G. (2000) The Regulator of G Protein Signaling Family. *Annu. Rev. Pharmacol. Toxicol.*, **40**, 235-271.

Dey, B. R., Furlanetto, R. W., Nissley, S. P. (1998) Cloning of human p55 γ , a regulatory subunit of phosphatidylinositol 3-kinase, by a yeast two-hybrid library screen with the insulin-like growth factor-I receptor. *Gene*, **209**, 175-183.

Dhanasekaran, N., Prasad, M. V., Wadsworth, S. J., Dermott, J. M., van Rossum, G. (1994) Protein kinase C-dependent and -independent activation of Na⁺/H⁺ exchanger by G α_{12} class of G proteins. *J. Biol. Chem.*, **269**, 11802-11806.

Dhand, R., Hara, K., Hiles, I., Bax, B., Gout, I., Panayotou, G., Fry, M. J., Yonezawa, K., Kasuga, M., Waterfield, M. D. (1994a) PI 3-kinase: structural and functional analysis of intersubunit interactions. *EMBO J.*, **13**, 511-521.

Dhand, R., Hiles, I., Panayotou, G., Roche, S., Fry, M. J., Gout, I., Totty, N. F., Truong, O., Vicendo, P., Yonezawa, K., et al. (1994b) PI 3-kinase is a dual specificity enzyme: autoregulation by an intrinsic protein-serine kinase activity. *EMBO J.*, **13**, 522-533.

Dhillon, A. S., Kolch, W. (2002) Untying the regulation of the Raf-1 kinase. *Arch. Biochem.*

Biophys., **404**, 3-9.

Dufner, A., Thomas, G. (1999) Ribosomal S6 kinase signaling and the control of translation. *Exp. Cell Res.*, **253**, 100-109.

Emptage, N. J. (2001) Fluorescent imaging in living systems. *Curr. Opin. Pharmacol.*, **1**, 521-525.

End, P., Gout, I., Fry, M. J., Panayotou, G., Dhand, R., Yonezawa, K., Kasuga, M., Waterfield, M. D. (1993) A biosensor approach to probe the structure and function of the p85 α subunit of the phosphatidylinositol 3-kinase complex. *J. Biol. Chem.*, **268**, 10066-10075.

Escobedo, J. A., Navankasattusas, S., Kavanaugh, W. M., Milfay, D., Fried, V. A., Williams, L. T. (1991) cDNA cloning of a novel 85 kd protein that has SH2 domains and regulates binding of PI3-kinase to the PDGF beta-receptor. *Cell*, **65**, 75-82.

Evans, R. (1988) The steroid and thyroid hormone receptor subfamily. *Science*, **240**, 889-895.

Falasca, M., Logan, S. K., Lehto, V. P., Baccante, G., Lemmon, M. A., Schlessinger, J. (1998) Activation of phospholipase C gamma by PI 3-kinase-induced PH domain-mediated membrane targeting. *EMBO J.*, **17**, 414-422.

Farrens, D. L., Altenbach, C., Yang, K., Hubbell, W. L., Khorana, H. G. (1996) Requirement of rigid-body motion of transmembrane helices for light activation of rhodopsin. *Science*, **274**, 768-770.

Feig, L. A., Cooper, G. M. (1988) Inhibition of NIH 3T3 cell proliferation by a mutant ras protein with preferential affinity for GDP. *Mol. Cell. Biol.*, **8**, 3235-3243.

Feig, L. A., Schaffhausen, B. (1994) Signal transduction. The hunt for Ras targets. *Nature*, **370**, 508-509.

Ferguson, S. S. G. (2001) Evolving Concepts in G Protein-Coupled Receptor Endocytosis: The Role in Receptor Desensitization and Signalling. *Pharmacol. Rev.*, **53**, 1-24.

Flanagan, C. A., Schnieders, E. A., Emerick, A. W., Kunisawa, R., Thorner, J. W., Admon, A. (1993) Phosphatidylinositol 4-kinase: gene structure and requirement for yeast cell viability. *Science*, **262**, 1444-1448.

Förster, T. (1948) Zwischenmolekulare Energiewanderung und Fluoreszenz. *Ann. Physik*, **2**, 55-67.

Ford, C. E., Skiba, N. P., Bae, H., Daaka, Y., Reuveny, E., Shekter, L. R., Rosal, R., Weng, G., Yang, C. S., Iyengar, R., Miller, R. J., Jan, L. Y., Lefkowitz, R. J., Hamm, H. E. (1998) Molecular Basis for Interactions of G Protein $\beta\gamma$ Subunits with Effectors. *Science*, **280**, 1271-1274.

- Franke, T. F., Cantley, L. C. (1997) Apoptosis. A Bad kinase makes good. *Nature*, **390**, 116-117.
- Franke, T. F., Kaplan, D. R., Cantley, L. C., Toker, A. (1997) Direct regulation of the Akt proto-oncogene product by phosphatidylinositol-3,4-bisphosphate. *Science*, **275**, 665-668.
- Fruman, D. A., Cantley, L. C., Carpenter, C. L. (1996) Structural organization and alternative splicing of the murine phosphoinositide 3-kinase p85 α gene. *Genomics*, **37**, 113-121.
- Fruman, D. A., Meyers, R. E., Cantley, L. C. (1998) Phosphoinositide kinases. *Annu. Rev. Biochem.*, **67**, 481-507.
- Fruman, D. A., Snapper, S. B., Yballe, C. M., Davidson, L., Yu, J. Y., Alt, F. W., Cantley, L. C. (1999) Impaired B cell development and proliferation in absence of phosphoinositide 3-kinase p85 α . *Science*, **283**, 393-397.
- Fruman, D. A., Mauvais-Jarvis, F., Pollard, D. A., Yballe, C. M., Brazil, D., Bronson, R. T., Kahn, C. R., Cantley, L. C. (2000) Hypoglycaemia, liver necrosis and perinatal death in mice lacking all isoforms of phosphoinositide 3-kinase p85 α . *Nat. Genet.*, **26**, 379-382.
- Fruman, D. A., Cantley, L. C. (2002) Phosphoinositide 3-kinase in immunological systems. *Semin. Immunol.*, **14**, 7-18.
- Fry, M. J., Panayotou, G., Dhand, R., Ruiz-Larrea, F., Gout, I., Nguyen, O., Courtneidge, S. A., Waterfield, M. D. (1992) Purification and characterization of a phosphatidylinositol 3-kinase complex from bovine brain by using phosphopeptide affinity columns. *Biochem. J.*, **288**, 383-393.
- Fukao, T., Yamada, T., Tanabe, M., Terauchi, Y., Ota, T., Takayama, T., Asano, T., Takeuchi, T., Kadowaki, T., Hata Ji J., Koyasu, S. (2002) Selective loss of gastrointestinal mast cells and impaired immunity in PI3K-deficient mice. *Nat. Immunol.*, **3**, 295-304.
- Fukui, Y., Hanafusa, H. (1989) Phosphatidylinositol kinase activity associates with viral p60src protein. *Mol. Cell. Biol.*, **9**, 1651-1658.
- Garbers, D. L., Koesling, D., Schultz, G. (1994) Guanylylcyclase receptors. *Mol. Biol. Cell*, **5**, 1-5.
- Gautam, N., Downes, G. B., Yan, K., Kisselev, O. (1998) The G-protein $\beta\gamma$ -complex. *Cell. Signal.*, **10**, 447-455.
- Gillham, H., Golding, M. C., Pepperkok, R., Gullick, W. J. (1999) Intracellular movement of green fluorescent protein-tagged phosphatidylinositol 3-kinase in response to growth factor receptor signaling. *J. Cell Biol.*, **146**, 869-880.
- Gout, I., Middleton, G., Adu, J., Ninkina, N. N., Drobot, L. B., Filonenko, V., Matsuka, G., Davies, A. M., Waterfield, M., Buchman, V. L. (2000) Negative regulation of PI 3-kinase by

Ruk, a novel adaptor protein. *EMBO J.*, **19**, 4015-4025.

Gray, A., Van Der Kaay, J., Downes, C. P. (1999) The pleckstrin homology domains of protein kinase B and GRP1 (general receptor for phosphoinositides-1) are sensitive and selective probes for the cellular detection of phosphatidylinositol 3,4-bisphosphate and/or phosphatidylinositol 3,4,5-trisphosphate *in vivo*. *Biochem. J.*, **344**, 929-936.

Gudermann, T., Nürnberg, B. Schultz, G. (1995) Receptors and G proteins as primary components of transmembrane signal transduction. Part 1. G-protein-coupled receptors: structure and function. *J. Mol. Med.*, **73**, 51-63.

Gutkind, J. S. (1998) The pathways connecting G protein-coupled receptors to the nucleus through divergent mitogen-activated protein kinase cascades. *J. Biol. Chem.*, **273**, 1839-1842.

Hamm, H. E. (1998) The many faces of G protein signalling. *J. Biol. Chem.*, **273**, 669-672.

Han, J., Luby-Phelps, K., Das, B., Shu, X., Xia, Y., Mosteller, R. D., Krishna, U. M., Falck, J. R., White, M. A., Broek, D. (1998) Role of substrates and products of PI 3-kinase in regulating activation of Rac-related guanosine triphosphatases by Vav. *Science*, **279**, 558-560.

Hannigan, M., Zhan, L., Li, Z., Ai, Y., Wu, D., Huang, C. K. (2002) Neutrophils lacking phosphoinositide 3-kinase γ show loss of directionality during N-formyl-Met-Leu-Phe-induced chemotaxis. *Proc. Natl. Acad. Sci. U S A*, **99**, 3603-3608.

Harpur, A. G., Layton, M. J., Das, P., Bottomley, M. J., Panayotou, G., Driscoll, P. C., Waterfield, M. D. (1999) Intermolecular interactions of the p85 α regulatory subunit of phosphatidylinositol 3-kinase. *J. Biol. Chem.*, **274**, 12323-12332.

Harrison-Findik, D., Susa, M., Varticovski, L. (1995) Association of phosphatidylinositol 3-kinase with SHC in chronic myelogenous leukemia cells. *Oncogene*, **10**, 1385-1391.

Hart, M. J., Jiang, X., Kozasa, T., Roscoe, W., Singer, W., Gilman, A. G., Sternweis, P. C., Bollag, G. (1998) Direct Stimulation of the Guanine Nucleotide Exchange Activity of p115 RhoGEF by G α_{13} . *Science*, **280**, 2112-2114.

Hawkins, P. T., Jackson, T. R., Stephens, L. R. (1992) Platelet-derived growth factor stimulates synthesis of PtdIns(3,4,5)P₃ by activating a PtdIns(4,5)P₂ 3-OH kinase. *Nature*, **358**, 157-159.

Hayashi, H., Nishioka, Y., Kamohara, S., Kanai, F., Ishii, K., Fukui, Y., Shibasaki, F., Takenawa, T., Kido, H., Katsunuma, N., et al. (1993) The α -type 85-kDa subunit of phosphatidylinositol 3-kinase is phosphorylated at tyrosines 368, 580, and 607 by the insulin receptor. *J. Biol. Chem.*, **268**, 7107-7117.

Hazeki, O., Okada, T., Kurosu, H., Takasuga, S., Suzuki, T., Katada, T. (1998) Activation of PI 3-kinase by G protein $\beta\gamma$ subunits. *Life Sci.*, **62**, 1555-1559.

- Heim, R., Tsien, R. Y. (1996) Engineering green fluorescent protein for improved brightness, longer wavelengths and fluorescence resonance energy transfer. *Curr. Biol.*, **6**, 178-82.
- Heldin, C. H., Westermark, B. (1999) Mechanism of action and *in vivo* role of platelet-derived growth factor. *Physiol. Rev.*, **79**, 1283-1316.
- Herman, P. K., Emr, S. D. (1990) Characterization of VPS34, a gene required for vacuolar protein sorting and vacuole segregation in *Saccharomyces cerevisiae*. *Mol. Cell Biol.*, **10**, 6742-6754.
- Hiles, I. D., Otsu, M., Volinia, S., Fry, M. J., Gout, I., Dhand, R., Panayotou, G., Ruiz-Larrea, F., Thompson, A., Totty, N. F., Hsuan, J. J., Courtneidge, S. A., Parker, P. J., Waterfield, M. D. (1992) Phosphatidylinositol 3-kinase: structure and expression of the 110 kd catalytic subunit. *Cell*, **70**, 419-429.
- Hirsch, E., Bosco, O., Tropel, P., Laffargue, M., Calvez, R., Altruda, F., Wymann, M., Montrucchio, G. (2001) Resistance to thromboembolism in PI3K γ -deficient mice. *FASEB J.*, **15**, 2019-2021.
- Hirsch, E., Katanaev, V. L., Garlanda, C., Azzolino, O., Pirola, L., Silengo, L., Sozzani, S., Mantovani, A., Altruda, F., Wymann, M. P. (2000) Central role for G protein-coupled phosphoinositide 3-kinase γ in inflammation. *Science*, **287**, 1049-1053.
- Höltje, M., von Jagow, B., Pahner, I., Lautenschlager, M., Hörtnagl, H., Nürnberg, B., Jahn, R., Ahnert-Hilger, G. (2000) The neuronal monoamine transporter VMAT2 is regulated by the trimeric GTPase Go₂. *J. Neurosci.*, **20**, 2131-41.
- Hu, P., Mondino, A., Skolnik, E. Y., Schlessinger, J. (1993) Cloning of a novel, ubiquitously expressed human phosphatidylinositol 3-kinase and identification of its binding site on p85. *Mol. Cell Biol.*, **13**, 7677-7688.
- Hubbard, S. R., Mohammadi, M., Schlessinger, (1998) Autoregulatory mechanisms in protein-tyrosine kinases. *J. Biol. Chem.*, **273**, 11987-11990.
- Hunter, T. (1995) When Is a Lipid Kinase Not a Lipid Kinase? When It Is a Protein Kinase. *Cell*, **83**, 1-4.
- Hurley, J. H., Misra, S. (2000) Signaling and subcellular targeting by membrane-binding domains. *Annu. Rev. Biophys. Biomol. Struct.*, **29**, 49-79.
- Iiri, T., Farfel, Z., Bourne, H. R. (1998) G-protein diseases furnish a model for the turn-on switch. *Nature*, **394**, 35-38.
- Illenberger, D., Schwald, F., Pimmer, D., Binder, W., Maier, G., Dietrich, A., Gierschik, P. (1998) Stimulation of phospholipase C- β 2 by the Rho GTPases Cdc42Hs and Rac1. *EMBO J.*, **17**, 6241-6249.

- Inukai, K., Anai, M., Van Breda, E., Hosaka, T., Katagiri, H., Funaki, M., Fukushima, Y., Ogihara, T., Yazaki, Y., Kikuchi, Oka Y, Asano, T. (1996) A novel 55-kDa regulatory subunit for phosphatidylinositol 3-kinase structurally similar to p55PIK Is generated by alternative splicing of the p85 α gene. *J. Biol. Chem.*, **271**, 5317-5320.
- Inukai, K., Funaki, M., Ogihara, T., Katagiri, H., Kanda, A., Anai, M., Fukushima, Y., Hosaka, T., Suzuki, M., Shin, B. C., Takata, K., Yazaki, Y., Kikuchi, M., Oka, Y., Asano, T. (1997) p85 α gene generates three isoforms of regulatory subunit for phosphatidylinositol 3-kinase (PI 3-Kinase), p50 α , p55 α , and p85 α , with different PI 3-kinase activity elevating responses to insulin. *J. Biol. Chem.*, **272**, 7873-7882.
- Inukai, K., Funaki, M., Anai, M., Ogihara, T., Katagiri, H., Fukushima, Y., Sakoda, H., Onishi, Y., Ono, H., Fujishiro, M., Abe, M., Oka, Y., Kikuchi, M., Asano, T. (2001) Five isoforms of the phosphatidylinositol 3-kinase regulatory subunit exhibit different associations with receptor tyrosine kinases and their tyrosine phosphorylations. *FEBS Lett.*, **490**, 32-38.
- John, J., Frech, M., Wittinghofer, A. (1988) Biochemical properties of Ha-ras encoded p21 mutants and mechanism of the autophosphorylation reaction. *J. Biol. Chem.*, **263**, 11792-11799.
- Joyal, J. L., Burks, D. J., Pons, S., Matter, W. F., Vlahos, C. J., White, M. F., Sacks, D. B. (1997) Calmodulin activates phosphatidylinositol 3-kinase. *J. Biol. Chem.*, **272**, 28183-28186.
- Kang, H., Schneider, H., Rudd, C. E. (2002) Phosphatidylinositol 3-kinase p85 adaptor function in T-cells. Co-stimulation and regulation of cytokine transcription independent of associated p110. *J. Biol. Chem.*, **277**, 912-921.
- Kang, Q., Cao, Y., Zolkiewska, A. (2001) Direct interaction between the cytoplasmic tail of ADAM 12 and the Src homology 3 domain of p85 α activates phosphatidylinositol 3-kinase in C2C12 cells. *J. Biol. Chem.*, **276**, 24466-24472.
- Kapeller, R., Prasad, K. V., Janssen, O., Hou, W., Schaffhausen, B. S., Rudd, C. E., Cantley, L. C. (1994) Identification of two SH3-binding motifs in the regulatory subunit of phosphatidylinositol 3-kinase. *J. Biol. Chem.*, **269**, 1927-1933.
- Kaplan, D. R., Whitman, M., Schaffhausen, B., Pallas, D. C., White, M., Cantley, L., Roberts, T. M. (1987) Common elements in growth factor stimulation and oncogenic transformation: 85 kd phosphoprotein and phosphatidylinositol kinase activity. *Cell*, **50**, 1021-1029.
- Karin, M., Hunter, T. (1995) Transcriptional control by protein phosphorylation: signal transmission from the cell surface to the nucleus. *Curr. Biol.*, **5**, 747-757.
- Katso, R., Okkenhaug, K., Ahmadi, K., White, S., Timms, J., Waterfield, M. D. (2001) Cellular function of phosphoinositide 3-kinases: implications for development, homeostasis, and cancer. *Annu. Rev. Cell. Dev. Biol.*, **17**, 615-675.
- Kavanaugh, W. M., Turck, C. W., Klippel, A., Williams, L. T. (1994) Tyrosine 508 of the 85-

kilodalton subunit of phosphatidylinositol 3-kinase is phosphorylated by the platelet-derived growth factor receptor. *Biochemistry*, **33**, 11046-11050.

Kaziro, Y., Itoh, H., Kozasa, T., Nakafuku, M., Satoh, T. (1991) Structure and function of signal-transducing GTP-binding proteins. *Annu. Rev. Biochem.*, **60**, 349-400.

Kenworthy, A. K. (2001) Imaging protein-protein interactions using fluorescence resonance energy transfer microscopy. *Methods*, **24**, 289-296.

Kirsch, C., Wetzker, R., Klinger, R. (2001) Anionic phospholipids are involved in membrane targeting of PI 3-kinase γ . *Biochem. Biophys. Res. Commun.*, **282**, 691-696.

Kisselev, O. G., Meyer, C. K., Heck, M., Ernst, O. P., Hofmann, K. P. (1999) Signal transfer from rhodopsin to the G-protein: Evidence for a two-site sequential fit mechanism. *Proc. Natl. Acad. Sci. U S A*, **96**, 4898-4903.

Klarlund, J. K., Guilherme, A., Holik, J. J., Virbasius, J. V., Chawla, A., Czech, M. P. (1997) Signaling by phosphoinositide-3,4,5-trisphosphate through proteins containing pleckstrin and Sec7 homology domains. *Science*, **275**, 1927-1930.

Klarlund, J. K., Rameh, L. E., Cantley, L. C., Buxton, J. M., Holik, J. J., Sakelis, C., Patki, V., Corvera, S., Czech, M. P. (1998) Regulation of GRP1-catalyzed ADP ribosylation factor guanine nucleotide exchange by phosphatidylinositol 3,4,5-trisphosphate. *J. Biol. Chem.*, **273**, 1859-1862.

Klippel, A., Escobedo, J. A., Fantl, W. J., Williams, L. T. (1992) The C-terminal SH2 domain of p85 accounts for the high affinity and specificity of the binding of phosphatidylinositol 3-kinase to phosphorylated platelet-derived growth factor β receptor. *Mol. Cell Biol.*, **12**, 1451-1459.

Klippel, A., Escobedo, J. A., Hu, Q., Williams, L. T. (1993) A region of the 85-kilodalton (kDa) subunit of phosphatidylinositol 3-kinase binds the 110-kDa catalytic subunit *in vivo*. *Mol. Cell Biol.*, **13**, 5560-5566.

Klippel, A., Escubedo, J. A., Williams, L. T. (1994) The interaction of small domains between the subunits of phosphatidylinositol 3-kinase determines enzyme activity. *Mol. Cell Biol.*, **14**, 2675-2685.

Klippel, A., Reinhard, C., Kavanaugh, W. M., Apell, G., Escobedo, M. A., Williams, L. T. (1996) Membrane localization of phosphatidylinositol 3-kinase is sufficient to activate multiple signal-transducing kinase pathways. *Mol. Cell Biol.*, **16**, 4117-4127.

Koch, W. J., Hawes, B. E., Allen, L. F., Lefkowitz, R. J. (1994) Direct evidence that G β -coupled receptor stimulation of mitogen-activated protein kinase is mediated by G $\beta\gamma$ activation of p21ras. *Proc. Natl. Acad. Sci. U S A*, **91**, 12706-12710.

Kops, G. J., Medema, R. H., Glassford, J., Essers, M. A., Dijkers, P. F., Coffey, P. J., Lam, E.

- W., Burgering, B. M. (2002) Control of cell cycle exit and entry by protein kinase B-regulated forkhead transcription factors. *Mol. Cell. Biol.*, **22**, 2025-2036.
- Kozak, M. (1987) At least six nucleotides preceding the AUG initiator codon enhance translation in mammalian cells. *J. Mol. Biol.*, **196**, 947-950.
- Krapivinsky, G., Gordon, E. A., Wickman, K., Velimirovic, B., Krapivinsky, L., Clapham, D. E. (1995) The G-protein-gated atrial K⁺ channel I_{KACH} is a heteromultimer of two inwardly rectifying K⁺-channel proteins. *Nature*, **374**, 135-141.
- Krauss, M., Korr, D., Herrmann, A., Hucho, F. (2000) Binding properties of agonists and antagonists to distinct allosteric states of the nicotinic acetylcholine receptor are incompatible with a concerted model. *J. Biol. Chem.*, **275**, 30196-30201.
- Krebs, E. G., Beavo, J. A. (1979) Phosphorylation-dephosphorylation of enzymes. *Annu. Rev. Biochem.*, **48**, 923-59.
- Krugmann, S., Hawkins, P. T., Pryer, N., Braselmann, S. (1999) Characterizing the interactions between the two subunits of the p101/p110 γ phosphoinositide 3-kinase and their role in the activation of this enzyme by G $\beta\gamma$ subunits. *J. Biol. Chem.*, **274**, 17152-17158.
- Krugmann, S., Cooper, M. A., Williams, D. H., Hawkins, P. T., Stephens, L. R. (2002) Mechanism of the regulation of type I_B phosphoinositide 3OH-kinase by G-protein $\beta\gamma$ subunits. *Biochem. J.*, **362**, 725-731.
- Kular, G., Loubtchenkov, M., Swigart, P., Whatmore, J., Ball, A., Cockcroft, S., Wetzker, R. (1997) Co-operation of phosphatidylinositol transfer protein with phosphoinositide 3-kinase γ in the formylmethionyl-leucylphenylalanine-dependent production of phosphatidylinositol 3,4,5-trisphosphate in human neutrophils. *Biochem. J.*, **325**, 299-301.
- Kunkel, M. T., Peralta, E. G. (1995) Identification of domains conferring G protein regulation on inward rectifier potassium channels. *Cell*, **83**, 443-449.
- Kurosu, H., Maehama, T., Okada, T., Yamamoto, T., Hoshino, S., Fukui, Y., Ui, M., Hazeki, O., Katada, T. (1997) Heterodimeric phosphoinositide 3-kinase consisting of p85 and p110 β is synergistically activated by the $\beta\gamma$ subunits of G proteins and phosphotyrosyl peptide. *J. Biol. Chem.*, **272**, 24252-24256.
- Lämmlli, U. K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, **227**, 680-685.
- Laffargue, M., Calvez, R., Finan, P., Trifilieff, A., Barbier, M., Altruda, F., Hirsch, E., Wymann, M. P. (2002) Phosphoinositide 3-kinase γ is an essential amplifier of mast cell function. *Immunity*, **16**, 441-451.
- Lam, K., Carpenter, C. L., Ruderman, N. B., Friel, J. C., Kelly, K. L. (1994) The phosphatidylinositol 3-kinase serine kinase phosphorylates IRS-1. Stimulation by insulin and

inhibition by Wortmannin. *J. Biol. Chem.*, **269**, 20648-20652.

Lambright, D. G., Sondek, J., Bohm, A., Skiba, N. P., Hamm, H. E., Sigler, P. B. (1996) The 2.0 Å crystal structure of a heterotrimeric G protein. *Nature*, **379**, 311-319.

Lawlor, M. A., Alessi, D. R. (2001) PKB/Akt: a key mediator of cell proliferation, survival and insulin responses? *J. Cell Sci.*, **114**, 2903-2910.

Leevers, S. J., Paterson, H. F., Marshall, C. J. (1994) Requirement for Ras in Raf activation is overcome by targeting Raf to the plasma membrane. *Nature*, **369**, 411-414.

Leopoldt, D., Hanck, T., Exner, T., Maier, U., Wetzker, R., Nürnberg, B. (1998) Gβγ stimulates phosphoinositide 3-kinase-γ by direct interaction with two domains of the catalytic p110 subunit. *J. Biol. Chem.*, **273**, 7024-7029.

Li, N., Batzer, A., Daly, R., Yajnik, V., Skolnik, E., Chardin, P., Bar-Sagi, D., Margolis, B., Schlessinger, J. (1993) Guanine-nucleotide-releasing factor hSos1 binds to Grb2 and links receptor tyrosine kinases to Ras signalling. *Nature*, **363**, 85-88.

Li, Z., Jiang, H., Xie, W., Zhang, Z., Smrcka, A. V., Wu, D. (2000) Roles of PLC-β2 and -β3 and PI3Kγ in chemoattractant-mediated signal transduction. *Science*, **287**, 1046-1049.

Logothetis, D. E., Kurachi, Y., Galper, J. Neer, E. J., Clapham, D. E. (1987) The βγ subunits of GTP-binding proteins activate the muscarinic K⁺ channel in heart. *Nature*, **325**, 321-326.

Lowenstein, E.J., Daly, R. J., Batzer, A. G., Li, W., Margolis, B., Lammers, R., Ullrich, A., Skolnik, E. Y., Bar-Sagi, D., Schlessinger, J. (1992) The SH2 and SH3 domain-containing protein GRB2 links receptor tyrosine kinases to ras signaling. *Cell*, **70**, 431-442.

Lowry, W. E., Huang, X. Y. (2002) G Protein βγ subunits act on the catalytic domain to stimulate Bruton's agammaglobulinemia tyrosine kinase. *J. Biol. Chem.*, **277**, 1488-1492.

Lüscher, C., Jan, L. Y., Stoffel, M., Malenka, R. C., Nicoll, R. A. (1997) G protein-coupled inwardly rectifying K⁺ channels (GIRKs) mediate postsynaptic but not presynaptic transmitter actions in hippocampal neurons. *Neuron*, **19**, 687-695.

Lu-Kuo, J. M., Fruman, D. A., Joyal, D. M., Cantley, L. C., Katz, H. R. (2000) Impaired kit- but not FcεRI-initiated mast cell activation in the absence of phosphoinositide 3-kinase p85α gene products. *J. Biol. Chem.*, **275**, 6022-6029.

MacDougall, L. K., Domin, J., Waterfield, M. D. (1995) A family of phosphoinositide 3-kinases in *Drosophila* identifies a new mediator of signal transduction. *Curr. Biol.*, **5**, 1404-1415.

Mackay, D. J., Hall, A. (1998) Rho GTPases. *J. Biol. Chem.*, **273**, 20685-20688.

Maier, U., Babich, A., Nürnberg, B. (1999) Roles of non-catalytic subunits in Gβγ-induced activation of class I phosphoinositide 3-kinase isoforms β and γ. *J. Biol. Chem.*, **274**, 29311-

29317.

Maier, U., Babich, A., Macrez, N., Leopoldt, D., Gierschik, P., Illenberger, D., Nürnberg, B. (2000) $G\beta_5\gamma_2$ is a highly selective activator of phospholipid-dependent enzymes. *J. Biol. Chem.*, **275**, 13746-13754

Matsuda M., Paterson, H. F., Rodriguez, R., Fensome, A. C., Ellis, M. V., Swann, K., Katan, M. (1996) Real Time Fluorescence Imaging of PLC γ Translocation and Its Interaction with the Epidermal Growth Factor Receptor. *J. Cell Biol.*, **153**, 599-612.

McGlade, C. J., Ellis, C., Reedijk, M., Anderson, D., Mbamalu, G., Reith, A. D., Panayotou, G., End, P., Bernstein, A., Kazlauskas, A., et al. (1992) SH2 domains of the p85 α subunit of phosphatidylinositol 3-kinase regulate binding to growth factor receptors. *Mol. Cell Biol.*, **12**, 991-997.

McLaughlin, S. K., McKinnon, P. J., Margolskee, R. F. (1992) Gustducin is a taste-cell-specific G protein closely related to the transducins. *Nature*, **357**, 563-569.

Meigs, T. E., Fields, T. A., McKee, D. D., Casey, P. J. (2001) Interaction of $G\alpha_{12}$ and $G\alpha_{13}$ with the cytoplasmic domain of cadherin provides a mechanism for β -catenin release. *Proc. Natl. Acad. Sci. U S A*, **98**, 519-524.

Meinkoth, J. L., Alberts, A. S., Went, W., Fantozzi, D., Taylor, S. S., Hagiwara, M., Montminy, M., Feramisco, J. R. (1993) Signal transduction through the cAMP-dependent protein kinase. *Mol. Cell. Biochem.*, **127-128**, 179-186.

Metjian, A., Roll, R. L., Ma, A. D., Abrams, C. S. (1999) Agonists cause nuclear translocation of phosphatidylinositol 3-kinase γ . A $G\beta\gamma$ -dependent pathway that requires the p110 γ amino terminus. *J. Biol. Chem.*, **274**, 27943-27947.

Misra, S., Miller, G. J., Hurley, J. H. (2001) Recognizing phosphatidylinositol 3-phosphate. *Cell*, **107**, 559-562.

Murga, C., Laguinge, L., Wetzker, R., Cuadrado, A., Gutkind, J. S. (1998) Activation of Akt/protein kinase B by G protein-coupled receptors. A role for α and $\beta\gamma$ subunits of heterotrimeric G proteins acting through phosphatidylinositol-3-OH kinase γ . *J. Biol. Chem.*, **273**, 19080-19085.

Naccache, P. H., Levasseur, S., Lachance, G., Chakravarti, S., Bourgoin, S. G., McColl, S. R. (2000) Stimulation of human neutrophils by chemotactic factors is associated with the activation of phosphatidylinositol 3-kinase γ . *J. Biol. Chem.*, **275**, 23636-23641.

Naga Prasad, S. V., Barak, L. S., Rapacciuolo, A., Caron, M. G., Rockman, H. A. (2001) Agonist-dependent recruitment of phosphoinositide 3-kinase to the membrane by β -adrenergic receptor kinase 1. A role in receptor sequestration. *J. Biol. Chem.*, **276**, 18953-18959.

- Namba, T., Sugimoto, Y., Negishi, M., Irie, A., Ushikubi, F., Kakizuka, A., Ito, S. Ichikawa, A., Narumiya, S. (1993) Alternative splicing of C-terminal tail of prostaglandin E receptor subtype EP3 determines G-protein specificity. *Nature*, **365**, 166-170.
- Newton, A. C. (1997) Regulation of protein kinase C. *Curr. Opin. Cell Biol.*, **9**, 161-167.
- Nürnberg, B., Ahnert-Hilger, G. (1996) Potential roles of heterotrimeric G proteins of the endomembrane system. *FEBS Lett.*, **389**, 61-65.
- Nürnberg, B., Gudermann, T., Schultz, G. (1995) Receptors and G proteins as primary components of transmembrane signal transduction. Part 2. G proteins: structure and function. *J. Mol. Med.*, **73**, 123-132.
- Okkenhaug, K., Vanhaesebroeck, B. (2001) New responsibilities for the PI3K regulatory subunit p85 α . *Sci. STKE 2001 Jan 16;2001(65):PE1*
- Ono, F., Nakagawa, T., Saito, S., Owada, Y., Sakagami, H., Goto, K., Suzuki, M., Matsuno, S., Kondo, H. (1998) A novel class II phosphoinositide 3-kinase predominantly expressed in the liver and its enhanced expression during liver regeneration. *J. Biol. Chem.*, **273**, 13892-13899.
- Otsu, M., Hiles, I., Gout, I., Fry, M. J., Ruiz-Larrea, F., Panayotou, G., Thompson, A., Dhand, R., Hsuan, J., Totty, N., et al. (1991) Characterization of two 85 kd proteins that associate with receptor tyrosine kinases, middle-T/pp60c-src complexes, and PI-3-kinase. *Cell*, **65**, 91-104.
- Pacold, M. E., Suire, S., Perisic, O., Lara-Gonzalez, L., Davis, C.-T., Walker, E. H., Hawkins, P. T., Stephens, L. R., Eccleston, J. F., Williams, R. L. (2000) Crystal Structure and Functional Analysis of Ras Binding to Its Effector Phosphoinositide 3-Kinase γ . *Cell*, **103**, 931-943.
- Palczewski, K., Kumasaka, T., Hori, T., Behnke, C. A., Motoshima, H., Fox, B. A., Le Trong, I., Teller, D. C., Okada, T., Stenkamp, R. E., Yamamoto, M., Miyano, M. (2000) Crystal Structure of Rhodopsin: A G Protein-Coupled Receptor. *Science*, **289**, 739-745.
- Panaretou, C., Domin, J., Cockcroft, S. Waterfield, M. D. (1997) Characterization of p150, an adaptor protein for the human phosphatidylinositol (PtdIns) 3-kinase. Substrate presentation by phosphatidylinositol transfer protein to the p150.Ptdins 3-kinase complex. *J. Biol. Chem.*, **272**, 2477-2485.
- Pawson, T., Gish, G. D. (1992) SH2 and SH3 Domains: From Structure to Function. *Cell*, **71**, 359-362.
- Pfeuffer, T. (1977) GTP-binding Proteins in Membranes and the Control of Adenylate Cyclase Activity. *J. Biol. Chem.*, **252**, 7224-7234.
- Pirola, L., Zvelebil, M. J., Bulgarelli-Leva, G., Van Obberghen, E., Waterfield, M. D.,

- Wymann, M. P. (2001) Activation loop sequences confer substrate specificity to phosphoinositide 3-kinase α (PI3K α). Functions of lipid kinase-deficient PI3K α in signaling. *J. Biol. Chem.*, **276**, 21544-21554.
- Pitcher, J. A., Inglese, J., Higgins, J. B., Arriza, J. L., Casey, P. J. (1992) Role of G $\beta\gamma$ subunits of G proteins in targeting the β -adrenergic receptor kinase to membrane-bound receptors. *Science*, **257**, 1264-67.
- Pleiman, C. M., Hertz, W. M., Cambier, J. C. (1994) Activation of phosphatidylinositol-3' kinase by Src-family kinase SH3 binding to the p85 subunit. *Science*, **263**, 1609-1612.
- Pollok, B. A., Heim, R. (1999) Using GFP in FRET-based applications. *Trends Cell Biol.*, **9**, 57-60.
- Pons, S., Asano, T., Glasheen, E., Miralpeix, M., Zhang, Y., Fisher, T. L., Myers, M. G. Jr, Sun, X. J., White, M. F. (1995) The structure and function of p55^{PIK} reveal a new regulatory subunit for phosphatidylinositol 3-kinase. *Mol. Cell Biol.*, **15**, 4453-4465.
- Prasad, K. V., Janssen, O., Kapeller, R., Raab, M., Cantley, L. C., Rudd, C. E. (1993a) Src-homology 3 domain of protein kinase p59^{fyn} mediates binding to phosphatidylinositol 3-kinase in T cells. *Proc. Natl. Acad. Sci. U S A.*, **90**, 7366-7370.
- Prasad, K. V., Kapeller, R., Janssen, O., Repke, H., Duke-Cohan, J. S., Cantley, L. C., Rudd, C. E. (1993b) Phosphatidylinositol (PI) 3-kinase and PI 4-kinase binding to the CD4-p56^{lck} complex: the p56^{lck} SH3 domain binds to PI 3-kinase but not PI 4-kinase. *Mol. Cell. Biol.*, **13**, 7708-7717.
- Prasad, M. V. V. S, Dermott, J. M., Heasley, L. E., Johnson, G. L., Dhanasekaran, N. (1995) Activation of Jun Kinase/Stress-activated Protein Kinase by GTPase-deficient Mutants of G α_{12} and G α_{13} . *J. Biol. Chem.*, **270**, 18655-18659.
- Pullen, N., Dennis, P. B., Andjelkovic, M., Dufner, A., Kozma, S. C., Hemmings, B. A., Thomas, G. (1998) Phosphorylation and activation of p70s6k by PDK1. *Science*, **279**, 707-710.
- Rameh, L. E., Chen, C. S., Cantley, L. C. (1995) Phosphatidylinositol(3,4,5)P₃ interacts with SH2 domains and modulates PI 3-kinase association with tyrosine-phosphorylated proteins. *Cell*, **83**, 821-830.
- Rameh, L. E., Cantley, L. C. (1999) The role of phosphoinositide 3-kinase lipid products in cell function. *J. Biol. Chem.*, **274**, 8347-8350.
- Ray, K., Kunsch, C., Bonner, L. M., Robishaw, J. D. (1995) Isolation of cDNA clones encoding eight different human G protein γ subunits, including novel forms designated the γ_4 , γ_{10} , and γ_{11} subunits. *J. Biol. Chem.*, **270**, 21765 - 21771.
- Rebecchi, M. J., Scarlata, S. (1998) Pleckstrin homology domains: a common fold with diverse functions. *Annu. Rev. Biophys. Biomol. Struct.*, **27**, 503-528.

- Rhee, S. G. (2001) Regulation of Phosphoinositide-Specific Phospholipase C. *Annu. Rev. Biochem.*, **70**, 281-312.
- Reusch, H. P., Schaefer, M., Plum, C., Schultz, G., Paul, M. (2001a) G $\beta\gamma$ mediate differentiation of vascular smooth muscle cells. *J. Biol. Chem.*, **276**, 19540-19547.
- Reusch, H. P., Zimmermann, S., Schaefer, M., Paul, M., Moelling, K. (2001b) Regulation of Raf by Akt controls growth and differentiation in vascular smooth muscle cells. *J. Biol. Chem.*, **276**, 33630-33637.
- Robinson, M. J., Cobb, M. H. (1997) Mitogen-activated protein kinase pathways. *Curr. Opin. Cell Biol.*, **9**, 180-186.
- Rodriguez-Viciana, P., Warne, P. H., Dhand, R., Vanhaesebroeck, B., Gout, I., Fry, M. J., Waterfield, M. J., Downward, J. (1994) Phosphatidylinositol-3-OH kinase as a direct target of Ras. *Nature*, **370**, 527-532.
- Rodriguez-Viciana, P., Warne, P. H., Vanhaesebroeck, B., Waterfield, M. D., Downward, J. (1996) Activation of phosphoinositide 3-kinase by interaction with Ras and by point mutation. *EMBO J.*, **15**, 2442-2451.
- Romoser, V., Ball, R., Smrcka, A. V. (1996) Phospholipase C β 2 Association with Phospholipid Interfaces Assessed by Fluorescence Resonance Energy Transfer. *J. Biol. Chem.*, **271**, 25071-25078.
- Rozakis-Adcock, M., Fernley, R., Wade, J., Pawson, T., Bowtell, D. (1993) The SH2 and SH3 domains of mammalian Grb2 couple the EGF receptor to the Ras activator mSos1. *Nature*, **363**, 83-85.
- Runnels, L. R., Jenco, J., Morris, A., Scarlata, S. (1996) Membrane Binding of Phospholipase C- β 1 and C- β 2 Is Independent of Phosphatidylinositol 4,5-Bisphosphate and the α and $\beta\gamma$ Subunits of G Proteins. *Biochemistry*, **35**, 16824-16832.
- Sadja, R., Smadja, K., Alagem, N., Reuveny, E. (2001) Coupling G $\beta\gamma$ -dependent activation to channel opening via pore elements in inwardly rectifying potassium channels. *Neuron*, **29**, 669-680.
- Sambrook, J., Russel, D. W. (2001) Molecular cloning: A laboratory manual. New York: Cold Spring Harbor Laboratory Press.
- Sasaki, T., Irie-Sasaki, J., Jones, R. G., Oliveira-dos-Santos, A. J., Stanford, W. L., Bolon, B., Wakeham, A., Itie, A., Bouchard, D., Kozieradzki, I., Joza, N., Mak, T. W., Ohashi, P. S., Suzuki, A., Penninger, J. M. (2000) Function of PI3K γ in thymocyte development, T cell activation, and neutrophil migration. *Science*, **287**, 1040-1046.
- Schaefer, M., Albrecht, N., Hofmann, T., Gudermann, T., Schultz, G. (2001) Diffusion-

limited translocation mechanism of protein kinase C isotypes. *FASEB J.*, **15**, 1634-1636.

Schlessinger, J. (1988) Signal transduction by allosteric receptor oligomerization. *Trends Biochem Sci.*, **13**, 443-447.

Schlessinger, J. (2000) Cell Signalling by Receptor Tyrosine Kinases. *Cell*, **103**, 211-225.

Schöneberg, T., Schultz, G., Gudermann, T. (1999) Structural basis for G protein-coupled receptor function. *Mol. Cell. Endocrinol.*, **151**, 181-193.

Schu, P. K., Takegawa, K., Fry, M. J., Stack, J. H., Waterfield, M. D., Emr, S. D. (1993) Phosphatidylinositol 3-kinase encoded by yeast VPS34 gene essential for protein sorting. *Science*, **260**, 88-91.

Seger, R., Krebs, E. G. (1995) The MAPK signaling cascade. *FASEB J.*, **9**, 726-35.

Shioi, T., Kang, P. M., Douglas, P. S., Hampe, J., Yballe, C. M., Lawitts, J., Cantley, L. C., Izumo, S. (2000) The conserved phosphoinositide 3-kinase pathway determines heart size in mice. *EMBO J.*, **19**, 2537-2548.

Simon, M. I., Strathmann, M. P., Gautam, N. (1991) Diversity of G proteins in signal transduction. *Science*, **252**, 802-808.

Skolnik, E. Y., Margolis, B., Mohammadi, M., Lowenstein, E., Fischer, R., Drepps, A., Ullrich, A., Schlessinger, J. (1991) Cloning of PI3 kinase-associated p85 utilizing a novel method for expression/cloning of target proteins for receptor tyrosine kinases. *Cell*, **65**, 83-90.

Smrcka, A. V., Hepler, J. R., Brown, K. O., Sternweis, P. C. (1991) Regulation of polyphosphoinositide-specific phospholipase C activity by purified G_q. *Science*, **251**, 804-807.

Smrcka, A. V., Sternweis, P. C. (1993) Regulation of purified subtypes of phosphatidylinositol-specific phospholipase C β activity by G protein α and $\beta\gamma$ subunits. *J. Biol. Chem.*, **268**, 9667 - 9674.

Soltoff, S. P., Cantley, L. C. (1996) p120cbl is a cytosolic adapter protein that associates with phosphoinositide 3-kinase in response to epidermal growth factor in PC12 and other cells. *J. Biol. Chem.*, **271**, 563-567.

Songyang, Z., Shoelson, S. E., Chaudhuri, M., Gish, G., Pawson, T., Haser, W. G., King, F., Roberts, T., Ratnofsky, S., Lechleider, R. J., Neel, B. G., Birge, R. B., Fajardo, J. E., Chou, M. M., Hanafusa, H., Schaffhausen, B., Cantley, L. C. (1993) SH2 domains recognize specific phosphopeptide sequences. *Cell*, **72**, 767-778.

Spicher, K., Kalkbrenner, F., Zobel, A., Harhammer, R., Nürnberg, B., Söling, A., Schultz, G. (1994) G₁₂ and G₁₃ α -subunits are immunohistochemically detectable in membranes of most tissues of various mammalian species. *Biochem. Biophys. Res. Comm.*, **198**, 906-914.

- Sprang, S. R. (1997) G Protein Mechanisms: Insights from Structural Analysis. *Annu. Rev. Biochem.*, **66**, 639-78.
- Stack, J. H., Herman, P. K., Schu, P. V., Emr, S. D. (1993) A membrane-associated complex containing the Vps15 protein kinase and the Vps34 PI 3-kinase is essential for protein sorting to yeast lysosome-like vacuole. *EMBO J.*, **12**, 2195-2204.
- Stephens, L. R., Jackson, T. R., Hawkins, P. T. (1993) Agonist-stimulated synthesis of phosphatidylinositol(3,4,5)-trisphosphate: a new intracellular signalling system? *Biochem. Biophys. Acta*, **1179**, 27-75.
- Stephens, L., Smrcka, A., Cooke, F. T., Jackson, T. R., Sternweis, P. C., Hawkins, P. T. (1994a) A novel phosphoinositide 3 kinase activity in myeloid-derived cells is activated by G protein $\beta\gamma$ subunits. *Cell*, **77**, 83-89.
- Stephens, L., Cooke, F. T., Walters, R., Jackson, T., Volinia, S., Gout, I., Waterfield, M. D., Hawkins, P. T. (1994b) Characterization of a phosphatidylinositol-specific phosphoinositide 3-kinase from mammalian cells. *Curr. Biol.*, **4**, 203-214.
- Stephens, L. R., Eguinoa, A., Erdjument-Bromage, H., Lui, M., Cooke, F., Coadwell, J., Smrcka, A. S., Thelen, M., Cadwallader, K., Tempst, P., Hawkins, P. T. (1997) The $G\beta\gamma$ sensitivity of a PI3K is dependent upon a tightly associated adaptor, p101. *Cell*, **89**, 105-114.
- Stephens, L., Anderson, K., Stokoe, D., Erdjument-Bromage, H., Painter, G. F., Holmes, A. B., Gaffney, P. R., Reese, C. B., McCormick, F., Tempst, P., Coadwell, J., Hawkins, P. T. (1998) Protein kinase B kinases that mediate phosphatidylinositol 3,4,5-trisphosphate-dependent activation of protein kinase B. *Science*, **279**, 710-714.
- Stephens, L., Ellson, C., Hawkins, P. (2002) Roles of PI3Ks in leukocyte chemotaxis and phagocytosis. *Curr. Opin. Cell Biol.*, **14**, 203-213.
- Stokoe, D., Macdonald, S. G., Cadwallader, K., Symons, M., Hancock, J. F. (1994) Activation of Raf as a result of recruitment to the plasma membrane. *Science*, **26**, 1463-1467.
- Stokoe, D., Stephens, L. R., Copeland, T., Gaffney, P. R., Reese, C. B., Painter, G. F., Holmes, A. B., McCormick, F., Hawkins, P. T. (1997) Dual role of phosphatidylinositol-3,4,5-trisphosphate in the activation of protein kinase B. *Science*, **277**, 567-570.
- Stoyanov, V., Volinia, S., Hanck, T., Rubio, I., Loubtchenkov, M., Malek, D., Stoyanova, S., Vanhaesebroeck, B., Dhand, R., Nürnberg, B., Gierschick, P., Seedorf, K., Hsuan, J. J., Waterfield, M. D., Wetzker, R. (1995) Cloning and characterization of a G protein-activated human phosphoinositol-3-kinase. *Science*, **269**, 690-693.
- Stoyanova, S., Bulgarelli-Leva, G., Kirsch, C., Hanck, T., Klinger, R., Wetzker, R., Wymann, M. P. (1997) Lipid kinase and protein kinase activities of G-protein-coupled phosphoinositide 3-kinase γ : structure-activity analysis and interactions with wortmannin. *Biochem. J.*, **324**, 489-495.

- Strathmann, M. P., Simon, M. I. (1991) $G\alpha_{12}$ and $G\alpha_{13}$ subunits define a fourth class of G protein α subunits. *Proc. Natl. Acad. Sci. U S A*, **88**, 5582-5586.
- Streuli, M. (1996) Protein tyrosine phosphatases in signaling. *Curr. Opin. Cell Biol.*, **8**, 182-188.
- Stryer, L. (1978) Fluorescence energy transfer as a spectroscopic ruler. *Annu. Rev. Biochem.*, **47**, 819-846.
- Sugimoto, Y., Whitman, M., Cantley, L. C., Erikson, R. L. (1984) Evidence that the Rous sarcoma virus transforming gene product phosphorylates phosphatidylinositol and diacylglycerol. *Proc. Natl. Acad. Sci. U S A*, **81**, 2117-2121.
- Suire, S., Hawkins, P., Stephens, L. (2002) Activation of Phosphoinositide 3-Kinase γ by Ras. *Curr. Biol.*, **12**, 1068-1075.
- Sunahara, R. K., Dessauer, C. W., Gilman, A. G. (1996) Complexity and diversity of mammalian adenylyl cyclases. *Annu. Rev. Pharmacol. Toxicol.*, **36**, 461-480.
- Suzuki, H., Terauchi, Y., Fujiwara, M., Aizawa, S., Yazaki, Y., Kadowaki, T., Koyasu, S. (1999) Xid-like immunodeficiency in mice with disruption of the p85 α subunit of phosphoinositide 3-kinase. *Science*, **283**, 390-392.
- Tang, X., Downes, C. P. (1997) Purification and characterization of $G\beta\gamma$ -responsive phosphoinositide 3-kinases from pig platelet cytosol. *J. Biol. Chem.*, **272**, 14193-14199.
- Taniguchi, T. (1995) Cytokine Signalling Through Nonreceptor Protein Tyrosine Kinases. *Science*, **268**, 251-255.
- Tanti, J. F., Gremeaux, T., Van Obberghen, E., Le Marchand-Brustel, Y. (1994) Insulin receptor substrate 1 is phosphorylated by the serine kinase activity of phosphatidylinositol 3-kinase. *Biochem. J.*, **304**, 17-21.
- Taussig, R., Gilman, A. G. (1995) Mammalian membrane-bound adenylyl cyclases. *J. Biol. Chem.*, **270**, 1-4.
- ten Dijke, P., Miyazono, K., Heldin, C. H. (1996) Signaling via hetero-oligomeric complexes of type I and type II serine/threonine kinase receptors. *Curr. Opin. Cell Biol.*, **8**, 139-145.
- Terauchi, Y., Tsuji, Y., Satoh, S., Minoura, H., Murakami, K., Okuno, A., Inukai, K., Asano, T., Kaburagi, Y., Ueki, K., Nakajima, H., Hanafusa, T., Matsuzawa, Y., Sekihara, H., Yin, Y., Barrett, J. C., Oda, H., Ishikawa, T., Akanuma, Y., Komuro, I., Suzuki, M., Yamamura, K., Kodama, T., Suzuki, H., Kadowaki, T., et al. (1999) Increased insulin sensitivity and hypoglycaemia in mice lacking the p85 α subunit of phosphoinositide 3-kinase. *Nat. Genet.*, **21**, 230-235.

Thomas, S. M., Brugge, J. S. (1997) Cellular functions regulated by Src family kinases. *Annu. Rev. Cell Dev. Biol.*, **13**, 513-609.

Toker, A., Newton, A. C. (2000a) Cellular signaling: pivoting around PDK-1. *Cell*, **103**, 185-188.

Toker, A., Newton, A. C. (2000b) Akt/protein kinase B is regulated by autophosphorylation at the hypothetical PDK-2 site. *J. Biol. Chem.*, **275**, 8271-8274.

Tolias, K. F., Cantley, L. C., Carpenter, C. L. (1995) Rho family GTPases bind to phosphoinositide kinases. *J. Biol. Chem.*, **270**, 17656-17659.

Traynor-Kaplan, A. E., Harris, A. L., Thompson, B. L., Taylor, P., Sklar, L. A. (1988) An inositol tetrakisphosphate-containing phospholipid in activated neutrophils. *Nature*, **334**, 353-336.

Tsien, R. Y., Miyawaki, A. (1998) Seeing the machinery of live cells. *Science*, **280**, 1954-1955.

Turner, S. J., Domin, J., Waterfield, M. D., Ward, S. G., Westwick, J. (1998) The CC chemokine monocyte chemoattractant peptide-1 activates both the class I p85/p110 phosphatidylinositol 3-kinase and the class II PI3K-C2 α . *J. Biol. Chem.*, **273**, 25987-25995.

Ueki, K., Fruman, D. A., Brachmann, S. M., Tseng, Y. H., Cantley, L. C., Kahn, C. R. (2002) Molecular balance between the regulatory and catalytic subunits of phosphoinositide 3-kinase regulates cell signaling and survival. *Mol. Cell. Biol.*, **22**, 965-977.

Ueki, K., Fruman, D. A., Brachmann, S. M., Tseng, Y. H., Cantley, L. C., Kahn, C. R. (2002) Molecular balance between the regulatory and catalytic subunits of phosphoinositide 3-kinase regulates cell signaling and survival. *Mol. Cell. Biol.*, **22**, 965-977.

Unwin, N. (1993) Neurotransmitter action: opening of ligand-gated ion channels. *Cell*, **72**, 31-41.

Vanhaesebroeck, B., Welham, M. J., Kotani, K., Stein, R., Warne, P. H., Zvelebil, M. J., Higashi, K., Volinia, S., Downward, J., Waterfield, M. D. (1997) p110 δ , a novel phosphoinositide 3-kinase in leukocytes. *Proc. Natl. Acad. Sci. U S A*, **94**, 4330-4335.

Vanhaesebroeck, B., Higashi, K., Raven, C., Welham, M., Anderson, S., Brennan, P., Ward, S. G., Waterfield, M. D. (1999) Autophosphorylation of p110 δ phosphoinositide 3-kinase: a new paradigm for the regulation of lipid kinases *in vitro* and *in vivo*. *EMBO J.*, **18**, 1292-1302.

Vanhaesebroeck, B., Waterfield, M. D. (1999) Signaling by distinct classes of phosphoinositide 3-kinases. *Exp. Cell. Res.*, **253**, 239-254.

Vanhaesebroeck, B., Leever, S. J., Ahmadi, K., Timms, J., Katso, R., Driscoll, P. C., Woscholski, R., Parker, P. J., Waterfield, M. D. (2001) Synthesis and Function of 3-

phosphorylated Inositol Lipids. *Annu. Rev. Biochem.*, **70**, 535-602.

van Roessel, P., Brand, A. H. (2002) Imaging into the future: visualizing gene expression and protein interactions with fluorescent proteins. *Nat. Cell Biol.*, **4**, E15-20.

Várnai, P., Rother, K. I., Balla, T. (1999) Phosphatidylinositol 3-kinase-dependent membrane association of the Bruton's tyrosine kinase pleckstrin homology domain visualized in single living cells. *J. Biol. Chem.*, **274**, 10983-10989.

Vivanco, I., Sawyers, C. L. (2002) The phosphatidylinositol 3-Kinase AKT pathway in human cancer. *Nat. Rev. Cancer*, **2**, 489-501.

Vogel, L. B., Fujita, D. J. (1993) The SH3 domain of p56lck is involved in binding to phosphatidylinositol 3'-kinase from T lymphocytes. *Mol. Cell. Biol.*, **13**, 7408-7417.

Volinia, S., Dhand, R., Vanhaesebroeck, B., MacDougall, L. K., Stein, R., Zvelebil, M. J., Domin, J., Panaretou, C., Waterfield, M. D. (1995) A human phosphatidylinositol 3-kinase complex related to the yeast Vps34p-Vps15p protein sorting system. *EMBO J.*, **14**, 3339-3348.

von Willebrand, M., Williams, S., Saxena, M., Gilman, J., Tailor, P., Jascur, T., Amarante-Mendes, G. P., Green, D. R., Mustelin, T. (1998) Modification of phosphatidylinositol 3-kinase SH2 domain binding properties by Abl- or Lck-mediated tyrosine phosphorylation at Tyr-688. *J. Biol. Chem.*, **273**, 3994-4000.

Walker, E. H., Perisic, O., Ried, C., Stephens, L., Williams, R. L. (1999) Structural insights into phosphoinositide 3-kinase catalysis and signalling. *Nature*, **402**, 313-320.

Walker, E. H., Pacold, M. E., Perisic, O., Stephens, L., Hawkins, P. T., Wymann, M. P., Williams, R. L. (2000) Structural determinants of phosphoinositide 3-kinase inhibition by wortmannin, LY294002, quercetin, myricetin, and staurosporine. *Mol. Cell*, **6**, 909-919.

Wang, S., Hazelrigg, T. (1994) Implications for bcd mRNA localization from spatial distribution of exu protein in *Drosophila* oogenesis. *Nature*, **369**, 400-403.

Wang, J., Auger, K. R., Jarvis, L., Shi, Y., Roberts, T. M. (1995) Direct association of Grb2 with the p85 subunit of phosphatidylinositol 3-kinase. *J. Biol. Chem.*, **270**, 12774-12780.

Whitman, M., Kaplan, D. R., Schaffhausen, B., Cantley, L., Roberts, T. M. (1985) Association of phosphatidylinositol kinase activity with polyoma middle-T competent for transformation. *Nature*, **315**, 239-242.

Whitman, M., Downes, C. P., Keeler, M., Keller, T., Cantley, L. (1988) Type I phosphatidylinositol kinase makes a novel inositol phospholipid, phosphatidylinositol-3-phosphate. *Nature*, **332**, 644-646.

Wickman, K., Nemeč, J., Gendler, S. J., Clapham, D. E. (1998) Abnormal heart rate

regulation in GIRK4 knockout mice. *Neuron*, **20**, 103-114.

Wilkie, T. M., Gilbert, D. J., Olsen, A. S., Chen, X. N., Amatruda, T. T., Korenberg, J. R., Trask, B. J., de Jong, P., Reed, R. R., Simon, M. I., Jenkins, N. A., Copeland, N. G. (1992) Evolution of the mammalian G protein α subunit multigene family. *Nature Genet.*, **1**, 85 - 91.

Wittinghofer, A., Nassar, N. (1996) How Ras-related proteins talk to their effectors. *Trends Biochem. Sci.*, **21**, 488-491.

Wong, Y. H., Conklin, B. R., Bourne, H. R. (1992) G_z -mediated hormonal inhibition of cyclic AMP accumulation. *Science*, **255**, 339-342.

Wong, S. K., Ross, E. M. (1994) Chimeric muscarinic cholinergic:beta-adrenergic receptors that are functionally promiscuous among G proteins. *J. Biol. Chem.*, **269**, 18968-18976.

Woscholski, R., Parker, P. J. (1997) Inositol lipid 5-phosphatases - traffic signals and signal traffic. *Trends Biochem. Sci.*, **22**, 427-431.

Wymann, M. P., Bulgarelli-Leva, G., Zvelebil, M. J., Pirola, L., Vanhaesebroeck, B., Waterfield, M. D., Panayotou, G. (1996) Wortmannin inactivates phosphoinositide 3-kinase by covalent modification of Lys-802, a residue involved in the phosphate transfer reaction. *Mol. Cell. Biol.*, **16**, 1722-1733.

Wymann, M. P., Pirola, L. (1998) Structure and function of phosphoinositide 3-kinases. *Biochem. Biophys. Acta*, **1436**, 127-150.

Yarfitz, S., Hurley, J. B. (1994) Transduction mechanisms of vertebrate and invertebrate photoreceptors. *J. Biol. Chem.*, **269**, 14329-14332.

Yi, B. A., Lin, Y. F., Jan, Y. N., Jan, L. Y. (2001) Yeast screen for constitutively active mutant G protein-activated potassium channels. *Neuron*, **29**, 657-667.

Yu, J., Zhang, Y., McIlroy, J., Rordorf-Nikolic, T., Orr, G. A., Backer, J. M. (1998a) Regulation of the p85/p110 phosphatidylinositol 3'-kinase: stabilization and inhibition of the p110 α catalytic subunit by the p85 regulatory subunit. *Mol. Cell Biol.*, **18**, 1379-1387.

Yu, J., Wjasow, C., Backer, J. M. (1998b) Regulation of the p85/p110 α Phosphatidylinositol 3'-Kinase. Distinct roles for the N-terminal and C-terminal SH2 domains. *J. Biol. Chem.*, **273**, 30199-30203.

Zhang, J. H., Barr, V. A., Mo, Y., Rojkova, A. M., Liu, S., Simonds, W. F. (2001) Nuclear localization of G protein β_5 and regulator of G protein signaling 7 in neurons and brain. *J. Biol. Chem.*, **276**, 10284-10289.

Zheng, Y., Bagrodia, S., Cerione, R. A. (1994) Activation of phosphoinositide 3-kinase activity by Cdc42Hs binding to p85. *J. Biol. Chem.*, **269**, 18727-18730.