

6 Literatur

Altschul, S. F., Madden, T. L., Schaffer, A. A., Zhang, J. H., Zhang, Z., Miller, W. und Lipman, D. J. (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Research* 25: 3389-3402.

Ananthanarayanan, B., Das, S., Rhee, S. G., Murray, D. und Cho, W. (2002). Membrane targeting of C2 domains of phospholipase C δ isoforms. *Journal of Biological Chemistry* 277: 3568-3575.

Ansari, K., Martin, S., Farkasovsky, M., Ehbrecht, I. M. und Kuntzel, H. (1999). Phospholipase C binds to the receptor-like GPR1 protein and controls pseudohyphal differentiation in *Saccharomyces cerevisiae*. *Journal of Biological Chemistry* 274: 30052-30058.

Anthony, R. G., Henriques, R., Helfer, A., Meszaros, T., Rios, G., Testerink, C., Munnik, T., Deak, M., Koncz, C. und Bogre, L. (2004). A protein kinase target of a PDK1 signalling pathway is involved in root hair growth in *Arabidopsis*. *EMBO Journal* 23: 572-581.

Apone, F., Alyeshmerni, N., Wiens, K., Chalmers, D., Chrispeels, M. J. und Colucci, G. (2003). The G-protein-coupled receptor GCR1 regulates DNA synthesis through activation of phosphatidylinositol-specific phospholipase C. *Plant Physiology* 133: 571-579.

Ashton, N. W. und Cove, D. J. (1977). Isolation and Preliminary Characterization of Auxotrophic and Analog Resistant Mutants of the Moss, *Physcomitrella patens*. *Molecular and General Genetics* 154: 87-95.

Ashton, N. W., Cove, D. J. und Featherstone, D. R. (1979). Isolation and Physiological Analysis of Mutants of the Moss *Physcomitrella patens*, Which Over-Produce Gametophores. *Planta* 144: 437-442.

Balboa, M. A., Balsinde, J., Dillon, D. A., Carman, G. M. und Dennis, E. A. (1999). Proinflammatory macrophage-activating properties of the novel phospholipid diacylglycerol pyrophosphate. *Journal of Biological Chemistry* 274: 522-526.

Benito, B. und Rodriguez-Navarro, A. (2003). Molecular cloning and characterization of a sodium-pump ATPase of the moss *Physcomitrella patens*. *Plant Journal* 36: 382-389.

Berridge, M. J. und Irvine, R. F. (1989). Inositol Phosphates and Cell Signaling. *Nature* 341: 197-205.

Bone, N., Millar, J. B. A., Toda, T. und Armstrong, J. (1998). Regulated vacuole fusion and fission in *Schizosaccharomyces pombe*: an osmotic response dependent on MAP kinases. *Current Biology* 8: 135-144.

Bopp, M. und Atzorn, R. (1992). Hormonal-Regulation of Moss Development. *Naturwissenschaften* 79: 337-346.

Bradford, M. M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein dye binding. *Analytical Biochemistry* 72: 248-254.

Brearley, C. A., Parmar, P. N. und Hanke, D. E. (1997). Metabolic evidence for PtdIns(4,5)P₂-directed phospholipase C in permeabilized plant protoplasts. *Biochemical Journal* 324: 123-131.

Chalfie, M., Tu, Y., Euskirchen, G., Ward, W. W. und Prasher, D. C. (1994). Green Fluorescent Protein As A Marker for Gene-Expression. *Science* 263: 802-805.

Christensen, A. C., Lyznik, A., Mohammed, S., Elowsky, C. G., Elo, A., Yule, R. und Mackenzie, S. A. (2005). Dual-domain, dual-targeting organellar protein presequences in *Arabidopsis* can use non-AUG start codons. *Plant Cell* 17: 2805-2816.

Christianson, M. L. (2000). ABA prevents the second cytokinin-mediated event during the induction of shoot buds in the moss *Funaria hygrometrica*. *American Journal of Botany* 87: 1540-1545.

Ciechanover, A. und Schwartz, A. L. (1998). The ubiquitin-proteasome pathway: The complexity and myriad functions of proteins death. *Proceedings of the National Academy of Sciences of the United States of America* 95: 2727-2730.

Cooke, F. T. (2002). Phosphatidylinositol 3,5-bisphosphate: metabolism and function. *Archives of Biochemistry and Biophysics* 407: 143-151.

Cove, D. J., Knight, C. D. und Lamparter, T. (1997). Mosses as model systems. *Trends in Plant Science* 2: 99-105.

Das, S., Hussain, A., Bock, C., Keller, W. A. und Georges, F. (2005). Cloning of *Brassica napus* phospholipase C2 (BnPLC2), phosphatidylinositol 3-kinase (BnVPS34) and phosphatidylinositol synthase1 (BnPtdIns S1) - comparative analysis of the effect of abiotic stresses on the expression of phosphatidylinositol signal transduction-related genes in *B. napus*. *Planta* 220: 777-784.

Day, I. S., Reddy, V. S., Ali, G. S. und Reddy, A. S. N. (2002). Analysis of EF-hand-containing proteins in *Arabidopsis*. *Genome Biology* 3: 1-24.

den Hartog, M., Musgrave, A. und Munnik, T. (2001). Nod factor-induced phosphatidic acid and diacylglycerol pyrophosphate formation: a role for phospholipase C and D in root hair deformation. *Plant Journal* 25: 55-65.

Denger, K., Ruff, A., Rein, U. und Cook, A. M. (2001). Sulphoacetaldehyde sulpho-lyase (EC 4.4.1.12) from *Desulfonispora thiosulfatigenes*: purification, properties and primary sequence. *Biochemical Journal* 357: 581-586.

- Dewald, D. B., Torabinejad, J., Jones, C. A., Shope, J. C., Cangelosi, A. R., Thompson, J. E., Prestwich, G. D. und Hama, H. (2001). Rapid accumulation of phosphatidylinositol 4,5-bisphosphate and inositol 1,4,5-trisphosphate correlates with calcium mobilization in salt-stressed *Arabidopsis*. *Plant Physiology* 126: 759-769.
- Dove, S. K., Cooke, F. T., Douglas, M. R., Sayers, L. G., Parker, P. J. und Michell, R. H. (1997). Osmotic stress activates phosphatidylinositol-3,5-bisphosphate synthesis. *Nature* 390: 187-192.
- Dowd, P. E., Coursol, S., Skirpan, A. L., Kao, T. H. und Gilroy, S. (2006). *Petunia* phospholipase C1 is involved in pollen tube growth. *Plant Cell* 18: 1438-1453.
- Dower, W. J., Miller, J. F. und Ragsdale, C. W. (1988). High-Efficiency Transformation of *Escherichia coli* by High-Voltage Electroporation. *Nucleic Acids Research* 16: 6127-6145.
- Drobak, B. K. (1992). The Plant Phosphoinositide System. *Biochemical Journal* 288: 697-712.
- Drobak, B. K. und Heras, B. (2002). Nuclear phosphoinositides could bring FYVE alive. *Trends in Plant Science* 7: 132-138.
- Elias, M., Potocky, M., Cvrckova, F. und Zarsky, V. (2002). Molecular diversity of phospholipase D in angiosperms. *BMC Genomics* 3: 2.
- Ellis, M. V., James, S. R., Perisic, O., Downes, C. P., Williams, R. L. und Katan, M. (1998). Catalytic domain of phosphoinositide-specific phospholipase C (PLC) - Mutational analysis of residues within the active site and hydrophobic ridge of PLC δ 1. *Journal of Biological Chemistry* 273: 11650-11659.
- Essen, L. O., Perisic, O., Cheung, R., Katan, M. und Williams, R. L. (1996). Crystal structure of a mammalian phosphoinositide-specific phospholipase C δ . *Nature* 380: 595-602.
- Franklin-Tong, V. E., Drobak, B. K., Allan, A. C., Watkins, P. A. C. und Trewavas, A. J. (1996). Growth of pollen tubes of *Papaver rhoeas* is regulated by a slow-moving calcium wave propagated by inositol 1,4,5-trisphosphate. *Plant Cell* 8: 1305-1321.
- Frenck, V. (2004). Einfluss biotischer und abiotischer Faktoren auf Moos-Mutanten, bei denen die Phospholipase C ausgeschaltet wurde. Staatsexamensarbeit am Fachbereich Biologie, Chemie und Pharmazie der Freien Universität Berlin.
- Fruman, D. A., Meyers, R. E. und Cantley, L. C. (1998). Phosphoinositide kinases. *Annual Review of Biochemistry* 67: 481-507.
- Fujii, M., Ohtsubo, M., Ogawa, T., Kamata, H., Hirata, H. und Yagisawa, H. (1999). Real-Time Visualization of PH Domain-Dependent Translocation of Phospholipase

C- δ 1 in Renal Epithelial Cells (MDCK): Response to Hypo-osmotic Stress. *Biochemical and Biophysical Research Communications* 254: 284-291.

Griendling, K. K., Taubman, M. B., Akers, M., Mendlowitz, M. und Alexander, R. W. (1991). Characterization of Phosphatidylinositol-Specific Phospholipase C from Cultured Vascular Smooth-Muscle Cells. *Journal of Biological Chemistry* 266: 15498-15504.

Hahm, S. H. und Saunders, M. J. (1991). Cytokinin Increases Intracellular Ca²⁺ in *Funaria* - Detection with Indo-1. *Cell Calcium* 12: 675-681.

Harada, A., Sakai, T. und Okada, K. (2003). phot1 and phot2 mediate blue light-induced transient increases in cytosolic Ca²⁺ differently in *Arabidopsis* leaves. *Proceedings of the National Academy of Sciences of the United States of America* 100: 8583-8588.

Harmon, A. C., Gribskov, M. und Harper, J. F. (2000). CDPKs - a kinase for every Ca²⁺ signal? *Trends in Plant Science* 5: 154-159.

Harper, J. F., Hong, B. M., Hwang, I. D., Guo, H. Q., Stoddard, R., Huang, J. F., Palmgren, M. G. und Sze, H. (1998). A novel calmodulin-regulated Ca²⁺-ATPase (ACA2) from *Arabidopsis* with an N-terminal autoinhibitory domain. *Journal of Biological Chemistry* 273: 1099-1106.

Hartmann, E. und Pfaffmann, H. (1990). Phosphatidylinositol and Phytochrome-Mediated Phototropism of Moss Protonemal Tip Cells. In *Inositol Metabolism in Plants*. pp. 259-275. Herausgeber: Morre, D. J., Boss, W. F. und Loewus, F. A.; Wiley-Liss Inc., Willmington, USA

Hartmann, E., Beutelmann, P., Vandekerkhove, O., Euler, R. und Kohn, G. (1986). Moss Cell-Cultures As Sources of Arachidonic and Eicosapentaenoic Acids. *FEBS Letters* 198: 51-55.

Hartung, F. und Puchta, H. (2006). The RecQ gene family in plants. *Journal of Plant Physiology* 163: 287-296.

Hau, M. (2005). Biochemische und physiologische Untersuchungen an PLC-Mutanten von *Physcomitrella patens*. Diplomarbeit am Fachbereich Biologie, Chemie und Pharmazie der Freien Universität Berlin.

Hedtke, B., Borner, T. und Weihe, A. (2000). One RNA polymerase serving two genomes. *EMBO Reports* 1: 435-440.

Helling, D., Possart, A., Cottier, S., Klahre, U. und Kost, B. (2006). Pollen Tube Tip Growth Depends on Plasma Membrane Polarization Mediated by Tobacco PLC3 Activity and Endocytic Membrane Recycling. *The Plant Cell* 18: 3519-3534.

Hetherington, A. M. und Brownlee, C. (2004). The generation of Ca²⁺ signals in plants. *Annual Review of Plant Biology* 55: 401-427.

- Hirayama, T., Ohto, C., Mizoguchi, T. und Shinozaki, K. (1995). A Gene Encoding A Phosphatidylinositol-Specific Phospholipase C Is Induced by Dehydration and Salt Stress in *Arabidopsis thaliana*. Proceedings of the National Academy of Sciences of the United States of America 92: 3903-3907.
- Hohe, A., Egner, T., Lucht, J. M., Holtorf, H., Reinhard, C., Schween, G. und Reski, R. (2004). An improved and highly standardised transformation procedure allows efficient production of single and multiple targeted gene-knockouts in a moss, *Physcomitrella patens*. Current Genetics 44: 339-347.
- Horstmann, V., Huether, C. M., Jost, W., Reski, R. und Decker, E. L. (2004). Quantitative promoter analysis in *Physcomitrella patens*: a set of plant vectors activating gene expression within three orders of magnitude. BMC Biotechnology 4: 13.
- Huber, S. C. und Hardin, S. C. (2004). Numerous posttranslational modifications provide opportunities for the intricate regulation of metabolic enzymes at multiple levels. Current Opinion in Plant Biology 7: 318-322.
- Hunt, L., Otterhag, L., Lee, J. C., Lasheen, T., Hunt, J., Seki, M., Shinozaki, K., Sornmarin, M., Gilmour, D. J., Pical, C. und Gray, J. E. (2004). Gene-specific expression and calcium activation of *Arabidopsis thaliana* phospholipase C isoforms. New Phytologist 162: 643-654.
- Hwang, I., Sze, H. und Harper, J. F. (2000). A calcium-dependent protein kinase can inhibit a calmodulin-stimulated Ca^{2+} pump (ACA2) located in the endoplasmic reticulum of *Arabidopsis*. Proceedings of the National Academy of Sciences of the United States of America 97: 6224-6229.
- Imaizumi, T., Kadota, A., Hasebe, M. und Wada, M. (2002). Cryptochrome light signals control development to suppress auxin sensitivity in the moss *Physcomitrella patens*. Plant Cell 14: 373-386.
- Irvine, R. F., Letcher, A. J. und Dawson, R. M. C. (1980). Phosphatidylinositol Phosphodiesterase in Higher Plants. Biochemical Journal 192: 279-283.
- Jonak, C., Okresz, L., Bogre, L. und Hirt, H. (2002). Complexity, cross talk and integration of plant MAP kinase signalling. Current Opinion in Plant Biology 5: 415-424.
- Kabeya, Y. und Sato, N. (2005). Unique translation initiation at the second AUG codon determines mitochondrial localization of the phage-type RNA polymerases in the moss *Physcomitrella patens*. Plant Physiology 138: 369-382.
- Kamisugi, Y., Schlink, K., Rensing, S. A., Schween, G., von Stackelberg, M., Cuming, A. C., Reski, R. und Cove, D. J. (2006). The mechanism of gene targeting in *Physcomitrella patens*: homologous recombination, concatenation and multiple integration. Nucleic Acids Research 34: 6205-6214.
- Karathanassis, D., Stahelin, R. V., Bravo, J., Perisic, O., Pacold, C. M., Cho, W. W. und Williams, R. L. (2002). Binding of the PX domain of p47(phox) to

phosphatidylinositol 3,4-bisphosphate and phosphatidic acid is masked by an intramolecular interaction. *EMBO Journal* 21: 5057-5068.

Katagiri, T., Ishiyama, K., Kato, T., Tabata, S., Kobayashi, M. und Shinozaki, K. (2005). An important role of phosphatidic acid in ABA signaling during germination in *Arabidopsis thaliana*. *Plant Journal* 43: 107-117.

Katan, M. (1998). Families of phosphoinositide-specific phospholipase C: structure and function. *Biochimica et Biophysica Acta* 1436: 5-17.

Kim, Y. J., Kim, J. E., Lee, J. H., Lee, M. H., Jung, H. W., Bahk, Y. Y., Hwang, B. K., Hwang, I. und Kim, W. T. (2004). The Vr-PLC3 gene encodes a putative plasma membrane-localized phosphoinositide-specific phospholipase C whose expression is induced by abiotic stress in mung bean (*Vigna radiata* L.). *FEBS Letters* 556: 127-136.

Klare, S. (2006). Lokalisation und Expressionsanalysen der Phospholipase C im Moos *Physcomitrella patens*. Diplomarbeit am Fachbereich Biologie, Chemie und Pharmazie der Freien Universität Berlin.

Knight, C. D., Sehgal, A., Atwal, K., Wallace, J. C., Cove, D. J., Coates, D., Quatrano, R. S., Bahadur, S., Stockley, P. G. und Cuming, A. C. (1995). Molecular Responses to Abscisic-Acid and Stress Are Conserved Between Moss and Cereals. *Plant Cell* 7: 499-506.

Kopka, J., Ludewig, M. und Muller-Rober, B. (1997). Complementary DNAs encoding eukaryotic-type cytidine-5'-diphosphate-diacylglycerol synthases of two plant species. *Plant Physiology* 113: 997-1002.

Kopka, J., Pical, C., Gray, J. E. und Muller-Rober, B. (1998a). Molecular and enzymatic characterization of three phosphoinositide-specific phospholipase C isoforms from potato. *Plant Physiology* 116: 239-250.

Kopka, J., Pical, C., Hetherington, A. M. und Muller-Rober, B. (1998b). Ca²⁺/phospholipid-binding (C2) domain in multiple plant proteins: novel components of the calcium-sensing apparatus. *Plant Molecular Biology* 36: 627-637.

Kouchi, Z., Shikano, T., Nakamura, Y., Shirakawa, H., Fukami, K. und Miyazaki, S. (2005). The role of EF-hand domains and C2 domain in regulation of enzymatic activity of phospholipase C ζ . *Journal of Biological Chemistry* 280: 21015-21021.

Krinke, O., Novotna, Z., Valentova, O. und Martinec, J. (2006). Inositol trisphosphate receptor in higher plants: is it real? *Journal of Experimental Botany*: doi:10.1093/jxb/erl220.

Laemmli, U. K. (1970). Cleavage of Structural Proteins During Assembly of Head of Bacteriophage-T4. *Nature* 227: 680-685.

Lee, H. Y., Bahn, S. C., Kang, Y. M., Lee, K. H., Kim, H. J., Noh, E. K., Palta, J. P., Shin, J. S. und Ryu, S. B. (2003). Secretory low molecular weight phospholipase

- A₂ plays important roles in cell elongation and shoot gravitropism in *Arabidopsis*. *Plant Cell* 15: 1990-2002.
- Lee, H. Y., Bahn, S. C., Shin, J. S., Hwang, I., Back, K., Doelling, J. H. und Ryu, S. B. (2005a). Multiple forms of secretory phospholipase A₂ in plants. *Progress in Lipid Research* 44: 52-67.
- Lee, K. J. D., Sakata, Y., Mau, S. L., Pettolino, F., Bacic, A., Quatrano, R. S., Knight, C. D. und Knox, J. P. (2005b). Arabinogalactan proteins are required for apical cell extension in the moss *Physcomitrella patens*. *Plant Cell* 17: 3051-3065.
- Lee, S., Hirt, H. und Lee, Y. (2001). Phosphatidic acid activates a wound-activated MAPK in *Glycine max*. *Plant Journal* 26: 479-486.
- Lee, Y. S., Choi, Y. B., Suh, S., Lee, J., Assmann, S. M., Joe, C. O., Kelleher, J. F. und Crain, R. C. (1996). Abscisic acid-induced phosphoinositide turnover in guard cell protoplasts of *Vicia faba*. *Plant Physiology* 110: 987-996.
- Lein, W. und Saalbach, G. (2001). Cloning and direct G-protein regulation of phospholipase D from tobacco. *Biochimica et Biophysica Acta* 1530: 172-183.
- Lemtiri-Chlieh, F., MacRobbie, E. A. C., Webb, A. A. R., Manison, N. F., Brownlee, C., Skepper, J. N., Chen, J., Prestwich, G. D. und Brearley, C. A. (2003). Inositol hexakisphosphate mobilizes an endomembrane store of calcium in guard cells. *Proceedings of the National Academy of Sciences of the United States of America* 100: 10091-10095.
- Luan, S. (2003). Protein Phosphatases in Plants. *Annual Review of Plant Biology* 54: 63-92.
- Ma, H., Lou, Y., Lin, W. H. und Xue, H. W. (2006). MORN motifs in plant PIPKs are involved in the regulation of subcellular localization and phospholipid binding. *Cell Res* 16: 466-478.
- Meijer, H. J. G., Divecha, N., van den Ende, H., Musgrave, A. und Munnik, T. (1999). Hyperosmotic stress induces rapid synthesis of phosphatidyl-D-inositol 3,5-bisphosphate in plant cells. *Planta* 208: 294-298.
- Meijer, H. J. G. und Munnik, T. (2003). Phospholipid-based signaling in plants. *Annual Review of Plant Biology* 54: 265-306.
- Melin, P. M., Sommarin, M., Sandelius, A. S. und Jergil, B. (1987). Identification of Ca²⁺-stimulated Polyphosphoinositide Phospholipase C in Isolated Plant Plasma-Membranes. *FEBS Letters* 223: 87-91.
- Mikami, K., Repp, A., Graebe-Abts, E. und Hartmann, E. (2004). Isolation of cDNAs encoding typical and novel types of phosphoinositide-specific phospholipase C from the moss *Physcomitrella patens*. *Journal of Experimental Botany* 55: 1437-1439.

- Minami, A., Nagao, M., Arakawa, K., Fujikawa, S. und Takezawa, D. (2003). Abscisic acid-induced freezing tolerance in the moss *Physcomitrella patens* is accompanied by increased expression of stress-related genes. *Journal of Plant Physiology* 160: 475-483.
- Minami, A., Nagao, M., Ikegami, K., Koshiba, T., Arakawa, K., Fujikawa, S. und Takezawa, D. (2005). Cold acclimation in bryophytes: low-temperature-induced freezing tolerance in *Physcomitrella patens* is associated with increases in expression levels of stress-related genes but not with increase in level of endogenous abscisic acid. *Planta* 220: 414-423.
- Mueller-Roeber, B. und Pical, C. (2002). Inositol phospholipid metabolism in *Arabidopsis*. Characterized and putative isoforms of inositol phospholipid kinase and phosphoinositide-specific phospholipase C. *Plant Physiology* 130: 22-46.
- Munnik, T. (2001). Phosphatidic acid: an emerging plant lipid second messenger. *Trends in Plant Science* 6: 227-233.
- Munnik, T., deVrije, T., Irvine, R. F. und Musgrave, A. (1996). Identification of diacylglycerol pyrophosphate as a novel metabolic product of phosphatidic acid during G-protein activation in plants. *Journal of Biological Chemistry* 271: 15708-15715.
- Munnik, T. und Meijer, H. J. G. (2001). Osmotic stress activates distinct lipid and MAPK signalling pathways in plants. *FEBS Letters* 498: 172-178.
- Nagao, M., Minami, A., Arakawa, K., Fujikawa, S. und Takezawa, D. (2005). Rapid degradation of starch in chloroplasts and concomitant accumulation of soluble sugars associated with ABA-induced freezing tolerance in the moss *Physcomitrella patens*. *Journal of Plant Physiology* 162: 169-180.
- Narusaka, Y., Narusaka, M., Seki, M., Fujita, M., Ishida, J., Nakashima, M., Enju, A., Sakurai, T., Satou, M., Kamiya, A., Park, P., Kobayashi, M. und Shinozaki, K. (2003). Expression profiles of *Arabidopsis* phospholipase A IIA gene in response to biotic and abiotic stresses. *Plant and Cell Physiology* 44: 1246-1252.
- Oldenhof, H., Wolkers, W. F., Bowman, J. L., Tablin, F. und Crowe, J. H. (2006). Freezing and desiccation tolerance in the moss *Physcomitrella patens*: An in situ Fourier transform infrared spectroscopic study. *Biochimica et Biophysica Acta* 1760: 1226-1234.
- Oliver, M. J., Velten, J. und Wood, A. J. (2000). Bryophytes as experimental models for the study of environmental stress tolerance: *Tortula ruralis* and desiccation-tolerance in mosses. *Plant Ecology* 151: 73-84.
- Otterhag, L., Sommarin, M. und Pical, C. (2001). N-terminal EF-hand-like domain is required for phosphoinositide-specific phospholipase C activity in *Arabidopsis thaliana*. *FEBS Letters* 497: 165-170.

- Pappan, K. und Wang, X. M. (1999). Molecular and biochemical properties and physiological roles of plant phospholipase D. *Biochimica et Biophysica Acta* 1439: 151-166.
- Park, S. K., Lee, J. R., Lee, S. S., Son, H. J., Yoo, J. Y., Moon, J. C., Kwon, H. Y., Lim, C. O., Bahk, J. D., Cho, M. J. und Lee, S. Y. (2002). Partial purification and properties of a phosphatidylinositol 4,5-bisphosphate hydrolyzing phospholipase C from the soluble fraction of soybean sprouts. *Molecules and Cells* 13: 377-384.
- Paszkowski, J., Baur, M., Bogucki, A. und Potrykus, I. (1988). Gene Targeting in Plants. *EMBO Journal* 7: 4021-4026.
- Patel, S., Joseph, S. K. und Thomas, A. P. (1999). Molecular properties of inositol 1,4,5-trisphosphate receptors. *Cell Calcium* 25: 247-264.
- Perera, I. K., Hilmann, I., Chang, S. C., Boss, W. F. und Kaufman, P. B. (2001). A role for inositol 1,4,5-trisphosphate in gravitropic signaling and the retention of cold-perceived gravistimulation of oat shoot pulvini. *Plant Physiology* 125: 1499-1507.
- Perera, I. Y., Heilmann, I. und Boss, W. F. (1999). Transient and sustained increases in inositol 1,4,5-bisphosphate precede the differential growth response in gravistimulated maize pulvini. *Proceedings of the National Academy of Sciences of the United States of America* 96: 5838-5843.
- Pical, C., Westergren, T., Dove, S. K., Larsson, C. und Sommarin, M. (1999). Salinity and hyperosmotic stress induce rapid increases in phosphatidylinositol 4,5-bisphosphate, diacylglycerol pyrophosphate, and phosphatidylcholine in *Arabidopsis thaliana* cells. *Journal of Biological Chemistry* 274: 38232-38240.
- Pierrugues, O., Brutesco, C., Oshiro, J., Gouy, M., Deveaux, Y., Carman, G. M., Thuriaux, P. und Kazmaier, M. (2001). Lipid phosphate phosphatases in *Arabidopsis* - Regulation of the AtLPP1 gene in response to stress. *Journal of Biological Chemistry* 276: 20300-20308.
- Pietrzak, M., Shillito, R. D., Hohn, T. und Potrykus, I. (1986). Expression in Plants of two Bacterial Antibiotic Resistance Genes After Protoplast Transformation with A New Plant Expression Vector. *Nucleic Acids Research* 14: 5857-5868.
- Plieth, C. (1999). Temperature sensing by plants: Calcium-permeable channels as primary sensors - A model. *Journal of Membrane Biology* 172: 121-127.
- Plieth, C., Hansen, U. P., Knight, H. und Knight, M. R. (1999). Temperature sensing by plants: the primary characteristics of signal perception and calcium response. *Plant Journal* 18: 491-497.
- Price, A. H., Taylor, A., Ripley, S. J., Griffiths, A., Trewavas, A. J. und Knight, M. R. (1994). Oxidative Signals in Tobacco Increase Cytosolic Calcium. *Plant Cell* 6: 1301-1310.

- Qin, C. B. und Wang, X. M. (2002). The *Arabidopsis* phospholipase D family. Characterization of a calcium-independent and phosphatidylcholine-selective PLD ζ 1 with distinct regulatory domains. *Plant Physiology* 128: 1057-1068.
- Rebecchi, M. J. und Pentylala, S. N. (2000). Structure, function, and control of phosphoinositide-specific phospholipase C. *Physiological Reviews* 80: 1291-1335.
- Repp, A. (2004). Pflanzliche Phospholipase C und ihre Bedeutung in der Entwicklung von *Physcomitrella patens*. Dissertation am Fachbereich Biologie, Chemie und Pharmazie der Freien Universität Berlin.
- Repp, A., Mikami, K., Mittmann, F. und Hartmann, E. (2004). Phosphoinositide-specific phospholipase C is involved in cytokinin and gravity responses in the moss *Physcomitrella patens*. *Plant Journal* 40: 250-259.
- Rhee, S. G. (2001). Regulation of phosphoinositide-specific phospholipase C. *Annual Review of Biochemistry* 70: 281-312.
- Richter, U., Kiessling, J., Hedtke, B., Decker, E., Reski, R., Borner, T. und Weihe, A. (2002). Two RpoT genes of *Physcomitrella patens* encode phage-type RNA polymerases with dual targeting to mitochondria and plastids. *Gene* 290: 95-105.
- Riera, M., Valon, C., Fenzi, F., Giraudat, J. und Leung, J. (2005). The genetics of adaptive responses to drought stress: abscisic acid-dependent and abscisic acid-independent signalling components. *Physiologia Plantarum* 123: 111-119.
- Rizzo, M. A., Shome, K., Vasudevan, C., Stolz, D. B., Sung, T. C., Frohman, M. A., Watkins, S. C. und Romero, G. (1999). Phospholipase D and its product, phosphatidic acid, mediate agonist-dependent Raf-1 translocation to the plasma membrane and the activation of the mitogen-activated protein kinase pathway. *Journal of Biological Chemistry* 274: 1131-1139.
- Robinson, S. A., Wasley, J. und Tobin, A. K. (2003). Living on the edge - plants and global change in continental and maritime Antarctica. *Global Change Biology* 9: 1681-1717.
- Rogers, S. O. und Bendich, A. J. (1985). Extraction of DNA from Milligram Amounts of Fresh, Herbarium and Mummified Plant Tissues. *Plant Molecular Biology* 5: 69-76.
- Roy, G., Villar, L. M., Lazaro, I., Gonzalez, M., Bootello, A. und Gonzalezporque, P. (1991). Purification and Properties of Membrane and Cytosolic Phosphatidylinositol-Specific Phospholipases C from Human Spleen. *Journal of Biological Chemistry* 266: 11495-11501.
- Rußmann, D. (2006). Der Einfluss verschiedener abiotischer und biotischer Faktoren auf die Expression von Phospholipasen C in *Physcomitrella patens*. Staatsexamensarbeit am Fachbereich Biologie, Chemie und Pharmazie der Freien Universität Berlin.

- Sakakibara, K., Nishiyama, T., Sumikawa, N., Kofuji, R., Murata, T. und Hasebe, M. (2003). Involvement of auxin and a homeodomain-leucine zipper I gene in rhizoid development of the moss *Physcomitrella patens*. *Development* 130: 4835-4846.
- Sambrook, J. and Russell, D. W. (2001). *Molecular Cloning. A Laboratory Manual*. Cold Spring Harbor Laboratory Press.
- Sanchez, J. P. und Chua, N. H. (2001). *Arabidopsis* PLC1 is required for secondary responses to abscisic acid signals. *Plant Cell* 13: 1143-1154.
- Sanders, D., Brownlee, C. und Harper, J. F. (1999). Communicating with calcium. *Plant Cell* 11: 691-706.
- Sanders, D., Pelloux, J., Brownlee, C. und Harper, J. F. (2002). Calcium at the crossroads of signaling. *Plant Cell* 14: S401-S417.
- Saunders, C. M., Larman, M. G., Parrington, J., Cox, L. J., Royse, J., Blayney, L. M., Swann, K. und Lai, F. A. (2002). PLC ζ : a sperm-specific trigger of Ca²⁺ oscillations in eggs and embryo development. *Development* 129: 3533-3544.
- Schaefer, D.G. (2001). Gene targeting in *Physcomitrella patens*. *Current Opinion in Plant Biology* 4: 143-150.
- Schaefer, D. G. und Zryd, J. P. (1997). Efficient gene targeting in the moss *Physcomitrella patens*. *Plant Journal* 11: 1195-1206.
- Schaefer, D., Zryd, J. P., Knight, C. D. und Cove, D. J. (1991). Stable Transformation of the Moss *Physcomitrella patens*. *Molecular and General Genetics* 226: 418-424.
- Schulz-Lessdorf, B. und Hedrich, R. (1995). Protons and Calcium Modulate Sv-Type Channels in the Vacuolar-Lysosomal Compartment - Channel Interaction with Calmodulin Inhibitors. *Planta* 197: 655-671.
- Schumaker, K. S. und Dietrich, M. A. (1997). Programmed changes in form during moss development. *Plant Cell* 9: 1099-1107.
- Schumaker, K. S. und Gizinski, M. J. (1996). G proteins regulate dihydropyridine binding to moss plasma membranes. *Journal of Biological Chemistry* 271: 21292-21296.
- Shen, B., Jensen, R. G. und Bohnert, H. J. (1997). Increased resistance to oxidative stress in transgenic plants by targeting mannitol biosynthesis to chloroplasts. *Plant Physiology* 113: 1177-1183.
- Shi, J. R., Gonzales, R. A. und Bhattacharyya, M. K. (1995). Characterization of A Plasma Membrane-Associated Phosphoinositide-Specific Phospholipase C from Soybean. *Plant Journal* 8: 381-390.

- Shimada, N., Aoki, T., Sato, S., Nakamura, Y., Tabata, S. und Ayabe, S. (2003). A cluster of genes encodes the two types of chalcone isomerase involved in the biosynthesis of general flavonoids and legume-specific 5-deoxy(iso)flavonoids in *Lotus japonicus*. *Plant Physiology* 131: 941-951.
- Soll, J. und Schleiff, E. (2004). Protein import into chloroplasts. *Nature Reviews Molecular Cell Biology* 5: 198-208.
- Stevenson, J. M., Pepera, I. Y., Heilmann, I., Persson, S. und Boss, W. F. (2000). Inositol signaling and plant growth. *Trends in Plant Science* 5: 252-258.
- Strepp, R., Scholz, S., Kruse, S., Speth, V. und Reski, R. (1998). Plant nuclear gene *knockout* reveals a role in plastid division for the homolog of the bacterial cell division protein FtsZ, an ancestral tubulin. *Proceedings of the National Academy of Sciences of the United States of America* 95: 4368-4373.
- Testerink, C. und Munnik, T. (2005). Phosphatidic acid: a multifunctional stress signaling lipid in plants. *Trends in Plant Science* 10: 368-375.
- Thelander, M., Olsson, T. und Ronne, H. (2004). Snf1-related protein kinase 1 is needed for growth in a normal day-night light cycle. *EMBO Journal* 23: 1900-1910.
- Trewavas, A. J. und Malho, R. (1998). Ca^{2+} signalling in plant cells: the big network! *Current Opinion in Plant Biology* 1: 428-433.
- Valadon, L. R. G. und Mummery, R. S. (1971). Quantitative Relationship between Various Growth Substances and Bud Production in *Funaria hygrometrica* - Bioassay for Abscisic Acid. *Physiologia Plantarum* 24: 232-234.
- van Schooten, B., Testerink, C. und Munnik, T. (2006). Signalling diacylglycerol pyrophosphate, a new phosphatidic acid metabolite. *Biochimica et Biophysica Acta* 1761: 151-159.
- Venkataraman, G., Goswami, M., Tuteja, N., Reddy, M. K. und Sopory, S. K. (2004). Isolation and characterization of a phospholipase C δ isoform from pea that is regulated by light in a tissue specific manner. *Molecular Genetics and Genomics* 270: 378-386.
- Wallace, R. B., Shaffer, J., Murphy, R. F., Bonner, J., Hirose, T. und Itakura, K. (1979). Hybridization of Synthetic Oligodeoxyribonucleotides to ϕ_{x174} DNA: the Effect of Single Base Pair Mismatch. *Nucleic Acids Research* 6: 3543-3557
- Wang, P., Toyoshima, S. und Osawa, T. (1986). Partial Purification and Characterization of Membrane-Bound and Cytosolic Phosphatidylinositol-Specific Phospholipases C from Murine Thymocytes. *Journal of Biochemistry* 100: 1015-1022.
- Wang, W. und Altman, A. (2003). Plant responses to drought, salinity and extreme temperatures: towards genetic engineering for stress tolerance. *Planta* 218: 1-14.

- Wang, X. M. (1999). The role of phospholipase D in signaling cascades. *Plant Physiology* 120: 645-651.
- Wang, X. M. (2004). Lipid signaling. *Current Opinion in Plant Biology* 7: 329-336.
- Wang, X. M. (2005). Regulatory functions of phospholipase D and phosphatidic acid in plant growth, development, and stress responses. *Plant Physiology* 139: 566-573.
- Wang, X. Y., Shi, X. L., Hao, B. L., Ge, S. und Luo, J. C. (2005). Duplication and DNA segmental loss in the rice genome: implications for diploidization. *New Phytologist* 165: 937-946.
- White, P. J. (2000). Calcium channels in higher plants. *Biochimica et Biophysica Acta* 1465: 171-189.
- Xiong, L. M., Schumaker, K. S. und Zhu, J. K. (2002). Cell signaling during cold, drought, and salt stress. *Plant Cell* 14: S165-S183.
- Xiong, L. M. und Zhu, J. K. (2001). Abiotic stress signal transduction in plants: Molecular and genetic perspectives. *Physiologia Plantarum* 112: 152-166.
- Xu, L. W., Paulsen, A. Q., Ryu, S. B. und Wang, X. M. (1996). Intracellular localization of phospholipase D in leaves and seedling tissues of castor bean. *Plant Physiology* 111: 101-107.
- Xu, X. J., Cao, Z. X., Liu, G. Q., Bhattacharrya, M. K. und Ren, D. (2004). Cloning and expression of *AtPLC6*, a gene encoding a phosphatidylinositol-specific phospholipase C in *Arabidopsis thaliana*. *Chinese Science Bulletin* 49: 567-573.
- Xue, H. W., Hosaka, K., Plesch, G. und Mueller-Roeber, B. (2000). Cloning of *Arabidopsis thaliana* phosphatidylinositol synthase and functional expression in the yeast *pis* mutant. *Plant Molecular Biology* 42: 757-764.
- Yagisawa, H., Sakuma, K., Paterson, H. F., Cheung, R., Allen, V., Hirata, H., Watanabe, Y., Hirata, M., Williams, R. L. und Katan, M. (1998). Replacements of single basic amino acids in the pleckstrin homology domain of phospholipase C $\delta 1$ alter the ligand binding, phospholipase activity, and interaction with the plasma membrane. *Journal of Biological Chemistry* 273: 417-424.
- Yalovsky, S., Rodriguez-Concepcion, M. und Grissem, W. (1999). Lipid modifications of proteins - slipping in and out of membranes. *Trends in Plant Science* 4: 439-445.
- Yamamoto, A., Dewald, D. B., Boronenkov, I. V., Anderson, R. A., Emr, S. D. und Koshland, D. (1995). Novel PI(4)P 5-Kinase Homolog, Fab1P, Essential for Normal Vacuole Function and Morphology in Yeast. *Molecular Biology of the Cell* 6: 525-539.
- Yotsushima, K., Mitsui, T., Takaoka, T., Hayakawa, T. und Gaue, I. (1993). Purification and Characterization of Membrane-Bound Inositol Phospholipid-

Specific Phospholipase C from Suspension-Cultured Rice (*Oryza sativa* L) Cells - Identification of A Regulatory Factor. *Plant Physiology* 102: 165-172.

Zalejski, C., Paradis, S., Maldiney, R., Habricot, Y., Miginiac, E., Rona, J. P. und Jeannette, E. (2006). Induction of abscisic acid-regulated gene expression by diacylglycerol pyrophosphate involves Ca^{2+} and anion currents in *Arabidopsis* suspension cells. *Plant Physiology* 141: 1555-1562.

Zeidler, M., Hartmann, E. und Hughes, J. (1999). Transgene expression in the moss *Ceratodon purpureus*. *Journal of Plant Physiology* 154: 641-650.

Zhai, S. M., Sui, Z. H., Yang, A. F. und Zhang, J. R. (2005). Characterization of a novel phosphoinositide-specific phospholipase C from *Zea mays* and its expression in *Escherichia coli*. *Biotechnology Letters* 27: 799-804.

Zhang, W. H., Qin, C. B., Zhao, J. und Wang, X. M. (2004). Phospholipase D α 1-derived phosphatidic acid interacts with ABI1 phosphatase 2C and regulates abscisic acid signaling. *Proceedings of the National Academy of Sciences of the United States of America* 101: 9508-9513.

Zhou, C., Wu, Y. Q. und Roberts, M. F. (1997). Activation of phosphatidylinositol-specific phospholipase C toward inositol 1,2-(cyclic)-phosphate. *Biochemistry* 36: 347-355.