

Magnetization reversal dynamics in magnetically coupled trilayer systems

im Fachbereich Physik
der Freien Universität Berlin
eingereichte Dissertation

vorgelegt von

Keiki Fukumoto

Mai 2005

1. Gutachter: Prof. Dr. Wolfgang Kuch
 2. Gutachter: Prof. Dr. Paul Fumagalli
- Tag der Disputation: 28. June. 2005

Contents

| | |
|--|-----------|
| Abstract | v |
| 1 Introduction | 1 |
| 2 Magnetic domain theory in static | 5 |
| 2.1 Magnetostatic energy | 5 |
| 2.2 Exchange energy | 6 |
| 2.3 Anisotropy energy | 7 |
| 2.3.1 Cubic anisotropy | 7 |
| 2.3.2 Volume and surface/interface anisotropies | 7 |
| 2.3.3 Field- and morphology-induced anisotropies | 8 |
| 2.4 Zeeman energy | 8 |
| 2.5 Formation of domains | 9 |
| 2.6 Bloch wall and Néel wall | 9 |
| 3 Magnetic domain theory in dynamics | 11 |
| 3.1 Thermally activated wall motion | 12 |
| 3.2 Viscous wall motion | 14 |
| 3.2.1 Gyromagnetic ratio | 18 |
| 3.3 Walker limit field | 18 |
| 4 Experiment | 21 |
| 4.1 Magnetic domain imaging with element selectivity: XMCD-PEEM | 21 |
| 4.1.1 X-ray Magnetic Circular Dichroism | 21 |
| 4.1.2 Photoelectron emission microscopy | 23 |
| 4.1.3 XMCD-PEEM | 26 |
| 4.2 Using a micro-coil | 27 |
| 5 Samples and Results | 31 |
| 5.1 Slow magnetization dynamics on a Co/Ni double layer | 31 |
| 5.1.1 Sample A | 31 |
| 5.1.2 Reduction of magnetic domain size in an ultrathin film | 33 |
| 5.1.3 Wall melting by heating | 38 |
| 5.1.4 Domain wall jumps during deposition | 38 |

| | | |
|----------|--|------------|
| 5.2 | Domain structure evolution by magnetic field pulses | 40 |
| 5.2.1 | Sample B | 40 |
| 5.2.2 | Single-pulse experiment (1) | 41 |
| 5.2.3 | Single-pulse experiment (2) | 45 |
| 5.3 | Non reproducible domain wall motion | 47 |
| 5.3.1 | Sample C | 47 |
| 5.3.2 | Pump-probe experiment | 48 |
| 5.3.3 | Single-pulse experiment | 49 |
| 5.4 | Magnetization reversal on a weak anisotropy trilayer | 51 |
| 5.4.1 | Sample D | 51 |
| 5.4.2 | Pump-probe experiment | 52 |
| 5.5 | Magnetization reversal by nucleation and propagation | 55 |
| 5.5.1 | Sample E | 55 |
| 5.5.2 | Pump-probe experiments | 56 |
| 6 | Discussion | 63 |
| 6.1 | Magnetization reversal on transitions | 63 |
| 6.2 | Motion of the spin reorientation transition line | 64 |
| 6.3 | Influence of coupling energy on magnetization reversal | 66 |
| 6.4 | Mobility of wall motion | 69 |
| 6.5 | Influence of anisotropy energy on the magnetization reversal | 71 |
| 6.6 | Influence of domain wall energy on wall motion (1) | 72 |
| 6.7 | Influence of domain wall energy on wall motion (2) | 78 |
| 6.8 | Stray field influence on the domain nucleation | 80 |
| 7 | Conclusion | 83 |
| | Appendix | 87 |
| | Bibliography | 90 |
| | List of publications | 97 |
| | Curriculum Vitae | 101 |
| | Acknowledgement | 103 |
| | Zusammenfassung | 105 |

Abstract

Throughout this dissertation, the spin dynamics from the nanosecond (ns) range to infinitely long time scales has been studied. A combination of x-ray magnetic circular dichroism and photoelectron emission microscopy was used to investigate the magnetic domain structure with element selectivity. In addition, a micro-coil, which can supply ns-short magnetic field pulses, was employed to study either the magnetic domain evolution induced by single pulses (so called single-pulse technique) or the domain dynamics during pulses (pump-probe technique).

The magnetization reversal in the ns range of the magnetically soft layer in spin valve and magnetic tunnel junction like trilayer systems has been investigated. The influence of magnetic anisotropy and interlayer magnetic coupling between the two ferromagnetic layers on the magnetization reversal have been studied. Also the surface/interface roughness and micromagnetic effects related to the domain wall energy and stray fields from a domain wall in the hard magnetic layer influence the reversal. Magnetization reversal in the timescale of seconds range was observed in a region with an out-of-plane easy axis of magnetization of a Co/Ni double layer epitaxially grown on a Cu(001) clean surface. The driving forces for the magnetization reversal were the thermal energy, upon heating the sample, or the change in anisotropy energy with time by depositing Co.