

## 7 Literaturverzeichnis

Bennat, C., Lichtschutz mit Mikropigmenten – Beitrag zur physikochemischen Charakterisierung, galenischen Stabilisierung und Untersuchung des Penetrationsverhaltens von mikrofeinen Titandioxid und Zinkoxid, Dissertation, TU Braunschweig, 1999

Bennat, C., Müller-Goymann, C.C., Skin penetration and stabilization of formulations containing microfine titanium dioxide as physical UV filter, Int. J. Cosmet. Sci. 22, 271-283, 2000

Benzler, B., Thermische Analysen – Teil I: Grundlagen und Definitionen, Sonderdruck aus CLB Chemie für Labor und Betrieb, Umschau Verlag, Frankfurt, 1982

Bilotti, D.N., dos Reis, M.M., Feirreira, M.M.C., Pessine, F.B.T., Photochemical behavior under UVA-radiation of  $\beta$ -cyclodextrin included Parsol 1789 with a chemometric approach, J. Mol. Structure 480 (1), 557-561, 1999

Bunjes, H., Einflußnahme unterschiedlicher Faktoren auf Struktur und Eigenschaften von Nanopartikeln aus festen Triglyceriden, Dissertation, Friedrich-Schiller-Universität Jena, 1998

Bunjes, H., Westesen, K., Koch, M.H.J., Crystallisation tendency and polymorphic transitions in triglyceride nanoparticles, Int. J. Pharm. 129, 159-173, 1996

Burger, A., DTA und DCS: Grundlage, Methodik und Anwendung, Pharmazie in unserer Zeit 6, 177-189, 1982

Burger, A., Wachter, H., Hunnius Pharmazeutisches Wörterbuch.-8., de Gruyter, 1998

Cai, R., Hashimoto, K., Itoh, K., Kubota, Y., Fujishima, A., Photokilling of malignant cells with ultrafine TiO<sub>2</sub> powder, Bull. Chem. Soc. Jpn. 64, 1268-1273, 1991

Cavalli, R., Bocca, A., Miglietta, A., Caputo, O., Gasco, M.R., Albumin adsorption on stealth and non stealth solid nanoparticles, STP Pharma Sci 9 (183-189), 1999

Cavalli, R., Marengo, E., Rodriguez, L., Gasco, M.R., Effect of some experimental factors on the production process of solid nanoparticles, Eur. J. Pharm. Biopharm. 43 (2), 110-115, 1996

Cavalli. R., Caputo, O., Carlotti, M.E., Trotta, M., Scarneccchia, C., Gasco, M.R., Sterilisation and freeze-drying of drug free and drug-loaded solid lipid nanoparticles, Int. J. Pharm. 148, 47-54, 1997

Cayrol, C., Sarraute, J., Tarroux, R., Redoules, D., Charveron, M., Gall, Y., A mineral sunscreen affords genomic protection against ultraviolet UVB and UVA radiation: in vitro and in situ assays, Br. J. Dermatol. 141, 250-258, 1999

Chapmann, D., The polymorphism of glycerides, Chem. Reviews 62, 433-456, 1962

Chatelain, E., Gabard, B., Photostabilization of Butyl methoxydibenzoylmethane (Avonbenzone) and Ethylhexyl methoxycinnamate by Bis-ethylhexyloxyphenylmethoxyphenyl triazine (Tinosorb S), a New Broadband Filter, Photochemistry and Photobiology 74(3), 401-406, 2001

Chen, D.B., Yang, T.Z., Lu, W.L., Zhang, Q., In vitro and in vivo study of two types of long circulating sold lipid nanoparticles containing paclitaxel, Chemical and pharmaceutical bulletin 49 (11), 1444-1447, 2001

COLIPA, European Cosmetic, Toiletry and Perfumery Association, COLIPA SPF Test Method, 94/289, 1994

Daniels, R., Polymerstabilisierte Submikron-Emulsionen als Arzneiträgersysteme. In: Müller, R.H., Hildebrandt, G.E., (Hrsg.), Pharmazeutische Technologie: Moderne Arzneiformen. 2. erweiterte Auflage, Wissenschaftliche Verlagsgesellschaft Stuttgart, 1998

- de Buys, H.V., Levy, S.B., Murray, J.C., Madey, D.L., Sheldon, P.R., Modern approaches to photoprotection, *Dermatologic clinics*, 18 (4), 577-590, 2000
- de Vringer, T., de Ronde, H.A.G., Preparation and structure of a water-in-oil cream containing lipid nanoparticles, *J. Pharm. Sci.* 84, 466-472, 1995
- Diffey, B.L., Farr, P.M., Sunscreen protection against UVB, UVA and blue light: an in vivo and in vitro comparison, *Br. J. Dermatol.* 124, 258-263, 1991
- Diffey, B.L., Robson, J., A new substrate to measure sunscreen protection factors throughout the ultraviolet spectrum, *J. Soc. Cosmet. Chem.* 40, 127-133, 1989
- Dingler, A., Blum, R.P., Niehus, H., Gohla, S., Müller, R.H.: Solid lipid nanoparticles (SLN<sup>TM</sup>/Lipopearls<sup>TM</sup>) – A pharmaceutical and cosmetic carrier for the application of Vitamin E in dermal products, *J. Microencapsulation* 16, 751-767, 1999
- Dingler, A., Feste Lipid-Nanopartikel als kolloidale Wirkstoffträgersysteme zur dermalen Applikation, Dissertation, FU Berlin, 1998
- Dingler, A., Gohla, S., Production of solid lipid nanoparticles (SLN) scaling up feasibilities, *J. Microencapsulation* 19 (1), 11-16, 2002
- Doughong, D., Ramsden, J., Gratzel, M., Dynamics of interfacial electron-transfer systems in colloidal semiconductor systems, *J. Am. Chem. Soc.* 104, 2977-2985, 1982
- Driller, H., Lichtschutz mit Mikropigmenten – eine besondere galenische Herausforderung, *Parfüm. Kosmet.* 76, 486-488, 1995
- EEC Directive 83/574, No. L332, 38-42, 1983
- Faller, A., Schünke, M., *Der Körper des Menschen*, Thieme Verlag, 1995

## 7 Literaturverzeichnis

---

Fernandez, C., Marti-Mestres, G., Ramos, J., Maillols, H., LC analysis of benzophenone-3 : application to determination of in vitro and in vivo skin penetration from solvents, coarse and submicron emulsions, *J. Pharm. Biomed. Anal.* 24, 155-165, 2000

Fiedler, H.P., Lexikon der Hilfsstoffe für Pharmazie, Kosmetik und angrenzender Gebiete, 4. Auflage, Edition Cantor Verlag, Aulendorf, 1996

Flindt-Hansen, H., Nielsen, C.J., Thune, P., Measurements of the photodegradation of PABA and some PABA derivates, *Photodermatol.* 5, 257-261, 1988

Food Additive Database der FDA, Internet: [www.fda.gov](http://www.fda.gov), 2002

Forth, W., Henschler, D., Rummel W., Starke K., *Pharmakologie und Toxikologie*, 1998

Freitas, C., Feste Lipid-Nanopartikel (SLN): Mechanismen der physikalischen Destabilisierung und Stabilisierung, Dissertation, FU Berlin, 1998

Freitas, C., Müller, R.H., Correlation between long-term stability of solid lipid nanoparticles (SLN) and crystallinity of the lipid phase, *Eur. J. Pharm. Biopharm.* 47, 125-132, 1999

Freitas, C., Müller, R.H., Spray Drying of Solid Lipid Nanoparticles (SLN<sup>TM</sup>), *Eur. J. Pharm. Biopharm.* 46, 145-151, 1998

Fresta, M., Buccolo, C., Maltese, A., Mangiafico, S., Puglisi, G., Pegylated Solid Lipid Nanospheres as ophtalmic delivery systems of dexamethasone, Proc. 4<sup>th</sup> World Meeting on Pharm., Biopharm. and Pharm. Technology, Florence, 939-940, 2002

Garti, N., Sato, K., Crystallization and polymorphism of fats and fatty acids, Marcel Dekker, New York and Basel, 1998

- Gasco, M.R., Solid lipid nanopheres from warm micro-emulsions, Pharm. Tech. Eur. 12, 62-58, 1997
- Gohla, S.H., Dingler A., Scaling up feasibility of the production of solid nanoparticles (SLN<sup>TM</sup>), Pharmazie 56, 61-63, 2001
- Goossens, A., Beck, M.H., Haneke, E., McFadden, J.P. Nolting, S., Durupt, G., Ries, G., Adverse cutaneous reactions to cosmetic allergens, Contact Dermat. 40, 112-113, 1999
- Gregoriadis, G., Overview of liposomes, J. Antimicro. Chemoth. 28, Supp. B, 39-48, 1991
- Hagemann, J.W., Thermal behaviour and polymorphism of acylglycerides. In: Garti, N., Sato K., Crystallisation and polymorphism of fats and fatty acid. Marcel Dekker Inc., New York-Basel, 9-96, 1988
- Harmia, T., Speiser, P., Kreuter, J., A solid colloidal drug delivery system for the eye: encapsulation of pilocarpine in nanoparticles, J. Microencapsul. 3, 3-12, 1986
- Heiati, H., Tawashi, H. Phillips, N.C., Drug retention and stability of solid nanoparticles containing azidothymidine palmitate after autoclaving, storage and lyophilization, J. Microencapsulation 15, 173-184, 1998a
- Heiati, H., Tawashi, R., Phillips, N.C., Solid lipid nanoparticles as drug carriers, II. Plasma stability and biodistribution of solid lipid nanoparticles containing the lipophilic pro drug 3'-azido-3'-deoxythymidine palmitate in mice, Int. J. Pharm. 174, 71-80, 1998b
- Herzog, B., Prediction of sun protection factors by calculation of transmissions with a calibrated step film model, J. Cosmet. Sci., 53, 11-26, 2002
- Hewitt, J.P., Titanium Dioxide: a different kind of sunshield, Drug. Cosm. Ind. 9, 26-32, 1992

## 7 Literaturverzeichnis

---

Heymann, E., Haut, Haar und Kosmetik, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, 1994

Hildebrandt, G., Tack, J., Harnisch, S., Method for producing morphologically uniform micro and nanoparticles using micromixers, WO 2000072955 A1, 2000

Hunter, R.J., Foundation of Colloid Science, vol. 1. Oxford University Press, Oxford, 1986

Ireland, J.C., Klostermann, P., Rice, E.W., Clark, R.M., Inactivation of E. coli by titanium dioxide photocatalytic oxidation, Appl. Environ. Microbiol. 59, 1668-1670, 1993

Isler, O., Brubacher, G., Vitamine I, Georg Thieme Verlag Stuttgart, 1982

Jahnke, S., Mit Hochdruck aufgeschlossen, Process – PharmaTEC 3, 36-37, 2002

Jahnke, S., Theorie der Hochdruckhomogenisation, cdc – Colloidal Drug Carriers, 3rd Expert Meeting, Berlin, 1997

Janke, S., The theory of high pressure homogenization, in: Müller, R.H., Benita, S., Bohm, B. (Hrsg.), Emulsions and nanosuspensions for the formulation of poorly soluble drugs. Medpharm Scientific Publishers, Stuttgart, 177-200, 1998

Jenning, V., Feste Lipid-Nanopartikel (SLN) als Trägersystem für die dermale Applikation von Retinol: Wirkstoffinkorporation, -freisetzung und Struktur, Ph.D. Thesis, FU Berlin, 1999

Jenning, V., Gohla, S.H., Encapsulation of retinoids in solid lipid nanoparticles (SLN), J. Microencapsulation 18 (2), 149-158, 2001

Jenning, V., Schäfer-Korting, M., Gohla, S., Vitamin A-loaded solid lipid nanoparticles for topical use: drug release properties, J. Control. Release 66, 115-126, 2000

Jores, K., Mehnert, W., Bunjes, H., Drechsler, M., Mäder, K., From solid lipid nanoparticles (SLN) to nanospoons. Visions and reality of colloidal lipid dispersions, International Meeting on Pharmaceutics, Biopharmaceutics and Pharmaceutical Technology, Nuremberg, 439-440, 2004

Jores, K., Mehnert, W., Mäder, K., Physicochemical investigations on solid lipid nanoparticles (SLN) and on oil loaded solid nanoparticles: a NMR and ESR-study, Pharm. Research 20 (8), 1274-83, 2003

Jumaa, M., Müller, B.W., the effect of oil components and homogenisation conditions on the physicochemical properties and stability of parenteral fat emulsions, Int. J. Phram. 163, 81-89, 1998

Kindl, G., Eingreifen, bevor die Haut brennt, Pharm. Ztg. 21, 1685-1691, 2000

Kindl, G., Raab, W., Licht und Haut: Bräunung, Lichtschutz, Pflege, Govi Verlag, Frankfurt, 3. Auflage, 1993

Kindl, U., Neue Erkenntnisse zur polymorphen Lichtdermatose, Pharm. Ztg. 142, 1736-1737, 1997

Konaka, R., Kasahara, E., Dunlap, W.C., Yamamoto, Y., Chien, K.C., Inoue, M., Irradiation of titanium dioxide generates both singlet oxygen and superoxide anion, Free Rad. Biol. Med. 27 (3/4), 294-300, 1999

Koopmann, S., Schulz, J., Gers-Barlag, H., Pflücker, F., Daniels; R. Investigations on the stability of Pickering-emulsions using surface modified nanometer-sized titanium dioxides. Proc. 3rd World Meeting on Emulsion, Lyon, 2002

Kreuter, J., in Donbrow, M., Microcapsules and nanoparticles in medicine and pharmacy. Boca Raton, Fla.: CRC Press, 1992

## 7 Literaturverzeichnis

---

Landsdown, A.B.G., Taylor, A., Zinc and titanium oxides: promising UV-absorbers but what influence do they have on the intact skin? Int. Cosmet. Sci. 19, 167-172, 1997

Liedtke, S., Wissing, S., Müller R. H., Mäder, K., Influence of high pressure homogenisation equipment on nanodispersions characteristics, Int. J. Pharm. 196, 183-185, 2000

Lippacher, A., Müller, R.H. Mäder, K., Semisolid SLN™ dispersions for topical application: influence of formulation and production parameters on viscoelastic properties, E. J. Pharm, Biopharm., 53, 155-160, 2002

Lippacher, A., Müller, R.H.: Mäder, K., Production and physical characterisation of semisolid SLN dispersions as drug carrier for topical application, Proc. 3<sup>rd</sup> World Meeting on Pharm., Biopharm. and Pharm. Technology, Berlin, 427-428, 2000

Lippacher, A., Pharmazeutisch-technologische Charakterisierung von flüssigen und halbfesten SLN Dispersionen für die topische Applikation, Dissertation, FU Berlin, 2000

Lowe, N.J., Photoprotection, Sem. Dermat. 9 (1), 78-83, 1990

Maaßen, S., Schwarz, C., Mehnert, W., Lucks, J.S. Yunis-Specht, F., Müller, B.W., Müller, R.H., Comparison of cytotoxicity between polyester nanoparticles and solid lipid nanoparticles (SLN), Proc. Int. Symp. Contr. Release Bioact. Mater. 20, 490-491, 1993

Mehnert, W., Mäder, K., Solid lipid nanoparticles – production, characterization and applications, Adv. Drug Del. Rev. 47, 165-196, 2001

Müller, B.W., Müller, R.H., Bestimmung von mittleren Durchmessern und Größenverteilungen im submikroskopischen Bereich mit der Photonенkorrelationsspektroskopie, Pharm. Ind. 45, 1150-1153, 1983

Müller, R. H., Mäder, K., Gohla, S., Solid lipid nanoparticles (SLN) for controlled drug delivery – a review of the state of the art, Eur. J. Pharm. Biopharm. 50, 161-177, 2000a

Müller, R. H., Mäder, K., Wissing, S., Mittel mit UV-Strahlung absorbierender und/oder reflektierender Wirkung zum Schutz vor gesundheitsschädlicher UV-Strahlung und Stärkung der natürlichen Hautbarriere, Patentanmeldung Nr. 199 32 156.6 P 51102, 2000b

Müller, R. H., Mehnert, W., Lucks, J.S., Schwarz, C., zur Mühlen, A., Weyhers, H., Freitas, C., Rühl, D., Solid Lipid Nanoparticles (SLN) - An Alternative Colloidal Carrier System for Controlled Drug Delivery, Eur. J. Pharm. Biopharm. 41 (1), 62-69, 1995

Müller, R. H., Radtke, M., Wissing, S. A., Solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) in cosmetic and dermatological preparations, ADDR Reviews 54 Suppl. 1, S131-S155, 2002

Müller, R. H., Zetapotential und Partikelladung in der Laborpraxis, Wissenschaftliche Verlagsgesellschaft Stuttgart, 1996

Müller, R.H., Dingler, A., Schneppen, T., Gohla, S., Large scale production of solid lipid nanoparticles (SLN) and (DissoCubes). In: Wise, D., (Ed.), Handbook of Pharmaceutical Controlled Release Technology, Marcel Dekker Inc, New York, 2000c

Müller, R.H., Feste Lipidnanopartikel (SLN). In: Müller, R.H., Hildebrandt, G.E., (Hrsg.), Pharmazeutische Technologie: Moderne Arzneiformen, 2. erweiterte Auflage, Wissenschaftliche Verlagsgesellschaft Stuttgart, 1998

Müller, R.H., Lucks, J.S., Arzneistoffträger aus festen Lipidteilchen – feste Lipidnanosphären (SLN), European Patent 0604597, 1996a

## 7 Literaturverzeichnis

---

Müller, R.H., Maaßen, S., Weyhers, H., Specht, F., Lucks, J.S., Cytotoxicity of magnetite loaded polylactide, polyactide/glycolide particles and solid lipid nanoparticles (SLN), Int. J. Pharm. 138, 85-94, 1996b

Müller, R.H., Mäder, K., Lippacher, A., Jenning, V., Fest-flüssige (halbfeste) Lipidpartikel und Verfahren zur Herstellung hochkonzentrierter Lipidpartikeldispersionen, PCT/EP00/04565, 2000d

Müller, R.H., Schuhmann, R., Teilchengrößenmessung in der Laborpraxis, APV Paperback Band 28, Wissenschaftliche Verlagsgesellschaft mbH Stuttgart, 1996c

Müller, R.H., Zetapotential und Partikelladung in der Laborpraxis, APV Paperback Band 37, Wissenschaftliche Verlagsgesellschaft mbH Stuttgart, 1996b

Müller-Goymann, C.C., Neuer Entwicklungen bei topisch anzuwendenden Arzneimitteln, Pharm. Ztg. 42, 11-21, 1996d

Natow, A.J., Sunscreens, Cutis 38, 157-158, 1986

Olbrich, C., Entwicklung optimierter Lipidcarrier und ihre Untersuchung in biologischen Systemen, Dissertation, FU Berlin, 2002

O'Neill, J.J., Effect of film irregularities on sunscreen efficacy, J. Pharm. Sci., 73, 888-891, 1984

Orfanos, C.E., Zouboulis, C.C., Almond-Roesler, B., Geilen, C.C., Current use and future potential of retinoids in dermatology, Drugs 53, 358-388, 1997

Pathak, A.D., Edwards, C., Assessing protective effect of sunscreen products, Br. Med. J. 303, 418, 1991

Pathak, M.A., Sunscreens: topical and systemic approaches for protection of human skin against harmful effects of solar radiation, J. Am. Acad. Dermatol. 1, 285-312, 1982

Pena, L.E., Lee, B.L., Stears, J.F., Consistency development and destabilization fo a model cream, J. Soc. Cosmet. Chem. 44, 337-345, 1993

Pflücker, F., Hohenberg, H., Hölze, E., Will, T., Pfeiffer, S., Wepf, R., Diembeck, W., Wenck, H., Gers-Barlag, H., The outermost stratum corneum layer is an effective barrier against dermal uptake of topically applied micronized titanium dioxide, Int. J. Cosm. Sci. 21, 399-411, 1999

Raab, W., Kindl, U., Pflegekosmetik: ein Leitfaden, Govi Verlag, Frankfurt, 2. Aufl., 1997

Radtke, Grundlegende Untersuchung zur Arzneistoffinkorporation, -freisetzung und Struktur von SLN und NLC, Dissertation, FU Berlin, 2003

Rein, H., UV-Vis-Spekroskopie, DAZ 141 (26), 3073-3084, 2001

Roche-Lexikon Medizin, hrsg. von der Hoffmann-La Roche AG u. Urban & Schwarzenberg, 3. Aufl., 1993

Roelandts, R., Sohrabvand, N., Garmyn, M., Evaluating the UVA protection of sunscreens, J. Am. Acad. Dermatol. 21 (1), 57-62, 1989

Rücker, G., Neugebauer, M., Willem, G.G., Instrumentelle pharmazeutische Analytik, 2. Auflage, Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart, 57-100, 1992

Sato, K., Garti, N., Crystallization and polymorphic transformation: an introduction, in N. Garti, K. Sato, Crystallization and polymorphism of fats and fatty acids, Marcel Dekker Inc. New York und Basel, 3-7, 1988

Scalia, S., Simeoni, S., Laconinto, A., Improvement in the photostability of ethylhexyl-methoxycinnamate upon complexation with  $\beta$ -cyclodextrin, Proc. 4<sup>th</sup> World Meeting ADRITELF/APGI/APV, 1389-1390, 2002

Schauer, S., Lichtdermatose: Diagnose und Differentialdiagnose, Apotheker Journal 13, (4) 35, 1991

Schneppe, T., Entwicklung und Qualifizierung einer Pilotanlage zu QM- GMP gerechten Herstellung von Festen Lipidnanopartikel, Dissertation, FU Berlin, 1998

Schubert, R., Liposomes in topical application and their mode of action in the skin, Arch. Pharm. 324, 627-633, 1991

Schuhmann, R., Physikalische Stabilität parenteraler FettEmulsionen – Entwicklung eines Untersuchungsschemas unter besonderem Aspekt analytischer Möglichkeiten, Dissertation FU Berlin, 1995

Schulze, R., Parfümerie und Kosmetik 37, 310-365, 1965

Schütt, D.H., Kaiser, E., Stamm, I., Kubis, A., Müller, R.H., New Generation of Cosmetic Products Based on Solid Lipid Nanoparticles (Lipooearls<sup>TM</sup>), 2<sup>nd</sup> World Meeting Pharm., Biopharm. and Pharm. Technology, Paris, 585-586, 1998

Schwarz, C., Feste Lipidnanopartikel: Herstellung, Charakterisierung, Arzneistoffinkorporation und -freisetzung, Sterilisation und Lyophilisation, Dissertation, FU Berlin, 1995

Schwarzenbach, R., Die Entwicklung von UV-Filtern, TW Dermatologie 20, 181 ff, 1990

Siekmann, B., Westesen, K., Investigations on solid nanoparticles prepared by precipitation in o/w emulsions, Eur. J. Pharm. 43, 104-109, 1996

Siekmann, B., Westesen, K., Submicron-sized parenteral carrier systems based on solid lipids, Pharm. Pharmcol. Lett. 1, 123-126, 1992

Siekmann,B., Westesen K., Thermoanalysis of the recrystallization process of melt-homogenized glyceride nanoparticles. *Colloids Surf. B, Biointerfaces* 3, , 159-175, 1994

Stokes, R., Diffey, B., In vitro assessment of sunscreen photostability: the effect of radiation source, sunscreen application thickness and substrate, *Int. J. Cosmet. Sci.* 21, 341-351, 1999

Tabatt, K., Pharmazeutisch-biotechnologische Anwendungen von Festen Lipidnanopartikeln (SLN): Vakzinadjuvantien und Gentransfervehikel, Dissertation, FU Berlin, 2002

Tan, M.H., Commens, C.A., Burnett, L., Snitch, P.J., A pilot study on the percutaneous absorption of microfine titanium dioxide from sunscreens, *Austral. J. Dermatol.* 37, 185-187, 1996

Tichy, S. Transparentes TiO<sub>2</sub> zum UV-Schutz, SÖFW, 612-616, 1992

Tonnier, H., Kockott, D., Meick, B., Heinrich, U., Zur in vitro-Bestimmung des SPF. *Parf. und Kosm.* 77, 326-329, 1996

Tonnier, H., Was bedeutet SPF? *Akt. Dermatol.* 25, 167-173, 1999

Unruh, T., Bunjes, H., Westesen, K., Observation of size-dependent melting in lipid nanoparticles, *J. Phys. Chem. B.* 103, 10373-10377, 1999

Unruh, T., Westesen, K., Bösecke, P., Lindner, P., Koch, M.H.J., Self-assembly of triglyceride nanocrystals in suspension, *Langmuir* 18, 1769-1800, 2002

Voigt, R., Pharmazeutische Technologie, Ullstein Mosby GmbH Berlin, 7.Auflage 1993

## 7 Literaturverzeichnis

---

Walters, K.A., Brain, K.R., Howes, D., James, V.J., Krau, A.L., Teetsel, N.M., Toulon, M., Watkinson, A.C., Gettings, S.D., Percountaneous penetration of octyl salicylate from representative sunscreen formulations trough human skin in vitro, Food and Chem. Tox. 35, 1219-1225, 1997

Walters, K.A., Watkinson, A.C., In vitro skin permeation evaluation: the only realistic option, Int. J. Cosmet. Sci. 20, 307-316, 1998

Wamer, W.G., Yin, J., Wie, R., Oxidativ damage to nucleic acids photosensitized by titanium dioxide. Free radical biology & medicine 23, 851-858, 1997

Weiner, A.L., Lipids in pharmaceutical dosage forms, in: Swarbrick, J., Boylan, J.C., Encyclopedia of pharmaceutical technology, Marcel Dekker Inc. New York, 1993

Westesen, K., Bunjes H., Do nanoparticles prepared from lipids solid at room temperature always possess a solid matrix?, Int. J. Pharm. 115, 129-131, 1995

Westesen, K., Bunjes, H., Koch, M.H.J., Physicochemical characterization of lipid nanoparticles and evaluation of their drug loading capacity and sustained release potential, J.Control. Rel. 48, 223-236, 1997a

Westesen, K., Siekmann, B., Investigation of the gel formation of phospholipids-stabilized solid lipid nanoparticles, Int. J. Pharm. 151, 35-45, 1997b

Wissing, S. A., Mäder, K., Müller, R. H., Solid lipid nanoparticles (SLN<sup>TM</sup>) – a novel carrier for UV blockers, Pharmazie 10, 783-786, 2001

Wissing, S. A., SLN als innovatives Formulierungskonzept für pflegende und protektive Zubereitungen, Dissertation, FU Berlin, 2002

Wissing, S.A., Müller, R.H., A novel sunscreen based on tocopherol acetate incorporated into Solid Lipid Nanoparticles (SLN), Int. J. Cosm. Sci. 23, 233-243, 2001

Wissing, S.A., Müller, R.H., The influence of the crystallinity of lipid nanoparticles on their occlusive properties, Int. J. Pharm. 242 (1-2), 377, 2002

Wolf, E., Angst vor der Sonne, Pharm. Ztg. 144, 1839-1843 (1999)

Wolf, R., Wolf, D., Morganti, P., Ruocco, V., Sunscreens, Clin. Dermatol. 19, 452-459, 2001

Wolter, K., Schaefer, H., Frömming, K.H., Stättgen, G., Partikelgröße und Permeation, Fette Seifen Anstrichmittel 11, 990-993, 1970

Zimmermann, E., Feste Lipidnanopartikel (SLN) als kolloidaler Arzneistoffträger für die orale und intravenöse Applikation eines chemisch instabilen Wirkstoffs, Dissertation, FU Berlin, 2001

zur Mühlen, A., Feste Lipidnanopartikel mit prolongierter Wirkstoffliberation, Herstellung, Langzeitstabilität, Charakterisierung, Freisetzungsvorhalten und – mechanismen, Dissertation, FU Berlin, 1996