

7 Literatur

- 1 **Ashkenazi, A. and Peralta, E. G.:** Muscarinic acetylcholin receptors. In Peroutka, S. J. (Hrsg): G-protein coupled receptors. In Peroutka, S. J. (Hrsg): Handbook of receptors and channels. 1 London, Tokyo 1994. 1-27
- 2 **Ashkenazi, A.; Peralta, E. G.; Winslow, J. W.; Ramachandran, J. et al.:** Functional diversity of muscarinic receptor subtypes in cellular signal transduction and growth. Trends Pharmacol Sci 1989. (Suppl):16-22
- 3 **Augelli-Szafran, C. E.; Jaen, J. C.; Moreland, D. W.; Nelson, C. B. et al.:** Identification and characterization of m4-selective muscarinic antagonists. Bioorg Med Chem Lett 1998. 8:1991-1996
- 4 **Azuma, I.; Masuda, K.; Kitazawa, Y.; Takase, M. et al.:** Double-masked comparative study of UF-021 and Timolol ophthalmic solutions in patients with primary open-angle glaucoma or ocular hypertension. Jpn J Ophthalmol 1993. 37:514-525
- 5 **Barlow, R. B.; Berry, K. J.; Glenton, P. A. M.; Nikolau, N. M. et al.:** A comparison of affinity constants for muscarine-sensitive acetylcholin receptors in guinea-pig atrial pacemaker cells at 29°C and in ileum at 29°C and 37°C. Br J Pharmacol 1976. 58:613-620
- 6 **Barnes, P. J.; Haddad, E. B. and Rousell, J.:** Regulation of muscarinic M₂ receptors. Life Sci 1997. 60:1015-1021
- 7 **Baumgold, J.; Pryzbyc, R. L. and Reba, R. C.:** 3-alpha-Chlorimperialine: an M₂-selective muscarinic receptor antagonist that penetrates into brain. Eur J Pharmacol 1994. 251:315-317
- 8 **Bonner, T. I.; Buckley, N. J.; Young, A. C. and Brann, M. R.:** Identification of a family of muscarinic acetylcholine receptor genes. Science 1987. 237:527-532
- 9 **Bonner, T. I.; Young, A. C.; Brann, M. R. and Buckley, N. J.:** Cloning and expression of the human and rat m5 muscarinic acetylcholine receptor genes. Neuron 1988. 1:403-410
- 10 **Coroneo, M. T.; Korbmacher, C.; Flügel, C.; Stiemer, B. et al.:** Electrical and morphological evidence for heterogenous populations of cultured bovine trabecular meshwork cells. Exp Eye Res 1991. 52:375-388

- 11 Dorje, F.; Wess, J.; Lambrecht, G.; Tacke, R. et al.:** Antagonist binding profiles of five cloned human muscarinic receptor subtypes. *J Pharmacol Exp Ther* 1991. 256:727-733
- 12 Eglen, R. M.; Hegde, S. S. and Watson, N.:** Muscarinic receptor subtypes and smooth muscle function. *Pharmacol Rev* 1996. 48:531-565
- 13 Eglen, R. M.; Choppin, A.; Dillon, M. P. and Hegde, S.:** Muscarinic receptor ligands and their therapeutic potential. *Curr Opin Chem Biol* 1999. 3:426-432
- 14 Flügel, C.; Lütjen-Drecoll, E. and Barany, E.:** Structural differences in the structure of the ciliary muscles in eyes of primates. A histochemical and morphological study. *Fortschr Ophthalmol* 1990. 87:384-387
- 15 Flügel, C.; Tamm, E. and Lütjen-Drecoll, E.:** Different cell populations in bovine trabecular meshwork: An ultrastructural and immunohistological study. *Exp Eye Res* 1991. 52:681-690
- 16 Flügel, C.; Tamm, E.; Lütjen-Drecoll, E. and Stefani, F. H.:** Age related loss of α -smooth muscle actin in normal and glaucomatous human trabecular meshwork of different age groups. *J Glauc* 1992. 1:165-173
- 17 Gabelt, B. T. and Kaufman, P. L.:** Inhibition of aceclidine-stimulated outflow facility, accommodation and miosis in rhesus monkeys by muscarinic receptor subtype antagonists. *Exp Eye Res* 1994. 58:623-630
- 18 Giachetti, A.; Micheletti, R. and Montagna, E.:** Cardioselective profile of AF-DX 116, a muscarine M_2 receptor antagonist. *Life Sci* 1986. 38:1663-1672
- 19 Gil, D. W.; Krauss, H. A.; Bogardus, A. M. and WoldeMussie, E.:** Muscarinic receptor subtypes in human iris-ciliary body measured by immunoprecipitation. *Invest Ophthalmol Vis Sci* 1997. 38:1434-1442
- 20 Giraldo, E.; Hammer, R. and Ladinsky, H.:** Distribution of muscarinic receptor subtypes in rat brain as determined in binding studies with AF-DX 116 and pirenzepine. *Life Sci* 1987. 40:833-840
- 21 Gloor, B. P.:** Glaucoma - The metamorphosis of the content of a term during the course of time. In Gramer, E. and Grehn, F. (Hrsg): Pathogenesis and risk factors of glaucoma. Berlin, Heidelberg, New York, Barcelona, Hong Kong, London, Milan, Paris, Singapore, Tokyo 1999. 10-21
- 22 Goyal, R. K.:** Muscarinic receptor subtypes. Physiology and clinical implications. *N Engl J Med* 1989. 321:1022-1029

- 23 Gramer, E. and Tausch, M.:** The risk profile of the glaucomatous patient. *Curr Opin Ophthalmol* 1995. 6:78-88
- 24 Gramer, E. and Gramer, G.:** A new unification hypothesis of the pathogenesis of glaucomas based on clinical studies on disc appearance in relation to the stage of visual field loss in different types of glaucoma. In Gramer, E. and Grehn, F. (Hrsg): *Pathogenesis and risk factors of glaucoma*. Berlin, Heidelberg, New York, Barcelona, Hong Kong, London, Milan, Paris, Singapore, Tokyo 1999. 170-203
- 25 Haga, K.; Haga, T. and Ichiyama, A.:** Phosphorylation by protein kinase C of the muscarinic acetylcholine receptor. *J Neurochem* 1990. 54:1639-1644
- 26 Hakonarson, H.; Herrick, D. J. and Grunstein, M. M.:** Mechanism of impaired beta-adrenoceptor responsiveness in atopic sensitized airway smooth muscle. *Am J Physiol* 1995. 269:L645-652
- 27 Hammer, R.; Berrie, C. P.; Birdsall, N. J.; Burgen, A. S. et al.:** Pirenzepine distinguishes between different subclasses of muscarinic receptors. *Nature* 1980. 283:90-92
- 28 Honkanen, R. E.; Howard, E. F. and Abdel-Latif, A. A.:** M3-muscarinic receptor subtype predominates in the bovine iris sphincter smooth muscle and ciliary processes. *Invest Ophthalmol Vis Sci* 1990. 31:590-593
- 29 Hosey, M. M.; Benovic, J. L.; DebBurman, S. K. and Richardson, R. M.:** Multiple mechanisms involving protein phosphorylation are linked to desensitization of muscarinic receptors. *Life Sci* 1995. 56:951-955
- 30 Hosey, M. M.; DebBurman, S. K.; Pals-Rylaarsdam, R.; Richardson, R. M. et al.:** The role of G-protein coupled receptor kinases in the regulation of muscarinic cholinergic receptors. *Prog Brain Res* 1996. 109:169-179
- 31 Hosey, M. M.; Pals-Rylaarsdam, R.; Lee, K. B.; Roseberry, A. G. et al.:** Molecular events associated with the regulation of signaling by M₂ muscarinic receptors. *Life Sci* 1999. 64:363-368
- 32 Katz, A.; Wu, D. and Simon, M. I.:** Subunits beta gamma of heterotrimeric G-protein activate beta 2 isoform of phospholipase C. *Nature* 1992. 360:686-689
- 33 Kaufmann, P. L.:** Aqueous humor outflow. *Curr Top Eye Res* 1984. 4:97-138
- 34 Kostenis, E.; Conklin, B. R. and Wess, J.:** Molecular basis of receptor/G-protein coupling selectivity studied by coexpression of wild type and mutant

m2 muscarinic receptors with mutant G alpha(q) subunits. *Biochem* 1997. 36:1487-1495

- 35 Krauss, A. H.-P.; Wiederholt, M.; Sturm, A. and Woodward, D.F.:**
Prostaglandin effect on the contractility of bovine trabecular meshwork and ciliary muscle. *Exp Eye Res* 1997. 64:447-453
- 36 Kume, H. and Kotlikoff, M. I.:** Muscarinic inhibition of single KCa channels in smooth muscle cells by a pertussis-sensitive G-protein. *Am J Physiol* 1991. 261:C1204-1209
- 37 Kume, H.; Graziano, M. P. and Kotlikoff, M. I.:** Stimulatory and inhibitory regulation of calcium-activated potassium channels by guanine nucleotide-binding proteins. *Proc Natl Acad Sci U S A* 1992. 89:11051-11055
- 38 Kwatra, M. M.; Leung, E.; Maan, A. C.; McMahon, K. K. et al.:** Correlation of agonist-induced phosphorylation of chick heart muscarinic receptors with receptor desensitization. *J Biol Chem* 1987. 262:16314-16321
- 39 Lechleiter, J.; Peralta, E. and Clapham, D.:** Diverse functions of muscarinic acetylcholine receptor subtypes. *Trends Pharmacol Sci* 1989. (Suppl):34-38
- 40 Lechleiter, J.; Girard, S.; Clapham, D. and Peralta, E.:** Subcellular patterns of calcium release determined by G-protein-specific residues of muscarinic receptors. *Nature* 1991. 350:505-508
- 41 Lepple-Wienhues, A.; Stahl, F. and Wiederholt, M.:** Differential smooth muscle-like contractile properties of trabecular meshwork and ciliary muscle. *Exp Eye Res* 1991a. 53:33-38
- 42 Lepple-Wienhues, A.; Stahl, F.; Willner, U.; Schäfer, R. et al.:** Endothelin-evoked contractions in bovine ciliary muscle and trabecular meshwork: interaction with calcium, nifedipine and nickel. *Curr Eye Res* 1991b. 10:983-989
- 43 Lepple-Wienhues, A.; Becker, M.; Stahl, F.; Berweck, S. et al.:** Endothelin-like immunoreactivity in the aqueous humor and in conditioned medium from cultured ciliary epithelial cells. *Curr Eye Res* 1992. 11:1041-1046
- 44 Levey, A. I.; Stormann, T. M. and Brann, M. R.:** Bacterial expression of human muscarinic receptor fusion proteins and generation of subtype-specific antisera. *FEBS Lett* 1990. 275:65-69

- 45 Leydecker, W.:** Augenheilkunde. Berlin, Heidelberg, New York, London, Paris, Tokyo, Hong Kong, Barcelona, Budapest 1987
- 46 Liu, J. and Lee, T. J.:** Mechanism of prejunctional muscarinic receptor-mediated inhibition of neurogenic vasodilation in cerebral arteries. *Am J Physiol* 1999. 276:H194-204
- 47 Livneh, E. and Fishman, D. D.:** Linking protein kinase C to cell-cycle control. *Eur J Biochem* 1997. 248:1-9
- 48 Lütjen-Drecoll, E. and Rohen, J. W.:** The normal anterior segment. Section I: Anatomy of aqueous humor production and drainage. In Kaufman, P. L. and Mittag, T. W. (Hrsg): *Glaucoma*. In Podos, S. and Yanoff, M. (Hrsg): *Textbook of ophthalmology*. 7 London 1994. 1.1-1.16
- 49 Lütjen-Drecoll, E.:** Functional morphology of the trabecular meshwork in primate eyes. *Prog Retin Eye Res* 1999a. 18:91-119
- 50 Lütjen-Drecoll, E.:** Morphology of the trabecular meshwork. In Gramer, E. and Grehn, F. (Hrsg): *Pathogenesis and risk factors of glaucoma*. Berlin, Heidelberg, New York, Barcelona, Hong Kong, London, Milan, Paris, Singapore, Tokyo 1999b
- 51 Masuda, Y.; Yamahara, N. S.; Tanaka, M.; Ryang, S. et al.:** Characterization of muscarinic receptors mediating relaxation and contraction in the rat iris dilator muscle. *Br J Pharmacol* 1995. 114:769-776
- 52 Melchiorre, C.:** Polymethylene tetraamines: A novel class of cardioselective M₂-antagonists. *Med Res Rev* 1990. 10:327-349
- 53 Michel, A. D. and Whiting, R. L.:** Methoctramine, a polymethylene tetraamine, differentiates three subtypes of muscarinic receptor in direct binding studies. *Eur J Pharmacol* 1988. 145:61-66
- 54 Olanas, M. C. and Onali, P.:** PD 102807, a novel muscarinic M₄ receptor antagonist, discriminates between striatal and cortical muscarinic receptors coupled to cyclic AMP. *Life Sci* 1999. 65:2233-2240
- 55 Pals-Rylaarsdam, R. and Hosey, M. M.:** Two homologous phosphorylation domains differentially contribute to desensitization and internalization of the m₂ muscarinic acetylcholine receptor. *J Biol Chem* 1997. 272:14152-14158

- 56 Pepperl, D. J. and Regan, J. W.:** Adrenergic receptors. In Peroutka, S. J. (Hrsg): G-Protein coupled receptors. In Peroutka, S. J. (Hrsg): Handbook of receptors and channels. 1 London, Tokyo 1994. 45-78
- 57 Peralta, E. G.; Ashkenazi, A.; Winslow, J. W.; Smith, D. H. et al.:** Distinct primary structures, ligand-binding properties and tissue-specific expression of four human muscarinic acetylcholine receptors. *Embo J* 1987a. 6:3923-3929
- 58 Peralta, E. G.; Winslow, J. W.; Peterson, G. L.; Smith, D. H. et al.:** Primary structure and biochemical properties of an M₂ muscarinic receptor. *Science* 1987b. 236:600-605
- 59 Pitcher, J. A.; Inglese, J.; Higgins, J. B.; Arriza, J. L. et al.:** Role of beta gamma subunits of G-proteins in targeting the beta-adrenergic receptor kinase to membrane-bound receptors. *Science* 1992. 257:1264-1267
- 60 Reim, M.:** Augenheilkunde. Stuttgart 1989
- 61 Richardson, R. M. and Hosey, M. M.:** Agonist-induced phosphorylation and desensitization of human m2 muscarinic cholinergic receptors in Sf9 insect cells. *J Biol Chem* 1992. 267:22249-22255
- 62 Richardson, R. M.; Kim, C.; Benovic, J. L. and Hosey, M. M.:** Phosphorylation and desensitization of human m2 muscarinic cholinergic receptors by two isoforms of the beta-adrenergic receptor kinase. *J Biol Chem* 1993. 268:13650-13656
- 63 Rohen, J. W. and Jikihara, S.:** Morphology of the aqueous outflow system in different forms of glaucoma. *Fortschr Ophthalmol* 1988. 85:15-24
- 64 Rousell, J.; Haddad, E. B.; Mak, J. C. and Barnes, P. J.:** Transcriptional down-regulation of m2 muscarinic receptor gene expression in human embryonic lung (HEL 299) cells by protein kinase C. *J Biol Chem* 1995. 270:7213-7218
- 65 Shade, D. L.; Clark, A. F. and Pang, I. H.:** Effects of muscarinic agents on cultured human trabecular meshwork cells. *Exp Eye Res* 1996. 62:201-210
- 66 Shields, M. B. und Krieglstein, G. K.:** Glaukom: Grundlagen, Differentialdiagnose, Therapie. Berlin, Heidelberg, New York, London, Paris, Tokyo, Hong Kong, Barcelona, Budapest 1993
- 67 Stahl, F.; Lepple-Wienhues, A.; Kuppinger, M.; Schneider, U. et al.:** Measurements of intracellular calcium and contractility in human ciliary muscle. *Pflugers Arch* 1991. 418:531-537

- 68 Steinhausen, K.; Stumpff, F.; Strauss, O.; Thieme, H. et al.:** Influence of muscarinic agonists and tyrosine kinase inhibitors on L-type Ca^{2+} channels in human and bovine trabecular meshwork cells. *Exp Eye Res* 2000. 70:285-293
- 69 Stumpff, F.; Strauß, O.; Boxberger, M. and Wiederholt, M.:** Characterization of Maxi-K-channels in bovine trabecular meshwork and their activation by cyclic guanosine monophosphate. *Invest Ophthalmol Vis Sci* 1997. 38:1883-1891
- 70 Sugrue, M. F.:** New approaches to antiglaucoma therapy. *J Med Chem* 1997. 40:2793-2809
- 71 Tamm, E.; Flügel, C.; Stefani, F. H. and Rohen, J. W.:** Contractile cells in the human scleral spur. *Exp Eye Res* 1992. 54:531-543
- 72 Thieme, H.; Nass, J. U.; Nuskovski, M.; Bechrakis, N. E. et al.:** The effects of protein kinase C on trabecular meshwork and ciliary muscle contractility. *Invest Ophthalmol Vis Sci* 1999. 40:3254-3261
- 73 Thieme, H.; Nuskovski, M.; Nass, J. U.; Pleyer, U. et al.:** Mediation of calcium-independent contraction in trabecular meshwork through protein kinase C and rho-A. *Invest Ophthalmol Vis Sci* 2000. 41:4240-4246
- 74 Thieme, H.; Hildebrandt, J.; Choritz, L.; Strauss, O. et al.:** Muscarinic receptors of the M_2 subtype in human and bovine trabecular meshwork. *Graefes Arch Clin Exp Ophthalmol* 2001a. 239:310-315
- 75 Thieme, H.; Stumpff, F.; Ottlecz, A.; Percicot, C. L. et al.:** Mechanisms of action of unoprostone on trabecular meshwork contractility. *Invest Ophthalmol Vis Sci* 2001b. 42:3193-3201.
- 76 Torphy, T. J.:** Beta-adrenoceptors, cAMP and airway smooth muscle relaxation: Challenges to the dogma. *Trends Pharmacol Sci* 1994. 15:370-374
- 77 Traverso, C. E.:** The intraocular pressure as a continuous risk factor for glaucoma. In Gramer, E. and Grehn, F. (Hrsg): Pathogenesis and risk factors of glaucoma. Berlin, Heidelberg, New York, Barcelona, Hong Kong, London, Milan, Paris, Singapore, Tokyo 1999. 204-208
- 78 Wess, J.; Angeli, P.; Melchiorre, C.; Moser, U. et al.:** Methoctramine selectively blocks cardiac muscarinic M_2 receptors in vivo. *Naunyn Schmiedeberg's Arch Pharmacol* 1988. 338:246-249
- 79 Wiederholt, M.; Lepple-Wienhues, A. and Stahl, F.:** Contractile properties of trabecular meshwork and ciliary muscle. *Bas Asp Glaucom Res* 1993. III:287-306

- 80 Wiederholt, M.; Sturm, A. and Lepple-Wienhues, A.:** Relaxation of trabecular meshwork and ciliary muscle by release of nitric oxide. *Invest Ophthalmol Vis Sci* 1994. 35:2515-2520
- 81 Wiederholt, M.; Bielka, S.; Schweig, F.; Lütjen-Drecoll, E. et al.:** Regulation of outflow rate and resistance in the perfused anterior segment of the bovine eye. *Exp Eye Res* 1995. 61:223-234
- 82 Wiederholt, M.; Schäfer, R.; Wagner, U. and Lepple-Wienhues, A.:** Contractile response of the isolated trabecular meshwork and ciliary muscle to cholinergic and adrenergic agents. *Ger J Ophthalmol* 1996. 5:146-153
- 83 Wiederholt, M.; Dörschner, N. and Groth, J.:** Effect of diuretics, channel modulators and signal interceptors on contractility of the trabecular meshwork. *Ophthalmologica* 1997. 211:153-160
- 84 Wiederholt, M.:** Direct involvement of trabecular meshwork in the regulation of aqueous humor outflow. *Curr Opin Ophthalmol* 1998. 9;II:46-49
- 85 Wiederholt, M.; Groth, J. and Strauß, O.:** Role of protein kinases on regulation of trabecular meshwork and ciliary muscle contractility. *Invest Ophthalmol Vis Sci* 1998. 39:1012-1020
- 86 Wiederholt, M.; Thieme, H. and Stumpff, F.:** The regulation of trabecular meshwork and ciliary muscle contractility. *Prog Ret Eye Res* 2000. 19:271-295
- 87 WoldeMussie, E.; Feldmann, B. and Chen, J.:** Characterization of muscarinic receptors in cultured human iris sphincter and ciliary smooth muscle cells. *Exp Eye Res* 1993. 56:385-392