

## Bibliography

- [1] V.I. Arnold. *Mathematical Methods of Classical Mechanics*. Springer Verlag, Berlin, Heidelberg, New York, Tokyo, 1978.
- [2] P. Bala, P. Grochowski, B. Lesyng, and J.A. McCammon. Quantum-classical molecular dynamics. Models and applications. In M. Fields, editor, *Quantum Mechanical Simulation Methods for Studying Biological Systems*. Les Houches, France, 1995.
- [3] P. Bala, P. Grochowski, B. Lesyng, and J.A. McCammon. Quantum-classical molecular dynamics simulations of proton transfer processes in molecular complexes and in enzymes. *submitted to J. Phys. Chem.*, 1995.
- [4] P. Bala, B. Lesyng, and J.A. McCammon. Extended Hellmann–Feynmann theorem for non-stationary states and its application in quantum-classical molecular dynamics simulation. *Chemical Physics Letters*, 219:259–266, 1994.
- [5] V. S. Batista and D. F. Coker. Nonadiabatic molecular dynamics simulation of photodissociation and geminate recombination of I<sub>2</sub> in liquid xenon. *J. Chem. Phys.*, 105(10):4033–4054, 1996.
- [6] H.J.C. Berendsen and J. Mavri. Quantum simulation of reaction dynamics by density matrix evolutions. *J. Phys. Chem.*, 97:13464–13468, 1993.
- [7] H.J.C. Berendsen and J. Mavri. Approach to nonadiabatic transitions by density matrix evolution and molecular dynamics simulations. Technical Report A.148, University of Groningen, 1994. *Submitted to Int. J. of Quantum Chemistry*.
- [8] H.J.C. Berendsen and J. Mavri. Simulating proton transfer processes: Quantum dynamics embedded in a classical environment. pages 119–142, 1997. Published in collection [38].
- [9] B. Berne, G. Ciccotti, and D.F. Coker, editors. *Classical and Quantum Dynamics in Condensed Phase Simulations*, Singapore, Hong Kong, London, 1998. World Scientific.
- [10] S. R. Billeter and W. F. van Gunsteren. A modular molecular dynamics / quantum dynamics program for non-adiabatic proton transfers in solution. *Comp. Phys. Commun.*, 107:61–91, 1997.
- [11] N. Bohr. Bohr an Pauli, 11. Dezember 1924. In A. Hermann, K.v. Meyenn, and V.F. Weisskopf, editors, *Wolfgang Pauli, Wissenschaftlicher Briefwechsel mit Bohr, Einstein, Heisenberg u.a.*, volume 1, page 185. Springer Verlag, Berlin, Heidelberg, New York, Tokyo, 1979.
- [12] M. Born and V. Fock. Beweis des Adiabatensatzes. *Z. Phys.*, 51:165–180, 1928.
- [13] F.A. Bornemann. *Homogenization in Time of Singularly Perturbed Mechanical Systems*, volume 1687 of *Lecture Notes in Mathematics*, no. 1687. Springer, Berlin, Heidelberg, New York, 1998.
- [14] F.A. Bornemann, P. Nettesheim, and Ch. Schütte. Quantum-classical molecular dynamics as an approximation to full quantum dynamics. *Preprint SC 95-26*, 1995. Konrad-Zuse-Zentrum, Berlin, Germany.
- [15] F.A. Bornemann, P. Nettesheim, and Ch. Schütte. Quantum-classical molecular dynamics as an approximation to full quantum dynamics. *J. Chem. Phys.*, 105:1074–1083, 1996.

- [16] F.A. Bornemann and C. Schütte. On the singular limit of the quantum-classical molecular dynamics model. *To appear in SIAM J. Appl. Math.*
- [17] C. Canuto, M.Y. Hussaini, A. Quarteroni, and T.A. Zang. *Spectral Methods in Fluid Dynamics*. Springer, 1988.
- [18] J. Cao and G.A. Voth. The formulation of quantum statistical mechanics based on the Feynman path centroid density. II. Dynamical properties. *J. Chem. Phys.*, 100(7):5106, 1994.
- [19] P.R. Chernoff and J.E. Marsden. *Properties of Infinite Dimensional Hamiltonian Systems*. Springer Verlag, Berlin, Heidelberg, New York, 1974.
- [20] A.J. Chorin and J.E. Marsden. *A Mathematical Introduction to Fluid Dynamics*. Springer Verlag, Berlin, Heidelberg, New York, Tokyo, 3rd edition, 1992.
- [21] J.M. Combes. The Born-Oppenheimer approximation. *Acta Phys. Austriaca*, Suppl. XVII:139–159, 1977.
- [22] P. Deuflhard and F.A. Bornemann. *Numerische Mathematik II, Integration gewöhnlicher Differentialgleichungen*. Walter de Gruyter, Berlin, New York, 1994.
- [23] P. Deuflhard, T. Friese, F. Schmidt, R. März, and H.-P. Nolting. Effiziente Eigenmodenberechnung für den Entwurf integriert-optischer Chips. In K.-H. Hoffmann, W. Jäger, Th. Lohmann, and H. Schunck, editors, *Mathematik – Schlüsseltechnologie für die Zukunft*, pages 267–279. Springer-Verlag, Berlin, Heidelberg, New York, 1996.
- [24] P. Deuflhard, J. Hermans, B. Leimkuhler, A. Mark, B. Skeel, and S. Reich, editors. *Computational Molecular Dynamics: Challenges, Methods, Ideas. Proceedings of the 2nd International Symposium “Algorithms for Macromolecular Modelling”*, Lecture Notes in Computational Science and Engineering, No. 4. Springer-Verlag, 1998.
- [25] P. Deuflhard and A. Hohmann. *Numerische Mathematik I*. Walter de Gruyter, Berlin, New York, 2 edition, 1993.
- [26] B. Dietrich. Numerische Behandlung der zeitabhängigen Schrödinger-Gleichung mit iterativen Unterraummethoden. Master’s thesis, Freie Universität Berlin, 1997.
- [27] W. Domcke and G. Stock. Theory of ultrafast nonadiabatic excited-state processes and their spectroscopic detection in real time. *Adv. Chem. Phys.*, 100:1–169, 1997.
- [28] A. Donoso and C.C. Martens. Simulation of coherent nonadiabatic dynamics using classical trajectories. *J. Phys. Chem. A*, 102:4291–4300, 1998.
- [29] V.L. Druskin and L.A. Knizhnerman. Krylov subspace approximation of eigenpairs and matrix functions in exact and computer arithmetics. *Num. Lin. Alg. Appl.*, 2:205–217, 1995.
- [30] L.C. Evans. *Weak Convergence Methods for Nonlinear Partial Differential Equations*, volume 74 of *CBMS, Regional Conference Series in Mathematics*. Amer. Math. Soc., Providence, Rhode Island, 2nc printing 1993 edition, 1990.
- [31] A. Garcia-Vela and R.B. Gerber. Hybrid quantum-semiclassical wave packet method for molecular dynamics: Application to photolysis of Ar...HCl. *J. Chem. Phys.*, 98(1):427–436, 1993.
- [32] A. Garcia-Vela and R.B. Gerber. Three-dimensional quantum wave packet study of the Ar-HCl photodissociation: A comparison between time-dependent self-consistent field and exact treatments. *J. Chem. Phys.*, 103:3463–3473, 1995.

- [33] A. Garcia-Vela, R.B. Gerber, and D.G. Imre. Mixed quantum wave packet/classical trajectory treatment of the photodissociation process ArHCl to Ar+H+Cl. *J. Chem. Phys.*, 97:7242–7250, 1992.
- [34] P. Gérard, P.A. Markowich, N.J. Mauser, and F. Poupaud. Homogenization limits and Wigner transforms. *Comm. Pure Appl. Math.*, Vol. L:323–379, 1997.
- [35] R.B. Gerber and R. Alimi. Quantum molecular dynamics by a perturbation-corrected time-dependent self-consistent field method. *Chem. Phys. Lett.*, 184:69–75, 1991.
- [36] R.B. Gerber, V. Buch, and M.A. Ratner. Time-dependent self-consistent field approximation for intramolecular energy transfer. *J. Chem. Phys.*, 66:3022–3030, 1982.
- [37] R.B. Gerber and M.A. Ratner. Time-dependent self-consistent field approximation for intramolecular energy transfer. *Adv. Chem. Phys.*, 70:97–1323, 1982.
- [38] D. Hadži, editor. *Theoretical Treatments of Hydrogen Bonding*, Chichester, 1997. Wiley.
- [39] G.A. Hagedorn. Semiclassical quantum mechanics I. *Commun. Math. Phys.*, 71:77–93, 1980.
- [40] G.A. Hagedorn. A time dependent Born-Oppenheimer approximation. *Commun. Math. Phys.*, 77:1–19, 1980.
- [41] G.A. Hagedorn. Molecular propagation through electron energy level crossings. *Mem. Amer. Math. Soc.*, 536:1–130, 1994.
- [42] E. Hairer and Ch. Lubich. The lifespan of backward error analysis for numerical integrators. *Numer. Math.*, 76:441–462, 1997.
- [43] E. Hairer, S.P. Nørsett, and G. Wanner. *Solving Ordinary Differential Equations I, Nonstiff Problems*. Springer Verlag, Berlin, Heidelberg, New York, Tokyo, 2nd edition, 1993.
- [44] E. Hairer and D. Stoffer. Reversible long-term integration with variable step sizes. *Siam J. Sci. Comput.*, 1995.
- [45] E. Hairer and G. Wanner. *Solving Ordinary Differential Equations II, Stiff and Differential-Algebraic Problems*. Springer Verlag, Berlin, Heidelberg, New York, Tokyo, 1991.
- [46] S. Hammes-Schiffer and J. C. Tully. Multiconfigurational molecular dynamics with quantum transitions: Multiple proton transfer reactions. *J. Chem. Phys.*, 105(6):2236–2246, 1996.
- [47] S. Hammes-Schiffer and J.C. Tully. Proton transfer in solution: Molecular dynamics with quantum transitions. *J. Chem. Phys.*, 101(6):4657–4667, 1994.
- [48] K. Haug and H. Metiu. A test of the possibility of calculating absorption spectra by mixed quantum-classical methods. *J. Chem. Phys.*, 97:4781–4791, 1992.
- [49] E.J. Heller. Time-dependent approach to semiclassical dynamics. *J. Chem. Phys.*, 62:1544–1555, 1975.
- [50] E.J. Heller. Time-dependent variational approach to semiclassical dynamics. *J. Chem. Phys.*, 64:63–73, 1976.
- [51] M.F. Herman. A semiclassical surface hopping propagator for nonadiabatic problems. *J. Chem. Phys.*, 103(18):8081, 1995.
- [52] M. Hochbruck and Ch. Lubich. On Krylov subspace approximations to the matrix exponential operator. *SIAM J. Numer. Anal.*, 34(5), 1997. PN.
- [53] M. Hochbruck and Ch. Lubich. A bunch of time integrators for quantum/classical molecular dynamics. 1998. Published in collection [24].

- [54] M. Hochbruck and Ch. Lubich. Exponential integrators for quantum–classical molecular dynamics. *Submitted to BIT*, 1998.
- [55] M. Hochbruck, Ch. Lubich, and H. Selhofer. Exponential integrators for large systems of differential equations. *SIAM J. Sci. Comp.*, 19:1552–1574, 1998.
- [56] M. Holz. Quantenklassische Simulation zur Photodissoziation von HF in einer Argon–Matrix. Master’s thesis, Freie Universität Berlin, 1998.
- [57] L. Hörmander. *The Analysis of Linear Partial Differential Operators III*. Springer, 1985.
- [58] W. Huisenga. Faber-, Newton- und Krylov-Approximation zur Integration großer Differentialgleichungssysteme aus der Quantendynamik. Master’s thesis, Freie Universität Berlin, 1997.
- [59] W. Huisenga, L. Pesce, R. Kosloff, and P. Saalfrank. Faber and Newton polynomial integrators for open system density matrix propagation. *J. Chem. Phys.*, 110(12):5538–5547, 1999.
- [60] T. Jahnke. Splittingverfahren für Schrödinger-Gleichungen, 1999. Diploma Thesis, Univ. Tübingen.
- [61] R. Kapral and G. Cicotti. Mixed quantum-classical dynamics. *J. Chem. Phys.*, 110(5):8919–8929, 1999.
- [62] T. Kato. On the adiabatic theorem of quantum mechanics. *J. Phys. Soc. Jap.*, 5:435–439, 1950.
- [63] T. Kato. *Perturbation Theory for Linear Operators*. Springer Verlag, Berlin, Heidelberg, New York, Tokyo, 2nd edition, 1984.
- [64] J. Kevorkian and J.D. Cole. *Multiple scale and singular perturbation methods*, volume 114 of *Appl.Math.Series*. Springer, New York, 1996.
- [65] M. Klessinger and J. Michl. *Excited States and Photochemistry of Organic Molecules*. VCH, New York, 1995.
- [66] R. Kosloff. Time-dependent quantum-mechanical methods for molecular dynamics. *J. Phys. Chem.*, 92:2087, 1988.
- [67] R. Kosloff. Quantum molecular dynamics on grids. In R. E. Wyatt and J. Z. Zhang, editors, *Dynamics of Molecules and Chemical Reactions*, pages 185–230. Marcel Dekker, New York, 1996.
- [68] N.M. Krylov and N.N. Bogoliubov. *Introduction to Nonlinear Mechanics*. Acad. Sci., Ukrain, S.S.R., 1937. Translated by S. Lefschetz, Princeton University Press, Princeton, NJ, 1947.
- [69] P.J. Kunz. Classical path surface-hopping dynamics. I. General theory and illustrative trajectories. *J. Chem. Phys.*, 95(1):141–155, 1991.
- [70] L.D. Landau. Zur Theorie der Energieübertragung bei Stößen. *Phys. Z. Sowjetunion*, 2:46, 1932.
- [71] L.D. Landau and E.M. Lifschitz. *Theoretische Physik III. Quantenmechanik*. Akademie Verlag, Berlin, 8th edition, 1979.
- [72] D. Laria, G. Ciccotti, D.F. Cooker, R. Kapral, and M. Ferrario. Nonadiabatic molecular dynamics methods for diffusion. pages 700–720. 1998. Published in collection [9].
- [73] Ch. Lubich and P. Nettesheim. Integration of quantum–classical molecular dynamics near the adiabatic limit: a case study in highly oscillatory differential equations. (*manuscript in preparation*), 1999.
- [74] J.E. Marsden and T.S. Ratiu. *Introduction to Mechanics and Symmetry*. Springer Verlag, Berlin, Heidelberg, New York, Tokyo, 1994.

- [75] C.C. Martens and J-Y. Fang. Semiclassical-limit molecular dynamics on multiple electronic surfaces. *J. Chem. Phys.*, 106(12):4918–4930, 1997.
- [76] V.P. Maslov and M.V. Fedoriuk. *Semi-Classical Approximation in Quantum Mechanics*. D. Reidel Publishing Company, Dordrecht, Boston, London, 1981.
- [77] A. Messiah. *Quantum Mechanics. Vol. I & II*. North-Holland Publ. Co., Amsterdam, New York, 1962.
- [78] D.A. Micha. A self-consistent eikonal treatment of electronic transitions in molecular collisions. *J. Chem. Phys.*, 78(12):7138–7145, 1983.
- [79] D.A. Micha and K. Runge. Time-dependent many electron approach to slow ion-atom collisions: The coupling of electronic and nuclear motions. *Phys. Rev. A*, 50(1):322, 1994.
- [80] D.A. Micha and K. Runge. Time-evolution of orbital polarization in slow ion-atom collisions. *Chem. Phys. Lett. A*, 238:132–136, 1995.
- [81] J. Michl and V. Bonačić-Koutecký. *Electronic Aspects of Organic Photochemistry*. Wiley, New York, 1990.
- [82] W.H. Miller. *J. Chem. Phys.*, 53:3578, 1970.
- [83] W.H. Miller. The semiclassical initial value representation for including quantum effects in molecular dynamics simulations. pages 617–627, 1998. Published in collection [9].
- [84] J.A. Morrison. Generalized method of averaging and the von Zeipel method. In R.L. Duncombe and V.G. Szebehely, editors, *Methods in Astrodynamics and Celestial Mechanics*, chapter 17, pages 117–138. Academic Press, 1966.
- [85] U. Müller and G. Stock. Surface-hopping modeling of photoinduced relaxation dynamics on coupled potential energy surfaces. *J. Chem. Phys.*, 107(16):6230–6245, 1997.
- [86] P. Nettesheim. Second order transitions in quantum-classical molecular dynamics. Preprint SC 98–37, Konrad-Zuse-Center, Berlin, 1998.
- [87] P. Nettesheim, F.A. Bornemann, B. Schmidt, and Ch. Schütte. An explicit and symplectic integrator for quantum-classical molecular dynamics. *Chem. Phys. Lett.*, 256:581–588, 1996.
- [88] P. Nettesheim, W. Huisenga, and Ch. Schütte. Chebyshev-approximation for wavepacket-dynamics: better than expected. Preprint SC 96–47, Konrad-Zuse-Center, Berlin, 1996.
- [89] P. Nettesheim and S. Reich. Symplectic multiple-time-stepping integrators for quantum-classical molecular dynamics. pages 412–420, 1998. Published in collection [24].
- [90] P. Nettesheim and C. Schütte. Numerical integrators for quantum-classical molecular dynamics. pages 396–411, 1998. Published in collection [24].
- [91] T.J. Park and J.C. Light. Unitary quantum time evolution by iterative Lanczos reduction. *J. Chem. Phys.*, 85:5870–5876, 1986.
- [92] P. Pechukas. Time-dependent semiclassical scattering theory. I. Potential scattering. *Phys. Rev.*, 181(1):166–174, 1969.
- [93] S. Reich. Preservation of adiabatic invariants under symplectic discretization. *Applied Numerical Mathematics*, 29:45–56, 1999.
- [94] F. Rellich. Störungstheorie der Spektralzerlegung, I. *Math. Ann.*, 113:600–619, 1937.

- [95] A. Roitberg, R. B. Gerber, R. Elber, and M. A. Ratner. Anharmonic wave functions of proteins: Quantum self-consistent field calculations of BPTI. *Science*, 268(5215):1319–1322, 1995.
- [96] W. Rudin. *Real and complex analysis*. McGraw-Hill, 1987.
- [97] F. Scheck. *Mechanik*. Springer, Berlin, 1990.
- [98] Reinhard Schinke. *Photodissociation Dynamics*. Cambridge University Press, Cambridge, 1993.
- [99] B. Schmidt. *Making and Breaking of Chemical Bonds: Dynamics of Elementary Reactions from Gas Phase to Condensed Phase*. Habilitation Thesis, Fachbereich Chemie, Freie Universität Berlin, 1998.
- [100] J. Schmidt-Ehrenberg and H.C. Hege. Visualizing quantum mechanical phenomena. *submitted to IEEE Visualization '99*, 1999.
- [101] U. Schmitt and J. Brickmann. Discrete time-reversible propagation scheme for mixed quantum-classical dynamics. *J. Chem. Phys.*, 208:45, 1996.
- [102] Ch. Schütte. *Conformational Dynamics: Modelling, Theory, Algorithm, and Application to Biomolecules*. Habilitation Thesis, Fachbereich Mathematik und Informatik, Freie Universität Berlin, 1998. Preprint SC99-18 of the Konrad-Zuse-Zentrum, Berlin.
- [103] Ch. Schütte. Partial Wigner transforms and the quantum-classical Liouville equation. *Preprint SC 99-10, Konrad-Zuse-Center, Berlin*, April 1999.
- [104] Ch. Schütte and P. Nettesheim. Non-adiabatic effects in quantum-classical molecular dynamics. *to appear in the Proceedings of “Scientific Computing in Chemical Engineering II”, Hamburg (1999)*, Preprint SC 98-38, Konrad-Zuse-Center, Berlin, 1998.
- [105] Ch. Schütte, P. Nettesheim, and B. Schmidt. A novel approach to non-adiabatic quantum dynamics: Solution of the quantum-classical Liouville equation via surface-hopping techniques. *(manuscript in preparation)*, 1999.
- [106] A. Selloni, P. Carnevali, R. Car, and M. Parrinello. *Phys. Rev. Lett.*, 59:823, 1987.
- [107] A. Staib, D. Borgis, and J. T. Hynes. Proton transfer in hydrogen-bonded acid-base complexes in polar solvents. *J. Chem. Phys.*, 102(6):2487, 1995.
- [108] G. Strang. On the construction and comparison of difference schemes. *SIAM J. Numer. Anal.*, 5:506–517, 1968.
- [109] E.C.G. Stueckelberg. Theorie der unelastischen Stöße zwischen Atomen. *Helv. Phys. Acta*, 5:369, 1932.
- [110] F. Takens. Motion under the influence of a strong constraining force. In Z. Nitecki and C. Robinson, editors, *Global Theory of Dynamical Systems, Evanston 1979*. Springer-Verlag, Berlin, Heidelberg, New York, 1980.
- [111] H. Tal-Ezer and R. Kosloff. An accurate and efficient scheme for propagating the time dependent Schrödinger equation. *J. Chem. Phys.*, 81(9):3967–3971, 1984.
- [112] H.F. Trotter. On the product of semi-groups of operators. *Proc. Am. Math. Soc.*, 10:545–551, 1959.
- [113] M.E. Tuckerman, D. Marx, M.L. Klein, and M. Parrinello. On the quantum nature of the shared proton in hydrogen bonds. *Science*, 275:817–820, 1997.
- [114] J.C. Tully. *Dynamics of Molecular Collisions*, chapter Nonadiabatic processes in molecular collisions, page 217. Plenum, New York, 1976.
- [115] J.C. Tully. Molecular dynamics with electronic transitions. *J. Chem. Phys.*, 93(2):1061–1071, 1990.

- [116] J.C. Tully. Mixed quantum-classical dynamics: mean field and surface hopping. pages 700–720. 1998. Published in collection [9].
- [117] J.C. Tully and R.K. Preston. Trajectory surface hopping approach to nonadiabatic molecular collisions: The reaction of  $H^+$  with  $D_2$ . *J. Chem. Phys.*, 55(9):562–572, 1971.
- [118] E. Wigner. On the quantum correction for thermodynamic equilibrium. *Phys. Rev.*, 40:749–759, 1932.
- [119] D.R. Yarkony. Diabolical conical intersections. *Rev. Mod. Phys.*, 68(4):985–1013, 1996.
- [120] H. Yoshida. Construction of higher order symplectic integrators. *Physics Letters A*, 150:262–268, 1990.
- [121] K. Yosida. *Functional Analysis*. Grundlehren der mathematischen Wissenschaften. Springer–Verlag, Berlin, Heidelberg, New York, sixth edition edition, 1980.
- [122] C. Zener. Nonadiabatic crossing of energy levels. *Proc. R. Soc London Ser. A*, A 137:696, 1932.