

7. Literaturverzeichnis

- Akeson M, Deamer DW (1991) Proton conductance by the gramicidin water wire. Model for proton conductance in the F1F0 ATPases? *Biophys J* **60**: 101-109.
- Amiri H, Schultz G, Schaefer M (2003) FRET-based analysis of TRPC subunit stoichiometry. *Cell Calcium* **33**: 463-470.
- Bading H, Ginty DD, Greenberg ME (1993) Regulation of gene expression in hippocampal neurons by distinct calcium signaling pathways. *Science* **260**: 181-186.
- Barnard EA (1992) Receptor classes and the transmitter-gated ion channels. *Trends Biochem Sci* **17**: 368-374.
- Barth A, Kreutz W, Mäntele W. (1997) Ca^{2+} release from the phosphorylated and the unphosphorylated sarcoplasmic reticulum Ca^{2+} ATPase results in parallel structural changes. *J Biol Chem* **272**: 22507-22510.
- Bashan N, Burdett E, Guma A, Sargeant R, Tumiati L, Liu Z, Klip A (1993) Mechanisms of adaptation of glucose transporters to changes in the oxidative chain of muscle and fat cells. *Am J Physiol* **264**: C430-C440.
- Batlle DC, Peces R, LaPointe MS, Ye M, Daugirdas JT (1993) Cytosolic free calcium regulation in response to acute changes in intracellular pH in vascular smooth muscle. *Am J Physiol* **264**: C932-943.
- Barnhill JC, Stokes AJ, Koblan-Huberson M, Shimoda LM, Muraguchi A, Adra CN, Turner H (2004) RGA protein associates with a TRPV ion channel during biosynthesis and trafficking. *J Cell Biochem* **91**: 808-820.
- Baysal K, Jung DW, Gunter KK, Gunter TE, Brierley GP (1994) Na^+ -dependent Ca^{2+} efflux mechanism of heart mitochondria is not a passive $\text{Ca}^{2+}/2\text{Na}^+$ exchanger. *Am J Physiol* **266**: C800-C808.
- Bender FL, Mederos Y Schnitzler M, Li Y, Ji A, Weihe E, Gudermann T, Schäfer MK (2005) The temperature-sensitive ion channel TRPV2 is endogenously expressed and functional in the primary sensory cell line F-11. *Cell Physiol Biochem* **15**: 183-194.
- Bengtson CP, Tozzi A, Bernardi G, Mercuri NB (2004) Transient receptor potential-like channels mediate metabotropic glutamate receptor EPSCs in rat dopamine neurones. *J Physiol* **555**: 323-330.
- Berridge MJ, Lipp P, Bootman MD (2000) The versatility and universality of calcium signalling. *Nat Rev Mol Cell Biol* **1**: 11-21.
- Bhave G, Zhu W, Wang H, Brasier DJ, Oxford GS, Gereau RW 4th. (2002) cAMP-dependent protein kinase regulates desensitization of the capsaicin receptor (VR1) by direct phosphorylation. *Neuron* **35**: 721-731.
- Bianchi L, Driscoll M (2002) Protons at the gate: DEG/ENaC ion channels help us feel and remember. *Neuron* **34**: 337-340.

- Bichet D, Haass FA, Jan LY (2003) Merging functional studies with structures of inward-rectifier K⁺ channels. *Nature* **4**: 957-967.
- Biel M, Zong X, Ludwig A, Sautter A, Hofmann F (1999) Structure and function of cyclic nucleotide-gated channels. *Rev Physiol Biochem Pharmacol* **135**: 151-171.
- Birder LA, Nakamura Y, Kiss S, Nealen ML, Barrick S, Kanai AJ, Wang E, Ruiz G, De Groat WC, Apodaca G, Watkins S, Caterina MJ (2002) Altered urinary bladder function in mice lacking the vanilloid receptor TRPV1. *Nat Neurosci* **5**: 856-860.
- Blaustein MP, Lederer WJ (1999) Sodium/calcium exchange: its physiological implications. *Physiol Rev* **79**: 763-854.
- Bödding M (2005) Voltage-dependent changes of TRPV6-mediated Ca²⁺ currents. *J Biol Chem* **280**: 7022-7029.
- Bödding M, Wissenbach U, Flockerzi V (2002) The recombinant human TRPV6 channel functions as Ca²⁺ sensor in human embryonic kidney and rat basophilic leukemia cells. *J Biol Chem* **277**: 36656-36664.
- Boels K, Glassmeier G, Herrman D, Riedels IB, Hampe W, Kojima I, Schwarz JR, Schaller HC (2001) The neuropeptide hept-activator induces activation and translocation of the growth-factor-regulated Ca²⁺-permeable channel GRC. *J Cell Sci* **114**: 3599-3606.
- Boulay G, Zhu X, Peyton M, Jiang M, Hurst R, Stefani E, Birnbaumer L (1997) Cloning and expression of a novel mammalian homolog of *Drosophila* transient receptor potential (Trp) involved in calcium entry secondary to activation of receptor coupled by the G_q class of G-protein. *J Biol Chem* **272**: 29672-29680.
- Brereton HM, Harland ML, Auld AM, Barritt GJ (2000) Evidence that the TRP-1 protein is unlikely to account for store-operated Ca²⁺ inflow in *Xenopus laevis* oocytes. *Mol Cell Biochem* **214**: 63-74.
- Brough GH, Wu S, Cioffi D, Moore TM, Li M, Dean N, Stevens T (2001) Contribution of endogenously expressed Trp1 to a Ca²⁺-selective, store-operated Ca²⁺ entry pathway. *FASEB J* **15**: 1727-1738.
- Bruns JB, Hu B, Ahn YJ, Sheng S, Hughey RP, Kleyman TR (2003) Multiple epithelial Na⁺ channel domains participate in subunit assembly. *Am J Physiol Renal Physiol* **285**: F600-F609.
- Budd SL (1998) Mechanisms of neuronal damage in brain hypoxia/ischemia: focus on the role of mitochondrial calcium accumulation. *Pharmacol Ther* **80**: 203-229.
- Carafoli E (1994) Biogenesis: Plasma membrane calcium ATPase: 15 years of work on the purified enzyme. *FASEB J* **8**: 993-1002.
- Carafoli E, Penniston JT (1986) The calcium signal. *Scientific American* **253**: 76-85.
- Caterina MJ, Leffler A, Malmberg AB, Martin WJ, Trafton J, Petersen-Zeitz KR, Koltzenburg M, Basbaum AI, Julius D (2000) Impaired nociception and pain sensation in mice lacking the capsaicin receptor. *Science* **288**: 306-313.

- Caterina MJ, Rosen TA, Tominaga M, Brake AJ, Julius D (1999) A capsaicin-receptor homologue with a high threshold for noxious heat. *Nature* **398**: 436-441.
- Caterina MJ, Schumacher MA, Tominaga M, Rosen TA, Levine JD, Julius D (1997) The capsaicin receptor: a heat-activated ion channel in the pain pathway. *Nature* **389**: 816-824.
- Cesare P, Dekker LV, Sardini A, Parker PJ, McNaughton PA (1999) Specific involvement of PKC-ε in sensitization of the neuronal response to painful heat. *Neuron* **23**: 617-624.
- Chalfie M, Tu Y, Euskirchen G, Ward WW, Prasher DC (1994) Green fluorescent protein as a marker for gene expression. *Science* **263**: 802-805.
- Chang Q, Gyftogianni E, van de Graaf SF, Hoefs S, Weidema FA, Bindels RJ, Hoenderop JG (2004) Molecular determinants in TRPV5 channel assembly. *J Biol Chem* **279**: 54304-54311.
- Chen CC, Zimmer A, Sun WH, Hall J, Brownstein MJ, Zimmer A (2002) A role for ASIC3 in the modulation of high-intensity pain stimuli. *Proc Natl Acad Sci USA* **99**: 8992-8997.
- Chu X, Cheung JY, Barber DL, Birnbaumer L, Rothblum LI, Conrad K, Abrasonis V, Chan YM, Stahl R, Carey DJ, Miller BA (2002) Erythropoietin modulates calcium influx through TRPC2. *J Biol Chem* **277**: 34375-34382.
- Chuang HH, Prescott ED, Kong H, Shields S, Jordt SE, Basbaum AI, Chao MV, Julius D (2001) Bradykinin and nerve growth factor release the capsaicin receptor from PtdIns(4,5)P₂-mediated inhibition. *Nature* **411**: 957-962.
- Chudakov DM, Lukyanov KA (2003) Use of green fluorescent protein (GFP) and its homologs for *in vivo* protein motility studies. *Biochemistry (Mosc)* **68**: 952-957.
- Chung MK, Lee H, Caterina MJ (2003) Warm temperatures activate TRPV4 in mouse 308 keratinocytes. *J Biol Chem* **278**: 32037-32046.
- Chung MK, Lee H, Mizuno A, Suzuki M, Caterina MJ (2004) TRPV3 and TRPV4 mediate warmth-evoked currents in primary mouse keratinocytes. *J Biol Chem* **279**: 21569-21575.
- Clapham DE (1995) Calcium signaling. *Cell* **80**: 259-268.
- Clapham DE (2003) TRP channels as cellular sensors. *Nature* **426**: 517-524.
- Clapham DE, Montell C, Schultz G, Julius D (2003) International Union of Pharmacology. XLIII. Compendium of voltage-gated ion channels: transient receptor potential channels. *Pharmacol Rev* **55**: 591-596.
- Clapham DE, Runnels LW, Strübing C (2001) The TRP ion channel family. *Nat Rev Neurosci* **2**: 387-396.
- Cole NB, Smith CL, Sciaky N, Terasaki M, Edidin M, Lippincott-Schwartz J (1996) Diffusional mobility of Golgi proteins in membranes of living cells. *Science* **273**: 797-801.
- Cosens DJ, Manning A (1969) Abnormal electroretinogram from a *Drosophila* mutant. *Nature* **224**: 285-287.

- Cubitt AB, Heim R, Adams SR, Boyd AE, Gross LA, Tsien RY (1995) Understanding, improving and using green fluorescent proteins. *Trends Biochem Sci* **20**: 448-455.
- Cui J, Bian JS, Kagan A, McDonald TV (2002) CaT1 contributes to the store-operated calcium current in Jurkat T-lymphocytes. *J Biol Chem* **277**: 47175-47183.
- Davis JB, Gray J, Gunthorpe MJ, Hatcher JP, Davey PT, Overend P, Harries MH, Latcham J, Clapham C, Atkinson K, Hughes SA, Rance K, Grau E, Harper AJ, Pugh PL, Rogers DC, Bingham S, Randall A, Sheardown SA (2000) Vanilloid receptor-1 is essential for inflammatory thermal hyperalgesia. *Nature* **405**: 183-187.
- De Giorgi F, Brini M, Bastianutto C, Marsault R, Montero M, Pizzo P, Rossi R, Rizzuto R (1996) Targeting aequorin and green fluorescent protein to intracellular organelles. *Gene* **173**: 113-137.
- DeCoursey TE (2003) Voltage-gated proton channels and other proton transfer pathways. *Physiol Rev* **83**: 475-579.
- DeCoursey TE, Cherny VV (1997) Deuterium isotope effects on permeation and gating of proton channels in rat alveolar epithelium. *J Gen Physiol* **109**: 415-434.
- DeCoursey TE, Morgan D, Cherny VV (2003) The voltage dependence of NADPH oxidase reveals why phagocytes need proton channels. *Nature* **422**: 531-534.
- Dedov VN, Mandadi S, Armati PJ, Verkhratsky A (2001) Capsaicin-induced depolarisation of mitochondria in dorsal root ganglion neurons is enhanced by vanilloid receptors. *Neuroscience* **103**: 219-226.
- Dedov VN, Roufogalis BD (2000) Mitochondrial calcium accumulation following activation of vanilloid (VR1) receptors by capsaicin in dorsal root ganglion neurons. *Neuroscience* **95**: 183-188.
- Delany NS, Hurle M, Facer P, Alnadaf T, Plumpton C, Kinghorn I, See CG, Costigan M, Anand P, Woolf CJ, Crowther D, Sanseau P, Tate SN (2001) Identification and characterization of a novel human vanilloid receptor-like protein, VRL-2. *Physiol Genomics* **4**: 165-174.
- den Dekker E, Hoenderop JG, Nilius B, Bindels RJ (2003) The epithelial calcium channels, TRPV5 & TRPV6: from identification towards regulation. *Cell Calcium* **33**: 497-507.
- Dixon DB, Takahashi K, Copenhagen DR (1993) L-glutamate suppresses HVA calcium current in catfish horizontal cells by raising intracellular proton concentration. *Neuron* **11**: 267-277.
- Doyle DA, Morais Cabral J, Pfuetzner RA, Kuo A, Gulbis JM, Cohen SL, Chait BT, MacKinnon R (1998) The structure of the potassium channel: molecular basis of K^+ conduction and selectivity. *Science* **280**: 69-77.
- Ebashi S (1972) Calcium ions and muscle contraction. *Nature* **240**: 217-218.
- Eckert R, Chad JE (1984) Inactivation of Ca^{2+} channels. *Prog Biophys Molec Biol* **44**: 215-267.
- Elsliger MA, Wachter RM, Hanson GT, Kallio K, Remington SJ (1999) Structural and spectral response of green fluorescent protein variants to changes in pH. *Biochemistry* **38**: 5296-5301.

- Erler I, Hirnet D, Wissenbach U, Flockerzi V, Niemeyer BA (2004) Ca^{2+} -selective transient receptor potential V channel architecture and function require a specific ankyrin repeat. *J Biol Chem* **279**: 34456-34463.
- Eun SY, Jung SJ, Park YK, Kwak J, Kim SJ, Kim J (2001) Effects of capsaicin on Ca^{2+} release from the intracellular Ca^{2+} stores in the dorsal root ganglion cells of adult rats. *Biochem Biophys Res Commun* **285**: 1114-1120.
- Förster T (1948) Zwischenmolekulare Energiewanderung und Fluoreszenz. *Ann Physik* **2**: 55-75.
- Freichel M, Suh SH, Pfeifer A, Schweig U, Trost C, Weissgerber P, Biel M, Philipp S, Freise D, Droogmans G, Hofmann F, Flockerzi V, Nilius B (2001) Lack of an endothelial store-operated Ca^{2+} current impairs agonist-dependent vasorelaxation in TRP4^{-/-} mice. *Nat Cell Biol* **3**: 121-127.
- Galietta LJ, Haggie PM, Verkman AS (2001) Green fluorescent protein-based halide indicators with improved chloride and iodide affinities. *FEBS Lett* **499**: 220-224.
- García-Sanz N, Fernández-Carvajal A, Morenilla-Palao C, Planells-Cases R, Fajardo-Sánchez E, Fernández-Ballester G, Ferrer-Montiel A (2004) Identification of a tetramerization domain in the C terminus of the vanilloid receptor. *J Neurosci* **24**: 5307-5314.
- Ghosh A, Greenberg ME (1995) Calcium signaling in neurons: molecular mechanisms and cellular consequences. *Science* **268**: 239-247.
- Goel M, Garcia R, Estacion M, Schilling WP (2001) Regulation of *Drosophila* TRPL channels by immunophilin FKBP59. *J Biol Chem* **276**: 38762-38773.
- Goel M, Sinkins WG, Schilling WP (2002) Selective association of TRPC channel subunits in rat brain synaptosomes. *J Biol Chem* **277**: 48303-48310.
- Greenfield LJ Jr, Zaman SH, Sutherland ML, Lummis SC, Niemeyer MI, Barnard EA, Macdonald RL (2002) Mutation of the GABA_A receptor M1 transmembrane proline increases GABA affinity and reduces barbiturate enhancement. *Neuropharmacology* **42**: 502-521.
- Griesbeck O (2004) Fluorescent proteins as sensors for cellular functions. *Curr Opin Neurobiol* **14**: 636-641.
- Griesbeck O, Baird GS, Campbell RE, Zacharias DA, Tsien RY (2001) Reducing the environmental sensitivity of yellow fluorescent protein. Mechanism and applications. *J Biol Chem* **276**: 29188-29194.
- Grynkiewicz G, Poenie M, Tsien RY (1985) A new generation of Ca^{2+} indicators with greatly improved fluorescence properties. *J Biol Chem* **260**: 3440-3450.
- Güler AD, Lee H, Iida T, Shimizu I, Tominaga M, Caterina M (2002) Heat-evoked activation of the ion channel, TRPV4. *J Neurosci* **22**: 6408-6414.

- Gunter TE, Buntinas L, Sparagna GC, Gunter KK (1998) The Ca^{2+} transport mechanisms of mitochondria and Ca^{2+} uptake from physiological-type Ca^{2+} transients. *Biochim Biophys Acta* **1366**: 5-15.
- Gunter TE, Gunter KK, Sheu SS, Gavin CE (1994) Mitochondrial calcium transport: physiological and pathological relevance. *Am J Physiol* **267**: C313-C339.
- Gunthorpe MJ, Benham CD, Randall A, Davis JB (2002) The diversity in the vanilloid (TRPV) receptor family of ion channels. *TIPS* **23**: 183-191.
- Gunthorpe MJ, Benham CD, Randall A, Davis JB (2002) The diversity in the vanilloid (TRPV) receptor family of ion channels. *Trends Pharmacol Sci* **23**: 183-191.
- Hardie RC, Minke B (1992) The *trp* gene is essential for a light-activated Ca^{2+} channel in *Drosophila* photoreceptors. *Neuron* **8**: 643-651.
- Hartley Z, Dubinsky JM (1993) Changes in intracellular pH associated with glutamate excitotoxicity. *J Neurosci* **13**: 4690-4699.
- Heim R, Prasher DC, Tsien RY (1994) Wavelength mutations and posttranslational autoxidation of green fluorescent protein. *Proc Natl Acad Sci USA* **91**: 12501-12504.
- Hoenderop JG, Nilius B, Bindels RJ (2002) ECaC: the gatekeeper of transepithelial Ca^{2+} transport. *Biochim Biophys Acta* **1600**: 6-11.
- Hoenderop JG, van der Kemp AW, Hartog A, van de Graaf SF, van Os CH, Willemse PH, Bindels RJ (1999) Molecular Identification of the apical Ca^{2+} channel in 1,25-dihydroxyvitamin D₃-responsive epithelia. *J Biol Chem* **274**: 8375-8378.
- Hoenderop JG, Vennekens R, Müller D, Prenen J, Droogmans G, Bindels RJ, Nilius B (2001) Function and expression of the epithelial Ca^{2+} channel family: comparison of mammalian ECaC1 and 2. *J Physiol* **537**: 747-761.
- Hoenderop JG, Voets T, Hoefs S, Weidema F, Prenen J, Nilius B, Bindels RJ (2003) Homo- and heterotetrameric architecture of the epithelial Ca^{2+} channels TRPV5 and TRPV6. *EMBO J* **22**: 776-785.
- Hofmann T, Obukhov AG, Schaefer M, Harteneck C, Gudermann T, Schultz G (1999) Direct activation of human TRPC6 and TRPC3 channels by diacylglycerol. *Nature* **397**: 259-263.
- Hofmann T, Schaefer M, Schultz G, Gudermann T (2000) Cloning, expression and subcellular localization of two novel splice variants of mouse transient receptor potential channel 2. *Biochem J* **351**: 115-122.
- Hofmann T, Schaefer M, Schultz G, Gudermann T (2002) Subunit composition of mammalian transient receptor potential channels in living cells. *Proc Natl Acad Sci USA* **99**: 7461-7466.
- Hoth M, Penner R (1992) Depletion of intracellular calcium stores activates a calcium current in mast cells. *Nature* **355**: 353-356.

- Hu Y, Vaca L, Zhu X, Birnbaumer L, Kunze DL, Schilling WP (1994) Appearance of a novel Ca^{2+} influx pathway in Sf9 insect cells following expression of the transient receptor potential-like (*trpl*) protein of *Drosophila*. *Biochem Biophys Res Commun* **201**: 1050-1056.
- Huang CL (2004) The transient receptor potential superfamily of ion channels. *J Am Soc Nephrol* **15**: 1690-1699.
- Huang SM, Bisogno T, Trevisani M, Al-Hayani A, De Petrocellis L, Fezza F, Tognetto M, Petros TJ, Krey JF, Chu CJ, Miller JD, Davies SN, Geppetti P, Walker JM, Di Marzo V (2002) An endogenous capsaicin-like substance with high potency at recombinant and native vanilloid VR1 receptors. *Proc Natl Acad Sci USA* **99**: 8400-8405.
- Huber A, Sander P, Gobert A, Bahner M, Hermann R, Paulsen R (1996) The transient receptor potential protein (Trp), a putative store-operated Ca^{2+} channel essential for phosphoinositide-mediated photoreception, forms a signaling complex with NorpA, InaC and InaD. *EMBO J* **15**: 7036-7045.
- Hussain A, Inesi G (1999) Involvement of sarco/endoplasmic reticulum Ca^{2+} ATPases in cell function and the cellular consequences of their inhibition. *J Membr Biol* **172**: 91-99.
- Hwang SW, Cho H, Kwak J, Lee SY, Kang CJ, Jung J, Cho S, Min KH, Suh YG, Kim D, Oh U (2000) Direct activation of capsaicin receptors by products of lipoxygenases: Endogenous capsaicin-like substances. *Proc Natl Acad Sci USA* **97**: 6155-6160.
- Ichas F, Jouaville LS, Mazat JP (1997) Mitochondria are excitable organelles capable of generating and conveying electrical and calcium signals. *Cell* **89**: 1145-1153.
- Inoue R, Okada T, Onoue H, Hara Y, Shimizu S, Naitoh S, Ito Y, Mori Y (2001) The transient receptor potential protein homologue TRP6 is the essential component of vascular α_1 -adrenoceptor-activated Ca^{2+} -permeable cation channel. *Circ Res* **88**: 325-332.
- Inouye S, Tsuji FI (1994) *Aequorea* green fluorescent protein. Expression of the gene and fluorescence characteristics of the recombinant protein. *FEBS Lett* **341**: 277-280.
- Ismailov II, Shlyonsky VG, Alvarez O, Benos DJ (1997) Cation permeability of a cloned rat epithelial amiloride-sensitive Na^+ channel. *J Physiol* **504**: 287-300.
- Irvine RF (1990) 'Quantal' Ca^{2+} release and the control of Ca^{2+} entry by inositol phosphates-a possible mechanism. *FEBS Lett* **263**: 5-9.
- Irwin RP, Lin SZ, Long RT, Paul SM (1994) *N*-methyl-D-aspartate induces a rapid, reversible, and calcium-dependent intracellular acidosis in cultured fetal rat hippocampal neurons. *J Neurosci* **14**: 1352-1357.
- Jacobus WE, Taylor GJ 4th, Hollis DP, Nunnally RL (1977) Phosphorus nuclear magnetic resonance of perfused working rat hearts. *Nature* **265**: 756-758.
- Jahnel R, Bender O, Münter LM, Dreger M, Gillen C, Hucho F (2003) Dual expression of mouse and rat VRL-1 in the dorsal root ganglion derived cell line F-11 and biochemical analysis of VRL-1 after heterologous expression. *Eur J Biochem* **270**: 4264-4271.

- James-Krake MR (1992) Quick and accurate method to convert BCECF fluorescence to pH_i: calibration in three different types of cell preparations. *J Cell Physiol* **151**: 596-603.
- Janeso G, Lawson SN (1990) Transganglionic degeneration of capsaicin-sensitive C-fiber primary afferent terminals. *Neuroscience* **39**: 501-511.
- Jayaraman S, Haggie P, Wachter RM, Remington SJ, Verkman AS (2000) Mechanism and cellular applications of a green fluorescent protein-based halide sensor. *J Biol Chem* **275**: 6047-6050.
- Johnson FH; Shimomura O; Saiga Y; Gershman LC; Reynolds GT, Water JR (1962) Quantum efficiency of Cybridina luminescences, with a note on that of *Aequorea*. *J Comp Cell Physiol* **60**: 85-103.
- Jones WJ (1998) Overview of voltage-operated calcium channels. *J Bioenerg Biomemb* **30**: 299-312.
- Jordt SE, Tominaga M, Julius D (2000) Acid potentiation of the capsaicin receptor determined by a key extracellular site. *Proc Natl Acad Sci USA* **97**: 8134-8139.
- Jung S, Mühlé A, Schaefer M, Strotmann R, Schultz G, Plant TD (2003) Lanthanides potentiate TRPC5 currents by an action at extracellular sites close to the pore mouth. *J Biol Chem* **278**: 3562-3571.
- Jung S, Strotmann R, Schultz G, Plant TD (2002) TRPC6 is a candidate channel involved in receptor-stimulated cation currents in A7r5 smooth muscle cells. *Am J Physiol Cell Physiol* **282**: C347-C359.
- Jungnickel MK, Marrero H, Birnbaumer L, Lemos JR, Florman HM (2001) Trp2 regulates entry of Ca²⁺ into mouse sperm triggered by egg ZP3. *Nat Cell Biol* **3**: 499-502.
- Kalish JE, Keller GA, Morrell JC, Mihalik SJ, Smith B, Cregg JM, Gould SJ (1996) Characterization of a novel component of the peroxisomal protein import apparatus using fluorescent peroxisomal proteins. *EMBO J* **15**: 3275-3285.
- Kanzaki M, Zhang YQ, Mashima H, Lu L, Shibata H, Kojima I (1999) Translocation of a calcium-permeable cation channel induced by insulin-like growth factor-I. *Nature* **1**: 165-170.
- Kaupp UB, Niidome T, Tanabe T, Terada S, Bönigk W, Ströhmer W, Cook NJ, Kangawa K, Matsuo H, Hirose T, Myata T, Numa S (1989) Primary structure and functional expression from complementary DNA of the rod photoreceptor cyclic GMP-gated channel. *Nature* **342**: 762-766.
- Kaupp UB, Seifert R (2002) Cyclic nucleotide-gated ion channels. *Physiol Rev* **82**: 769-824.
- Kedei N, Szabo T, Lile JD, Treanor JJ, Olah Z, Iadarola MJ, Blumberg PM (2001) Analysis of the native quaternary structure of vanilloid receptor 1. *J Biol Chem* **276**: 28613-28619.
- Kellenberger S, Schild L (2002) Epithelial sodium channel/degenerin family of ion channels: A variety of functions for a shared structure. *Physiol Rev* **82**: 735-767.
- Keverne EB (2002) Pheromones, vomeronasal function, and gender-specific behavior. *Cell* **108**: 735-738.
- Khakh BS, Bao XR, Labarca C, Lester HA (1999) Neuronal P2X transmitter-gated cation channels change their ion selectivity in seconds. *Nat Neurosci* **2**: 322-330.

- Kim SJ, Kim YS, Yuan JP, Petralia RS, Worley PF, Linden DJ (2003) Activation of the TRPC1 cation channel by metabotropic glutamate receptor mGluR1. *Nature* **426**: 285-291.
- Kiselyov K, Mignery GA, Zhu MX, Muallem S (1999) The N-terminal domain of the IP₃ receptor gates store-operated hTrp3 channels. *Mol Cell* **4**: 423-429.
- Kiselyov K, Xu X, Mozhayeva G, Kuo T, Prssah I, Mignery G, Zhu X, Birnbaumer L, Muallem S (1998) Functional interaction between InsP₃ receptors and store-operated Htrp3 channels. *Nature* **396**: 478-482.
- Kiselyov KI, Mamin AG, Semyonova SB, Mozhayeva GN (1997) Low-conductance high selective inositol (1,4,5)-trisphosphat activated Ca²⁺ channels in plasma membrane of A431 carcinoma cells. *FEBS Lett* **407**: 309-312.
- Kiss L, Korn SJ (1999) Modulation of N-type Ca²⁺ channels by intracellular pH in chick sensory neurons. *J Neurophysiol* **81**: 1839-1847.
- Kneen M, Farinas J, Li Y, Verkman AS (1998) Green fluorescent protein as a noninvasive intracellular pH indicator. *Biophys J* **74**: 1591-1599.
- Köttgen M, Benzing T, Simmen T, Tauber R, Buchholz B, Feliciangeli S, Huber TB, Schermer B, Kramer-Zucker A, Höpker K, Simmen KC, Tschucke CC, Sandford R, Kim E, Thomas G, Walz G (2005) Trafficking of TRPP2 by PACS proteins represents a novel mechanism of ion channel regulation. *EMBO J* **24**: 705-716.
- Kovacs F, Quine J, Cross TA (1999) Validation of the single-stranded channel conformation of gramicidin A by solid-state NMR. *Proc Natl Acad Sci USA* **96**: 7910-7915.
- Kozak M (1987) An analysis of 5'-noncoding sequences from 699 vertebrate messenger RNAs. *Nucleic Acids Res* **15**: 8125-8148.
- Kreusch A, Pfaffinger PJ, Stevens CF, Choe S (1998) Crystal structure of the tetramerization domain of the *Shaker* potassium channel. *Nature* **392**: 945-948.
- Kuner T, Augustine GJ (2000) A genetically encoded ratiometric indicator for chloride: capturing chloride transients in cultured hippocampal neurons. *Neuron* **27**: 447-459.
- Kuno M, Gardener P (1987) Ion channels activated by inositol 1,4,5-trisphosphate in plasma membrane of human T-lymphocytes. *Nature* **326**: 301-304.
- Kuzhikandathil EV, Wang H, Szabo T, Morozova N, Blumberg PM, Oxford GS (2001) Functional analysis of capsaicin receptor (vanilloid receptor subtype 1) multimerization and agonist responsiveness using a dominant negative mutation. *J Neurosci* **21**: 8697-8706.
- Lee H, Iida T, Mizuno A, Suzuki M, Caterina MJ (2005) Altered thermal selection behavior in mice lacking transient receptor potential vanilloid 4. *J Neurosci* **25**: 1304-1310.
- Lenz JC, Reusch HP, Albrecht N, Schultz G, Schaefer M (2002) Ca²⁺-controlled competitive diacylglycerol binding of protein kinase C isoforms in living cells. *J Cell Biol* **159**: 291-301.

- Levitt DG, Elias SR, Hautman JM (1978) Number of water molecules coupled to the transport of sodium, potassium and hydrogen ions via gramicidin, nonactin or valinomycin. *Biochim Biophys Acta* **512**: 436-451.
- Lewinter RD, Skinner K, Julius D, Basbaum AI (2004) Immunoreactive TRPV-2 (VRL-1), a capsaicin receptor homolog, in the spinal cord of the rat. *J Comp Neurol* **470**: 400-408.
- Lewis RS, Cahalan MD (1989) Mitogen-induced oscillations of cytosolic Ca^{2+} and transmembrane Ca^{2+} current in human leukemic T cells. *Cell Regul* **1**: 99-112.
- Leybold BG, Yu CR, Leinders-Zufall T, Kim MM, Zufall F, Axel R (2002) Altered sexual and social behaviors in *trp2* mutant mice. *Proc Natl Acad Sci USA* **99**: 6376-6381.
- Li M, Jan YN, Jan LY (1992) Specification of subunit assembly by the hydrophilic amino-terminal domain of the Shaker potassium channel. *Science* **257**: 1225-1230.
- Li M, Unwin N, Stauffer KA, Jan YN, Jan LY (1994) Images of purified Shaker potassium channels. *Curr Biol* **4**: 110-115.
- Liedtke W, Choe Y, Marti-Renom MA, Bell AM, Denis CS, Sali A, Hudspeth AJ, Friedman JM, Heller S (2000) Vanilloid receptor-related osmotically activated channel (VR-OAC), a candidate vertebrate osmoreceptor. *Cell* **103**: 525-535.
- Liedtke W, Friedman JM (2003) Abnormal osmotic regulation in *trpv4^{-/-}* mice. *Proc Natl Acad Sci USA* **100**: 13698-13703.
- Liman ER, Corey DP, Dulac C (1999) TRP2: A candidate transduction channel for mammalian pheromone sensory signaling. *Proc Natl Acad Sci USA* **96**: 5791-5796.
- Lippincott-Schwartz J, Roberts TH, Hirschberg K (2000) Secretory protein trafficking and organelle dynamics in living cells. *Annu Rev Cell Dev Biol* **16**: 557-589.
- Liu DT, Tibbs GR, Siegelbaum SA (1996) Subunit stoichiometry of cyclic nucleotide-gated channels and effects of subunit order on channel function. *Neuron* **16**: 983-990.
- Liu M, Liu MC, Magoulas C, Priestley JV, Willmott N (2003) Versatile regulation of cytosolic Ca^{2+} by vanilloid receptor I in rat dorsal root ganglion neurons. *J Biol Chem* **278**: 5462-5472.
- Liu X, Wang W, Singh BB, Lockwich T, Jadlowiec J, O'Connell B, Wellner R, Zhu MX, Ambudkar IS (2000) Trp1, a candidate protein for the store-operated Ca^{2+} influx mechanism in salivary gland cells. *J Biol Chem* **275**: 3403-3411.
- Llinás RR (1982) Calcium in synaptic transmission. *Sci Am* **247**: 56-65.
- Llopis J, McCaffery JM, Miyawaki A, Farquhar MG, Tsien RY (1998) Measurement of cytosolic, mitochondrial, and Golgi pH in single living cells with green fluorescent proteins. *Proc Natl Acad Sci USA* **95**: 6803-6808.

- Lucas P, Ukhanov K, Leinders-Zufall T, Zufall F (2003) A diacylglycerol-gated cation channel in vomeronasal neuron dendrites is impaired in TRPC2 mutant mice: mechanism of pheromone transduction. *Neuron* **40**: 551-561.
- Marshall IC, Owen DE, Cripps TV, Davis JB, McNulty S, Smart D (2003) Activation of vanilloid receptor 1 by resiniferatoxin mobilizes calcium from inositol 1,4,5-trisphosphate-sensitive stores. *Br J Pharmacol* **138**: 172-176.
- Matlib MA, Zhou Z, Knight S, Ahmed S, Choi KM, Krause-Bauer J, Phillips R, Altschuld R, Katsume Y, Sperelakis N, Bers DM (1998) Oxygen-bridged dinuclear ruthenium amine complex specifically inhibits Ca^{2+} uptake into mitochondria in vitro and in situ in single cardiac myocytes. *J Biol Chem* **273**: 10223-10231.
- Matsuyama S, Llopis J, Deveraux QL, Tsien RY, Reed JC (2000) Changes in intramitochondrial and cytosolic pH: early events that modulate caspase activation during apoptosis. *Nat Cell Biol* **2**: 318-325.
- Matz MV, Lukyanov KA, Lukyanov SA (2002) Family of the green fluorescent protein: journey to the end of the rainbow. *Bioessays* **24**: 953-959.
- McKay R, Szymeczek-Seay CL, Lievremont JP, Bird GS, Zitt C, Jüngling E, Lückhoff A, Putney JW Jr. (2000) Cloning and expression of the human transient receptor potential 4 (TRP4) gene: localization and functional expression of human TRPC4 and TRPC3. *Biochem J* **351**: 735-746.
- Meyer TM, Munsch T, Pape HC (2000) Activity-related changes in intracellular pH in rat thalamic relay neurons. *Neuroreport* **11**: 33-37.
- Meyers JR, MacDonald RB, Duggan A, Lenzi D, Standaert DG, Corwin JT, Corey DP (2003) Lighting up the senses: FM1-43 loading of sensory cells through nonselective ion channels. *J Neurosci* **23**: 4054-4065.
- Miesenböck G, De Angelis DA, Rothman JE (1998) Visualizing secretion and synaptic transmission with pH-sensitive green fluorescent proteins. *Nature* **394**: 192-195.
- Minke B, Wu C, Pak WL (1975) Introduction of photoreceptor voltage noise in the dark in *Drosophila* mutant. *Nature* **258**: 84-87.
- Mironov SL, Lux HD (1991) Cytoplasmic alkalinization increases high-threshold calcium current in chick dorsal root ganglion neurones. *Pflügers Arch* **419**: 138-143.
- Misquitta CM, Mack DP, Grover AK (1999) Sarco/endoplasmic reticulum Ca^{2+} (SERCA)-pumps: link to heart beats and calcium waves. *Cell Calcium* **25**: 277-290.
- Miyawaki A, Griesbeck O, Heim R, Tsien RY (1999) Dynamic and quantitative Ca^{2+} measurements using improved cameleons. *Proc Natl Acad Sci USA* **96**: 2135-2140.
- Miyawaki A, Llopis J, Heim R, McCaffery JM, Adams JA, Ikura M, Tsien RY (1997) Fluorescent indicators for Ca^{2+} based on green fluorescent proteins and calmodulin. *Nature* **388**: 882-887.

- Miyawaki A, Sawano A, Kogure T (2003) Lighting up cells: labelling proteins with fluorophores. *Nat Cell Biol* **5**: S1-S7.
- Mizuno A, Matsumoto N, Imai M, Suzuki M (2003) Impaired osmotic sensation in mice lacking TRPV4. *Am J Physiol Cell Physiol* **285**: C96-C101.
- Moises HC, Rusin KI, Macdonald RL (1994) μ - and κ -opioid receptors selectively reduce the same transient components of high-threshold calcium current in rat dorsal root ganglion sensory neurons. *J Neurosci* **14**: 5903-5916.
- Montell C (2005) The TRP superfamily of cation channels. *Sci STKE* **272**: re3.
- Montell C, Jones K, Hafen E, Rubin G (1985) Rescue of the *Drosophila* phototransduction mutation *trp* by germline transformation. *Science* **230**: 1040-1043.
- Montell C, Rubin GM (1989) Molecular characterization of the *Drosophila trp* locus: a putative integral membrane protein required for phototransduction. *Neuron* **2**: 1313-1323.
- Moore CL (1971) Specific inhibition of mitochondrial Ca^{2+} transport by ruthenium red. *Biochem Biophys Res Commun* **42**: 298-305.
- Morise H, Shimomura O, Johnson FH, Winant J (1974) Intermolecular energy transfer in the bioluminescent system of *Aequorea*. *Biochemistry* **13**: 2656-2662.
- Much B, Wahl-Schott C, Zong X, Schneider A, Baumann L, Moosmang S, Ludwig A, Biel M (2003) Role of subunit heteromerization and N-linked glycosylation in the formation of functional hyperpolarization-activated cyclic nucleotide-gated channels. *J Biol Chem* **278**: 43781-43786.
- Myers VB, Haydon DA (1972) Ion transfer across lipid membranes in the presence of gramicidin A. II. The ion selectivity. *Biochim Biophys Acta* **274**: 313-322.
- Nagai T, Ibata K, Park ES, Kubota M, Mikoshiba K, Miyawaki A (2002) A variant of yellow fluorescent protein with fast and efficient maturation for cell-biological applications. *Nat Biotechnol* **20**: 87-90.
- Neher E, Sakman B (1976) Single channel currents recorded from membrane of denervated frog muscle fiber. *Nature* **260**: 779-802.
- Niemeyer BA, Suzuki E, Scott K, Jalink K, Zuker CS (1996) The *Drosophila* light-activated conductance is composed of the two channels TRP and TRPL. *Cell* **85**: 651-659.
- Numazaki M, Tominaga T, Takeuchi K, Murayama N, Toyooka H, Tominaga M (2003) Structural determinant of TRPV1 desensitization interacts with calmodulin. *Proc Natl Acad Sci USA* **100**: 8002-8006.
- Obukhov AG, Nowycky MC (2002) TRPC4 can be activated by G-protein-coupled receptors and provides sufficient Ca^{2+} to trigger exocytosis in neuroendocrine cells. *J Biol Chem* **277**: 16172-16178.

- Okada T, Inoue R, Yamazaki K, Maeda A, Kuroasaki T, Yamakuni T, Tanaka I, Shimizu S, Ikenaka K, Imoto K, Mori Y (1999) Molecular and functional characterization of a novel mouse transient receptor potential protein homologue TRP7. *J Biol Chem* **274**: 27359-27370.
- Okada, T, Shimizu S, Wakamori M, Maeda A, Kuroasaki T, Takada N, Imoto K. Mori Y (1998) Molecular cloning and functional characterization of a novel receptor-activated TRP Ca^{2+} channel from mouse brain. *J Biol Chem* **273**: 10279-10287.
- Olah Z, Karai L, Iadarola MJ (2001a) Anandamide activates vanilloid receptor 1 (VR1) at acidic pH in dorsal root ganglia neurons and cells ectopically expressing VR1. *J Biol Chem* **276**: 31163-31170.
- Olah Z, Szabo T, Karai L, Hough C, Fields RD, Caudle RM, Blumberg PM, Iadarola MJ (2001b) Ligand-induced dynamic membrane changes and cell deletion conferred by vanilloid receptor 1. *J Biol Chem* **276**: 11021-11030.
- Olesen C, Sørensen TL, Nielsen RC, Moller JV, Nissen P (2004) Dephosphorylation of the calcium pump coupled to counterion occlusion. *Science* **306**: 2251-2255.
- Ormö M, Cubitt AB, Kallio K, Gross LA, Tsien RY, Remington SJ (1996) Crystal structure of the *Aequorea victoria* green fluorescent protein. *Science* **273**: 1392-1395.
- Paalasmaa P, Kaila K (1996) Role of voltage-gated calcium channels in the generation of activity-induced extracellular pH transients in the rat hippocampal slice. *J Neurophysiol* **75**: 2354-2360.
- Parekh AB, Penner R (1997) Store depletion and calcium influx. *Physiol Rev* **77**: 901-930.
- Partridge LD, Swandulla D (1988) Calcium-activated non-specific cation channels. *Trends Neurosci* **11**: 69-72.
- Patterson G, Day RN, Piston D (2001) Fluorescent protein spectra. *J Cell Sci* **114**: 837-838.
- Peier AM, Reeve AJ, Andersson DA, Moqrich A, Earley TJ, Hergarden AC, Story GM, Colley S, Hogenesch JB, McIntyre P, Bevan S, Patapoutian A (2002) A heat-sensitive TRP channel expressed in keratinocytes. *Science* **296**: 2046-2049.
- Peng JB, Chen XZ, Berger UV, Vassilev PM, Brown EM, Hediger MA (2000) A rat kidney-specific calcium transporter in the distal nephron. *J Biol Chem* **275**: 28186-28194.
- Peng JB, Chen XZ, Berger UV, Vassilev PM, Tsukaguchi H, Brown EM, Hediger MA (1999) Molecular cloning and characterization of a channel-like transporter mediating intestinal calcium absorption. *J Biol Chem* **274**: 22739-22746.
- Penner R, Matthews G, Neher E (1988) Regulation of calcium influx by second messengers in rat mast cells. *Nature* **334**: 499-504.
- Penniston JT, Enyedi A (1998) Modulation of the plasma membrane Ca^{2+} pump. *J Membr Biol* **165**: 101-109.
- Perozzo MA, Ward KB, Thompson RB, Ward WW (1988) X-ray diffraction and time-resolved fluorescence analyses of *Aequorea* green fluorescent protein crystals. *J Biol Chem* **263**: 7713-7716.

- Pfaffinger PJ, DeRubeis D (1995) Shaker K⁺ channel T1 domain self-tetramerizes to a stable structure. *J Biol Chem* **270**: 28595-28600.
- Philipp S, Cavalie A, Freichel M, Wissenbach U, Zimmer S, Trost C, Marquart A, Murakami M, Flockerzi V (1996) A mammalian capacitative calcium entry channel homologous to *Drosophila* TRP and TRPL. *EMBO J* **15**: 6166-6171.
- Philipp S, Hambrecht J, Braslavski L, Schroth G, Freichel M, Murakami M, Cavalie A, Flockerzi V (1998) A novel capacitative calcium entry channel expressed in excitable cells. *EMBO J* **17**: 4274-4282.
- Philipp S, Trost C, Warnat J, Rautmann J, Himmerkus N, Schroth G, Kretz O, Nastainczyk W, Cavalie A, Hoth M, Flockerzi V (2000) TRP4 (CCE1) protein is part of native calcium release-activated Ca²⁺-like channels in adrenal cells. *J Biol Chem* **275**: 23965-23972.
- Phillips AM, Bull A, Kelly LE (1992) Identification of a *Drosophila* gene encoding a calmodulin-binding protein with homology to the *trp* phototransduction gene. *Neuron* **8**: 631-642.
- Pietrobon D, Di Virgilio F, Pozzan T (1990) Structural and functional aspects of calcium homeostasis in eucaryotic cells. *Eur J Biochem* **193**: 599-622.
- Prasher DC, Eckenrode VK, Ward WW, Prendergast FG, Cormier MJ (1992) Primary structure of the *Aequorea victoria* green-fluorescent protein. *Gene* **111**: 229-233.
- Premkumar LS, Ahern GP (2000) Induction of vanilloid receptor channel activity by protein kinase C. *Nature* **408**: 985-990.
- Prescott ED, Julius D (2003) A modular PIP₂ binding site as a determinant of capsaicin receptor sensitivity. *Science* **300**: 1284-1288.
- Preuß KD, Nöller JK, Krause E, Gobel A, Schulz I (1997) Expression and characterization of a *trpl* homolog from rat. *Biochem Biophys Res Commun* **240**: 167-172.
- Proenza C, Tran N, Angoli D, Zahynacz K, Balcar P, Accili EA (2002) Different roles for the cyclic nucleotide binding domain and amino terminus in assembly and expression of hyperpolarization-activated, cyclic nucleotide-gated channels. *J Biol Chem* **277**: 29634-29642.
- Putney JW Jr. (1986) A model for receptor-regulated calcium entry. *Cell Calcium* **7**: 1-12.
- Putney LK, Denker SP, Barber DL (2002) The changing face of the Na⁺/H⁺ exchanger, NHE1: structure, regulation, and cellular actions. *Annu Rev Pharmacol Toxicol* **42**: 527-552.
- Randriamampita C, Tsien RY (1993) Emptying of intracellular Ca²⁺ stores releases a novel small messenger that stimulates Ca²⁺ influx. *Nature* **364**: 809-814.
- Ranganathan R, Malicki DM., Zuker CS (1995) Signal transduction in *Drosophila* photoreceptors. *Ann Rev Neurosci* **18**: 283-317.
- Rasmussen H (1989) The cycling of calcium as an intracellular messenger. *Scientific American* **261**: 44-58.

- Reed KC, Bygrave FL (1974) The inhibition of mitochondrial calcium transport by lanthanides and ruthenium red. *Biochem J* **140**: 143-155.
- Reuss H, Mojet MH, Chyb S, Hardie RC (1997) In vivo analysis of the drosophila light-sensitive channels, TRP and TRPL. *Neuron* **19**: 1249-1259.
- Rink TJ, Tsien RY, Pozzan T (1982) Cytoplasmic pH and free Mg²⁺ in lymphocytes. *J Cell Biol* **95**: 189-196.
- Robey RB, Ruiz O, Santos AV, Ma J, Kear F, Wang LJ, Li CJ, Bernardo AA, Arruda JA (1998) pH-dependent fluorescence of a heterologously expressed *Aequorea* green fluorescent protein mutant: in situ spectral characteristics and applicability to intracellular pH estimation. *Biochemistry* **37**: 9894-9901.
- Robinson RB, Siegelbaum SA (2003) Hyperpolarization-activated cation currents: from molecules to physiological functions. *Annu Rev Physiol* **65**: 453-480.
- Roderick HL, Campbell AK, Llewellyn DH (1997) Nuclear localisation of calreticulin in vivo is enhanced by its interaction with glucocorticoid receptors. *FEBS Lett* **405**: 181-185.
- Rogers J (1989) Calcium-binding proteins. The search for functions. *Nature* **339**: 661-662.
- Roosild TP, Lê KT, Choe S (2004) Cytoplasmic gatekeepers of K⁺-channel flux: a structural perspective. *TIBS* **29**: 39-45.
- Roux B, MacKinnon R (1999) The cavity and pore helices in the KcsA K⁺ channel: electrostatic stabilization of monovalent cation. *Science* **285**: 100-102.
- Sakura H, Ashcroft FM (1997) Identification of four *trp1* gene variants murine pancreatic beta-cells. *Diabetologia* **40**: 528-532.
- Sawano A, Miyawaki A (2000) Directed evolution of green fluorescent protein by a new versatile PCR strategy for site-directed and semi-random mutagenesis. *Nucleic Acids Res* **28**: E78.
- Schaefer M, Albrecht N, Hofmann T, Gudermann T, Schultz G (2001) Diffusion-limited translocation mechanism of protein kinase C isotypes. *FASEB J* **15**: 1634-1636.
- Schaefer M, Plant TD, Obukhov AG, Hofmann T, Gudermann T, Schultz G (2000) Receptor-mediated regulation of the nonselective cation channels TRPC4 and TRPC5. *J Biol Chem* **275**: 17517-17526.
- Schaefer M, Plant TD, Stresow N, Albrecht N, Schultz G (2002) Functional differences between TRPC4 splice variants. *J Biol Chem* **277**: 3752-3759.
- Schaefer, M, Plant TD, Obukhov AG, Hofmann T, Gudermann T, Schultz G (2000) Receptor-mediated regulation of the nonselective cation channels TRPC4 and TRPC5. *J Biol Chem* **275**: 17517-17526.
- Sheng M, Thompson MA, Greenberg ME (1991) CREB: A Ca²⁺-regulated transcription factor phosphorylated by calmodulin-dependent kinases. *Science* **252**: 1427-1430.
- Shieh BH, Zhu MY (1996) Regulation of the TRP Ca²⁺ channel by INAD in Drosophila photoreceptors. *Neuron* **16**: 991-998.

- Shimomura O (1979) Structure of the chromophore of *Aequorea* green fluorescent protein. *FEBS Lett* **104**: 220-222.
- Shimomura O, Johnson FH, Saiga Y (1962) Extraction, purification and properties of aequorin, a bioluminescent protein from the luminous hydromedusan, *Aequorea*. *J Cell Comp Physiol* **59**: 223-239.
- Shin J, Cho H, Hwang SW, Jung J, Shin CY, Lee SY, Kim SH, Lee MG, Choi YH, Kim J, Haber NA, Reichling DB, Khasar S, Levine JD, Oh U (2002) Bradykinin-12-lipoxygenase-VR1 signaling pathway for inflammatory hyperalgesia. *Proc Natl Acad Sci USA* **99**: 10150-10155.
- Shulga N, Roberts P, Gu Z, Spitz L, Tabb MM, Nomura M, Goldfarb DS (1996) In vivo nuclear transport kinetics in *Saccharomyces cerevisiae*: a role for heat shock protein 70 during targeting and translocation. *J Cell Biol* **135**: 329-339.
- Simpson PB, Russell JT (1998) Role of mitochondrial Ca²⁺ regulation in neuronal and glial cell signalling. *Brain Res Rev* **26**: 72-81.
- Sinkins WG, Estacion M, Schilling WP (1998) Functional expression of TrpC1: a human homologue of the *Drosophila* Trp channel. *Biochem J* **331**: 331-339.
- Smart D, Gunthorpe MJ, Jerman JC, Nasir S, Gray J, Muir AI, Chambers JK, Randall AD, Davis JB (2000) The endogenous lipid anandamide is a full agonist at the human vanilloid receptor (hVR1). *Br J Pharmacol* **129**: 227-230.
- Smith GD, Gunthorpe MJ, Kelsell RE, Hayes PD, Reilly P, Facer P, Wright JE, Jerman JC, Walhin JP, Ooi L, Egerton J, Charles KJ, Smart D, Randall AD, Anand P, Davis JB (2002) TRPV3 is a temperature-sensitive vanilloid receptor-like protein. *Nature* **418**: 186-190.
- Somlyo AP, Himpens B (1989) Cell calcium and its regulation in smooth muscle. *FASEB J* **3**: 2266-2276.
- Staruschenko A, Medina JL, Patel P, Shapiro MS, Booth RE, Stockand JD (2004) Fluorescence resonance energy transfer analysis of subunit stoichiometry of the epithelial Na⁺ channel. *J Biol Chem* **279**: 27729-27734.
- Steen KH, Issberner U, Reeh PW (1995) Pain due to experimental acidosis in human skin: evidence for non-adapting nociceptor excitation. *Neurosci Lett* **199**: 29-32.
- Stokes AJ, Wakano C, Del Carmen KA, Koblan-Huberson M, Turner H (2005) Formation of a physiological complex between TRPV2 and RGA protein promotes cell surface expression of TRPV2. *J Cell Biochem* **94**: 669-683.
- Stowers L, Holy TE, Meister M, Dulac C, Koentges G (2002) Loss of sex discrimination and male-male aggression in mice deficient for TRP2. *Science* **295**: 1493-1500.
- Strötmann R, Harteneck C, Nunnenmacher K, Schultz G, Plant TD (2000) oTRPC4, a nonselective cation channel that confers sensitivity to extracellular osmolarity. *Nat Cell Biol* **2**: 695-702.

- Strübing C, Krapivinsky G, Krapivinsky L, Clapham DE (2001) TRPC1 and TRPC5 form a novel cation channel in mammalian brain. *Neuron* **29**: 645-655.
- Stryer L (1978) Fluorescence energy transfer as a spectroscopic ruler. *Annu Rev Biochem* **47**: 819-846.
- Stryer L, Haugland RP (1967) Energy transfer: a spectroscopic ruler. *Proc Natl Acad Sci USA* **58**: 719-726.
- Takahashi A, Camacho P, Lechleiter JD, Herman B (1999) Measurement of intracellular calcium. *Physiol Rev* **79**: 1089-1125.
- Takahashi KI, Copenhagen DR (1996) Modulation of neuronal function by intracellular pH. *Neurosci Res* **24**: 109-116.
- Tang Y, Tang J, Chen Z, Trost C, Flockerzi V, Li M, Ramesh V, Zhu M (2000) Association of mammalian Trp4 and Phospholipase C isoenzymes with as PDZ Domain-containing Protein, NHERF. *J Biol Chem* **275**: 37559-37564.
- Thomas AP, Bird GS, Hajnoczky G, Robb-Gaspers LD, Putney JW Jr. (1996) Spatial and temporal aspects of cellular calcium signaling. *FASEB J* **10**: 1505-1517.
- Thomas RC, Meech RW (1982) Hydrogen ion currents and intracellular pH in depolarized voltage-clamped snail neurones. *Nature* **299**: 826-828.
- Tominaga M, Caterina MJ, Malmberg AB, Rosen TA, Gilbert H, Skinner K, Raumann BE, Basbaum AI, Julius D (1998) The cloned capsaicin receptor integrates multiple pain-producing stimuli. *Neuron* **21**: 531-543.
- Törnquist K, Tashjian AH Jr. (1992) pH homeostasis in pituitary GH₄C₁ cells: Basal intracellular pH is regulated by cytosolic free Ca²⁺ concentration. *Endocrinology* **130**: 717-725.
- Torres GE, Egan TM, Voigt MM (1999) Identification of a domain involved in ATP-gated ionotropic receptor subunit assembly. *J Biol Chem* **274**: 22359-65.
- Tozzi A, Bengtson CP, Longone P, Carignani C, Fusco FR, Bernardi G, Mercuri NB (2003) Involvement of transient receptor potential-like channels in responses to mGluR-I activation in midbrain dopamine neurons. *Eur J Neurosci* **18**: 2133-2145.
- Trapp S, Lückermann M, Kaila K, Ballanyi K (1996) Acidosis of hippocampal neurones mediated by a plasmalemmal Ca²⁺/H⁺ pump. *Neuroreport* **7**: 2000-2004.
- Tsien RW, Lipscombe D, Madison D, Bley K, Fox A (1995) Reflections on Ca²⁺-channel diversity, 1988-1994. *Trends Neurosci* **18**: 52-54.
- Tsien RW, Tsien RY (1990) Calcium channels, stores and oscillations. *Annu Rev Cell Biol* **6**: 715-760.
- Tsien RY (1998) The green fluorescent protein. *Annu Rev Biochem* **67**: 509-544.
- Tu L, Santarelli V, Sheng Z, Skach W, Pain D, Deutsch C (1996) Voltage-gated K⁺ channels contain multiple intersubunit association sites. *J Biol Chem* **271**: 18904-18911.

- Unwin N (1993) Neurotransmitter action: Opening of ligand-gated ion channels. *Cell* **72**: 31-41.
- Vaca L, Kunze DL (1994) Depletion of intracellular Ca^{2+} stores activates a Ca^{2+} -selective channel in vascular endothelium. *Am J Physiol* **267**: C920-C925.
- van de Graaf SF, Hoenderop JG, Gkika D, Lamers D, Prenen J, Rescher U, Gerke V, Staub O, Nilius B, Bindels RJ (2003) Functional expression of the epithelial Ca^{2+} channels (TRPV5 and TRPV6) requires association of the S100A10-annexin 2 complex. *EMBO J* **22**: 1478-1487.
- van Haasteren G, Li S, Muda M, Susini S, Schlegel W (1999) Calcium signalling and gene expression. *J Recept Signal Transduct Res* **19**: 481-492.
- Vannier B, Peyton M, Boulay G, Brown D, Qin N, Jiang M, Zhu X, Birnbaumer L (1999) Mouse *trp2*, the homologue of the human *trpc2* pseudogene, encodes mTrp2, a store depletion-activated capacitative Ca^{2+} entry channel. *Proc Natl Acad Sci USA* **96**: 2060-2064.
- Vannier B, Zhu X, Brown D, Birnbaumer L (1998) The membrane topology of human transient receptor potential 3 as inferred from glycosylation-scanning mutagenesis and epitope immunocytochemistry. *J Biol Chem* **273**: 8675-8679.
- Vaughan-Jones RD, Lederer WJ, Eisner DA (1983) Ca^{2+} ions can affect intracellular pH in mammalian cardiac muscle. *Nature* **301**: 522-524.
- Vazquez G, Lievremont JP, St J Bird G, Putney JW Jr (2001) Human Trp3 forms both inositol trisphosphate receptor-dependent and receptor-independent store-operated cation channels in DT40 avian B lymphocytes. *Proc Natl Acad Sci USA* **98**: 11777-11782.
- Vellani V, Mapplebeck S, Moriondo A, Davis JB, McNaughton PA (2001) Protein kinase C activation potentiates gating of the vanilloid receptor VR1 by capsaicin, protons, heat and anandamide. *J Physiol* **534**: 813-825.
- Venkatachalam K, Ma HT, Ford DL, Gill DL (2001) Expression of functional receptor-coupled TRPC3 channels in DT40 triple receptor InsP₃ knockout cells. *J Biol Chem* **276**: 33980-33985.
- Vennekens R, Hoenderop JG, Prenen J, Struiver M, Willems PH, Droogmans G, Nilius B, Bindels RJ (2000) Permeation and gating properties of the novel epithelial Ca^{2+} channel. *J Biol Chem* **275**: 3963-3969.
- Vennekens R, Voets T, Bindels RJ, Droogmans G, Nilius B (2002) Current understanding of mammalian TRP homologues. *Cell Calcium* **31**: 253-264.
- Virgilio C, MacKenzie A, Rassendren FA, North RA, Surprenant A (1999) Pore dilation of neuronal P2X receptor channels. *Nat Neurosci* **2**: 315-321.
- Voets T, Prenen J, Fleig A, Vennekens R, Watanabe H, Hoenderop JG, Bindels RJ, Droogmans G, Penner R, Nilius B (2001) CaT1 and the calcium release-activated calcium channel manifest distinct pore properties. *J Biol Chem* **276**: 47767-47770.

- von Tscharner V, Prod'hom B, Baggiolini M, Reuter H (1986) Ion channel in human neutrophils activated by a rise in free cytosolic calcium concentration. *Nature* **324**: 369-372.
- Vriens J, Owsianik G, Voets T, Droogmans G, Nilius B (2004a) Invertebrate TRP proteins as functional models for mammalian channels. *Pflügers Arch* **449**: 213-226.
- Vriens J, Watanabe H, Janssens A, Droogmans G, Voets T, Nilius B (2004b) Cell swelling, heat, and chemical agonists use distinct pathways for the activation of the cation channel TRPV4. *Proc Natl Acad Sci USA* **101**: 396-401.
- Wachter RM, Remington SJ (1999) Sensitivity of the yellow variant of green fluorescent protein to halides and nitrate. *Curr Biol* **9**: R628-R629.
- Wachter RM, Yarbrough D, Kallio K, Remington SJ (2000) Crystallographic and energetic analysis of binding of selected anions to the yellow variants of green fluorescent protein. *J Mol Biol* **301**: 157-171.
- Wang GJ, Randall RD, Thayer SA (1994) Glutamate-induced intracellular acidification of cultured hippocampal neurons demonstrates altered energy metabolism resulting from Ca^{2+} loads. *J Neurophysiol* **72**: 2563-2569.
- Wang S, Hazelrigg T (1994) Implications for *bcd* mRNA localization from spatial distribution of exu protein in *Drosophila* oogenesis. *Nature* **369**: 400-403.
- Ward WW, Prentice HJ, Roth AF, Cody CW, Reeves SC (1982) Spectral perturbations of the *Aequorea* green fluorescent protein. *Photochem Photobiol* **35**: 803-808.
- Warnat J, Philipp S, Zimmer S, Flockerzi V, Cavalie A (1999) Phenotype of a recombinant store-operated channel: highly selective permeation of Ca^{2+} . *J Physiol* **518**: 631-638.
- Watanabe H, Davis JB, Smart D, Jerman JC, Smith GD, Hayes P, Vriens J, Cairns W, Wissenbach U, Prenen J, Flockerzi V, Droogmans G, Benham CD, Nilius B (2002b) Activation of TRPV4 channels (hVRL-2/mTRP12) by phorbol derivates. *J Biol Chem* **277**: 13569-13577.
- Watanabe H, Vriens J, Prenen J, Droogmans G, Voets T, Nilius B (2003) Anandamide and arachidonic acid use epoxyeicosatrienoic acids to activate TRPV4 channels. *Nature* **424**: 434-438.
- Watanabe H, Vriens J, Suh SH, Benham CD, Droogmans G, Nilius B (2002a) Heat-evoked activation of TRPV4 channels in a HEK293 cell expression system and in native mouse aorta endothelial cells. *J Biol Chem* **277**: 47044-47051.
- Weitz D, Ficek N, Kremmer E, Bauer PJ, Kaupp UB (2002) Subunit stoichiometry of the CNG channel of rod photoreceptors. *Neuron* **36**: 881-889.
- Welch JM, Simon SA, Reinhart PH (2000) The activation mechanism of rat vanilloid receptor 1 by capsaicin involves the pore domain and differs from the activation by either acid or heat. *Proc Natl Acad Sci USA* **97**: 13889-13894.

- Werth JL, Thayer SA (1994) Mitochondria buffer physiological calcium loads in cultured rat dorsal root ganglion neurons. *J Neurosci* **14**: 348-356.
- Wes P, Chevesich J, Jeromin A, Rosenberg C, Stetten G, Montell C (1995) TRPC1, a human homolog of a *Drosophila* store-operated channel. *Proc Natl Acad Sci USA* **92**: 9652-9656.
- Wiemer EA, Wenzel T, Deerinck TJ, Ellisman MH, Subramani S (1997) Visualization of the peroxisomal compartment in living mammalian cells: dynamic behavior and association with microtubules. *J Cell Biol* **136**: 71-80.
- Wissenbach U, Bodding M, Freichel M, Flockerzi V (2000) Trp12, a novel Trp related protein from kidney. *FEBS Lett* **485**: 127-134.
- Wissenbach U, Schroth G, Philipp S, Flockerzi V (1998) Structure and mRNA expression of a bovine *trp* homologue related to mammalian *trp2* transcripts. *FEBS Lett* **429**: 61-66.
- Woodbury CJ, Zwick M, Wang S, Lawson JJ, Caterina MJ, Koltzenburg M, Albers KM, Koerber HR, Davis BM (2004) Nociceptors lacking TRPV1 and TRPV2 have normal heat responses. *J Neurosci* **24**: 6410-6415.
- Wu ML, Chen JH, Chen WH, Chen YJ, Chu KC (1999) Novel role of the Ca²⁺-ATPase in NMDA-induced intracellular acidification. *Am J Physiol* **277**: 717-727.
- Wu X, Babnigg G, Villereal ML (2000) Functional significance of human *trp1* and *trp3* in store-operated Ca²⁺ entry in HEK-293 cells. *Am J Physiol Cell Physiol* **278**: C526-C536.
- Xu F, Satoh E, Iijima T (2003) Protein kinase C-mediated Ca²⁺ entry in HEK 293 cells transiently expressing human TRPV4. *Br J Pharmacol* **140**: 413-421.
- Xu H, Ramsey IS, Kotecha SA, Moran MM, Chong JA, Lawson D, Ge P, Lilly J, Silos-Santiago I, Xie Y, DiStefano PS, Curtis R, Clapham DE (2002) TRPV3 is a calcium-permeable temperature-sensitive cation channel. *Nature* **418**: 181-186.
- Xu XZ, Chien F, Butler A, Salkoff L, Montell C (2000) TRPγ, a *Drosophila* TRP-related subunit, forms a regulated cation channel with TRPL. *Neuron* **26**: 647-657.
- Xu XZ, Choudhury A, Li. X-, Montell. C. (1998) Coordination of an array of signaling proteins through homo- and heteromeric interactions between PDZ domains and target proteins. *J Cell Biol* **142**: 545-555.
- Xu XZ, Li HS, Guggino WB, Montell C (1997) Coassembly of TRP and TRPL produces a distinct store-operated conductance. *Cell* **89**: 1155-1164.
- Yang F, Moss LG, Phillips GN Jr. (1996) The molecular structure of green fluorescent protein. *Nature Biotechnology* **14**: 1246-1251.
- Yang TT, Sinai P, Green G, Kitts PA, Chen YT, Lybarger L, Chervenak R, Patterson GH, Piston DW, Kain SR (1998) Improved fluorescence and dual color detection with enhanced blue and green variants of the green fluorescent protein. *J Biol Chem* **273**: 8212-8216.

- Yau KW (1994) Cyclic nucleotide-activated channels: an expanding new family of ion channels. *Proc Natl Acad Sci USA* **91**: 3481-3483.
- Yue L, Peng JB, Hediger MA, Clapham DE (2001) CaT1 manifests the pore properties of the calcium-release-activated calcium channel. *Nature* **410**: 705-709.
- Zaccolo M (2004) Use of chimeric fluorescent proteins and fluorescence resonance energy transfer to monitor cellular responses. *Circ Res* **94**: 866-873.
- Zagotta WN, Olivier NB, Black KD, Young EC, Olson R Gouaux E (2003) Structural basis for modulation and agonist specificity of HCN pacemaker channels. *Nature* **425**: 200-205.
- Zhang J, Campbell RE, Ting AY, Tsien RY (2002) Creating new fluorescent probes for cell biology. *Nat Rev Mol Cell Biol* **3**: 906-918.
- Zhang Z, Tang J, Tikunova S, Johnson JD, Chen Z, Qin N, Dietrich A, Stefani E, Birnbaumer L, Zhu MX (2001) Activation of Trp3 by inositol 1,4,5-trisphosphate receptors through displacement of inhibitory calmodulin from a common binding domain. *Proc Natl Acad Sci USA* **98**: 3168-3173.
- Zheng J, Trudeau MC, Zagotta WN (2002) Rod cyclic nucleotide-gated channels have a stoichiometry of three CNGA1 subunits and one CNGB1 subunit. *Neuron* **36**: 891-896.
- Zheng J, Zagotta WN (2004) Stoichiometry and assembly of olfactory cyclic nucleotide-gated channels. *Neuron* **42**: 411-421.
- Zhong H, Molday LL, Molday RS, Yau KW (2002) The heteromeric cyclic nucleotide-gated channel adopts a 3A:1B stoichiometry. *Nature* **420**: 193-198.
- Zhu X, Jiang M, Peyton M, Boulay G, Hurst R, Stefani E, Birnbaumer L (1996) *trp*, a novel mammalian gene family essential for agonist-activated capacitative Ca^{2+} entry. *Cell* **85**: 661-671.
- Zitt C, Obukhov AG, Strubing C, Zobel A, Kalkbrenner F, Luckhoff A, Schultz G (1997) Expression of TRPC3 in Chinese hamster ovary cells results in calcium-activated cation currents not related to store depletion. *J Cell Biol* **138**: 1333-1341.
- Zitt C, Zobel A, Obukhov AG, Harteneck C, Kalkbrenner F, Luckhoff A, Schultz G (1996) Cloning and functional expression of a human Ca^{2+} -permeable cation channel activated by store depletion. *Neuron* **16**: 1189-1196.
- Zweifach A, Lewis RS (1993) Mitogen-regulated Ca^{2+} current of T lymphocytes is activated by depletion of intracellular Ca^{2+} stores. *Proc Natl Acad Sci USA* **90**: 6296- 6299.
- Zygmunt PM, Petersson J, Andersson DA, Chuang H, Sorgard M, Di Marzo V, Julius D, Hogestatt ED (1999) Vanilloid receptors on sensory nerves mediate the vasodilator action of anandamide. *Nature* **400**: 452-457.