

7 Literaturverzeichnis

1. Aufdemorte, T.B., Van Sickels, J.E., Dolwick, M.F. et al., 1986. Estrogen receptors in the temporomandibular joint of the baboon (*Papio cynocephalus*): an autoradiographic study. *Oral Surg Oral Med Oral Pathol* 61 (4), 307-314.
2. Barclay, P., Hollender, L.G., Maravilla, K.R., Truelove, E.L., 1999. Comparison of clinical and magnetic resonance imaging diagnosis in patients with disk displacement in the temporomandibular joint. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 88 (1), 37-43.
3. Bell, W.H., Yamaguchi, Y., 1991. Condyle position and mobility before and after intraoral vertical ramus osteotomies and neuromuscular rehabilitation. *Int J Adult Orthodon Orthognath Surg* 6 (2), 97-104.
4. Blaschke, D.D., Blaschke, T.J., 1981a. A method for quantitatively determining temporomandibular joint bony relationships. *J Dent Res* 60 (1), 35-43.
5. Blaschke, D.D., Blaschke, T.J., 1981b. Normal TMJ bony relationships in centric occlusion. *J Dent Res* 60 (2), 98-104.
6. Bonilla-Aragon, H., Tallents, R.H., Katzberg, R.W., Kyrkanides, S., Moss, M.E., 1999. Condyle position as a predictor of temporomandibular joint internal derangement. *J Prosthet Dent* 82 (2), 205-208.
7. Bortz, J., 1988. *Statistik für Sozialwissenschaftler*. Dritte, neu bearbeitete Auflage Edition. Springer-Verlag.
8. Brooks, S.L., Westesson, P.L., 1993. Temporomandibular joint: value of coronal MR images. *Radiology* 188 (2), 317-321.
9. Brooks, S.L., Westesson, P.L., Eriksson, L., Hansson, L.G., Barsotti, J.B., 1992. Prevalence of osseous changes in the temporomandibular joint of asymptomatic persons without internal derangement. *Oral Surg Oral Med Oral Pathol* 73 (1), 118-122.
10. Bühl, A., Zöfel, P., 2002. *SPSS Version 11. Einführung in die moderne Datenanalyse unter Windows*. München: Pearson Studium.
11. Bumann, A., Lotzmann, U., 2000. *Funktionsdiagnostik und Therapieprinzipien*. Georg Thieme Verlag, Stuttgart, New York.
12. Bumann, A., Schwarzer, C.L., Nies, M.R., Carvalho, R.S., 1996. Standardized metric analysis of magnetic resonance images of human temporomandibular joints. [Abstract]. *Eur J Orthod* 18, 511.

13. Buschang, P.H., Santos-Pinto, A., Demirjian, A., 1999. Incremental growth charts for condylar growth between 6 and 16 years of age. *Eur J Orthod* 21 (2), 167-173.
14. Campbell, J.H., Courey, M.S., Bourne, P., Odziemiec, C., 1993. Estrogen receptor analysis of human temporomandibular disc. *J Oral Maxillofac Surg* 51 (10), 1101-1105.
15. Christiansen, E.L., Thompson, J.R., Zimmerman, G. et al., 1987. Computed tomography of condylar and articular disk positions within the temporomandibular joint. *Oral Surg Oral Med Oral Pathol* 64 (6), 757-767.
16. Crow, H.C., Parks, E., Campbell, J.H., Stucki, D.S., Daggy, J., 2005. The utility of panoramic radiography in temporomandibular joint assessment. *Dentomaxillofac Radiol* 34 (2), 91-95.
17. Davant, T.S.t., Greene, C.S., Perry, H.T., Lautenschlager, E.P., 1993. A quantitative computer-assisted analysis of disc displacement in patients with internal derangement using sagittal view magnetic resonance imaging. *J Oral Maxillofac Surg* 51 (9), 974-979; discussion 979-981.
18. de Leeuw, R., Boering, G., Stegenga, B., de Bont, L.G., 1995. TMJ articular disc position and configuration 30 years after initial diagnosis of internal derangement. *J Oral Maxillofac Surg* 53 (3), 234-241; discussion 241-232.
19. de Leeuw, R., Boering, G., van der Kuijl, B., Stegenga, B., 1996. Hard and soft tissue imaging of the temporomandibular joint 30 years after diagnosis of osteoarthritis and internal derangement. *J Oral Maxillofac Surg* 54 (11), 1270-1280; discussion 1280-1271.
20. Dixon, D.C., 1991. Diagnostic imaging of the temporomandibular joint. *Dent Clin North Am* 35 (1), 53-74.
21. Dolwick, M.F., Katzberg, R.W., Helms, C.A., Bales, D.J., 1979. Arthrotomographic evaluation of the temporomandibular joint. *J Oral Surg* 37 (11), 793-799.
22. Drace, J.E., Enzmann, D.R., 1990. Defining the normal temporomandibular joint: closed-, partially open-, and open-mouth MR imaging of asymptomatic subjects. *Radiology* 177 (1), 67-71.
23. Drace, J.E., Young, S.W., Enzmann, D.R., 1990. TMJ meniscus and bilaminar zone: MR imaging of the substructure--diagnostic landmarks and pitfalls of interpretation. *Radiology* 177 (1), 73-76.
24. Dworkin, S.F., LeResche, L., 1992. Research diagnostic criteria for temporomandibular disorders: review, criteria, examinations and specifications, critique. *J Craniomandib Disord* 6 (4), 301-355.

25. Dworkin, S.F., LeResche, L., DeRouen, T., Von Korff, M., 1990. Assessing clinical signs of temporomandibular disorders: reliability of clinical examiners. *J Prosthet Dent* 63 (5), 574-579.
26. Emshoff, R., Brandlmaier, I., Schmid, C., Bertram, S., Rudisch, A., 2003. Bone marrow edema of the mandibular condyle related to internal derangement, osteoarthritis, and joint effusion. *J Oral Maxillofac Surg* 61 (1), 35-40.
27. Emshoff, R., Innerhofer, K., Rudisch, A., Bertram, S., 2002a. Clinical versus magnetic resonance imaging findings with internal derangement of the temporomandibular joint: an evaluation of anterior disc displacement without reduction. *J Oral Maxillofac Surg* 60 (1), 36-41; discussion 42-33.
28. Emshoff, R., Rudisch, A., 2001. Validity of clinical diagnostic criteria for temporomandibular disorders: clinical versus magnetic resonance imaging diagnosis of temporomandibular joint internal derangement and osteoarthritis. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 91 (1), 50-55.
29. Emshoff, R., Rudisch, A., Innerhofer, K., Brandlmaier, I., Moschen, I., Bertram, S., 2002b. Magnetic resonance imaging findings of internal derangement in temporomandibular joints without a clinical diagnosis of temporomandibular disorder. *J Oral Rehabil* 29 (6), 516-522.
30. Galante, G., Paesani, D., Tallents, R.H., Hatala, M.A., Katzberg, R.W., Murphy, W., 1995. Angle of the articular eminence in patients with temporomandibular joint dysfunction and asymptomatic volunteers. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 80 (2), 242-249.
31. Gateno, J., Anderson, P.B., Xia, J.J., Horng, J.C., Teichgraeber, J.F., Liebschner, M.A., 2004. A comparative assessment of mandibular condylar position in patients with anterior disc displacement of the temporomandibular joint. *J Oral Maxillofac Surg* 62 (1), 39-43.
32. Hansson, L.G., Petersson, A., Vallon-Christersson, D., 1984. Clinical and radiologic six-year follow-up study of patients with crepitation of the temporomandibular joint. *Swed Dent J* 8 (6), 277-287.
33. Hansson, L.G., Westesson, P.L., Katzberg, R.W. et al., 1989. MR imaging of the temporomandibular joint: comparison of images of autopsy specimens made at 0.3 T and 1.5 T with anatomic cryosections. *AJR Am J Roentgenol* 152 (6), 1241-1244.
34. Hansson, T., Oberg, T., Carlsson, G.E., Kopp, S., 1977. Thickness of the soft tissue layers and the articular disk in the temporomandibular joint. *Acta Odontol Scand* 35 (2), 77-83.

35. Heffez, L.B., 1998. Discussion. Posterior Disc Displacement in the Temporomandibular Joint. *J Oral Maxillofac Surg* 56 (11), 1273-1274.
36. Honda, K., Larheim, T.A., Sano, T., Hashimoto, K., Shinoda, K., Westesson, P.L., 2001. Thickening of the glenoid fossa in osteoarthritis of the temporomandibular joint. An autopsy study. *Dentomaxillofac Radiol* 30 (1), 10-13.
37. Hugger, A., Kordaß, B., Assheuer, J., Stüttgen, U., 1993. Zur Auswertung sagittaler Kernspintomogramme des Kiefergelenks. *DZZ* 48, 37-44.
38. Isberg, A., Isacson, G., 1986. Tissue reactions associated with internal derangement of the temporomandibular joint. A radiographic, cryomorphologic, and histologic study. *Acta Odontol Scand* 44 (3), 160-164.
39. Kaneyama, K., Segami, N., Sun, W., Sato, J., Fujimura, K., 2005. Levels of soluble cytokine factors in temporomandibular joint effusions seen on magnetic resonance images. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 99 (4), 411-418.
40. Katzberg, R.W., Keith, D.A., Ten Eick, W.R., Guralnick, W.C., 1983. Internal derangements of the temporomandibular joint: an assessment of condylar position in centric occlusion. *J Prosthet Dent* 49 (2), 250-254.
41. Katzberg, R.W., Schenck, J., Roberts, D. et al., 1985. Magnetic resonance imaging of the temporomandibular joint meniscus. *Oral Surg Oral Med Oral Pathol* 59 (4), 332-335.
42. Katzberg, R.W., Westesson, P.L., Tallents, R.H. et al., 1988. Temporomandibular joint: MR assessment of rotational and sideways disk displacements. *Radiology* 169 (3), 741-748.
43. Katzberg, R.W., Westesson, P.L., Tallents, R.H., Drake, C.M., 1996. Anatomic disorders of the temporomandibular joint disc in asymptomatic subjects. *J Oral Maxillofac Surg* 54 (2), 147-153; discussion 153-145.
44. Kerstens, H.C., Golding, R.P., Valk, J., van der Kwast, W.A., 1989. Magnetic resonance imaging of partial temporomandibular joint disc displacement. *J Oral Maxillofac Surg* 47 (1), 25-29.
45. Kinniburgh, R.D., Major, P.W., Nebbe, B., West, K., Glover, K.E., 2000. Osseous morphology and spatial relationships of the temporomandibular joint: comparisons of normal and anterior disc positions. *Angle Orthod* 70 (1), 70-80.
46. Kircos, L.T., Ortendahl, D.A., Mark, A.S., Arakawa, M., 1987. Magnetic resonance imaging of the TMJ disc in asymptomatic volunteers. *J Oral Maxillofac Surg* 45 (10), 852-854.
47. Kirk, W.S., Jr., 1989. A comparative study of axial corrected tomography with magnetic resonance imagery in 35 joints. *Oral Surg Oral Med Oral Pathol* 68 (5), 646-652.

48. Kurita, H., Kurashina, K., Baba, H., Ohtsuka, A., Kotani, A., Kopp, S., 1998a. Evaluation of disk capture with a splint repositioning appliance: clinical and critical assessment with MR imaging. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 85 (4), 377-380.
49. Kurita, H., Kurashina, K., Ohtsuka, A., Kotani, A., 1998b. Change of position of the temporomandibular joint disk with insertion of a disk-repositioning appliance. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 85 (2), 142-145.
50. Kurita, H., Ohtsuka, A., Kobayashi, H., Kurashina, K., 2001. A study of the relationship between the position of the condylar head and displacement of the temporomandibular joint disk. *Dentomaxillofac Radiol* 30 (3), 162-165.
51. Landes, C., Walendzik, H., Klein, C., 2000. Sonography of the temporomandibular joint from 60 examinations and comparison with MRI and axiography. *J Craniomaxillofac Surg* 28 (6), 352-361.
52. Larheim, T.A., Westesson, P., Sano, T., 2001a. Temporomandibular joint disk displacement: comparison in asymptomatic volunteers and patients. *Radiology* 218 (2), 428-432.
53. Larheim, T.A., Westesson, P.L., Hicks, D.G., Eriksson, L., Brown, D.A., 1999. Osteonecrosis of the temporomandibular joint: correlation of magnetic resonance imaging and histology. *J Oral Maxillofac Surg* 57 (8), 888-898; discussion 899.
54. Larheim, T.A., Westesson, P.L., Sano, T., 2001b. MR grading of temporomandibular joint fluid: association with disk displacement categories, condyle marrow abnormalities and pain. *Int J Oral Maxillofac Surg* 30 (2), 104-112.
55. LeResche, L., 1997. Epidemiology of temporomandibular disorders: implications for the investigation of etiologic factors. *Crit Rev Oral Biol Med* 8 (3), 291-305.
56. LeResche, L., Dworkin, S.F., Sommers, E.E., Truelove, E.L., 1991. An epidemiologic evaluation of two diagnostic classification schemes for temporomandibular disorders. *J Prosthet Dent* 65 (1), 131-137.
57. LeResche, L., Mancl, L., Sherman, J.J., Gandara, B., Dworkin, S.F., 2003. Changes in temporomandibular pain and other symptoms across the menstrual cycle. *Pain* 106 (3), 253-261.
58. LeResche, L., Saunders, K., Von Korff, M.R., Barlow, W., Dworkin, S.F., 1997. Use of exogenous hormones and risk of temporomandibular disorder pain. *Pain* 69 (1-2), 153-160.
59. Lipton, J.A., Ship, J.A., Larach-Robinson, D., 1993. Estimated prevalence and distribution of reported orofacial pain in the United States. *J Am Dent Assoc* 124 (10), 115-121.

60. Madsen, B., 1966. Normal variations in anatomy, condylar movements, and arthrosis frequency of the temporomandibular joints. *Acta Radiol Diagn (Stockh)* 4 (3), 273-288.
61. Major, P.W., Kinniburgh, R.D., Nebbe, B., Prasad, N.G., Glover, K.E., 2002. Tomographic assessment of temporomandibular joint osseous articular surface contour and spatial relationships associated with disc displacement and disc length. *Am J Orthod Dentofacial Orthop* 121 (2), 152-161.
62. Mavreas, D., Athanasiou, A.E., 1992. Tomographic assessment of alterations of the temporomandibular joint after orthognathic surgery. *Eur J Orthod* 14 (1), 3-15.
63. McNeill, C., 1993. Temporomandibular disorders: guidelines for classification, assessment, and managment. 2 Edition. Quintessence Books: Chicago.
64. Milano, V., Desiate, A., Bellino, R., Garofalo, T., 2000. Magnetic resonance imaging of temporomandibular disorders: classification, prevalence and interpretation of disc displacement and deformation. *Dentomaxillofac Radiol* 29 (6), 352-361.
65. Müller-Leisse, C., Augthun, M., Bauer, W., Roth, A., Günther, R.W., 1997. Kiefergelenkmorphologie und morphologische Befunde in Abhängigkeit vom Grad der Diskusverlagerung. Vergleichende magnetresonanztomographische Untersuchungen. *Radiologe* 37 (2), 152-158.
66. Müller-Leisse, C., Augthun, M., Roth, A., Bauer, W., Gunther, R.W., 1996. Diskusvorverlagerung des Kiefergelenks: Korrelation von Magnetresonanztomographie und klinischem Untersuchungsbefund. *Rofo* 165 (3), 264-269.
67. Murakami, K., Segami, N., Fujimura, K., Iizuka, T., 1991. Correlation between pain and synovitis in patients with internal derangement of the temporomandibular joint. *J Oral Maxillofac Surg* 49 (11), 1159-1161; discussion 1162.
68. Nebbe, B., Brooks, S.L., Hatcher, D., Hollender, L.G., Prasad, N.G., Major, P.W., 1998a. Interobserver reliability in quantitative MRI assessment of temporomandibular joint disk status. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 86 (6), 746-750.
69. Nebbe, B., Brooks, S.L., Hatcher, D., Hollender, L.G., Prasad, N.G., Major, P.W., 2000. Magnetic resonance imaging of the temporomandibular joint: interobserver agreement in subjective classification of disk status. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 90 (1), 102-107.
70. Nebbe, B., Major, P.W., 2000. Prevalence of TMJ disc displacement in a pre-orthodontic adolescent sample. *Angle Orthod* 70 (6), 454-463.

71. Nebbe, B., Major, P.W., Prasad, N.G., Hatcher, D., 1998b. Quantitative assessment of temporomandibular joint disk status. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 85 (5), 598-607.
72. Nozawa-Inoue, K., Amizuka, N., Ikeda, N., Suzuki, A., Kawano, Y., Maeda, T., 2003. Synovial membrane in the temporomandibular joint--its morphology, function and development. *Arch Histol Cytol* 66 (4), 289-306.
73. Orsini, M.G., Kuboki, T., Terada, S., Matsuka, Y., Yamashita, A., Clark, G.T., 1998. Diagnostic value of 4 criteria to interpret temporomandibular joint normal disk position on magnetic resonance images. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 86 (4), 489-497.
74. Orsini, M.G., Terada, S., Kuboki, T., Matsuka, Y., Yamashita, A., 1997. The influence of observer calibration in temporomandibular joint magnetic resonance imaging diagnosis. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 84 (1), 82-87.
75. Ozawa, S., Boering, G., Kawata, T., Tanimoto, K., Tanne, K., 1999. Reconsideration of the TMJ condylar position during internal derangement: comparison between condylar position on tomogram and degree of disk displacement on MRI. *Cranio* 17 (2), 93-100.
76. Paesani, D., Westesson, P.L., Hatala, M.P., Tallents, R.H., Brooks, S.L., 1992. Accuracy of clinical diagnosis for TMJ internal derangement and arthrosis. *Oral Surg Oral Med Oral Pathol* 73 (3), 360-363.
77. Pospeschill, M., 2004. SPSS für Fortgeschrittene. Durchführung fortgeschrittener statistischer Analysen, Hannover.
78. Pullinger, A., Hollender, L., 1986. Variation in condyle-fossa relationships according to different methods of evaluation in tomograms. *Oral Surg Oral Med Oral Pathol* 62 (6), 719-727.
79. Pullinger, A.G., Hollender, L., Solberg, W.K., Petersson, A., 1985. A tomographic study of mandibular condyle position in an asymptomatic population. *J Prosthet Dent* 53 (5), 706-713.
80. Pullinger, A.G., Seligman, D.A., 2001. Multifactorial analysis of differences in temporomandibular joint hard tissue anatomic relationships between disk displacement with and without reduction in women. *J Prosthet Dent* 86 (4), 407-419.
81. Pullinger, A.G., Seligman, D.A., John, M.T., Harkins, S., 2002a. Multifactorial comparison of disk displacement with and without reduction to normals according to temporomandibular joint hard tissue anatomic relationships. *J Prosthet Dent* 87 (3), 298-310.

82. Pullinger, A.G., Seligman, D.A., John, M.T., Harkins, S., 2002b. Multifactorial modeling of temporomandibular anatomic and orthopedic relationships in normal versus undifferentiated disk displacement joints. *J Prosthet Dent* 87 (3), 289-297.
83. Pullinger, A.G., Solberg, W.K., Hollender, L., Guichet, D., 1986. Tomographic analysis of mandibular condyle position in diagnostic subgroups of temporomandibular disorders. *J Prosthet Dent* 55 (6), 723-729.
84. Rammelsberg, P., Jager, L., Duc, J.M., 2000. Magnetic resonance imaging-based joint space measurements in temporomandibular joints with disk displacements and in controls. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 90 (2), 240-248.
85. Ren, Y.F., Isberg, A., Westesson, P.L., 1995a. Condyle position in the temporomandibular joint. Comparison between asymptomatic volunteers with normal disk position and patients with disk displacement. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 80 (1), 101-107.
86. Ren, Y.F., Isberg, A., Westesson, P.L., 1995b. Steepness of the articular eminence in the temporomandibular joint. Tomographic comparison between asymptomatic volunteers with normal disk position and patients with disk displacement. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 80 (3), 258-266.
87. Ricketts, R.M., 1950. Variations of the temporomandibular joint as revealed by cephalometric laminagraphy. *Am J Orthod* 36 (12), 877-898.
88. Ronquillo, H.I., Guay, J., Tallents, R.H., Katzberg, R.W., Murphy, W., 1988. Tomographic analysis of mandibular condyle position as compared to arthrographic findings of the temporomandibular joint. *J Craniomandib Disord* 2 (2), 59-64.
89. Sachs, L., 1999. *Angewandte Statistik. Anwendung statistischer Methoden.* Springer-Verlag, Neunte, überarbeitete Auflage.
90. Sano, T., 2000. Recent developments in understanding temporomandibular joint disorders. Part 1: Bone marrow abnormalities of the mandibular condyle. *Dentomaxillofac Radiol* 29 (1), 7-10.
91. Sano, T., Westesson, P.L., 1995. Magnetic resonance imaging of the temporomandibular joint. Increased T2 signal in the retrodiskal tissue of painful joints. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 79 (4), 511-516.
92. Sano, T., Westesson, P.L., Larheim, T.A., Rubin, S.J., Tallents, R.H., 1999. Osteoarthritis and abnormal bone marrow of the mandibular condyle. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 87 (2), 243-252.

93. Sano, T., Westesson, P.L., Yamamoto, M., Okano, T., 2004. Differences in temporomandibular joint pain and age distribution between marrow edema and osteonecrosis in the mandibular condyle. *Cranio* 22 (4), 283-288.
94. Schellhas, K.P., 1989. MR imaging of muscles of mastication. *AJR Am J Roentgenol* 153 (4), 847-855.
95. Schmitter, M., Kress, B., Hahnel, S., Rammelsberg, P., 2004. The effect of quality of temporomandibular joint MR images on interrater agreement. *Dentomaxillofac Radiol* 33 (4), 253-258.
96. Schwarze, J., 1986. *Grundlagen der Statistik II*. Verlag Neue Wirtschafts-Briefe.
97. Segami, N., Suzuki, T., Sato, J., Miyamaru, M., Nishimura, M., Yoshimura, H., 2003. Does joint effusion on T2 magnetic resonance images reflect synovitis? Part 3. Comparison of histologic findings of arthroscopically obtained synovium in internal derangements of the temporomandibular joint. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 95 (6), 761-766.
98. Seligman, D.A., Pullinger, A.G., 2004. Improved interaction models of temporomandibular joint anatomic relationships in asymptomatic subjects and patients with disc displacement with or without reduction. *J Orofac Pain* 18 (3), 192-202.
99. Shannon, M., Palacios, E., Valvassori, G., Reed, C., 1990. MR of the normal temporomandibular joint. In: C. Reed (Ed.), *Magnetic resonance of the temporomandibular joint: clinical considerations, radiography, management.*, George Thieme Verlag Stuttgart, pp. 48-46.
100. Silberstein, S.D., 2000. Sex hormones and headache. *Rev Neurol (Paris)* 156 Suppl 4, 4S30-41.
101. Styles, C., Whyte, A., 2002. MRI in the assessment of internal derangement and pain within the temporomandibular joint: a pictorial essay. *Br J Oral Maxillofac Surg* 40 (3), 220-228.
102. Suenaga, S., Sonoda, S., Oku, T., Abeyama, K., Noikura, T., 1997. MRI of the temporomandibular joint disk and posterior disk attachment before and after nonsurgical treatment. *J Comput Assist Tomogr* 21 (6), 892-896.
103. Sund, G., Eckerdal, O., Astrand, P., 1983. Changes in the temporomandibular joint after oblique sliding osteotomy of the mandibular rami. A longitudinal radiological study. *J Maxillofac Surg* 11 (2), 87-91.

104. Sutton, D.I., Sadowsky, P.L., Bernreuter, W.K., McCutcheon, M.J., Lakshminarayanan, A.V., 1992. Temporomandibular joint sounds and condyle/disk relations on magnetic resonance images. *Am J Orthod Dentofacial Orthop* 101 (1), 70-78.
105. Tasaki, M.M., Westesson, P.L., 1993. Temporomandibular joint: diagnostic accuracy with sagittal and coronal MR imaging. *Radiology* 186 (3), 723-729.
106. Tasaki, M.M., Westesson, P.L., Isberg, A.M., Ren, Y.F., Tallents, R.H., 1996. Classification and prevalence of temporomandibular joint disk displacement in patients and symptom-free volunteers. *Am J Orthod Dentofacial Orthop* 109 (3), 249-262.
107. Tasaki, M.M., Westesson, P.L., Kurita, K., Mohl, N., 1993a. Magnetic resonance imaging of the temporomandibular joint. Value of axial images. *Oral Surg Oral Med Oral Pathol* 75 (4), 528-531.
108. Tasaki, M.M., Westesson, P.L., Raubertas, R.F., 1993b. Observer variation in interpretation of magnetic resonance images of the temporomandibular joint. *Oral Surg Oral Med Oral Pathol* 76 (2), 231-234.
109. Thomas, E., Boardman, H.F., Ogden, H., Millson, D.S., Croft, P.R., 2004. Advice and care for headaches: who seeks it, who gives it? *Cephalalgia* 24 (9), 740-752.
110. Toyama, M., Kurita, K., Westesson, P.L., Sakuma, S., Arijji, E., Rivera, R., 1999. Decreased disk-eminence ratio is associated with advanced stages of temporomandibular joint internal derangement. *Dentomaxillofac Radiol* 28 (5), 301-304.
111. Vahlensieck, M., Okweschokwu, S., Greven, M., 2002. Magnetresonanztomographie (MRT) des Kiefergelenkes: Einfluss auf Therapieentscheidung und Übereinstimmung zweier Auswerter. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr* 174 (11), 1415-1421.
112. Vargas Pereira, M.R., 1997. Quantitative Auswertungen bildgebender Verfahren und Entwicklung einer neuen metrischen Analyse für Kiefergelenkstrukturen im Magnetresonanztomogramm, Universität Kiel, pp. 120.
113. Vogel, J.V., Eberhard, D., 1993. MR-Tomographie Temporomandibulargelenk: Untersuchungstechnik, klinische Befunde, diagnostische Strategien. Georg Thieme Verlag, Stuttgart.
114. Von Korff, M., Dworkin, S.F., Le Resche, L., Kruger, A., 1988. An epidemiologic comparison of pain complaints. *Pain* 32 (2), 173-183.
115. Weinberg, L.A., 1970. An evaluation of duplicability of temporomandibular joint radiographs. *J Prosthet Dent* 24 (5), 512-541.

116. Weinberg, L.A., 1979. Role of condylar position in TMJ dysfunction-pain syndrome. *J Prosthet Dent* 41 (6), 636-643.
117. Weinberg, L.A., Chastain, J.K., 1990. New TMJ clinical data and the implication on diagnosis and treatment. *J Am Dent Assoc* 120 (3), 305-311.
118. Westesson, P.L., 1983. Double-contrast arthrotomography of the temporomandibular joint: introduction of an arthrographic technique for visualization of the disc and articular surfaces. *J Oral Maxillofac Surg* 41 (3), 163-172.
119. Westesson, P.L., Brooks, S.L., 1992. Temporomandibular joint: relationship between MR evidence of effusion and the presence of pain and disk displacement. *AJR Am J Roentgenol* 159 (3), 559-563.
120. Westesson, P.L., Kwok, E., Barsotti, J.B., Hatala, M., Paesani, D., 1992. Temporomandibular joint: improved MR image quality with decreased section thickness. *Radiology* 182 (1), 280-282.
121. Westesson, P.L., Larheim, T.A., Tanaka, H., 1998. Posterior disc displacement in the temporomandibular joint. *J Oral Maxillofac Surg* 56 (11), 1266-1273; discussion 1273-1264.
122. Westesson, P.L., Paesani, D., 1993. MR imaging of the TMJ. Decreased signal from the retrodiskal tissue. *Oral Surg Oral Med Oral Pathol* 76 (5), 631-635.
123. Wilkes, C.H., 1990. Internal derangements of the temporomandibular joint. Pathological variations. *Northwest Dent* 69 (2), 25-32.
124. Zangiabadi, M.J., 2004. Differenzierung verschiedener Kiefergelenkspathologien mittels einer metrischen Analyse von Kiefergelenksstrukturen im Magnetresonanztomogramm, Universität Kiel, pp. 126.