

Literaturverzeichnis

- Altenmüller, E. O. & Gerloff, C. (1999). Psychophysiology and the EEG. In E. Niedermeyer & F. Lopes da Silva (Hrsg.), *Electroencephalography. Basic principles, clinical applications, and related fields* (4. Aufl., S. 637–655). Philadelphia: Williams & Wilkins.
- Basar, E., Basar-Eroglu, C., Karakas, S. & Schürmann, M. (1999). Oscillatory brain theory: A new trend in neuroscience. *IEEE Engineering in Medicine and Biology Magazine*, 18(3), 56–66.
- Basar, E., Basar-Eroglu, C., Karakas, S. & Schürmann, M. (2001). Gamma, alpha, delta, and theta oscillations govern cognitive processes. *International Journal of Psychophysiology*, 39, 241–248.
- Basar-Eroglu, C., Basar, E., Demiralp, T. & Schürmann, M. (1992). P300-response: Possible psychophysiological correlates in delta and theta frequency channels. A review. *International Journal of Psychophysiology*, 13(2), 161–179.
- Bastiaansen, M. & Hagoort, P. (2003). Event-induced theta responses as a window on the dynamics of memory. *Cortex*, 39(4-5), 967–992.
- Bendat, J. S. & Piersol, A. G. (2000). *Random data. Analysis and measurement procedures*. (3. Aufl.). New York: John Wiley & Sons, Inc.
- Benjamini, Y. & Hochberg, Y. (1995). Controlling the false discovery rate: A practical and powerful approach to multiple testing. *Journal of the Royal Statistical Society, Series B*, 57(1), 289–300.
- Berger, H. (1929). Über das Elektroencephalogramm des Menschen I. *Archiv für Psychiatrie*, 87, 527–550.
- Brandt, M. E. (1997). Visual and auditory evoked phase resetting of the alpha EEG. *International Journal of Psychophysiology*, 26, 285–298.
- Bösel, R. (1992). Langsames Alpha im EEG-Powerspektrum als Indikator für konzeptuelle Beanspruchung [Slow alpha in the EEG power spectrum as an indicator of conceptual activation]. *Zeitschrift für Experimentelle und Angewandte Psychologie*, 39(3), 372–395.

- Bösel, R. (1993). Die cerebrale Theta-Rhythmizität unterstützt kontextabhängige Diskriminationsleistungen. *Kognitionswissenschaft*, 3, 83–94.
- Bösel, R. (1996). *Die EEG-Grundaktivität. Ein Laborhelfer*. Regensburg: S. Roderer.
- Bösel, R. (2001a). Aufmerksamkeitswechsel und Konzentration: Von den Funktionen zum Mechanismus. *Zeitschrift für Psychologie*, 209, 34–53.
- Bösel, R. (2001b). *Denken*. Göttingen: Hogrefe.
- Bösel, R., Mecklinger, A. & Stolpe, R. (1990). Changes in spontaneous EEG activity indicate a special kind of information processing in concept learning. *Biological Psychology*, 31(3), 257–269.
- Bösel, R. & Tamm, S. (2003). Brain activity measurement. In R. Fernández-Ballesteros (Hrsg.), *Encyclopedia of psychological assessment* (S. 145–150). London: Sage Publications.
- Bullock, T. H., McClune, M. C., Achimowicz, J. Z., Iragui-Madoz, V. J., Duckrow, R. B. & Spencer, S. S. (1995). EEG coherence has structure in the millimeter domain: Subdural and hippocampal recordings from epileptic patients. *Electroencephalography and Clinical Neurophysiology*, 95, 161–177.
- Buzsáki, G. (2002). Theta oscillations in the hippocampus. *Neuron*, 33, 325–340.
- Cattell, R. B. (1966). The scree test for the number of factors. *Multivariate Behavioral Research*, 1, 245–276.
- Clochon, P., Fontbonne, J. M., Lebrun, N. & Etévenon, P. (1996). A new method for quantifying EEG event-related desynchronization: Amplitude envelope analysis. *Electroencephalography and Clinical Neurophysiology*, 98, 126–129.
- Cohen, L. (1989). Time-frequency distributions – A review. *Proceedings of the IEEE*, 77(7), 941–981.
- Coles, M. G. H., Smid, H. G. O. M., Scheffers, M. K. & Otten, L. J. (1996). Mental chronometry and the study of human information processing. In *Electrophysiology of mind. Event-related brain potentials and cognition* (Bd. 25, S. 86–131). Oxford: Oxford University Press.
- Cooley, J. W. & Tukey, J. W. (1965). An algorithm for the machine computation of complex Fourier series. *Mathematics of Computation*, 19, 297–301.
- Daffner, K. R., Mesulam, M. M., Scinto, L. F. M., Calvo, V., Faust, R. & Holcomb, P. J. (2000). An electrophysiological index of stimulus unfamiliarity. *Psychophysiology*, 37, 737–747.
- Daffner, K. R., Scinto, L. F. M., Calvo, V., Faust, R., Mesulam, M. M., West, W. C. & Holcomb, P. (2000). The influence of stimulus deviance on electrophysiologic and behavioral responses to novel events. *Journal of Cognitive Neuroscience*, 12(3), 393–406.

- Dash, P. K., Panigrahi, B. K. & Panda, G. (2003). Power quality analysis using S-transform. *IEEE Transactions on Power Delivery*, 18(2), 406–411.
- Daubechies, I. (1990). The wavelet transform, time-frequency localization and signal analysis. *IEEE Transactions on Information Theory*, 36(5), 961–1005.
- Daubechies, I. (1996). Where do wavelets come from? – A personal point of view. *Proceedings of the IEEE*, 84(4), 510–514.
- Debener, S., Kranczioch, C., Herrmann, C. S. & Engel, A. K. (2002). Auditory novelty oddball allows reliable distinction of top-down and bottom-up processes of attention. *International Journal of Psychophysiology*, 46, 77–84.
- Dehaene, S. (2000). Cerebral basis of number processing and calculation. In M. S. Gazzaniga (Hrsg.), *The new cognitive neuroscience* (S. 987–998). Cambridge: MIT.
- Dehaene, S. & Cohen, L. (1997). Cerebral pathways for calculation: Double dissociation between rote verbal and quantitative knowledge of arithmetic. *Cortex*, 33, 219–250.
- Dement, W. C. & Kleitman, N. (1957). Cyclic variations in the EEG during sleep and their relations to eye movement, body mobility and dreaming. *Electroencephalography and Clinical Neurophysiology*, 9, 673–690.
- Donchin, E. & Coles, M. G. (1988). Is the P300 component a manifestation of context updating? *Behavioral and Brain Sciences*, 11(3), 357–374.
- Donchin, E., Karis, D., Bashore, T. R., Coles, M. G. H. & Gratton, G. (1986). Cognitive psychology and human information processing. In E. Coles, Michael G. H. and Donchin & S. W. Porges (Hrsg.), *Psychophysiology. Systems, Processes, and Applications* (S. 244–267). New York: The Guilford Press.
- Doppelmayr, M., Klimesch, W., Pachinger, T. & Ripper, B. (1998). Individual differences in brain dynamics: Important implications for the calculation of event-related band power. *Biological Cybernetics*, 79, 49–57.
- Doppelmayr, M., Klimesch, W., Schwaiger, J., Stadler, W. & Röhms, D. (2000). The time locked theta response reflects interindividual differences in human memory performance. *Neuroscience Letters*, 278, 141–144.
- Efron, B. & Tibshirani, R. J. (1993). *An introduction to the bootstrap*. New York: Chapman & Hall.
- Engel, A. K., Roelfsema, P. R., Fries, P., Brecht, M. & Singer, R. (1997). Role of the temporal domain for response selection and perceptual binding. *Cerebral Cortex*, 7, 571–582.
- Farge, M. (1992). Wavelet transforms and their applications to turbulence. *Annual Review of Fluid Mechanics*, 24, 395–457.

- Fell, J., Dietl, T., Grunwald, T., Kurthen, M., Klaver, P., Trautner, P., Schaller, C., Elger, C. E. & Fernández, G. (2004). Neural bases of cognitive ERPs: More than phase reset. *Journal of Cognitive Neuroscience*, 16(9), 1595–1604.
- Fell, J., Klaver, P., Elfadil, H., Schaller, C., Elger, C. E. & Fernandez, G. (2003). Rhinal-hippocampal theta coherence during declarative memory formation: Interaction with gamma synchronization? *European Journal of Neuroscience*, 17(5), 1082–1088.
- Fisher, N. I. (1995). *Statistical analysis of circular data*. Cambridge: Cambridge University Press.
- Galambos, R. (1992). A comparison of certain gamma band (40 Hz) brain rhythms in cat and man. In E. Basar & T. Bullock (Hrsg.), *Induced rhythms in the brain* (S. 201–216). Boston: Birkhäuser.
- Gasser, T., Sroka, L. & Möcks, J. (1985). The transfer of EOG activity into the EEG for eyes open and closed. *Electroencephalography and Clinical Neurophysiology*, 61, 181–193.
- Gasser, T., Sroka, L. & Möcks, J. (1986). The correction of EOG artifacts by frequency dependent and frequency independent methods. *Psychophysiology*, 23(6), 704–712.
- Gratton, G., Coles, M. G. H. & Donchin, E. (1983). A new method for off-line removal of ocular artifact. *Electroencephalography and Clinical Neurophysiology*, 55, 468–484.
- Greenhouse, S. W. & Geisser, S. (1959). On methods in the analysis of profile data. *Psychometrika*, 24, 95–112.
- Gruber, T., Müller, M. M. & Keil, A. (2002). Modulation of induced gamma band responses in a perceptual learning task in the human EEG. *Journal of Cognitive Neuroscience*, 14(5), 732–744.
- Gruber, W. R. (2004). *Phase locked brain oscillations*. unveröffentlichte Dissertation, Universität Salzburg.
- Haar, A. (1910). Zur Theorie der orthogonalen Funktionensysteme. *Math. Ann.*, 69, 331–371.
- Haenschel, C., Baldeweg, T., Croft, R. J., Whittington, M. A. & Gruzelier, J. (2000). Gamma and beta frequency oscillations in response to novel auditory stimuli: A comparison of human electroencephalogram (EEG) data with in vitro models. *Proceedings of the National Academy of Sciences USA*, 97(13), 7645–7650.
- Hagemann, D. & Naumann, E. (2001). The effects of ocular artifacts on (lateralized) broadband power in the EEG. *Clinical Neurophysiology*, 112, 215–231.
- Hansen, J. C. & Hillyard, S. A. (1980). Endogenous brain potentials associated with selective auditory attention. *Electroencephalography and Clinical Neurophysiology*, 49, 277–290.

- Harris, F. J. (1978). On the use of windows for harmonic analysis with the discrete Fourier transform. *Proceedings of the IEEE*, 66(1), 51–83.
- Herrmann, Munk & Engel. (2004). Cognitive functions of gamma-band activity: Memory match and utilization. *Trends in Cognitive Sciences*, 8(8), 347–355.
- Herrmann, C. S., Mecklinger, A. & Pfeifer, E. (1999). Gamma responses and ERPs in a visual classification task. *Clinical Neurophysiology*, 110, 636–642.
- Herrmann, W. M., Fichte, K. & Kubicki, S. K. (1980). Definition von EEG-Frequenzbändern aufgrund strukturanalytischer Betrachtungen. In S. K. Kubicki, W. M. Herrmann & G. Laudahn (Hrsg.), *Faktorenanalyse und Variablenbildung aus dem Elektroenzephalogramm* (S. 61). Stuttgart: Gustav Fischer Verlag.
- Hlawatsch, F. & Boudreaux-Bartels, G. F. (1992). Linear and quadratic time-frequency signal representations. *IEEE Signal Processing Magazine*, 9, 21–67.
- Hoffmann, R. (1998). *Signalanalyse und -erkennung. Eine Einführung für Informationstechniker*. Berlin: Springer.
- Homan, R. W., Herman, J. & Purdy, P. (1987). Cerebral location of international 10-20 system electrode placement. *Electroencephalography and Clinical Neurophysiology*, 66, 376–382.
- Hughes, S. W., Lörincz, M., Cope, D. W., Blethyn, K. L., Kékesi, K. A., Parri, H. R., Juhász, G. & Crunelli, V. (2004). Synchronized oscillations at α and θ frequencies in the lateral geniculate nucleus. *Neuron*, 42, 253–268.
- Jasper, H. H. (1958). The ten-twenty electrode system of the International Federation. *Electroencephalography and Clinical Neurophysiology*, 10, 371–375.
- Jensen, O. & Lisman, J. E. (1998). An oscillatory short-term memory buffer model can account for data on the sternberg task. *The Journal of Neuroscience*, 18(24), 10688–10699.
- Jung-Beeman, M., Bowden, E. M., Haberman, J., Frymiare, J. L., Arambel-Liu, S., Greenblatt, R., Reber, P. J. & Kounios, J. (2004). Neural activity when people solve verbal problems with insight. *PLoS Biology*, 2(4), 500–510.
- Kalcher, J. & Pfurtscheller, G. (1995). Discrimination between phase-locked and non-phase-locked event-related EEG activity. *Electroencephalography and Clinical Neurophysiology*, 94, 381–384.
- Kammeyer, K. D. & Kroschel, K. (1998). *Digitale Signalverarbeitung. Filterung und Spektralanalyse mit MATLAB-Übungen*. (4. Aufl.). Stuttgart: Teubner.
- Karakas, S., Erzengin, . & Basar, E. (2000). A new strategy involving multiple cognitive paradigms demonstrates that ERP components are determined by the superposition of oscillatory responses. *Clinical Neurophysiology*, 111, 1719–1732.

- Kenemans, J. L., Molenaar, P. C. M., Verbaten, M. N. & Slangen, J. L. (1991). Removal of the ocular artifact from the EEG: A comparison of time and frequency domain methods with simulated and real data. *Psychophysiology*, 28(1), 114–121.
- Klimesch, W. (1996). Memory processes, brain oscillations and the EEG synchronization. *International Journal of Psychophysiology*, 24, 61–100.
- Klimesch, W. (1999). EEG alpha and theta oscillations reflect cognitive and memory performance: A review and analysis. *Brain Research Reviews*, 29, 169–195.
- Klimesch, W., Doppelmayr, M., Yonelinas, A., Kroll, N. E. A., Lazzara, M., Röhlm, D. & Gruber, W. (2001). Theta synchronization during episodic retrieval: Neural correlates of conscious awareness. *Cognitive Brain Research*, 12, 33–38.
- Klimesch, W., Russegger, H., Doppelmayr, M. & Pachinger, T. (1998). A method for the calculation of induced band power: Implications for the significance of brain oscillations. *Electroencephalography and Clinical Neurophysiology*, 108, 123–130.
- Klimesch, W., Schack, B., Schabus, M., Doppelmayr, M., Gruber, W. & Sauseng, P. (2004). Phase-locked alpha and theta oscillations generate P1-N1 complex and are related to memory performance. *Cognitive Brain Research*, 19, 302–316.
- Kopell, N., Ermentrout, G. B., Whittington, M. A. & Traub, R. D. (2000). Gamma rhythms and beta rhythms have different synchronization properties. *Proceedings of the National Academy of Sciences USA*, 97(4), 1867–1872.
- Krause, C. M., Sillanmäki, L., Koivisto, M., Saarela, C., Häggqvist, A., Laine, M. & Hämäläinen, H. (2000). The effects of memory load on event-related EEG desynchronization and synchronization. *Clinical Neurophysiology*, 111, 2071–2078.
- Kubicki, S. K. (1980). Einführung: Zur Entwicklung und Begründung der klinischen EEG-Frequenzbänder. In W. M. Kubicki, Stanislaw K. and Hermann & G. Laudahn (Hrsg.), *Faktorenanalyse und Variablenbildung aus dem Elektroenzephalogramm. Factor analysis and EEG variables* (S. 1–3). Stuttgart: Gustav Fischer Verlag.
- Kubicki, S. K., Hermann, W. M. & Laudahn, G. (Hrsg.). (1980). *Variablenbildung aus dem Elektroenzephalogramm. Factor Analysis and EEG Variables*. Stuttgart: Gustav Fischer Verlag.
- Kutas, M. & Hillyard, S. A. (1980). Reading senseless sentences: Brain potentials reflect semantic incongruity. *Science*, 197, 792–795.
- Lehnertz, K. (2002). Nichtlineare EEG-Analysen. In S. Zschocke (Hrsg.), *Klinische Elektroenzephalographie* (2. Aufl.). Berlin: Springer.
- Lisman, J. E. & Idiart, M. A. P. (1995). Storage of 7 ± 2 short-term memories in oscillatory subcycles. *Science*, 267, 1512–1515.

- Liu, A. K., Dale, A. M. & Belliveau, J. W. (2002). Monte Carlo simulation studie of EEG and MEG localization accuracy. *Human Brain Mapping*, 16, 47–62.
- Lopes da Silva, F. (1991). Neural mechanisms underlying brain waves: From neural membranes to networks. *Electroencephalography and Clinical Neurophysiology*, 79, 81–93.
- Lopes da Silva, F. (1999). Event-related potentials: Methodology and quantification. In E. Niedermeyer & F. Lopes da Silva (Hrsg.), *Electorencephalography. Basic principles, clinical applications, and related fields* (4 Aufl., S. 947–957). Philadelphia: Williams & Wilkins.
- Luck, S. J. & Hillyard, S. A. (1994). Electrophysiological correlates of feature analysis during visual search. *Psychophysiology*, 31, 291–308.
- Makeig, S. (1993). Auditory event-related dynamics of the EEG sepctrum and effects of exposure to tones. *Electroencephalography and Clinical Neurophysiology*, 86, 283–293.
- Makeig, S., Delorme, A., Westerfield, M., Jung, T. P., Townsend, J., Courchesne, E. & ski, T. J. Sejnow' (2004). Electroencephalographic brain dynamics following manually responded visual targets. *PLoS Biology*, 2(6), 747–762.
- Makeig, S., Westerfield, M., Jung, T. P., Enghoff, S., Townsend, J., Courchesne, E. & Sejnowski, T. J. (2002). Dynamic brain sources of visual evoked responses. *Science*, 295, 690–694.
- Mangun, G. R. (1995). Neural mechanisms of visual selective attention. *Psychophysiology*, 32, 4–18.
- Mangun, G. R. & Hillyard, S. A. (1990). Electrophysiological studies of visual selective attention in humans. In A. B. Scheibel & A. F. Wechsler (Hrsg.), *Neurobiology of higher cognitive function* (S. 271–295). New York: Guilford.
- Mansinha, L., Stockwell, R. G. & Lowe, R. P. (1997). Pattern analysis with two-dimensional spectral localisation: Applications of two-dimensional S transforms. *Physica A*, 239, 286–295.
- Mansinha, L., Stockwell, R. G., Lowe, R. P., Eramian, M. & Schincariol, R. A. (1997). Local S-spectrum analysis of 1-D and 2-D data. *Physics of the Earth and Planetary Interiors*, 103, 329–336.
- McFadden, P. D., Cook, J. G. & Forster, L. M. (1999). Decomposition of gear vibration signals by the generalised s transform. *Mechanical Systems and Signal Processing*, 13(5), 691–707.
- Mecklinger, A. & Bösel, R. (1989). Changes in EEG-frequency patterns during various phases of mental activation. *Zeitschrift für Experimentelle und Angewandte Psychologie*, 36(3), 453–475.

- Mecklinger, A., Kramer, A. & Strayer, D. (1992). Event related potentials and EEG components in a semantic memory search task. *Psychophysiology*, 29(1), 104–119.
- Möller, D. (2004). *EEG-Untersuchung zur mentalen Simulation von selbstdurchgeführten und fremddurchgeführten Handlungen*. Unveröffentlichtes Manuskript einer Diplomarbeit, Freie Universität Berlin.
- Männel, C. (2003). *Spatio-temporal analysis of event-related brain potentials in target detection and novelty processing*. Unveröffentlichtes Manuskript einer Diplomarbeit, Freie Universität Berlin.
- Männel, C., Bertow, K., Tamm, S. & Bösel, R. (2004). *Implicit recognition of painting style: ERP studies on art perception*. Poster auf dem 44. Kongress der Deutschen Gesellschaft für Psychologie. Göttingen, 26.–30. Sept. 2004.
- Morlet, J., Arens, G., Fourgeau, I. & Giard, D. (1982). Wave propagation and sampling theory. *Geophysics*, 47, 203–236.
- Neuper, C. & Pfurtscheller, G. (2001). Event-related dynamics of cortical rhythms: Frequency-specific features and functional correlates. *International Journal of Psychophysiology*, 43, 41–58.
- Nichols, T. & Satoru, H. (2003). Controlling the familywise error rate in functional neuroimaging: A comparative review. *Statistical Methods in Medical Research*, 12(5), 419–446.
- Nichols, T. E. & Holmes, A. P. (2001). Nonparametric permutation tests for functional neuroimaging: A primer with examples. *Human Brain Mapping*, 15, 1–25.
- Niedermeyer, E. (1997). Alpha rhythms as physiological and abnormal phenomena. *International Journal of Psychophysiology*, 26, 31–49.
- Näätänen, R. (1981). The N2 component of the evoked potential: A scalp reflection of neuronal mismatch of orienting theory. In F. Strelau, J. and F. & G. A. (Hrsg.), *Biological foundations of personality and behaviour*. London: Hemisphere Press.
- Okamoto, M., Dan, H., Sakamoto, K., Takeo, K., Shimuzu, K., Kohno, S., Oda, I., Isobe, S., Suzuki, T., Kohyama, K. & Dan, I. (2004). Three-dimensional probabilistic anatomical cranio-cerebral correlation via the international 10-20 system oriented for transcranial functional brain mapping. *NeuroImage*, 21, 99–111.
- Oldfield, R. C. (1971). The assessment and analysis of handedness: The Edinburgh Inventory. *Neuropsychologia*, 9, 97–113.
- Oostenveld, R. & Praamstra, P. (2001). The five percent electrode system for high-resolution eeg and erp measurements. *Clinical Neurophysiology*, 112, 713–719.

- Orekhova, E. V., Stroganova, A., Tatiana & Posikera, I. N. (2001). Alpha activity as an index of cortical inhibition during sustained internally controlled attention in infants. *Clinical Neurophysiology*, 112, 740–749.
- Pearson, E. S. (1963). Comparison of tests for randomness of points on a line. *Biometrika*, 50(3), 315–325.
- Pennekamp, P., Bösel, R., Mecklinger, A. & Ott, H. (1994). Differences in EEG-theta for responded and omitted targets in a sustained attention task. *Journal of Psychophysiology*, 8(2), 131–141.
- Penny, W. D., Kiebel, S. J., Kilner, J. M. & Rugg, M. D. (2002). Event-related brain dynamics. *Trends in Neuroscience*, 25(8), 387–389.
- Petsche, H., Kaplan, S., von Stein, A. & Filz, O. (1997). The possible meaning of the upper and lower alpha frequency ranges for cognitive and creative tasks. *International Journal of Psychophysiology*, 26, 77–97.
- Pfurtscheller, G. & Aranibar, A. (1977). Event-related cortical desynchronization detected by power measurements of scalp EEG. *Electroencephalography and Clinical Neurophysiology*, 42, 817–826.
- Pfurtscheller, G. & Lopes da Silva, F. H. (1999). Event-related EEG/MEG synchronization and desynchronization: Basic principles. *Clinical Neurophysiology*, 110, 1842–1857.
- Pfurtscheller, G., Stancák Jr., A. & Neuper, C. (1996a). Event-related synchronization (ERS) in the alpha band - An electrophysiological correlate of cortical idling: A review. *International Journal of Psychophysiology*, 24, 39–46.
- Pfurtscheller, G., Stancák Jr., A. & Neuper, C. (1996b). Post-movement beta synchronization. A correlate of an idling motor area? *Electroencephalography and Clinical Neurophysiology*, 98, 281–293.
- Picton, T. W., van Roon, Patricia, Armilio, M. L., Berg, P., Ille, N. & Scherg, M. (2000). The correction of ocular artifacts: a topographic perspective. *Clinical Neurophysiology*, 111, 53–65.
- Pinnegar, C. R. & Mansinha, L. (2003). The S-transform with windows of arbitrary and varying shape. *Geophysics*, 68(1), 381–385.
- Priestley, M. B. (1981). *Spectral analysis and time series. multivariate series, prediction and control.* (Bd. 2). London: Academic Press.
- Qian, S. (2002). *Introduction to time-frequency and wavelet transforms.* New Jersey: Prentice Hall.

- Raghavachari, S., Kahana, M. J., Rizzuto, D. S., Caplan, J. B., Kirschen, M. P., Bourgeois, B., Madsen, J. R. & Lisman, J. E. (2001). Gating of the human theta oscillations by a working memory task. *The Journal of Neuroscience*, 21(9), 3175–3183.
- Razoumnikova, O. M. (2000). Functional organization of different brain areas during convergent and divergent thinking: An EEG investigation. *Cognitive Brain Research*, 10, 11–18.
- Rioul, O. & Vetterli, M. (1991). Wavelets and signal processing. *IEEE Signal Processing Magazine*, 8(4), 14–38.
- Rosenfeld, J. P. (2002). Event-related potentials in the detection of deception, malingering, and false memories. In M. Kleiner (Hrsg.), *Handbook of polygraph testing* (S. 265–286). San Diego: Academic Press.
- Rugg, M. D. & Coles, M. G. H. (1996a). *Electrophysiology of mind. Event-related brain potentials and cognition*. (Bd. 25). Oxford: Oxford University Press.
- Rugg, M. D. & Coles, M. G. H. (1996b). Event-related brain potentials: An introduction. In M. D. Rugg & M. G. H. Coles (Hrsg.), *Electrophysiology of mind. Event-related brain potentials and cognition*. (Bd. 25, S. 1–26). Oxford: Oxford University Press.
- Samar, V. J., Bopardikar, A., Rao, R. & Swartz, K. (1999). Wavelet analysis of neuroelectric waveforms: A conceptual tutorial. *Brain and Language*, 66, 7–60.
- Saw, A. (2002). *EEG-Grundaktivität bei Abstraktionsleistungen*. Unveröffentlichtes Manuskript einer Diplomarbeit, Freie Universität Berlin.
- Saw, A., Tamm, S. & Bösel, R. (2002). *Slow rhythmic EEG, abstract concepts, and slow reaction times*. Poster auf dem 43. Kongress der Deutschen Gesellschaft für Psychologie. Berlin, 22.–26. Sept. 2002.
- Schack, B., Vath, N., Petsche, H., Geissler, H. G. & Möller, E. (2002). Phase-coupling of theta-gamma EEG rhythms during short-term memory processing. *International Journal of Psychophysiology*, 44(143), 163.
- Schack, B., Witte, H., Helbig, B., Schelenz, C. & Specht, M. (2001). Time-variant non-linear phase-coupling analysis of EEG burst patterns in sedated patients during electroencephalographic burst suppression period. *Clinical Neurophysiology*, 112, 1388–1399.
- Schendan, H. E., Ganis, G. & Kutas, M. (1998). Neurophysiological evidence for visual perceptual categorization of words and faces within 150 ms. *Psychophysiology*, 35, 240–251.
- Schleifer, L. (1997). *Umdenkprozesse*. Berlin: Köster.

- Sederberg, P. B., Kahana, M. J., Howard, M. W., Donner, E. J. & Madsen, J. R. (2003). Theta and gamma oscillations during encoding predict subsequent recall. *Annual Review of Fluid Mechanics*, 23(34), 10809–10814.
- Shah, A. S., Bressler, S. L., Knuth, K. H., Ding, M., Mehta, A. D., Ulbert, I. & Schroeder, C. E. (2004). Neural dynamics and the fundamental mechanisms of event-related brain potentials. *Cerebral Cortex*, 14(5), 476.
- Sherman, S. M. & Guillery, R. W. (1996). Functional organization of thalamocortical relays. *Journal of Neurophysiology*, 76, 1367–1395.
- Singer, W. (1993). Synchronization of cortical activity and its putative role in information processing and learning. *Annual Review of Physiology*, 55, 349–374.
- Singer, W. (1999). Neuronal synchrony: A versatile code for the definition of relations? *Neuron*, 24, 49–65.
- Smith, S. W. (1999). *The scientist and engineer's guide to digital signal processing* (2. Aufl.). San Diego, CA: California Technical Publishing.
- Sommer, W. (2000). Kognitive Psychophysiology. *Zeitschrift für Psychologie*, 208, 169–189.
- Steriade, M. (1999). Cellular substrates of brain rhythms. In E. Niedermeyer & F. Lopes da Silva (Hrsg.), *Electroencephalography. Basic principles, clinical applications, and related fields* (4. Aufl., S. 28–75). Philadelphia: Williams & Wilkins.
- Steriade, M. (2000). Corticothalamic resonance, states of vigilance and mentation. *Neuroscience*, 101(2), 243–276.
- Steriade, M., McCormick, D. A. & Sejnowski, T. J. (1993). Thalamocortical oscillations in the sleeping and aroused brain. *Science*, 262(5134), 679–685.
- Stockwell, R. G. (1997). *Beispielimplementierung der S-Transformation in Matlab*.
http://www.co-ra.com/~stockwel/TFR/matlab_toolbox/s_transform.shtml
(24. September 2003).
- Stockwell, R. G. (1999). *S-transform analysis of gravity wave activity from a small scale network of airglow imagers*. PhD-Thesis, <http://www.cora.nwra.com/~stockwel/thesis/mythesis.pdf> (28. Januar 2004).
- Stockwell, R. G., Mansinha, L. & Lowe, R. P. (1996). Localization of the complex spectrum: The S transform. *IEEE Transactions on Signal Processing*, 44, 998–1001.
- Stryker, M. P. (1989). Is grandmother an oscillation? *Nature*, 338, 297–298.
- Tallon-Baudry, C. & Bertrand, O. (1999). Oscillatory gamma activity in humans and its role in object representation. *Trends in Cognitive Sciences*, 3(4), 151–162.

- Tallon-Baudry, C., Bertrand, O., Delpuech, C. & Pernier, J. (1996). Stimulus specificity of phase-locked and non-phase-locked 40 hz visual responses in human. *The Journal of Neuroscience*, 16(13), 4240–4249.
- Tallon-Baudry, C., Bertrand, O., Peronnet, F. & Pernier, J. (1998). Induced band activity during the delay of a visual short-term memory task in humans. *The Journal of Neuroscience*, 18(11), 4244–4254.
- Tamm, S., Möller, D. & Bösel, R. (2004). *Time-frequency analysis of EEG data from a perspective-taking task using S-transform*. Poster auf der 30. Arbeitstagung Psychophysiologische Methodik. Freiburg i. Breisgau, 10.–12. Juni 2004.
- Tamm, S., Männel, C. & Bösel, R. (2004). *Hochaufgelöste Zeit-Frequenz-Analysen ereigniskorrelierter EEG-Daten aus einer Novelty-Oddball Anordnung*. Vortrag auf dem 44. Kongress der Deutschen Gesellschaft für Psychologie. Göttingen, 26.–30. Sept. 2004.
- Tass, P. A. (1999). *Phase resetting in medicine and biology. Stochastic modelling and data analysis*. Berlin: Springer.
- Tesche, C. D. & Karhu, J. (2000). Theta oscillations index human hippocampal activation during a working memory task. *Proceedings of the National Academy of Sciences USA*, 97(2), 919–924.
- Torrence, C. & Compo, G. P. (1998). A practical guide to wavelet analysis. *Bulletin of the American Meteorological Society*, 79(1), 61–78.
- Unser, M. & Aldroubi, A. (1996). A review of wavelets in biomedical applications. *Proceedings of the IEEE*, 84(4), 626–638.
- Verleger, R. (1988). Event-related potentials and cognition: A critique of the context updating hypothesis and an alternative interpretation of P3. *Behavioral and Brain Sciences*, 11, 343–356.
- Wasserman, S. & Bockenholt, U. (1989). Bootstrapping: Applications to psychophysiology. *Psychophysiology*, 26(2), 208–221.
- Weitkunat, R. (Hrsg.). (1991). *Digital biosignal processing*. Amsterdam: Elsevier.
- Wrobel, A. (2000). Beta activity: A carrier for visual attention. *Acta Neurobiologiae Experimentalis*, 60, 247–260.
- Zschocke, S. (2002). *Klinische Elektroenzephalographie* (2. Aufl.). Berlin: Springer.

Erklärung

Hiermit versichere ich, dass ich die vorgelegte Arbeit selbständig verfasst habe. Andere als die angegebenen Hilfsmittel habe ich nicht verwendet. Die Arbeit ist in keinem früheren Promotionsverfahren angenommen oder abgelehnt worden.

Hohen Neuendorf, den 18.04.2005

Sascha Tamm

Lebenslauf

Name Sascha Tamm
Geburtsdatum 14.04.1973
Geburtsort Hennigsdorf
Nationalität deutsch

Abitur

Sep. 1991 *Erweiterte Oberschule A. S. Puschkin, Hennigsdorf*

Studium

Okt. 1991 - Okt. 1999 *Technische Universität Berlin*
Diplomstudiengang Physik
Schwerpunkt: Atom- und Molekülphysik
Diplomarbeit: *Laserspektroskopische Untersuchung der ersten angeregten Zustände $A^2\Pi$ und $B^2\Sigma$ von Natrium-Argon*

Berufliche Tätigkeit

1998 - 2001 Gewerbliche Tätigkeit: Organisation und Durchführung des Eisvertriebs bei Großveranstaltungen

Jan. 2000 - Sep. 2000 *Freie Universität Berlin*
Praktikum am Institut Allgemeine Psychologie, Biopsychologie und Kognitionspsychologie

Okt. 2000 - Okt. 2004 *Freie Universität Berlin*
Wissenschaftlicher Mitarbeiter in der Arbeitsgruppe Kognitive Neuropsychologie, Lehrveranstaltungen im Bereich Biopsychologie und Kognitive Neuropsychologie

seit Nov. 2004 Technische Beratung und Mitarbeiterschulung bei der Einführung betriebswirtschaftlicher Standardsoftware

