

9 Literaturverzeichnis

1. Scherb H, Weigelt E. Spaltgeburtenrate in Bayern vor und nach dem Reaktorunfall in Tschernobyl. *Mund Kiefer Gesichtschir* 2004;8:106-110.
2. Bull H-G, Lenzen C. Differenzialdiagnostik und Therapie der Lippen-Kiefer-Gaumenspalten. *Zentralbl Gynäkol* 2003;125:398-403.
3. Abramowicz S, Cooper M E, Bardi K, Weyant R J, Marazita M L. Demographic and prenatal factors of patients with cleft lip and cleft palate. A pilot study. *J Am Dent Assoc* 2003;134:1371-1376.
4. Rösch C, Steinbicker V, Röse I. Häufigkeit oraler Spaltbildungen in der Region Magdeburg. *Mund Kiefer Gesichtschir* 1998;2:5-10.
5. Fogh-Andersen P. Incidence and etiology of clefts of lip, alveolus and palate in humans. Stuttgart: Thieme; 1966.
6. Fogh-Andersen K. Ätiologie und Epidemiologie der Lippen-Kiefer-Gaumenspalten. In: Fogh-Andersen K, editor. *Lippen-Kiefer-Gaumenspalten*. Stuttgart: Thieme; 1982.
7. Neumann D, Koberg W, Frank A. Die Häufigkeit der Lippen-Kiefer-Gaumenspalten. In: Schuchardt K, Steinhardt G, Schwenzer N, editors. *Fortschritte der Kiefer- und Gesichtschirurgie*. Stuttgart: Thieme; 1973.
8. Töndury G. Über die Genese der Lippen-Kiefer-Gaumenspalte. Stuttgart: Thieme; 1955.
9. Yoon H, Chung I S, Seol E Y, Park B Y, Park H W. Development of the lip and palate in staged human embryos and early fetuses. *Yonsei Med J* 2000;41:477-484.
10. Wong F K, Hägg U. An update on the aetiology of orofacial clefts. *Hong Kong Med J* 2004;10:331-336.
11. Hellwig E, Klimek J, Attin T. Einführung in die Zahnerhaltung. München: Urban und Schwarzenberg; 1995.
12. Miller W D. Die Mikroorganismen der Mundhöhle. Die örtlichen und allgemeinen Erkrankungen, welche durch die selben hervorgerufen werden. Leipzig: Thieme; 1889.
13. Thylstrup A, Fejerskov O. Textbook of cariology. Kopenhagen: Munksgaard; 1996.
14. König G. Karies und Parodontopathien. Stuttgart, New York: Thieme; 1987.
15. Duncker M. Die Bedeutung der Zahnplaque als atio-pathogenetischer Faktor für die Entwicklung kariöser Läsionen und den Verlust parodontalen Gewebes während kieferorthopädischer Behandlungsmaßnahmen. *Prakt Kieferorthop* 1990;4:233-238.
16. LeGeros R Z. Chemical and crystallographic events in the caries process. *J Dent Res* 1990;69:567-574.
17. Silverstone L M. Remineralization phenomena. *Caries Res* 1977;11 (Suppl 1):59-84.
18. Artun J, Brobakken B O. Prevalence of carious white spots after orthodontic treatment with multibonded appliances. *Eur J Orthod* 1986;8:229-234.
19. Ogaard B., Rolla G., Arends J. Orthodontic appliances and enamel demineralization. Part 1. Lesion development. *Am J Orthod Dentofacial Orthop* 1988;94:68-73.
20. Frank R M. Structural events in the caries process in enamel, cementum, and dentin. *J Dent Res* 1990;69:559-566.
21. Thylstrup A. Diagnose und Therapie beginnender Karies. Teil 1. *Phillip J Restaur Zahnmed* 1987;4:228-235.
22. Palamara J, Phakey P P, Rachinger W A, Orams H J. Ultrastructure of the intact surface zone of white spot and brown spot carious lesions in human enamel. *J Oral Pathol* 1986;15:28-35.
23. Silverstone L M, Hicks M J, Featherstone J D B. Dynamic factors affecting lesion initiation and progression in human dental enamel. Part I. The dynamic nature of enamel caries. *Quintessence Int* 1988;:683-711.

24. Arends J, Jongebloed W, Øgaard B, Rølla G. SEM and microradiographic investigation of initial enamel caries. *Scand J Dent Res* 1987;95:193-201.
25. Holmen L, Thylstrup A, Årtun J. Surface changes during the arrest of active enamel carious lesions in vivo. A scanning electron microscope study. *Acta Odontol Scand* 1987;45:383-390.
26. Artun J, Thylstrup A. A 3-year clinical and SEM study of surface changes of carious enamel lesions after inactivation. *Am J Orthod Dentofac Orthop* 1989;95:327-333.
27. Clarke J K. On the bacterial factor in the etiology of dental caries. *Br J Exp Pathol* 1924;5:141-147.
28. Fitzgerald R J, Keyes P H. Demonstration of the etiologic role of streptococci in experimental caries in the hamster. *J Am Dent Assoc* 1960;61:9-19.
29. Loesche W J. Role of streptococcus mutans in human dental decay. *Microbiol Rev* 1986;50:353-380.
30. Anderson M H, Bales D J, Omnell K-A. Modern management of dental caries. *J Am Dent Assoc* 1993;124:37-44.
31. Schmeiser R, Schiffner U, Gülzow H-J. Risikoorientierte Kariesprävention. *Zahnärztl Mitt* 1993;14:27-31.
32. Alaluusua S, Renkonen O-V. Streptococcus mutans establishment and dental caries experience in children from 2 to 4 years old. *Scand J Dent Res* 1983;91:453-457.
33. Duchin S, van Houte J. Relationship of streptococcus mutans and lactobacilli to incipient smooth surface dental caries in man. *Arch Oral Biol* 1978;23:779-786.
34. Hamada S, Slade H D. Biology, immunology, and cariogenicity of Streptococcus mutans. *Microbiol Rev* 1980;44:331-384.
35. Kneist S, Stöber L. Zur Kariogenität acidogener und acidurischer Streptokokken (S. mutans) im Tierversuch an der Ratte. *Zahn Mund Kieferheilkd* 1988;76:697.
36. de Soet J J, Toors F A, de Graaff J. Acidogenesis by oral streptococci at different pH values. *Caries Res* 1989;23:14-17.
37. Beighton D, Brailsford S R. Lactobacilli and actinomyces: their role in the caries process. In: Stöber, L (Hrsg.): *Kariesdynamik und Kariesrisiko*. Berlin: Quintessenz; 1998.
38. Kneist S. Zu bislang nicht klassifizierten Begleitphänomenen in der mikrobiologischen Speicheldiagnostik. *Oralprophylaxe* 1998;20:208-217.
39. Kneist S, Heinrich-Weltzien R. Rund um den Speicheltest. *Zahnärztl Mitt* 2001;17:40-46.
40. Kneist S, Heinrich-Weltzien R, Tietze W, Schuman V, Stöber L. Die mikrobielle Mundhöhlenbesiedelung als Grundvoraussetzung des Kariesrisikos - Eine Übersicht der Befunde aus der Erfurter Studie. Berlin: Quintessenz; 1998.
41. Pieper K. Stand der Kariesprävalenz in den alten Bundesländern Deutschlands. In: Stöber, L (Hrsg.): *Kariesdynamik und Kariesrisiko*. Berlin: Quintessenz; 1998.
42. Künzel W, Fischer T. Gesellschaftliche Transformation und Prognose der Kariesprävalenz in Ostdeutschland - Hypothesen, Ergebnisse und Ursachen. In: Stöber, L (Hrsg.): *Kariesdynamik und Kariesrisiko*. Berlin: Quintessenz; 1998.
43. Jost-Brinkmann P-G, Miethke R-R, Gehrke T. Festsitzende kieferorthopädische Apparaturen und die Entwicklung von Karies, insbesondere Initiailläsionen. *Inf Orthod Kieferorthop* 1996;28:327-336.
44. Micheelis W, Bauch J. Oral health of representative samples of Germans examined in 1989 and 1992. *Community Dent Oral Epidemiol* 1996;24:62-67.
45. Priehn-Küpper S. Die Mundgesundheit in den neuen Bundesländern. *Zahnärztl Mitt* 1993;24:20-24.
46. Reuter P. Zahngesundheitszustand von Kindern und Jugendlichen in Herne: Trend zu weniger kariösen Zähnen. *Zahnärztl Mitt* 1995;(21):64-67.

47. Bolin A K, Bolin A, Jansson L, Calltorp J. Children's dental health in Europe. Sociodemographic factors associated with dental caries in groups of 5- and 12-year-old children from eight EU-countries. *Swed Dent J* 1997;21:25-40.
48. Carvalho J C, Thylstrup A, Ekstrand K R. Results after 3 years of non-operative occlusal caries treatment of erupting permanent first molars. *Community Dent Oral Epidemiol* 1992;20:187-192.
49. Heintze S D, Miethke R-R. Kieferorthopädie und Kariesrisiko. *Prakt Kieferorthop* 1993;7:31-46.
50. Pancherz H, Mühlich D P. Entwicklung von Karies bei kieferorthopädischer Behandlung mit festsitzenden Apparaturen - Ein Vergleich von Zähnen mit und ohne Kariesvorschädigungen. *Kieferorthop* 1997;11:139-144.
51. Adams R J. The effects of fixed orthodontic appliances on the cariogenicity, quantity and microscopic morphology of oral lactobacilli. *J Oral Med* 1967;22:88-99.
52. Schlagenhauf U, Tobien P, Engelfried P. Der Einfluß kieferorthopädischer Behandlung auf Parameter des individuellen Kariesrisikos. *Dtsch Zahnärztl Z* 1989;44:758-760.
53. Balenseifen J W, Madonia J V. Study of dental plaque in orthodontic patients. *J Dent Res* 1970;49:320-324.
54. Freundorfer A, Purucker P, Miethke R-R. Kieferorthopädische Behandlungen können ohne professionelle Mundhygiene zu dauerhaften Veränderungen der subgingivalen Plaqueflora führen. *Prakt Kieferorthop* 1993;7:187-200.
55. Sakamaki S T, Bahn A N. Effect of orthodontic banding on localized oral lactobacilli. *J Dent Res* 1968;47:275-279.
56. Bloom R H, Brown L R. A study of the effects of orthodontic appliances on the oral microflora. *Oral Surg Oral Med Oral Pathol* 1964;17:658-667.
57. Mizrahi E. Enamel demineralization following orthodontic treatment. *Am J Orthod* 1982;82:62-67.
58. Gwinnett A J, Ceen R F. Plaque distribution on bonded brackets: A scanning microscope study. *Am J Orthod* 1979;75:667-677.
59. Chatterjee R, Kleinberg I. Effect of orthodontic band placement on the chemical composition of human incisor tooth plaque. *Arch Oral Biol* 1979;24:97-100.
60. O'Reilly M M, Featherstone J D B. De- and remineralization around orthodontic appliances: an in vivo study. *Am J Orthod Dentofacial Orthop* 1987;92:33-40.
61. Berman D S, Slack G L. Susceptibility of tooth surfaces to carious attack. A longitudinal study. *Br Dent J* 1973;134:135-139.
62. Newbrun E. *Cariology*. Chicago: Quintessence; 1989.
63. Batoni G, Pardini M, Giannotti A, Ota F, Giuca M R, Gabriele M et al. Effect of removable orthodontic appliances on oral colonisation by mutans streptococci in children. *Eur J Oral Sci* 2001;109:388-392.
64. Gorelick L, Geiger A M, Gwinnett A J. Incidence of white spot formation after bonding and banding. *Am J Orthod* 1982;81:93-98.
65. Zachrisson B U, Zachrisson S. Caries incidence and orthodontic treatment with fixed appliances. *Scand J Dent Res* 1971;79:183-192.
66. Mitchell L. Decalcification during orthodontic treatment with fixed appliances: An overview. *Br J Orthod* 1992;19:199-205.
67. Ogaard B. Prevalence of white spot lesions in 19-year-olds: a study on untreated and orthodontically treated persons 5 years after treatment. *Am J Orthod Dentofacial Orthop* 1989;96:423-427.
68. Mizrahi E. Surface distribution of enamel opacities following orthodontic treatment. *Am J Orthod* 1983;84:323-331.

69. Geiger A M, Gorelick L, Gwinnett A J, Griswold P G. The effect of a fluoride program on white spot formation during orthodontic treatment. *Am J Orthod Dentofacial Orthop* 1988;93:29-37.
70. Årtun J, Brobakken B O. Prevalence of carious white spots after orthodontic treatment with multibonded appliances. *Eur J Orthod* 1986;8:229-234.
71. Kukleva M P, Shetkova D G, Beev V H. Comparative age study of the risk of demineralization during orthodontic treatment with brackets. *Folia Med (plovdiv)* 2002;44:56-59.
72. Bokhout B, Hofman F X W M, van Limbeek J, Kramer G J C, Pahl-Anderson B. Increased caries prevalence in 2.5-year-old children with cleft lip and/or palate. *Eur J Oral Sci* 1996;104:518-522.
73. Johnsen D C, Dixon M. Dental caries of primary incisors in children with cleft lip and palate. *Cleft Palate Craniofac J* 1984;21:104-109.
74. Zscheschack B, Grabowski R. Der Einfluß von Karies im Milchgebiß auf die Gebißentwicklung bei Patienten mit Lippen-Kiefer-Gaumensplatten. *J Orofac Orthop* 1999;60:215-224.
75. Hochstein H J. Über den Gebisszustand von Patienten mit Lippen-Kiefer-Gaumen-Spalten. *Fortschr Kieferorthop* 1986;47:451-458.
76. Kirchberg A, Treide A, Hemprich A. Karies und Kariesrisiko-Parameter bei Kindern mit Lippen-Kiefer-Gaumen-Spalten. *Prophylaxe Impuls* 2001;5:64-69.
77. Dahllöf G, Ussisoo-Joandi R, Ideberg M, Modeer T. Caries, gingivitis, and dental abnormalities in preschool children with cleft lip and/or palate. *Cleft Palate Craniofac J* 1989;26:233-238.
78. Wong F W L, King N M. The oral health of children with clefts - a review. *Cleft Palate Craniofac J* 1998;35:248-254.
79. Lauterstein A M, Mendelsohn M. An analysis of the caries experience of 285 cleft palate children. *Cleft Palate Craniofac J* 1964;29:314-319.
80. Lages E M B, Marcos B, Pordeus I A. Oral health of individuals with cleft lip, cleft palate, or both. *Cleft Palate Craniofac J* 2004;41:59-63.
81. Lucas V S, Gupta R, Ololade O, Gelbier M, Roberts G J. Dental health indices and caries associated microflora in children with unilateral cleft lip and palate. *Cleft Palate Craniofac J* 2000;37:447-452.
82. Kirchberg A, Treide A, Hemprich A. Investigation of caries prevalence in children with cleft lip, alveolus, and palate. *J Craniomaxillofac Surg* 2004;32:216-219.
83. Ishida R, Yasufuku Y, Miyamoto A, Ooshima T, Sobue S. Clinical survey of caries incidence in children with cleft lip and palate. *Shoni Shikagaku Zasshi* 1989;27:716-724.
84. Chapple J R, Nunn J H. The oral health of children with clefts of the lip, palate, or both. *Cleft Palate Craniofac J* 2001;38:525-528.
85. Tan A E S, Henry P J. Periodontal implications of the adolescent cleft palate patient. *Aust Dent J* 1985;30:8-14.
86. Quirynen M, de Soete M, Dierickx K, van Steenberghe D. The intra-oral translocation of periodontopathogens jeopardises the outcome of periodontal therapy. A review of the literature. *J Clin Periodontol* 2001;28:499-507.
87. Brägger U, Schürch E, Gusberti F A, Lang N P. Periodontal conditions in adolescents with cleft, alveolus and palate following treatment in a co-ordinated team approach. *J Clin Periodontol* 1985;12:494-502.
88. Angmar-Mansson B E, Al-Khateeb S, Tranaeus S. Caries diagnosis. *J Dent Educ* 1998;62:771-780.
89. Einwag J, Gehring F. Möglichkeiten zur Einschätzung des individuellen Kariesrisikos mit Hilfe mikrobiologischer Parameter. *ZWR* 1990;99:167-173.

90. Heintze S D. Kariesprophylaxe nach Maß - über den professionellen Umgang mit Speicheltests I. Quintessenz J 1993; 23:449-461.
91. Heinrich-Weltzien R, Kühnisch J, Stöber L, Senkel H. Vergleichende Bewertung klinischer Methoden der Kariesrisiko-Bestimmung. Prophylaxe Impuls 1999;2:92-100.
92. Kühnisch J, Heinrich-Weltzien R, Stöber L. Kariesrisiko-Einschätzung bei 8-Jährigen. Dtsch Zahnärztl Z 1999;54:584-589.
93. Isokangas P, Alanen P, Tiekso J. The clinician's ability to identify caries risk subjects without saliva tests - a pilot study. Community Dent Oral Epidemiol 1993;21:8-10.
94. Alanen P, Hurskainen K, Isokangas P, Pietilä I, Levänen J, Saarni U M et al. Clinician's ability to identify caries risk subjects. Community Dent Oral Epidemiol 1994;22:86-89.
95. Heinrich-Weltzien R, Schumann V, Stöber L. Kariesrisiko-Diagnostik - wie sicher ist die Kariesvorhersage des Zahnarztes? In: Stöber, L (Hrsg.): Kariesdynamik und Kariesrisiko. Berlin: Quintessenz; 1998.
96. Disney J A, Graves R C, Stamm J W, Bohannon H M, Abernathy J R, Zack D D. The University of North Carolina caries risk assessment study: further developments in caries risk prediction. Community Dent Oral Epidemiol 1992;20:64-75.
97. Bößmann K. Möglichkeiten und Grenzen mikrobieller Speicheldiagnostik für die Prognose des individuellen Kariesrisikos. In: Stöber, L (Hrsg.): Kariesdynamik und Kariesrisiko. Berlin: Quintessenz; 1998.
98. Reich E. Sichere Kariesdiagnose. Kons J 1999;1:29-32.
99. Seppä L, Hausen H. Die Identifizierung von Kariesrisikopatienten - eine Übersicht. Oralprophylaxe 1988;10:96-107.
100. Bose M, Ott K H R. Zur Abschätzung des Kariesrisikos mit Speicheltests. Zahnärztl Mitt 1995;85:60-63.
101. Kleinfelder J W, Kirchner R S. Die diagnostische Sicherheit biologischer Speicheltests zur Bestimmung des individuellen Kariesrisikos. Dtsch Zahnärztl Z 1993;48:646-648.
102. Schmidt S. Ermittlung kariesaktiver Kinder durch eine Kombination mikrobiologischer Tests mit klinischer Untersuchung. Göttingen, Zahnmed Diss; 1993.
103. Bratthall D. Mutans streptococci - dental, oral and global aspects. J Indian Soc Pedo Prev Dent 1991;9:4-12.
104. Kneist S, Richter A, Finke C. Validierung von Speicheltests zur Anzucht von Mutans-Streptokokken. Quintessenz 2001;52:439-447.
105. Heintze S D. Kariesprophylaxe nach Maß - über den professionellen Umgang mit Speicheltests III. Quintessenz J 1993;23:635-642.
106. Bowden G H. Does assessment of microbial composition of plaque/saliva allow for diagnosis of disease activity of individuals? Community Dent Oral Epidemiol 1997;25:76-81.
107. Krasse B. Biological factors as indicators of future caries. Int Dent J 1988;38:219-225.
108. Kneist S, Heinrich-Weltzien R, Stöber L. Mikrobiologische Speichelkontrolle als Vorsorgeuntersuchung zur Erhaltung der Gebißgesundheit. Prophylaxe Impuls 1998;2:68-76.
109. Baca P, Castillo A M, Bravo M, Junco P, Baca A P, Llodra J C. Mutans streptococci and lactobacilli in saliva after the application of fissure sealants. Oper Dent 2002;27:107-111.
110. Naujoks R. Die Mundgesundheit der deutschen Bevölkerung. Internationaler Vergleich und Ausblick. Zahnärztl Welt 1985;94:714-719.
111. Holbrook W P. Studies of dietary factors in assessing caries risk. In: Stöber, L (Hrsg.): Kariesdynamik und Kariesrisiko. Berlin: Quintessenz; 1998.
112. König K G. Karies und Kariesprophylaxe. München: Goldmann; 1971.

113. Marthaler T M, Steiner M, Helfenstein U. Praktischer Gebrauch der Dentoprog-Methode zum Auffinden der Kinder mit hohem Kariesrisiko. *Oralprophylaxe* 1997;19:40-47.
114. Zimmer S. Diagnosis of caries risk within the scope of group prevention. *Gesundheitswesen* 1994;56:530-533.
115. Fornell A-C, Twetman S. Prediction of enamel demineralization (white spots) during orthodontic treatment with fixed appliances. *Orthodontics* 2004;1:121-125.
116. Axelsson P. Methode zur Bestimmung des Kariesrisikos. *Phillip J Restaurative Zahnmed* 1990;7:181-187.
117. Ekstrand J, Fejerskov O, Silverstone L M. Fluoride in dentistry. Munksgaard, Copenhagen; 1988.
118. Denes J, Lindner Z, Szivos I, Hepp K. Untersuchungen über den Erfolg eines Programms zur Mundhygiene-Motivation bei Patienten mit festsitzenden Apparaturen. *Fortschr Kieferorthop* 1986;47:212-214.
119. Schlagenhaut U, Gripp V C. Chlorhexidinhaltige Lacke in der Therapie kariesaktiver Patienten. *ZWR* 1995;104:756-757.
120. Hahn P. Kariesrisiko und bakterielle Speicheltests. *Prophylaxe Impuls* 1998;3:122-129.
121. Kingman A. Statistical issues in risk models for caries. In: Bader J. D., editor. Risk assesment in dentistry. University of North Carolina Dental Ecology, Chapel Hill; 1990. 193-200.
122. Larmas M. A new dip-slide method for the counting of salivary lactobacilli. *Proc Finn Dent Soc* 1975;71:31-35.
123. Kneist S, Heinrich-Weltzien R, Fischer T, Klein C, Rupf S, Eschrich K. Handelübliche Speicheltests zum Mutans-Nachweis - Übersicht und Effizienzbewertung. *Quintessenz* 1999;50:33-43.
124. Lundström F, Krasse B. Steptococcus mutans and lactobacilli frequency in orthodontic patients; the effect of chlorhexidine treatments. *Eur J Orthod* 1987;9:109-116.
125. Zickert I, Emilson C G, Krasse B. Effect of caries preventive measures in children highly infected with the bacterium streptococcus mutans. *Arch Oral Biol* 1982;27:861-868.
126. Kneist S, Heinrich-Weltzien R, Fischer T, Stöber L. Correlation between numbers of streptococcus mutans in plaque and saliva. *Caries Res* 1998;32:287-288
Abstr 260.
127. Köhler B, Petterson B M, Bratthall D. Streptococcus mutans in plaque and saliva and the development of caries. *Scand J Dent Res* 1981;89:19-25.
128. Kneist S, Heinrich-Weltzien R, Tietze W, Stöber L. A comparison between commercial kits and conventional methods for the enumeration of mutans streptococci. *Caries Res* 1996;30:286.
129. Larmas M. Saliva and dental caries: diagnostic tests for normal dental practice. *Int Dent J* 1992;42:199-208.
130. DGZMK. Empfehlungen zur Kariesprophylaxe mit Fluoriden. Stand 01.06.2002 2000 www.dgzmk.de/set5.htm.
131. Kremers L, Unterer S, Lampert F. Mundhygiene für Träger festsitzender kieferorthopädischer Apparaturen. *Fortschr Kieferorthop* 1983;44:147-152.
132. Gustafsson B E, Quensel C-E, Lanke L S, Lundquist C, Grahnen H, Bonow B E et al. The Vipeholm dental caries study. The effect of different levels of carbohydrate intake on caries activity in 436 individuals observed for 5 years. *Acta Odontol Scand* 1954;11:232-264.
133. Scheinin A, Mäkinen K K. Turku sugar studies V-XVIII and XVIII-XX. *Acta Odontol Scand* 1975;33:1-400.
134. Einwag J. Neues aus der Kariesprävention. Man muß die Möglichkeiten nur nutzen! *Zahnärztl Mitt* 1993;83:38-45.

135. Jenatschke F, Elsenberger E, Welte H-D, Schlagenhaut U. Influence of repeated chlorhexidine varnish applications on mutans streptococci counts and caries increment in patients treated with fixed orthodontic appliances. *J Orofac Orthop* 2001;62:36-45.
136. Attin T, Hellwig E. Fluoride in der Zahnarztpraxis: Anwendung, Effektivität und Toxikologie. *Prophylaxe Impuls* 1999;3:16-27.
137. Heintze S D, Finke C, Jost-Brinkmann P-G, Miethke R-R. Individualprophylaxe in der Kieferorthopädie. Berlin: Quintessenz; 1992.
138. Larsen M J. Chemical events during tooth dissolution. *J Dent Res* 1990;69:575-580.
139. Ogaard B., Rølla G., Ruben J., Dijman T., Arends J. Microradiographic study of demineralization of shark enamel in a human caries model. *Scand J Dent Res* 1988;96:209-211.
140. Limeback H. A re-examination of the pre-eruptive and post-eruptive mechanism of the anti-caries effects of fluoride: is there any anti-caries benefit from swallowing fluoride? *Community Dent Oral Epidemiol* 1999;27:62-71.
141. Reich E, Schmalz G, Bergmann R L, Bergler H, Bergmann E. Kariesbefall von Kindern nach unterschiedlich langer Applikation von Fluoridtabletten. *Dtsch Zahnärztl Z* 1992;47:232-234.
142. Leverett D H, Adair S M, Vaughan B W, Proskin H M, Moss M E. Randomized clinical trial of the effect of prenatal fluoride supplements in preventing dental caries. *Caries Res* 1997;31:174-179.
143. Zimmer S. Einsteigerhandbuch. Dentalhygiene. Leipzig: Oemus; 2003.
144. Amjad Z, Nancollas G H. Effect of fluoride on the growth of hydroxyapatite and human dental enamel. *Caries Res* 1979;13:250-258.
145. Catten J M, Duijsters P P E. Influence of fluoride in solution on tooth demineralisation. *Caries Res* 1983;17:193-199.
146. Macpherson L M, Stephen K W. The effect on human salivary fluoride concentration of consuming fluoridated salt-containing baked food items. *Archs oral Biol* 2001;46:983-988.
147. Murray J. J. WHO 1986.
148. DGK. Stellungnahme der Deutschen Gesellschaft für Kinderzahnheilkunde (DGK) zur Speisesalzfluoridierung. Stand 16.6.2005
www.kariesvorbeugung.de/Presse/StellungnahmeDtGes_fuerKinderzahnheilkundeProf_Schiffner.pdf
149. Volpe A R, Petrone M E, Davies R, Proskin H M. Clinical anticaries efficacy of NaF and SMFP dentifrices: overview and resolution of the scientific controversy. *J Clin Dent* 1995;6:1-28.
150. Klimek J, Ganß C, Schwan P, Schmidt R. Fluoridaufnahme im Zahnschmelz nach Anwendung von NaF- und AmF-Zahnpasten. *Oralprophylaxe* 1998;20:192-196.
151. Mengel R, Wissing E, Schmitz-Habben A, Flores-de-Jacoby L. Comparative study of plaque and gingivitis prevention by AmF/SnF₂ and NaF. A clinical and microbiological 9-month study. *J Clin Periodontol* 1996;23:372-378.
152. Cahen P M, Frank R M, Turlot J C, Jung M T. Comparative unsupervised clinical trial on caries inhibition effect of monofluorophosphate and amine fluoride dentifrices after 3 years in Strasbourg, France. *Community Dent Oral Epidemiol* 1982;10:238-241.
153. Schmidt H. Chemie und Oberflächenwirkungen der Aminfluoride. *Dtsch Zahnärztl Z* 1983;38:9-13.
154. Ahrens G. Efficiency of fluoride dosage forms: solutions and gels. *Dtsch Zahnärztl Z* 38 Suppl 1: 1983;38:65-69.
155. Zimmer S. Caries-preventive effects of fluoride products when used in conjunction with fluoride dentifrice. *Caries Res* 2001;35 (Suppl 1):18-21.

156. van Rijkom H M, Truin G J, van't Hof M A. A meta-analysis of clinical studies on the caries-inhibiting effect of fluoride gel treatment. *Caries Res* 1998;32:83-92.
157. Kukleva M P, Kondeva V K. Dynamics of caries activity and caries reduction in group prophylaxis with fluoride gel. *Folia Med (plovdiv)* 2001;43:12-15.
158. Bounoure G M, Vezin J C. Orthodontic fluoride protection. *J Clin Orthod* 1980;14:321-325.
159. Hellwig E, Klimek J, Schmidt H F M, Egerer R. Fluoride uptake in plaque covered enamel after treatment with the fluoride lacquer Duraphat. *J Dent Res* 1985;64:1080-1083.
160. Seppä L. Efficacy and safety of fluoride varnishes. *Compend Contin Educ Dent* 1999;20 (Suppl 1):18-26.
161. Helfenstein U, Steiner M. Fluoride varnishes (Duraphat): a meta-analysis. *Community Dent Oral Epidemiol* 1994;22:1-5.
162. Petersson L G, Twetman S, Pakhomov G N. The efficiency of semiannual silane fluoride varnish applications: A two year clinical study in preschool children. *J Public Health Dent* 1998;58:57-60.
163. Zimmer S, Bizhang M, Seemann R, Witzke S, Roulet J-F. The effect of a preventive program including the application of a low-concentration fluoride varnish on caries control in high-risk children. *Clin Oral Investig* 1999;5:40-44.
164. Chikte U M, Lewis H A, Rudolph M J. The effectiveness of a school-based fluoride mouth rinse programme. *J Dent Assoc S Afr* 1996;51:697-700.
165. Disney J A, Graves R C, Stamm J W, Bohannon H M, Abernathy J R. Comparative effects of a 4-year fluoride mouthrinse program on high and low caries forming grade 1 children. *Community Dent Oral Epidemiol* 1989;17:139-143.
166. O'Reilly M M, Featherstone J D. Demineralization and remineralization around orthodontic appliances: an in vivo study. *Am J Orthod Dentofacial Orthop* 1987;92:33-40.
167. Arends J, Christoffersen J. Nature and role of loosely bound fluoride in dental caries. *J Dent Res* 1990;69:601-605.
168. Ekstrand J, Koch G. Systemic fluoride absorption following fluoride gel application. *J Dent Res* 1980;59:1067.
169. Zickert I, Emilson C G, Krasse B. Effect of caries preventive measures in children highly infected with the bacterium streptococcus mutans. *Archs oral Biol* 1982;27:861-868.
170. Kornman K S. The role of supragingival plaque in the prevention and treatment of periodontal diseases. A review of current concepts. *J Periodont Res* 1986;21:5-22.
171. Marsh P D. Antimicrobial strategies in the prevention of dental caries. *Caries Res* 1993;27 (Suppl 1):72-76.
172. Axelsson P. Current role of pharmaceuticals in prevention of caries and periodontal disease. *Int Dent J* 1993;43:473-482.
173. Jenkins S, Addy M, Newcombe R G. Dose response of chlorhexidine against plaque and comparison with triclosan. *J Clin Periodontol* 1994;21:250-255.
174. Brex M, Brownstone E, MacDonald L, Gelskey S, Cheang M. Efficacy of Listerine, Meridol and chlorhexidine mouthrinses as supplements to regular tooth-cleaning measures. *J Clin Periodontol* 1992;19:202-207.
175. Bhaskar S N. Clinical use of toothpaste and oral rinse containing sanguinarine. *Compend Contin Educ Dent* 1984;Suppl 5:87-89.
176. Bößmann K. Sanguinarin - ein neuer Antiplaquewirkstoff? *Quintessenz* 1985;36:1531-1535.
177. Flores-de-Jacoby L, Mengel R, Schmidt-Corsitto G. Präventive Maßnahmen zur Bekämpfung der Gingivitis und Parodontitis. Teil 1. *Zahnarzt-Magazin* 1995;10:14-20.
178. Petersson L G, Edwardsson S, Arends J. Antimicrobial effect of a dental varnish, in vitro. *Swed Dent J* 1992;16:183-189.

179. Hickel R. Wirkstoffe gegen Plaque und Bakterien. Quintessenz 1997; Bonusausgabe: A 45-A57.
180. Gjermo P. Chlorhexidine and related compounds. *J Dent Res* 1989;68:1602-1608.
181. Grenby T H, Saldanha M G. Studies of the inhibitory action of intense sweeteners on oral microorganisms relating to dental health. *Caries Res* 1986;20:7-16.
182. Isokangas P, Tenovou J, Soderling E, Mannisto H, Makinen K K. Dental caries and mutans streptococci in the proximal areas of molars affected by the habitual use of xylitol chewing gum. *Caries Res* 1991;25:444-448.
183. Siegrist B E, Gusberti F A, Brex M C, Weber H P, Lang N P. Efficacy of supervised rinsing with chlorhexidine digluconate in comparison to phenolic and plant alkaloid compounds. *J Periodont Res* 1986;21 (Suppl):60-73.
184. Addy M. Chlorhexidine compared with other locally delivered antimicrobials. *J Clin Periodontol* 1986;13:957-964.
185. Fardall O, Turnbull R S. A review of the literature on use of chlorhexidine in dentistry. *J Am Dent Assoc* 1986;112:863-869.
186. Lang N P, Brex M C. Chlorhexidine digluconate - an agent for chemical plaque control and prevention of gingival inflammation. *J Periodont Res* 1986;21 (Suppl):74-89.
187. Loe H, Schiott C R. The effect of suppression of the oral microflora upon the development of dental plaque and gingivitis. Edinburgh, Livingstone; 1970.
188. Loe H, Schiott C R. The effect of mouthrinses and topical application of chlorhexidine on the development of dental plaque and gingivitis in man. *J Periodont Res* 1970;5:79-83.
189. Loe H, von der Fehr F R, Schiott C R. Inhibition of experimental caries by plaque prevention. The effect of chlorhexidine mouthrinses. *Scand J Dent Res* 1972;80:1-9.
190. Hennessey T D. Some antibacterial properties of chlorhexidine. *J Periodont Res* 1973;8 (Suppl 12):61-67.
191. Emilson C G. Susceptibility of various microorganisms to chlorhexidine. *Scand J Dent Res* 1977;85:255-265.
192. Emilson C G. Potential efficacy of chlorhexidine against mutans streptococci and human dental caries. *J Dent Res* 1994;73:682-691.
193. Emilson C G. Effect of chlorhexidine gel treatment on streptococcus mutans population in human saliva and dental plaque. *Scand J Dent Res* 1981;89:239-246.
194. Emilson C G. Outlook for hibitane in dental caries. *J Clin Periodontol* 1977;4:136-143.
195. Emilson C G, Westergren G. Effect of chlorhexidine on the relative proportions of streptococcus mutans and streptococcus sanguis in hamster plaque. *Scand J Dent Res* 1979;87:288-295.
196. Cleghorn B, Bowden G H. The effect of pH on the sensitivity of species of *Lactobacillus* to chlorhexidine and the antibiotics minocycline and spiramycin. *J Dent Res* 1989;68:1146-1150.
197. Hjeljord L G, Rølla G, Bonesvoll P. Chlorhexidine-protein interactions. *J Periodont Res* 1973;8 (Suppl 12):11-16.
198. Rølla G, Loe H, Schiott C R. Retention of chlorhexidine in the human oral cavity. *Arch Oral Biol* 1971;16:1109-1116.
199. Kjaerheim V, Waaler S M, Röller G. Biological activities of different detergent combinations. *Colloids and surfaces. Biointerfaces* 1994;3:19-24.
200. Ruppert M, Schlagenhaut U. Chlorhexidin in der Zahnheilkunde. *Quintessenz* 2004; 55:55-65.
201. Rolla G., Melsen B. On the mechanism of the plaque inhibition of chlorhexidine. *J Dent Res* 1975;54:57-62.

202. Scheie A A, Kjeilen J C. Effects of chlorhexidine, NaF and SnF₂ on glucan formation by salivary and culture supernatant GTF absorbed to hydroxyapatite. *Scand J Dent Res* 1987;95:532-535.
203. Løe H, Schiøtt C R, Glavind L, Karring T. Two years oral use of chlorhexidine in man. *J Periodontal Res* 1976;11:135-144.
204. Arnold M, Gerhardt G. Die Bedeutung der Nebenwirkungen bei Chlorhexidin-Anwendung. *Zahnärztl Praxis* 1994;84:6-8.
205. Bizhang M. Theorie und Praxis der Chlorhexidinanwendung. *Quintessenz Team J* 2000;30:123-128.
206. Gjermo P. Hhibitane in periodontal disease. *J Clin Periodontol* 1977;4:94-101.
207. Bonesvoll P. Oral pharmacology of chlorhexidine. *J Clin Periodontol* 1977;4:49-65.
208. Barkvoll P, Rølla G, Svendsen A K. Interaction between chlorhexidine digluconate and sodium lauryl sulfate in vivo. *J Clin Periodontol* 1989;16:593-595.
209. Sreenivasan P, Gaffar A. Antiplaque biocides and bacterial resistance: a review. *J Clin Periodontol* 2002;29:965-974.
210. Bader J D, Shugars D A, Bonito A J. A systematic review of selected caries prevention and management methods. *Community Dent Oral Epidemiol* 2001;29:399-411.
211. van Rijkom H M, Truin G J, van't Hof M A. A meta-analysis of clinical studies on the caries-inhibiting effect of chlorhexidine treatment. *J Dent Res* 1996;75:790-795.
212. Schiøtt C R. Effect of chlorhexidine on the microflora of the oral cavity. *J Periodont Res* 1973;12:7-10.
213. Emilson C G, Krasse B, Westergren G. Effect of a fluoride-containing chlorhexidine gel on bacteria in human plaque. *Scand J Dent Res* 1976;85:56-62.
214. Maltz M, Zickert I, Krasse B. Effect of intensive treatment with chlorhexidine on number of streptococcus mutans in saliva. *Scand J Dent Res* 1981;89:445-449.
215. Ostela I, Tenovuo J, Söderling E, Lammi E, Lammi M. Effect of chlorhexidine-sodium fluoride gel applied by tray or by toothbrush on salivary mutans streptococci. *Proc Finn Dent Soc* 1990;85:9-14.
216. Emilson C G, Lindquist B, Wennerholm K. Recolonization of human tooth surfaces by streptococcus mutans after suppression by chlorhexidine treatment. *J Dent Res* 1987;66:1503-1508.
217. Pienihäkkinen K, Söderling E, Ostela I, Leskelä I, Tenovuo J. Comparison of the efficacy of 40% chlorhexidine varnish and 1% chlorhexidine-fluoride gel in decreasing the level of salivary mutans streptococci. *Caries Res* 1995;29:62-67.
218. Wallman C, Birkhed D. Effect of chlorhexidine varnish and gel on mutans streptococci in margins of restorations in adults. *Caries Res* 2002;36:360-365.
219. Sandham H J, Brown J, Chan K H, Phillips H I, Burgess R C, Store N J. Clinical trial in adults of an antimicrobial varnish for reducing mutans streptococci. *J Dent Res* 1991;70:1401-1408.
220. Sandham H J, Brown J, Phillips H I, Chan K H. A preliminary report of long-term elimination of detectable mutans streptococci in man. *J Dent Res* 1988;67:9-14.
221. Emilson C G, Fornell J. Effect of toothbrushing with chlorhexidine gel on salivary microflora, oral hygiene, and caries. *Scand J Dent Res* 1976;84:308-319.
222. Schaecken M J M, de Jong M H, Franken H C M, van der Hoeven J S. Effects of highly concentrated stannous fluoride and chlorhexidine regimes on human dental plaque flora. *J Dent Res* 1986;65:57-61.
223. Köhler B, Andreen I. Influence of caries-preventive measures in mothers on cariogenic bacteria and caries experience in their children. *Arch Oral Biol* 1994;39:907-911.
224. Riedmann T. Auswirkungen von Chlorhexidingel-Behandlungen auf Mutans Streptokokken und Plaque bei Multibandpatienten. *Med Diss Tübingen*; 1994.

225. Loesche W J. Dental caries: a treatable infection. Grand Haven: ADQ Publications; 1993.
226. Schaeken M J M, Schouten M J, van den Kieboom C W A, van der Hoeven J S. Influence of contact time and concentration of chlorhexidine varnish on mutans streptococci in interproximal dental plaque. *Caries Res* 1991;25:292-295.
227. Sandham H J, Nadeau L, Phillips H I. The effect of chlorhexidine varnish treatment on salivary mutans streptococci levels in child orthodontic patients. *J Dent Res* 1992;71:32-35.
228. Balanyk T E, Sandham H J. Development of sustained release anti-microbial dental varnishes effective against streptococcus mutans in vivo. *J Dent Res* 1985;64:1356-1360.
229. Hildebrandt G H, Pape H R, Syed S A, Gregory W A, Friedman M. Effect of slow-release chlorhexidine mouthgards on the levels of selected salivary bacteria. *Caries Res* 1992;26:268-274.
230. Schaeken M J M, de Haan P. Effect of sustained-release chlorhexidine acetate on the human dental plaque flora. *J Dent Res* 1989;68:119-123.
231. Huizinga E D, Ruben J, Arends J. Effect of an antimicrobial-containing varnish on root demineralisation in situ. *Caries Res* 1990;24:130-132.
232. Schaeken M J M, van der Hoeven J S, Hendricks J C. Effects of varnishes containing chlorhexidine on the human dental plaque flora. *J Dent Res* 1989;68:1786-1789.
233. Twetman S, Petersson L G. Comparison of the efficacy of three different chlorhexidine preparations in decreasing the levels of mutans streptococci in saliva and interdental plaque. *Caries Res* 1998;32:113-118.
234. van Lunsen D M, de Soet J J, Weerheijm K L, Groen H J, Veerkamp J S. Effects of dental treatment and single application of a 40% chlorhexidine varnish on mutans streptococci in young children under intravenous anaesthesia. *Caries Res* 2000;34:268-274.
235. Matthijs S, Adriaens P A. Chlorhexidine varnishes: a review. *J Clin Periodontol* 2002;29:1-8.
236. Attin R, Tuna A, Attin T, Brunner E, Noack M J. Efficacy of differently concentrated chlorhexidine varnishes in decreasing mutans streptococci and lactobacilli counts. *Arch Oral Biol* 2003;48:503-509.
237. Twetman S, Hallgren A, Petersson L G. Effect of an antibacterial varnish on mutans streptococci in plaque from enamel adjacent to orthodontic appliances. *Caries Res* 1995;29:188-191.
238. de Soet J J, Gruythuysen R J, Bosch J A, van Amerongen W E. The effect of 6-monthly application of 40% chlorhexidine varnish on the microflora and dental caries incidence in a population of children in Surinam. *Caries Res* 2002;36:449-455.
239. Forgie A H, Paterson M, Pine C M, Pitts N B, Nugent Z J. A randomised controlled trial of the caries-preventive efficacy of a chlorhexidine-containing varnish in high-caries-risk adolescents. *Caries Res* 2000;34:432-439.
240. Scheie A A, Arneberg P, Krogstad O. The effect of orthodontic treatment on the prevalence of streptococcus mutans in plaque and saliva. *Scand J Dent Res* 1984;92:211-217.
241. Kantorowicz A. *Klinische Zahnheilkunde*. Berlin: Hermann Meuser; 1924.
242. Fejerskov O. Concepts of dental caries and their consequences for understanding the disease. *Community Dent Oral Epidemiol* 1997;25:5-12.
243. Corbett J A, Brown L R, Keene H J, Horton I M. Comparison of streptococcus mutans concentrations in non-banded and banded orthodontic patients. *J Dent Res* 1981;60:1936-1942.
244. Glatz E G M, Featherstone J D B. Demineralization related to orthodontic bands and brackets: a clinical study. *Am J Orthod Dentofacial Orthop* 1986;85:87.
245. Lundström F, Krasse B. Caries incidence in orthodontic patients with high levels of streptococcus mutans. *Eur J Orthod* 1987;9:117-121.

246. Diamanti-Kipiotti A, Gusberti F A, Lang N P. Clinical and microbiological effects of fixed orthodontic appliances. *J Clin Periodontol* 1987;14:326-333.
247. Ogaard B. Cariologic aspects of orthodontic treatment. *Nor Tannlaegeforen Tid* 1989;99:802-805.
248. Hua Y, Wang Z, Shi S. A study on the change of caries activity of children with fixed orthodontic treatment. *Zhonghua Kou Qiang Yi Xue Za Zhi* 2001;36:411-413.
249. Heintze S D. Individualprophylaxe bei Multiband-Patienten (I). *Quintessenz J* 1994;24:245-252.
250. Klimek J, Schmidt S, Schmidt H F M, Jürgensen R. Der kariesprophylaktische Effekt von Duraphat nach 6 Jahren in Abhängigkeit vom Kariesrisiko. *Dtsch Zahnärztl Z* 1992;47:761-763.
251. Pienihäkkinen K, Jokela J. Clinical outcomes of risk-based caries prevention in preschool-aged children. *Community Dent Oral Epidemiol* 2002;30:143-150.
252. Axelsson P, Lindhe J. Effect of fluoride on gingivitis and dental caries in a preventive program based on plaque control. *Community Dent Oral Epidemiol* 1975;3:156-160.
253. Axelsson P. Präventivzahnmedizinische Programme. *Praktische Präventivzahnmedizin: 15 Jahre Erfahrung in Schweden. Schweiz Monatsschr Zahnmed* 1989;99:1045-1048.
254. Huber S J, Vernino A R, Nanda R S. Professional prophylaxis and its effect on the periodontium of full-banded orthodontic patients. *Am J Orthod Dentofacial Orthop* 1987;91:321-327.
255. Klimek J, Prinz N, Hellwig E, Arends G. Effect of a preventive program based on professional toothcleaning and fluoride application on caries and gingivitis. *Community Dent Oral Epidemiol* 1985;13:295-298.
256. Heintze S D. Individualprophylaxe bei Multiband-Patienten (III). *Quintessenz J* 1994;24:417-423.
257. Barnes C M, Russel C M, Gerbo L R, Wells B R, Barnes D W. Effects of an air-powder polishing system on orthodontically bracketed and banded teeth. *Am J Orthod Dentofacial Orthop* 1990;97:74-81.
258. Ramaglia L, Sbordone L, Ciaglia R N, Barone A, Martina R. A clinical comparison of the efficacy and efficiency of two professional prophylaxis procedures in orthodontic patients. *Eur J Orthod* 1999;21:423-428.
259. Jost-Brinkmann P-G. Wirkungen und Nebenwirkungen von Pulver-Wasser-Strahlgeräten bei regelmäßiger Anwendung in der Orthodontie. Aachen: Mainz; 1997.
260. Nedwed V. Untersuchung zu den Wirkungen eines Pulver-Wasser-Strahlgerätes auf Zahnschmelz und verschiedene Füllungs- und Befestigungsmaterialien in der Kieferorthopädie - Eine In-vitro-Studie zum PROPHYflex 2. Berlin, Zahnmed Diss; 2003.
261. Gerbo L R, Lacefield W R, Barnes C M, Russell C M. Enamel roughness after air-powder polishing. *Am J Dent* 1993;6:96-98.
262. Jost-Brinkmann P-G. The influence of air polishers on tooth enamel. An in-vitro study. *J Orofac Orthop* 1998;59:1-16.
263. Boyde A. Airpolishing effects on enamel, dentine, cement and bone. *Br Dent J* 1984;156:287-291.
264. Jost-Brinkmann P-G. Air-powder-polishing for prophylaxis in orthodontics - effects on enamel surfaces. *Eur J Orthod* 1996;18:524 (Abstr. 549).
265. Schiffner U. Die Einwirkung eines abrasiven Pulverstrahles auf artifiziell demineralisierten Schmelz. *Dtsch Zahnärztl Z* 1992;47:778-781.
266. Petersilka G J, Bell M, Haberlein I, Mehl A, Hickel R, Flemmig T F. In vitro evaluation of novel low abrasive air polishing powders. *J Clin Periodontol* 2003;30:9-13.
267. Zachrisson S, Zachrisson B U. Gingival condition associated with orthodontic treatment. *Angle Orthod* 1972;42:26-34.

268. Atack N E, Sandy J R, Addy M. Periodontal and microbiological changes associated with the placement of orthodontic appliances. A review. *J Periodont* 1996;67:78-85.
269. Jost-Brinkmann P-G, Radlanski R J. Oberflächenbeeinflussung kieferorthopädischer Brackets durch Pulver-Wasser-Strahlgeräte. *Quintessenz* 1996;47:219-227.
270. Jost-Brinkmann P-G. Air-Flow S1-Wirkung auf Zemente. Oberflächenveränderungen von Glasionomerezementen, Kompomeren und Kompositen. *ZWR* 1999;108:663-668.
271. Saxer U P, Mühlemann H R. Motivation und Aufklärung. *Schweiz Monatsschr Zahnheilkd* 1975;85:905-919.
272. Quigley G A, Hein J W. Comparative cleansing efficiency of manual and power brushing. *J Am Dent Assoc* 1962;65:26-29.
273. Schulte A. Auswirkungen von Wasser-Pulverstrahlgeräten auf Zahnhartgewebe und Restaurationsmaterialien. *ZMK* 2003;19:18-23.
274. Sachs L. *Angewandte Statistik*. Berlin, Heidelberg, New York: Springer; 1978.
275. de Soet J J. Virulence factors of mutans streptococci and clinical consequences. In: Stöber, L (Hrsg.): *Kariesdynamik und Kariesrisiko*. Berlin: Quintessenz; 1998.
276. Kühnisch J, Heinrich-Weltzien R. Leitfaden zur Erfassung und Betreuung 6- bis 17-jähriger Kariesrisiko-Patienten in der zahnärztlichen Praxis. *Prophylaxe Impuls* 2000;4:126-133.
277. Rateitschak K H, Rateitschak E M, Wolf H F. *Farbatlant der Zahnmedizin*. 1: Parodontologie. Stuttgart: Thieme; 1989.
278. Alexander S A. Effects of orthodontic attachments on the gingival health of permanent second molars. *Am J Orthod Dentofacial Orthop* 1991;100:337-340.
279. Grossman E, Meckel A H, Isaacs R L, Ferretti G A, Sturzenberger O P, Bollmer B W et al. A clinical comparison of antibacterial mouthrinses: effects of chlorhexidine, phenolics and sanguinarine on dental plaque and gingivitis. *J Periodontol* 1989;60:435-440.
280. Netuschil L, Gehlen I, Katsaros C. Klinische und bakteriologische Befunde unter Anwendung einer 0,2% Chlohexidin-Spülung. *Prophylaxe Impuls* 2001;5:13-19.
281. Tütüncü R. Chlorhexidin - ein wichtiger Baustein moderner Zahnmedizin. *Prophylaxe Impuls* 1998;3:130-135.
282. Brex M, MacDonald L, Legary K, Cheang M, Forgay M G E. Long-term effects of Meridol and Chlorhexidine mouthrinses on plaque, gingivitis, staining and bacterial vitality. *J Dent Res* 1993;72:1194-1197.
283. Gehlen I, Netuschil L, Georg T, Reich E, Berg R, Katsaros C. The influence of a 0.2% chlorhexidine mouthrinse on plaque regrowth in orthodontic patients. A randomized prospective study. Part 2: Bacteriological parameters. *J Orofac Orthop* 2000;61:138-148.
284. Anderson G B, Bowden J, Morrison E C, Caffesse R G. Clinical effects of chlorhexidine mouthwashes on patients undergoing orthodontic treatment. *Am J Orthod Dentofacial Orthop* 1997;111:606-612.
285. Øgaard B, Larsson E, Glans R, Henriksson T, Birkhed D. Antimicrobial effect of a chlorhexidine-thymol varnish (Cervitec) in orthodontic patients. *J Orofac Orthop* 1997;58:206-213.
286. Costa B, Lima J E, Gomide M R, Rosa O P. Clinical and microbiological evaluation of the periodontal status of children with unilateral complete cleft lip and palate. *Cleft Palate Craniofac J* 2003;40:585-589.
287. Heinrich-Weltzien R, Tawfiq H, Schumann V, Stöber L. Erfurter Kariesrisiko-Studie - Klinische Befunde zur Charakterisierung eines erhöhten Kariesrisikos. In: Stöber, L (Hrsg.): *Kariesdynamik und Kariesrisiko*. Berlin: Quintessenz; 1998.
288. Zimmer S. Kariesrisikodiagnostik im Rahmen der Gruppenprophylaxe. *Gesundheitswesen* 1994;56:530-533.

289. Øgaard B. Cariologic aspects of orthodontic treatment. *Nor Tannlaegeforen Tid* 1989;99:802-805.
290. Geiger A M, Gorelick L, Gwinnett A J, Benson B J. Reducing white spot lesions in orthodontic populations with fluoride rinsing. *Am J Orthod Dentofacial Orthop* 1992;101:403-407.
291. Øgaard B, Larsson E, Henriksson T, Birkhed D, Bishara S E. Effects of combined application of antimicrobial and fluoride varnishes in orthodontic patients. *Am J Orthod Dentofacial Orthop* 2001;120:28-35.
292. Du M Q, Tai B J, Jiang H, Lo E C, Fan M W, Bian Z. A two-year randomized clinical trial of chlorhexidine varnish on dental caries in Chinese preschool children. *J Dent Res* 2006;85:557-559.
293. Arief E M, Mohamed Z, Idris F M. Study of viridans streptococci and *Staphylococcus* species in cleft lip and palate patients before and after surgery. *Cleft Palate Craniofac J* 2005;42:277-279.
294. Meier B, Weiß M, Nedwed V, Jost-Brinkmann P-G, Bizhang M, Schmidt G. Die kieferorthopädische Behandlung von Spaltpatienten - ein Mundhygiene-Diema. *Kieferorthop* 2005;19:29-41.
295. Tezel H, Ergücü Z, Önal B. Effects of topical fluoride agents on artificial enamel lesion formation in vitro. *Quintessence Int* 2002;33:347-352.
296. Schmit J L, Staley R N, Wefel J S, Kanellis M, Jakobsen J R, Keenan P J. Effect of fluoride varnish on demineralization adjacent to brackets bonded with RMGI cement. *Am J Orthod Dentofacial Orthop* 2002;122:125-134.
297. Gorton J, Featherstone J D B. In vivo inhibition of demineralization around orthodontic brackets. *Am J Orthod Dentofacial Orthop* 2003;123:10-14.
298. Bishara S E, Gordan V V, Von Wald L, Jakobsen J R. Shear bond strength of composite, glass ionomer, and acidic primer adhesive systems. *Am J Orthod Dentofacial Orthop* 1999;115:24-28.
299. Summers A, Kao E, Gilmore J, Gunel E, Ngan P. Comparison of bond strength between a conventional resin adhesive and a resin-modified glass ionomer adhesive: an in vitro and in vivo study. *Am J Orthod Dentofacial Orthop* 2004;126:200-206.
300. Petersilka G J, Steinmann D, Haberlein I, Heinecke A, Flemmig T F. Subgingival plaque removal in buccal and lingual sites using a novel low abrasive air-polishing powder. *J Clin Periodontol* 2003;30:328-333.
301. Harris R, Nicoll A D, Adair P M, Pine C M. Risk factors for dental caries in young children: a systematic review of the literature. *Community Dent Health* 2004;21 (Suppl 1):71-85.
302. Jost-Brinkmann P-G, Nedwed V, Peng C-L, Yoshida N. Professionelle Zahnreinigung. Pulver-Wasser-Strahlgeräte in der Orthodontie. *Kieferorthop* 2000;2:23-30
303. Sheiham A. Changing trends in dental caries. *Int J Epidemiol* 1984;13:142-7
304. Loesche W J, Eklund S A, Mehlich D F, Burt B. Possible effect of medically administered antibiotics on the mutans streptococci: implications for reduction in decay. *Oral Microbiol Immunol* 1989;4:77-81.