

## Literaturverzeichnis

- Amirlak, Couldwell, 2003 | Amirlak B, Couldwell WT: Apoptosis in glioma cells: review and analysis of techniques used for study with focus on the laser scanning cytometer. *J Neurooncol* 2003, 63(2), 129-145
- Arriagada et al., 2004 | Arriagada R, Bergman B, Dunant A, et al.: Cisplatin-based adjuvant chemotherapy in patients with completely resected non-small-cell lung cancer. *N Eng J Med* 2004, 350(4), 351-360
- ATCC | LGC Promochem ATCC: HTB-177; NCI-H460 (H460), [www.lgcpromochem-atcc.com](http://www.lgcpromochem-atcc.com)
- Bartek, Lukas, 2001 (I) | Bartek J, Lukas J: Mammalian G1- and S-phase checkpoints in response to DNA damage. *Curr Opin Cell Biol* 2001, 13(6), 738-747
- Bartek, Lukas, 2001 (II) | Bartek J, Lukas J: Pathways governing G1/S transition and their response to DNA damage. *FEBS Lett* 2001, 490, 117-122
- Blasina et al., 1999 | Blasina A, Price BD, Turenne GA, et al.: Caffeine inhibits the checkpoint kinase ATM. *Curr Biol* 1999, 9(19), 1135-1138
- Block et al., 2004 | Block WD, Merkle D, Meek K, et al.: Selective inhibition of the DNA-dependent protein kinase (DNA-PK) by the radiosensitizing agent caffeine. *Nucleic Acids Res* 2004, 32(6), 1967-1972
- Bode, Dong, 2006 | Bode AM, Dong Z: The enigmatic effects of caffeine in cell cycle and cancer. *Cancer Letters* 2006, 20, 1-14
- Brambilla et al., 2001 | Brambilla E, Travis WD, Colby, TV, et al.: The new World Health Organization classification of lung tumours. *Eur Respir J* 2001, 18(6), 1059-1068
- Chadwick, Leenhouts, 1975 | Chadwick KH, Leenhouts HP: The repair of potentially lethal damage; an alternative approach. *Radiat Environ Biophys* 1975, 11(4), 319-325
- Chan et al., 1999 | Chan TA, Hermeking H, Lengauer C, et al.: 14-3-3- $\sigma$  is required to prevent mitotic catastrophe after DNA damage. *Nature* 1999, 401(6753), 616-620
- Chan et al., 1999 | Chan TA, Hermeking H, Lengauer C, et al.: 14-3-3sigma is required

- to prevent mitotic catastrophe after DNA damage. *Nature* 1999, 401, 616-620
- Chaturvedi et al., 1999 | Chaturvedi P, Eng WK, Zhu Y, et al.: Mammalian chk2 is a downstream effector of the atm-dependent DNA damage checkpoint pathway. *Oncogene* 1999, 18, 4047-4054
- Darzynkiewicz et al., 1997 | Darzynkiewicz Z, Juan G, Li X, et al.: Cytometry in cell necrobiology: analysis of apoptosis and accidental cell death (necrosis). *Cytometry* 1997, 27, 1-20
- Deplanque et al., 2000 | Deplanque G, Vincent F, Mah-Becherel MC, et al.: Caffeine does not cause override of the G2/M block induced by UVc or gamma radiation in normal human skin fibroblasts. *Br J Cancer* 2000, 83(3), 346-353
- Deplanque et al., 2001 | Deplanque G, Céraline J, Mah-Becherel MC, et al.: Caffeine and the G2/M block override: a concept resulting from a misleading cell kinetic delay, independent of functional p53. *Int J Cancer* 2001, 94(3), 363-369
- DSMZ | A-549, [www.dsmz.de](http://www.dsmz.de)
- Dy, Adjei, 2002 | Dy GK, Adjei AA: Novel targets for lung cancer therapy: part I. *J Clin Oncol* 2002, 20(12), 2881-2894
- Enari et al., 1998 | Enari M, Sakahira H, Yokoyama H, et al.: A caspase-activated DNase that degrades DNA during apoptosis, and its inhibitor ICAD. *Nature* 1998, 391, 43-50
- Endresen et al., 1995 | Endresen PC, Prytz PS, Aarbakke J: A new flow cytometric method for discrimination of apoptotic cells and detection of their cell cycle specificity through staining of F-actin and DNA. *Cytometry* 1995, 20(2), 162-171
- Fernández et al., 2003 | Fernández MJ, López A, Santa-Maria A: Apoptosis induced by different doses of caffeine on chinese hamster ovary cells. *J of Applied Toxicology* 2003, 23, 221-224
- Flatt et al., 2000 | Flatt PM, Tang LJ, Scatena CD, et al.: p53 regulation of G2 checkpoint is retinoblastoma protein dependent. *Mol Cell Biol* 2000, 20(12), 4210-4223
- Furnari et al., 1999 | Furnari B, Blasina A, Boddy MN, et al.: Cdc25 inhibited in vivo

- and in vitro by checkpoint kinase Cds1 and Chk1. *Mol Biol Cell* 1999, 19, 833-845
- Gallert, 1979 | Gallert W, Küstner H, Hellwich M, Kästner H: *Kleine Enzyklopädie Mathematik* 11. Auflage, Leipzig, 1979, VEB Bibliographisches Institut Leipzig
- GEKID, RKI, 2006 | Gesellschaft der epidemiologischen Krebsregister in Deutschland e. V. (GEKID) in Zusammenarbeit mit dem Robert Koch-Institut (RKI): *Krebs in Deutschland* 5. Auflage, Saarbrücken, 2006, RoBo-Print, Riegelsberg, 44 ff.
- Gilligan et al., 1996 | Gilligan D, Mort C, McMillan TJ, et al.: Application of a bromodeoxyuridine-Hoechst/ethidium bromide technique for the analysis of radiation-induced cell cycle delays in asynchronous cell populations. *Int J Radiat Biol* 1996, 69(2), 251-257
- Greenlee et al., 2001 | Greenlee RT, Hill-Harmon MB, Murray T, et al.: *Cancer Statistics*, 2001. *CA Cancer J Clin* 2001, 51, 15-36
- Hain et al., 1996 | Hain J, Weller EM, Jung T, et al.: Effects of ionizing- and UV B-radiation on proteins controlling cell cycle progression in human cells: comparison of the MCF-7 adenocarcinoma and the SCL-2 squamous cell carcinoma cell line. *Int J Radiat Biol* 1996, 70(3), 261-271
- Hashimoto et al., 2004 | Hashimoto T, He Z, Ma WY, et al.: Caffeine inhibits cell proliferation by G0/G1 phase arrest in JB6 cells. *Cancer Res* 2004, 64, 3344-3349
- He et al., 2003 | He Z, Ma W-Y, Hashimoto T, et al.: Induction of apoptosis by caffeine is mediated by the p53, Bax, and caspase 3 pathways. *Cancer Res* 2003, 63, 4396-4401
- Heald et al., 1993 | Heald R, McLoughlin M, McKeon F: Human wee1 maintains mitotic timing by protecting the nucleus from cytoplasmically activated Cdc2 kinase. *Cell* 1993, 74(3), 463-474
- Higuchi et al., 2000 | Higuchi K, Mitsuhashi N, Saitoh J, et al.: Caffeine enhanced radiosensitivity of rat tumor cells with a mutant-type p53 by inducing apoptosis in a p53-independent manner. *Cancer Lett* 2000, 152(2), 157-162
- Hildesheim et al., 2002 | Hildesheim J, Bulavin DV, Anver MR, et al.: Gadd45a protects against UV irradiation-induced skin tumors, and promotes apoptosis and stress signaling via MAPK and p53. *Cancer Res* 2002, 62(24), 7305-7315

- Hoffmann et al., 2000 | Hoffmann PC, Mauer AM, Vokes EE: Lung cancer. *Lancet* 2000, 355(9202), 479-485
- Huber et al., 2002 | Huber M, Pavlova B, Mühlberger H, et al.: Detection of the Epstein-Barr virus in primary adenocarcinoma of the lung with Signet-Ring cells. *Virchows Arch* 2002, 441, 25-30
- Jang et al., 2002 | Jang M-H, Shin M-C, Kang I-S, et al.: Caffeine induces apoptosis in human neuroblastoma cell line SK-N-MC. *J Korean Med Sci* 2002, 17, 674-678
- Jemal et al., 2004 | Jemal A, Tiwari RC, Murray T, et al.: Cancer statistics, 2004. *CA Cancer J Clin* 2004, 54((1), 8-29
- Joy et al., 2003 | Joy, AM, Beaudry CE, Tran NL, et al.: Migrating glioma cells activate the PI3-K pathway and display decreased susceptibility to apoptosis. *J Cell Sci* 2003, 116(21), 4409-4417
- Kachnic et al., 1999 | Kachnic LA, Wu B, Wunsch H, et al.: The ability of p53 to activate downstream genes p21(WAF1/cip1) and MDM2, and cell cycle arrest following DNA damage is delayed and attenuated in scid cells deficient in the DNA-dependent protein kinase. *J Biol Chem* 1999, 274(19), 13111-13117
- Kaufmann et al., 2003 | Kaufmann WK, Heffernan TP, Beaulieu LM, et al.: Caffeine and human DNA metabolism: the magic and the mystery. *Mutat Res* 2003, 532, 85-102
- Kerr et al., 1972 | Kerr J, Wyllie A, Currie A: Apoptosis: a basic biological phenomenon with wide-ranging implications in tissue kinetics. *Br J Cancer* 1972, 26, 239-248
- Kerr et al., 1994 | Kerr JF, Winterford CM, Harmon BV: Apoptosis. Its significance in cancer and cancer therapy. *Cancer* 1994, 73(8), 2013-2026
- Komarova et al., 2000 | Komarova EA, Christov K, Faerman AI, et al.: Different impact of p53 and p21 on the radiation response of mouse tissues. *Oncogene* 2000, 19(33), 3791-3798
- Latt, 1973 | Latt SA: Microfluorometric detection of deoxyribonucleic acid replication in human metaphase chromosomes. *Proc Natl Acad Sci USA* 1973, 70(12), 3395-3399

- Latt, 1974 | Latt SA: Sister chromatid exchanges, indices of human chromosome damage and repair: detection by fluorescence and induction by mitomycin C. Proc Natl Acad Sci USA 1974, 71(8), 3162-3166
- Lickint, 1930 | Lickint F: Tabak und Tabakrauch als ätiologischen Faktor des Karzinoms. Z Krebsforsch 1930, 30, 349-365 (zitiert in: Dhom G | Zur Geschichte des Bronchialkarzinoms. Pneumologie 2004, 58, 680-685)
- Lieber et al., 1976 | Lieber M, Smith B, Szakal A, et al.: A continuous tumour-cell line from a human lung carcinoma with properties of type II alveolar epithelial cells. Int J Cancer 1976, 17(1), 62-70
- Lindl, Bauer, 1994 | Lindl T, Bauer J: Zell- und Gewebekultur 3. Auflage, Stuttgart, 1994, Gustav Fischer Verlag, 85 ff.
- Loeffler, Kroemer, 2000 | Loeffler M, Kroemer G: The mitochondrion in cell death control: certainties and incognita. Exp Cell Res 2000, 256, 19-26
- Löffler, Petrides, 1998 | Löffler G, Petrides PE: Biochemie und Pathobiochemie 6. Auflage, Berlin, Heidelberg, New York, 1998, Springer-Verlag, 165 f.
- Lynch, 2001 | Lynch T: ASCO meeting highlights the potential of EGFR-targeted therapy (37th annual meeting of the American Society of Clinical Oncology). Signal 2001, 3, 17-22
- Malaise et al., 1987 | Malaise EP, Fertil B, Deschavanne PJ, et al.: Initial slope of radiation survival curves is characteristic of the origin of primary and established cultures of human tumor cells and fibroblasts. Radiat Res 1987, 111(2), 319-333
- Mangoldt et al., 2002 | Mangoldt D., Sinn B., Lein M., Krell H. W., Schnorr D., Loening S. A., Jung K.: The novel synthetic inhibitor of matrix metalloproteinases Ro 28-2653 induces apoptosis in Dunning tumor cells. Apoptosis 2002, 7(3), 217-220
- Matsuoka et al., 2000 | Matsuoka S, Rotman G, Ogawa A, et al.: Ataxia telangiectasia-mutated phosphorylates chk2 in vivo and in vitro. Proc Natl Acad Sci USA 2000, 97, 10389-10394
- McIlwrath et al., 1994 | McIlwrath AJ, Vasey PA, Ross GM, et al.: Cell cycle arrests and radiosensitivity of human tumor cell lines: dependence on wild-type p53 for

- radiosensitivity. *Cancer Res* 1994, 54(14), 3718-3722
- Mountain, 1997 | Mountain CF: Revisions in the international system for staging lung cancer. *Chest* 1997, 111(6), 1710-1717
- Mountain, Dresler, 1997 | Mountain CF, Dresler CM: Regional lymph node classification for lung cancer staging. *Chest* 1997, 111, 1718-1723
- Oberdisse, Hackenthal, Kuschinsky, 2002 | Oberdisse E, Hackenthal E, Kuschinsky K: *Pharmakologie und Toxikologie 3. Auflage*, Berlin, Heidelberg, New York, 2002, Springer-Verlag, 157 ff.
- Oda et al., 2000 | Oda K, Arakawa H, Tanaka T, et al.: p53AIP1, a potential mediator of p53-dependent apoptosis, and its regulation by Ser-46-phosphorylated p53. *Cell* 2000, 102, 849-862
- Ohtsubo et al., 1995 | Ohtsubo M, Theodoras AM, Schumacher J, et al.: Human cyclin E, a nuclear protein essential for the G1-to-S phase transition. *Mol Cell Biol* 1995, 15, 2612-2624
- Oonakahara et al., 2004 | Oonakahara K, Matsuyama W, Higashimoto I, et al.: Stromal-derived factor-1 $\alpha$ /CXCL12-CXCR4 axis is involved in the dissemination of NSCLC cells into pleural space. *Am J Respir Cell Mol Biol* 2004, 30, 671-677
- Ormerod, Kubbies, 1992 | Ormerod MG, Kubbies M: Cell cycle analysis of asynchronous cell populations by flow cytometry using bromodeoxyuridine label and Hoechst-propidium iodide stain. *Cytometry* 1992, 13(7), 678-685
- Pardee, 1974 | Pardee AB: A restriction point for control of normal animal cell proliferation. *Proc Natl Acad Sci USA* 1974, 71, 1286-1290
- Parker, Janjan, Selch, 2003 | Parker RG, Janjan NA, Selch MT: *Radiation oncology for cure and palliation* Berlin Heidelberg, 2003, Springer-Verlag Berlin Heidelberg , 81 ff.
- Pellegata et al., 1996 | Pellegata NS, Antoniono RJ, Redpath JL, et al.: DNA damage and p53-mediated cell cycle arrest: a reevaluation. *Proc Natl Acad Sci USA* 1996, 93(26), 15209-15214
- Peto et al., 1992 | Peto R, Lopez AD, Boreham J, et al.: Mortality from tobacco in

- developed countries: indirect estimation from national vital statistics. *Lancet* 1992, 339(8804), 1268-1278
- Phillips et al., 2003 | Phillips RJ, Burdick MD, Lutz M, et al.: The stromal derived factor-1/CXCL12-CXC chemokine receptor 4 biological axis in non-small cell lung cancer metastases. *Am J Respir Cell Mol Biol* 2003, 167, 1676-1686
- Powell et al., 1995 | Powell SN, DeFrank JS, Connell P, et al.: Differential sensitivity of p53(-) and p53(+) cells to caffeine-induced radiosensitization and override of G2 delay. *Cancer Res* 1995, 55(8), 1643-1648
- Puthalakath et al., 1999 | Puthalakath H, Huang DCS, O'Reilly LA, et al.: The proapoptotic activity of the Bcl-2 family member Bim is regulated by interaction with the dynein motor complex. *Mol Cell* 1999, 3, 287-296
- Puthalakath et al., 2001 | Puthalakath H, Villunger A, O'Reilly LA, et al.: Protein regulated by interaction with the myosin V actin motor complex, activated by anoikis. *Science* 2001, 293, 1829-1832
- Puthalakath, Strasser, 2002 | Puthalakath H, Strasser A: Keeping killers on a tight leash: transcriptional and post-translational control of the pro-apoptotic activity of BH3-only proteins. *Cell Death Differ* 2002, 9, 505-512
- Qi et al., 2002 | Qi W, Qiao D, Martinez JD: Caffeine induces tp53-independent G1-phase arrest and apoptosis in human lung tumor cells in a dose -dependent manner. *Radiat Res* 2002, 157(2), 166-174
- Ribeiro et al., 1999 | Ribeiro JC, Barnetson AR, Jackson P, et al.: Caffeine-increased radiosensitivity is not dependent on a loss of G2/M arrest or apoptosis in bladder cancer cell lines. *Int J Radiat Biol* 1999, 75(4), 481-492
- Riede, Werner, Schaefer, 2004 | Riede U-N, Werner M, Schaefer H-E: Allgemeine und spezielle Pathologie 5. Auflage, Stuttgart, 2004, Georg Thieme Verlag, 636 ff.
- Römpp, 1995 | Falbe J, Regitz M: Römpp Chemie Lexikon, CD Römpp, Version 1.0 9. Auflage, Stuttgart, 1995, Georg Thieme Verlag
- Runge, 1821 | Runge FF: Die Genesis des menschlichen Magnetismus. Ein Versuch, diese große Aufgabe zu lösen. Von Ferdinand Runge, Dr. der Heilkunst aus Hamburg. Eschenmayer, Kieser, Nees von Esenbeck 8. Auflage Leipzig, 1821,

- Archiv für den Thierischen Magnetismus, (zitiert in: Rehberg M | Friedlieb Ferdinand Runge, Nachdruck der Originalausgabe von 1935, gekürzt, Landkreis Oranienburg – Kreismuseum Oranienburg, 1. Auflage (2000) 1993)
- Russell et al., 1995 | Russell KJ, Wiens LW, Demers GW, et al.: Abrogation of the G2 checkpoint results in differential radiosensitization of G1 checkpoint-deficient and G1 checkpoint-competent cells. *Cancer Res* 1995, 55, 1639-1642
- Russell et al., 1996 | Russell KJ, Wiens LW, Demers GW, et al.: Preferential radiosensitization of G1 checkpoint-deficient cells by methylxanthines. *Int J Rad Oncol Biol Phys* 1996, 36(5), 1099-1106
- Sak et al., 2002 | Sak A, Stuschke M, Wurm R, et al.: Selective inactivation of DNA-dependent protein kinase with antisense oligodeoxynucleotides: consequences for the rejoining of radiation-induced DNA double-strand breaks and radiosensitivity of human cancer cell lines. *Cancer Res* 2002, 62(22), 6621-6624
- Sak et al., 2003 | Sak A, Wurm R, Elo B, et al.: Increased radiation-induced apoptosis and altered cell cycle progression of human lung cancer cell lines by antisense oligodeoxynucleotides targeting p53 and p21(WAF1/CIP1). *Cancer Gene Ther* 2003, 10(12), 926-934
- Sak et al., 2005 | Sak A, Stueben G, Groneberg M, et al.: Targeting of Rad51-dependent homologous recombination: implications for the radiation sensitivity of human lung cancer cell lines. *Br J Cancer* 2005, 92(6), 1089-1097
- Sakata et al., 1992 | Sakata K, Okada S, Majima H, et al.: Linear quadratic model of radiocurability on multicellular spheroids of human lung adenocarcinoma LCT1 and mouse fibrosarcoma FSA. *Int J Radiat Biol* 1992, 61(2), 269-274
- Sakurai et al., 1999 | Sakurai H, Mitsuhashi N, Tamaki Y, et al.: Interaction between low dose-rate irradiation, mild hyperthermia and low-dose caffeine in a human lung cancer cell line. *Int J Radiat Biol* 1999, 75(6), 739-745
- Sambrock, Russell, 2001 | Sambrock J, Russell D: *Molecular Cloning, A laboratory manual* 3. Auflage, New York, 2001, Cold Spring Harbor Laboratory Press, 7.2 ff.
- Sanchez et al., 1997 | Sanchez Y, Wong C, Thoma RS, et al.: Conservation of the chk1 checkpoint pathway in mammals: linkage of DNA damage to cdk regulation through



- cdc25. *Science* 1997, 277, 1497-1501
- Sarkaria et al., 1999 | Sarkaria JN, Busby EC, Tibbetts RS, et al.: Inhibition of ATM and ATR kinase activities by the radiosensitizing agent, caffeine. *Cancer Res* 1999, 59(17), 4375-4382
- Sarkaria, Eshleman, 2001 | Sarkaria JN, Eshleman JS: ATM as a target for novel radiosensitizers. *Rad Oncol* 2001, 11(4), 316-327
- Scagliotti et al., 2003 | Scagliotti GV, Fossati R, Torri V, et al.: Randomized study of adjuvant chemotherapy for completely resected stage I, II, or IIIA non-small-cell lung cancer. *J Natl Cancer Inst* 2003, 95(19), 1453-1461
- Schmitz, Rothe, 1994 | Schmitz G, Rothe G: *Durchflußzytometrie in der klinischen Zelldiagnostik* 1. Auflage, Stuttgart, 1994, F. K. Schattauer Verlagsgesellschaft, 257 ff.
- Sedrakyan et al., 2004 | Sedrakyan A, van Der Meulen J, O'Byrne K, et al.: Postoperative chemotherapy for non-small cell lung cancer: a systematic review and meta-analysis. *J Thorac Cardiovasc Surg* 2004, 128(3), 414-419
- Seeber, Schütte, 2003 | Seeber S, Schütte J: *Therapiekonzepte Onkologie* 4. Auflage, Berlin, Heidelberg, 2003, Springer Verlag Berlin Heidelberg New York, 178 ff., 675 ff.
- Sit et al., 1997 | Sit KH, Yin L, Paramanatham R: Apoptotic condensations in M-phase cells. *Anat Rec* 1997, 248(2), 149-158
- Slee et al., 1999 | Slee EA, Adrain C, Martin SJ: Serial killers: ordering caspase activation events in apoptosis. *Cell Death Differ* 1999, 6, 1067-1074
- Slee et al., 2004 | Slee EA, O'Connor DJ, Lu X: To die or not to die: how does p53 decide? *Oncogene* 2004, 23, 2809-2818
- Sphyris, Harrison, 2005 | Sphyris N, Harrison DJ: p53 deficiency exacerbates pleiotopic mitotic defects, changes in nuclearity and polyploidy in transdifferentiating pancreatic acinar cells. *Oncogene* 2005, 24(13), 2184-2194
- Steel, 1993 | Steel GG: *Basic Clinical Radiobiology* 1. Auflage, Sevenoaks, 1993, Edward Arnold Publishers, 28 ff.

- Stuschke et al., 2002 | Stuschke M, Sak A, Wurm R, et al.: Radiation-induced apoptosis in human non-small-cell lung cancer cell lines is secondary to cell cycle progression beyond the G2-phase checkpoint. *Int J Radiat Biol* 2002, 78(9), 807-819
- Su et al., 2005 | Su L, Zhang J, Xu H, et al.: Differential expression of CXCR4 is associated with the metastatic potential of human non-small cell lung cancer cells. *Clin Cancer Res* 2005, 11(23), 8273-8280
- Taylor, Stark, 2001 | Taylor WR, Stark GR: Regulation of the G2/M transition by p53. *Oncogene* 2001, 20, 1803-1815
- Thornberry, Lazebnik, 1998 | Thornberry NA, Lazebnik Y: Caspases: enemies within. *Science* 1998, 281, 1312-1316
- Tishler et al., 1993 | Tishler R, Calderwood S, Coleman N, et al.: Increases in sequence specific DNA binding by p53 following treatment with chemotherapeutic and DNA damaging agents. *Cancer Res* 1993, 53(10), 2212-2216
- Tolmach et al., 1977 | Tolmach LJ, Jones RW, Busse PM: The action of caffeine on x-irradiated Hela cells. I. Delayed inhibition of DNA synthesis. *Radiat Res* 1977, 71, 653-665
- Vávrová et al., 2003 | Vávrová J, Mareková-Řezáčová M, Vokurková D, et al.: Caffeine induces a second wave of apoptosis after low dose-rate gamma radiation of HL-60 cells. *Radiat Environ Biophys* 2003, 42(3), 193-199
- Vogelstein et al., 2000 | Vogelstein B, Lane D, Levine AJ: Surfing the p53 network. *Nature* 2000, 408(6810), 307-310
- Wagener, 1996 | Wagener C: Einführung in die molekulare Onkologie: Veränderung und Wirkung von Tumorgenen und Tumorproteinen 1. Auflage, Stuttgart, New York, 1996, Thieme
- Wang et al., 2003 (I) | Wang H, Wang X, Iliakis G, et al.: Caffeine could not efficiently sensitize homologous recombination repair-deficient cells to ionizing radiation-induced killing. *Radiat Res* 2003, 159(3), 420-425
- Wang et al., 2003 (II) | Wang X, Wang H, Iliakis G, et al.: Caffeine-induced radiosensitization is independent of nonhomologous end joining of DNA double-strand breaks. *Radiat Res* 2003, 159(3), 426-432

- Wang et al., 2004 | Wang H, Boecker W, Wang H, et al.: Caffeine inhibits homology-directed repair of I-SceI-induced DNA double-strand breaks. *Oncogene* 2004, 23(3), 824-834
- WHO, 1982 | The World Health Organization histological typing of lung tumours. Second edition. *Am J Clin Pathol* 1982, 77(2), 123-136
- Winters et al., 1998 | Winters ZE, Ongkeko WM, Harris AL, et al.: p53 regulates Cdc2 independently of inhibitory phosphorylation to reinforce radiation-induced G2 arrest in human cells. *Oncogene* 1998, 17(6), 673-684
- Zhan et al., 1999 | Zhan Q, Antinore MJ, Wang XW, et al.: Association with Cdc2 and inhibition of Cdc2/Cyclin B1 kinase activity by the p53-regulated protein Gadd45. *Oncogene* 1999, 18(18), 2892-2900
- Zhao, Piwnica-Worms, 2001 | Zhao H, Piwnica-Worms H: Atr-mediated checkpoint pathways regulate phosphorylation and activation of human chk1. *Mol Cell Biol* 2001, 21, 4129-4139
- Zhao, Shen, 2005 | Zhao ZG, Shen, WL: Heat shock protein 70 antisense oligonucleotide inhibits cell growth and induces apoptosis in human gastric cancer cell line SGC-7901. *World J Gastroenterol* 2005, 11(1), 73-78

## **Bildnachweis**

Friedlieb Ferdinand Runge (S. 3); Holzplastik von Hans Preiß, Oranienburg-Eden; aus:  
Rehberg M: Friedlieb Ferdinand Runge, Nachdruck der Originalausgabe von 1935,  
gekürzt, Landkreis Oranienburg – Kreismuseum Oranienburg, 1. Auflage (2000)  
1993, 2