

5. Literaturverzeichnis

Abraham CR, Kanemaru K, Mucke L (1993)

Expression of cathepsin G-like and alpha 1-antichymotrypsin-like proteins in reactive astrocytes. Brain Res. 621: 222-232

Acarin L, Vela JM, González B, Castellano B (1994)

Demonstration of poly-N-acetyl lactosamine residues in amoeboid and ramified microglial cells in rat brain by tomato lectin binding. J. Histochem. and Cytochem. 42(8): 1033-1041

Aihara M, Ishii S, Kume K, Shimizu T (2000)

Interaction between neurone and microglia mediated by platelet-activating factor. Genes Cells 5: 397-406

Alberts GF, Peifley KA, Johns A, Kleha JF, Winkles JA (1994)

Constitutive endothelin-1 overexpression promotes smooth muscle cell proliferation via an external autocrine loop. J. Biol. Chem. 269: 10112-10118

Allen WE, Zicha D, Ridley AJ, Jones GE (1998)

A role for Cdc42 in macrophage chemotaxis. J. Cell Biol. 141: 1147- 1157

Andjelkovic AV, Nikolic B, Pachter JS, Zecevic N (1998)

Macrophages/microglial cells in human central nervous system during development: an immunohistochemical study. Brain Res. 814: 13-25

Aquino DA, Chiu FC, Brosnan CF, Norton WT (1988)

Glial fibrillary acidic protein increases in the spinal cord of Lewis rats with acute experimental autoimmune encephalitis. J. Neurochem. 51: 1085-1096

Arinami T, Ishikawa M, Inoue A, Yanagisawa M, Masaki T, Yoshida MC, Hamaguchi H (1991)

Chromosomal assignments of the human endothelin family genes: the endothelin-1 gene (EDN1) to 6p23-p24, the endothelin-2 gene (EDN2) to 1p34, and the endothelin-3 gene (EDN3) to 20q13.2-q13.3. Am. J. Hum. Genet. 48(5): 990-996

Aschner M (1998)

Astrocytes as mediators of immune and inflammatory responses in the CNS. Neurotoxicology 19: 269-281

Baba A (1998)

Role of endothelin B receptor signals in reactive astrocytes. Life Sci. 62: 1711-1715

Banati RB (2003)

Neuropathological imaging: in vivo detection of glial activation as a measure of disease and adaptive change in the brain. Br. Med. Bull. 65: 121-131

Barman SA et Pauly JR (1995)

Mechanism of action of endothelin-1 in the canine pulmonary circulation. J. Appl. Physiol. 79: 2014-2020

Barton M, Shaw S, d'Uscio LV, Moreau P, Lüscher TF (1997)

Angiotensin II increases vascular and renal endothelin-1 and functional endothelin converting enzyme activity in vivo: role of ETA receptors for endothelin regulation. Biochem. Biophys. Res. Commun. 238 (3): 861-865

Barres BA (1991)

New roles for glia. J. Neurosci. 11: 3685-3694

Battistini B, D'Orleans-Juste P, Sirois P (1993a)

Endothelins: circulating plasma levels and presence in other biologic fluids. Lab. Invest. 68: 600-628

Battistini B, Chailler P, D'Orleans-Juste P, Brière N, Sirois P (1993b)

Growth regulatory properties of endothelins. *Peptides* 14: 385-399

Bax WA et Saxena PR (1994)

The current endothelin receptor classification: time for reconsideration? *Trends Pharmacol. Sci.* 15(10): 379-386

Baynash AG, Hosoda K, Giard A, Richardson JA, Emoto N, Hammer R, Yanagisawa M (1994)

Interaction of endothelin-3 with endothelin-B receptor is essential for development of epidermal melanocytes and enteric neurons. *Cell* 79: 1277-1285

Bell MD et Perry VH (1995)

Adhesion molecule expression on murine cerebral endothelium following the injection of a proinflammasogen or during acute neuronal degeneration. *J. Neurocytol.* 24: 695-710

Berthiaume N, Yanagisawa M, Labonte J, D'Orleans-Juste P (2000)

Heterozygous knock-out of ET(B) receptors induces BQ-123-sensitive hypertension in the mouse. *Hypertension* 36 (6): 1002-1007

Birnbaumer L, Abramowitz J, Brown AM (1990)

Receptor-effector coupling by G-proteins. *Biochem. Biophys. Acta* 1031: 163-224

Bloch KD, Friedrich SP, Lee ME, Eddy RL, Shows TB, Quertermous T (1989)

Structural organization and chromosomal assignment if the gene encoding endothelin. *J. Biol. Chem.* 264: 10851-10857

Boulanger CM et Luscher TF (1990)

Release of endothelin from the porcine aorta: inhibition by endothelium-derived nitric oxide. *J. Clin. Invest.* 85: 587-590

Boulanger CM, Tanner FC, Bea ML, Hahn AW, Werner A, Luscher TF (1992)

Oxidized low density lipoproteins induce mRNA expression and release of endothelin from human and porcine endothelium. *Circ. Res.* 70: 1191-1197

Boya J, Calvo JL, Carbonell AL et al. (1991)

A lectin histochemistry study on the development of rat microglial cells. *J. Anat.* 175: 229-236

Brenner M (1994)

Structure and transcriptional regulation of the GFAP gene. *Brain Pathol.* 4: 245-257

Brock TO et O'Callaghan JP (1987)

Quantitative changes in the synaptic vesicle proteins synapsin-1 and p-38 and the astrocyte-specific glial fibrillary acid protein are associated with chemical induced injury to the central nervous system. *J. Neurosci.* 7: 931-942

Bunting MW, Widdop RE (1999)

Differential hemodynamic effects of endothelin receptor antagonist, SB 209670, in conscious hypertensive and normotensive rats. *Eur. J. Pharmacol.* 381: 13-21

Calogero AE, Raiti F, Nicolosi G, Burello N, D'Agata R, Mantero F (1994)

Effects of endothelin-1 and endothelin-3 on rat hypothalamic corticotropin-releasing hormone and pituitary ACTH release in vitro. *J. Endocr.* 140: 419-424

Campbell K et Götz M (2002)

Radial glia: multi-purpose cells for vertebrate brain development. *Trends Neurosci.* 25: 235-238

Casey ML, Word RA, MacDonald PC (1991)

Endothelin-1 gene expression and regulation of endothelin mRNA and protein biosynthesis in avascular human amnion. Potential source of amniotic fluid endothelin. *J. Biol. Chem.* 266: 5762-5768

Chamak B et Mallat M (1991)

Fibronectin and laminin regulate the *in vitro* differentiation of microglia cells. *Neuroscience* 45: 513-527

Channick RN, Simonneau G, Sitbon O, Robins IM, Frost A, Tapson VF, Badesch DB, Roux S, Rainisio M, Bodin F, Rubin LJ (2001)

Effects of the dual endothelin-receptor antagonist bosentan in patients with pulmonary hypertension: a randomised placebo-controlled study. *Lancet* 358: 1119-1123

Chao CC, Hu S, Peterson PK (1995)

Glia, cytokines, and neurotoxicity. *Crit. Rev. Neurobiol.* 9(2-3): 189-205. Review.

Clouthier DE, Hosoda K, Richardson JA, Williams SC, Yanagisawa H, Kuwaki T, Kumada M, Hammer RE, Yanagisawa M (1998)

Cranial and cardiac neural crest defects in endothelin-A receptor deficient mice. *Development* 125: 813-824

Clozel M et Clozel JP (1989)

Effects of endothelin on regional blood flows in squirrel monkeys. *J. Pharmacol. Exp. Ther.* 250: 1125-1131

Clozel M et Watanebe H (1993)

BQ-123, a peptidic endothelin ET_A receptor antagonist, prevents the early cerebral vasospasm following subarachnoid hemorrhage after intracisternal but not intravenous injection. *Life Sci.* 52: 825-834

Clozel M et Gray GA (1995)

Are there different ETB receptors mediating constriction and relaxation? *J. Cardiovasc. Pharmacol.* 26 Suppl. 3: 262-264

Crawford F, Suo Z, Fang C, Mullan M (1998)

Characteristics of the *in vivo* vasoactivity of beta-amyloid peptides. *Exp. Neurol.* 150: 150-168

Cross AK et Woodroffe MN (1999)

Chemokines induce migration and changes in actin polymerization in adult rat brain microglia and a human fetal microglial cell line *in vitro*. *J. Neurosci. Res.* 55: 17-23

D'Amico M, Berrino L, Maione S, Pizzirusso A, Rossi F (1995)

Effects of L-NAME on endothelin-1-induced barrel-rolling in periaqueductal gray area of rats. *Life Sci.* 57: 357-360

Davenport AP, Kuc RE, Ashby MJ, Patt WC, Doherty AM (1998)

Characterization of [¹²⁵I]-PD164333, an ET_A selective non-peptide radiolabelled antagonist, in normal and diseased human tissues. *Br. J. Pharmacol.* 123: 223-230

Davis JB, McMurray HF, Schubert D (1992)

The amyloid beta-protein of Alzheimer's disease is chemotactic for mononuclear phagocytes. *Biochem. Biophys. Res. Commun.* 189: 1096-1100

Davis LS, Haleen SJ, Doherty AM, Cody WL, Kaiser JA (1994)

Effects of selective endothelin antagonists on the hemodynamic response to cyclosporin A. *J. Am. Soc. Nephrol.* 4(7): 1448-1454

De Simone R, Giampaolo A, Giometto B, Gallo P, Levi G, Peschle C, Aloisi F (1995)

The costimulatory molecule B7 is expressed on human microglia in culture and in multiple sclerosis acute lesions. *J. Neuropathol. Exp. Neurol.* 54: 175-187

- Diekmann F, Zart R, Thönke-Reineke C, Bauer C, Neumayer HH, Hocher B (2000)**
 Regulation of the renal endothelin system in the two-kidney, one clip renal hypertensive rat. *J. Cardiovasc. Pharmacol.* 36 (5 Suppl 1): S191-194
- DiPucchio T, Ennas MG, Presta M, Lauro GM (1996)**
 Basic fibroblast growth factor modulates in vitro differentiation of human fetal microglia. *Neuroreport* 7: 2813-2817
- Dong Y et Benveniste EN (2001)**
 Immune function of astrocytes. *Glia* 36(2): 180-190
- Domae M, Yamada K, Hanabusa Y, Furukawa T (1992)**
 Inhibitory effects of endothelin-1 and endothelin-3 on prolactin release: possible involvement of endogenous endothelin isopeptides in the rat anterior pituitary. *Life Sci.* 50: 715-722
- Doucet J, Gonzalez W, Michel JB (1996)**
 Endothelin antagonists in salt-dependent hypertension associated with renal insufficiency. *J. Cardiovasc. Pharmacol.* 41: 465-473
- Douglas SA, Louden C, Vickery-Clark LM, Storer BL, Hart T, Feuerstein GZ, et al. (1994)**
 A role for endogenous endothelin-1 in neointimal formation after rat carotid artery balloon angioplasty. Protective effects of the novel nonpeptide endothelin receptor antagonist SB 209670. *Circ. Res.* 75(1): 190-197
- Du Yan S, Zhu H, Fu J, Yan SF, Roher A, Tourtellotte WW, Rajavashisth T, Chen X, Godman GC, Stern D, Schmidt AM (1997)**
 Amyloid-beta peptide-receptor for advanced glycation endproduct interaction elicits neuronal expression of macrophage-colony stimulating factor: a proinflammatory pathway in Alzheimer disease. *Proc. Natl. Acad. Sci. USA* 94: 5296-5301
- Eddleston M et Mucke L (1993)**
 Molecular profile of reactive astrocytes – implications for their role in neurological disease. *Neuroscience* 54: 15-36
- Egensperger R, Kosel S, von Eitzen U, Graeber MB (1998)**
 Mikroglial activation in Alzheimer disease: Association with APOE genotype. *Brain Pathol.* 8 (3): 439-447
- Eguchi S, Hirata Y, Imai T, Kanno K, Akiba T, Sakamoto A, Yanagisawa M, Masaki T, Marumo F (1992)**
 Endothelin receptors in human parathyroid gland. *Biochem. Biophys. Res. Commun.* 184: 1448-1455
- Ehrenreich H, Lange M, Near KA, Anneser F, Schoeller L, Schmid R, Winkler PA, Kerhl JH, Schmiedek P, Goebel FD (1992)**
 Long term monitoring of immunoreactive endothelin-1 and endothelin-3 in ventricular cerebrospinal fluid, plasma, and 24-h urine of patients with subarachnoid hemorrhage. *Res. Exp. Med.* 192: 257-268
- Ehrenreich H, Nau TR, Dembowski C, Hasselblatt M, Barth M, Hahn A, Schilling L, Siren A-L, Bruck W (2000)**
 Endothelin b receptor deficiency is associated with an increased rate of neuronal apoptosis in the dentate gyrus. *Neuroscience* 95(4): 993-1001
- Elkabes S, DiCicco-Bloom EM, Black IB (1996)**
 Brain microglia/macrophages express neurotropins that selectively regulate microglial proliferation and function. *J. Neurosci.* 16: 2508-2521

Emori T, Hirata Y, Ohta K et al. (1991)

Cellular mechanisms of endothelin-1 release by angiotensin and vasopressin. *Hypertension* 18: 165-170

Emoto N et Yanagisawa M (1995)

Endothelin-converting enzyme-2 is a membrane-bound, phosphoramidon-sensitive metalloprotease with acidic pH optimum. *J. Biol. Chem.* 270(25): 15262-15268

Eng LF, Vanderhaeghen JJ, Bignami A, Gerstl B (1971)

An acidic protein isolated from fibrous astrocytes. *Brain Res.* 28: 351-354

Eng LF (1985)

Glial fibrillary acidic protein: The major protein of glial intermediate filaments in differentiated astrocytes. *J. Neuroimmunol.* 8: 203-214

Eng LF, D'Amelio FE, Smith ME (1989)

Dissociation of GFAP intermediate filaments in EAE: Observations in the lumbar spinal cord. *Glia* 2: 308-317

Eng LF et Ghirnikar RS (1994)

GFAP and astrogliosis. *Brain Pathol.* 4: 229-237

Eng LF, Ghirnikar RS, Lee YL (2000)

Glial fibrillary acidic protein: GFAP-thirty-one years (1969-2000). *Neurochem. Res.* 25(9-10): 1439-1451

Ergul S, Parish DC, Puett D, Ergul A (1996)

Radical differences in plasma endothelin-1 concentrations in individuals with essential hypertension. *Hypertension* 28: 652-655

Ezra D, Goldstein RE, Czaja JF, Feuerstein GZ (1989)

Lethal ischemia due to intracoronary endothelins in pigs. *Am. J. Physiol.* 257: H339-H343

Faff L, Nolte C (2000)

Extracellular acidification decreases the basal motility of cultured mouse microglia via the rearrangement of the actin cytoskeleton. *Brain Res.* 853: 22-31

Fernandez-Durango R, de Juan JA, Zimman H, Moya FJ, Garcia de la Cobo M, Fernandez-Cruz (1994)

Identification of endothelin receptor subtype (ET_B) in human cerebral cortex using subtype-selective ligands. *J. Neurochem.* 62: 1482-1488

Ferri C, Bellini C, Desideri G, Mazzocchi C, De Santi L, Santucci A (1997)

Elevated plasma and urinary endothelin-1 levels in human salt-sensitive hypertension. *Clin. Sci. (Colch)* 93: 35-41

Filep JG, Herman F, Battistini B, Chabrier PE, Braquet P, Sirois P (1991)

Antiaggregatory and hypotensive effects of endothelin-1 in beagle dogs: role for prostacyclin. *J. Cardiovasc. Pharmacol.*, 17 Suppl. 7: 216-218

Flaris NA, Densmore TL, Molleston MC et al. (1993)

Characterization of microglia and macrophages in the central nervous system of rats: definition of the differential expression of molecules using standard and novel monoclonal antibodies in normal CNS and in four models of parenchymal reaction. *Glia* 7: 34-40

Fogo A, Hellings SE, Inagami T, Kon V (1992)

Endothelin receptor antagonism is protective in in vivo acute cyclosporin toxicity. *Kidney Int.* 42: 770-774

Fontana A, Kristensen F, Dubs R et al. (1982)

Production of prostaglandin E and an interleukin-1 like factor by cultured astrocytes and C6 glioma cells. *J. Immunol.* 129: 2413-2419

- Fujita H, Tanaka J, Toku K, Tateishi N, Susuki Y, Matsuda S, Sakanaka M, Maeda N (1996)**
 Effects of GM-CSF and ordinary supplements on ramification of microglia in culture: a morphometrical study. *Glia* 18: 269-281
- Fukui M, Nakamura T, Ebihara I, Osada S, Tomino Y, Masaki T, Goto K, Furuichi Y, Koide H (1993)**
 Gene expression for endothelins and their receptors in glomeruli of diabetic rats. *J. Lab. Clin. Med.* 122: 149-156
- Furchtgott RF et Zawadzki JV (1980)**
 The obligatory role of endothelial cells in the relaxation of arterial smooth muscle by acetylcholine. *Nature* 288 (5789): 373-376
- Gaetani P, Rodriguez y Baena R, Grignani G, Spanu G, Pacchiarini L, Paoletti P (1994)**
 Endothelin and aneurysmal subarachnoid hemorrhage: a study of subarachnoid cisternal cerebrospinal fluid. *J. Neurol. Neurosurg. Psychiatry* 57: 66-72
- Gage FH, Buzsaki G, Armstrong DM (1990)**
 NGF-dependent sprouting and regeneration in the hippocampus. *Prog. Brain Res.* 83: 357-370
- Gajkowska B (1997)**
 Endothelin-like immunoreactivity in hippocampus following transient global cerebral ischemia. Part 1: Neuronal and glial cells. *Folia Neuropathol.* 35: 36-48
- Gallego MS et Ling BN (1996)**
 Regulation of amiloride-sensitive Na⁺ channels by endothelin-1 in distal nephron cells. *Am. J. Physiol.* 271 (2 Pt 2): F451-460
- Gebke E, Muller AR, Pehl U, Gerstberger R (2000)**
 Astrocytes in sensory circumventricular organs of the rat brain express functional binding sites for endothelin. *Neurosci.* 97 (2): 371-381
- Gellai M, De Wolf R, Fletcher T, Nambi P (1997)**
 Contribution of endogenous endothelin-1 to the maintenance of vascular tone: role of nitric oxide. *Pharmacology* 55: 299-308
- Giaid A, Gibson SJ, Herrero MT, Gentleman S, Legon S, Yanagisawa M, Masaki T, Ibrahim N, Roberts GW, Rossi ML, Polak JM (1991)**
 Topographical localisation of endothelin mRNA and peptide immunoreactivity in neurons of human brain. *Histochem.* 95: 303-314
- Giaid A, Yanagisawa M, Langleben D, Michel RP, Levy R, Shennib H, Kimura S, Masaki T, Duguid WP, Steward DJ (1993)**
 Expression of endothelin-1 in the lungs of patients with pulmonary hypertension. *N. Engl. J. Med.* 338: 784-790
- Gilad GM et Gilad VH (1995)**
 Chemotaxis and accumulation of nerve growth factor by microglia and macrophages. *J. Neurosci.* 15: 7712-7726
- Giulian D, Johnson B, Krebs JF, Gorge JK, Tapscott M (1991)**
 Microglial mitogens are produced in the developing and injured mammalian brain. *J. Cell Biol.* 112: 323-333
- Gordon S, Lawson L, Rabinowitz S, Crocker PR, Morris L, Perry VH (1992)**
 Antigen markers of macrophage differentiation in murine tissues. *Curr. Top. Microbiol. Immunol.* 181: 1-37

Goto K, Kasuya Y, Matsuki N, Takuwa Y, Kurihara H, Ishikawa T, Rimura S, Yanagisawa M, Masaki T (1989)

Endothelin activates the dihydropyridine-sensitive, voltage-dependent Ca²⁺-channel in vascular smooth muscle. Proc. Natl. Acad. Sci. USA 86: 3915-3918

Graeber MB et Kreutzberg GW (1986)

Astrocytes increase GFAP during retrograde changes of facial motor neurons. J. Neurocytol. 15: 336,337

Graeber MB, Streit WJ, Kreutzberg GW (1988)

Axotomy of the facial nerve leads to increased CR3 complement receptor expression by activated microglial cells. J. Neurosci. Res. 21: 18-24

Graeber MB, Bise K, Mehraein P (1994)

CR3/43, a marker for activated human microglia: application to diagnostic neuropathology. Neuropathol. Appl. Neurobiol. 20(4): 406-408

Graeber MB, Lopez-Redondo F, Ikoma E, Ishikawa M, Imai Y, Nakajima K, Kreutzberg GW, Kohsaka S (1998)

The microglia/macrophage response in the neonatal rat facial nucleus following axotomy. Brain Res. 813(2): 241-253

Gray GA et Webb DJ (1996)

The therapeutic potential of endothelin receptor antagonists in cardiovascular disease. Pharmacol. Ther. 72: 109-148

Gross PM, Wainman DS, Espinosa FJ, Nag S, Weaver DF (1992a)

Cerebral hypermetabolism produced by intraventricular endothelin-1 in rats: inhibition by nimodipine. Neuropeptides 21: 211-223

Gross PM, Zochodne DW, Wainman DS, Ho LT, Espinosa FJ, Weaver DF (1992b)

Intraventricular endothelin-1 uncouples the blood flow: metabolism relationship in periventricular structures of the rat brain: involvement of L-type calcium channels. Neuropeptides 22: 155-165

Gross PM, Weaver DF, Ho LT, Pang JJ, Edvinsson L (1994)

FR139317, a specific ET_A-receptor antagonist, inhibits cerebral activation of intraventricular endothelin-1 in conscious rats. Neuropharmacology 33: 1155-1166

Grover GJ, Dzwonczyk S, Parham CS (1993)

The endothelin-1 receptor antagonist BQ123 reduces infarct size in a canine model of coronary occlusion and reperfusion. Cardiovasc. Res. 27: 1613-1618

Haak T, Jungmann E, Raab C, Usadel KH (1994)

Elevated endothelin-1 levels after cigarette smoking. Metabolism 43(3): 267-269

Hailer NP, Heppner FL, Haas D, Nitsch R (1997)

Fluorescent dye prelabelled microglia cells migrate into organotypic hippocampal slice cultures and ramify. Eur. J. Neurosci. 9: 863-866

Haller H, Schaberg T, Lindschau C, Lode H, Distler A (1991)

Endothelin increases [Ca²⁺]_i, protein phosphorylation, and O₂-production in human alveolar macrophages. Am. J. Physiol. 261(6 Pt 1): L478-484

Hama H, Kasuya Y, Sakurai T, Yamada G, Suzuki N, Masaki T, Goto K (1997)

Role of endothelin-1 in astrocyte responses after acute brain damage. J. Neurosci. Res. 47: 590-602

Hatten ME et Manson CA (1986)

Neuron-astroglia interaction in vitro and in vivo. Trends Neurosci. 9: 168-174

Haynes WG, Strachan FE, Webb DJ (1995)

Endothelin ETA and ETB receptors cause vasoconstriction of human resistance and capacitance vessels in vivo. *Circulation* 92: 357-363

Haynes WG, Ferro CJ, O'Kane KP, Somerville D, Lomax CC, Webb DJ (1996)

Systemic endothelin receptor blockade decreases peripheral vascular resistance and blood pressure in humans. *Circulation* 93: 1860-1870

Heppner FL, Skutella T, Hailer NP, Haas D, Nitsch R (1998)

Activated microglial cells migrate towards sites of excitotoxic neuronal injury inside organotypic slice cultures. *Eur. J. Neurosci.* 19: 3284-3290

Hertz L, Schousboe A, Boechler N, Mukerji S, Fedoroff S (1978)

Kinetic characteristics of the glutamate uptake into normal astrocytes in cultures. *Neurochem. Res.* 3: 1-14

Hickey KA, Rubanyi GM, Paul RJ, Highsmith RF (1985)

Characterization of a coronary vasoconstrictor produced by cultured endothelial cells. *Am. J. Physiol.* 248: C550-C556

Hino A, Weir BK, Macdonald RL, Thisted RA, Kim CJ, Johns LM (1995)

Prospective, randomized, double-blind trial of BQ-123 and bosentan for prevention of vasospasm following subarachnoid hemorrhage in monkeys. *J. Neurosurg.* 83: 503-509

Hirata Y, Emori T, Eguchi S, Kanno K, Imai T, Ohta K, Marumo F (1993)

Endothelin receptor subtype B mediates synthesis of nitric oxide by cultured bovine endothelial cells. *J. Clin. Invest.* 91 (4): 1367-1373

Hocher B, Rohmeiss P, Zart R, Diekmann F, Vogt V, Metz D, Fakhury M, Gretz N, Bauer C, Koppenhagen K, Neumayer HH, Distler A (1996)

Function and expression of endothelin receptor subtypes in the kidneys of spontaneously hypertensive rats. *Cardiovasc Res.* 31 (4): 499-510

Hocher B, Thöne-Reineke C, Bauer C, Raschack M, Neumayer HH (1997a)

The paracrine endothelin system: pathophysiology and implications in clinical medicine. *Eur. J. Clin. Chem. Clin. Biochem.* 35: 175-189

Hocher B, Thöne-Reineke C, Rohmeiss P, Schmager F, Slowinski T, Burst V, Siegmund F, Quertermous T, Bauer C, Neumayer HH, Schleuning WD, Theuring F (1997b)

Endothelin-1 transgenic mice develop glomerulosclerosis, interstitial fibrosis, and renal cysts but not hypertension. *J. Clin. Invest.* 99(6): 1380-1389

Hocher B, Schwarz A, Fagan KA, Thonke-Reineke C, El-Hag K, Kusserow H, Elitok S, Bauer C, Neumayer HH, Rodman DM, Theuring F (2000a)

Pulmonary fibrosis and chronic lung inflammation in ET-1 transgenic mice. *Am. J. Cell. Mol. Biol.* 23: 19-26

Hocher B, Dembowski H, Slowinski T, Friese ST, Schwarz A, Siren AL, Neumayer HH, Thöne-Reineke C, Bauer C, Nafz B, Ehrenreich H (2000b)

Impaired sodium excretion, decreased glomerular filtration rate and elevated blood pressure in endothelin receptor type B deficient rats. *J. Mol. Med.* 78(11): 633-641, Erratum in: *J. Mol. Med.* 78(11): 656

Hocher B, Schwarz A, Slowinski T, Bachmann S, Pfeilschifter J, Neumayer HH, Bauer C (2004)

In-vivo interaction of nitric oxide and endothelin. *J. Hypertens.* 22: 111-119

Hoffman A, Kaiser HR, Grossman E, Goldstein DS, Gold PW, Kling M (1989)

Endothelin concentration in cerebrospinal fluid in depressive patients. *The Lancet* 2 (8678-8679): 1519

Hori S, Komatsu Y, Shigemoto R, Mizuno N, Nakanishi S (1992)

Distinct tissue distribution and cellular localization of two messenger ribonucleic acids encoding different subtypes of rat endothelin receptors. *Endocrinology* 130: 1885-1895

Horie K, Morita A, Yokogoshi H (1995)

Endothelin-1 and endothelin-3 modulate dopaminergic neurons through different mechanisms. *Life Sci.* 57: 735-741

Horio T, Kohno M, Murakawa K, Yasunari K, Yokokawa K, Ueda M, et al. (1991)

Increased plasma immunoreactive endotehlin-1 concentration in hypercholesterolemic rats. *Atherosclerosis* 89: 239-246

Hosoda K, Nakao K, Tamura N, Arai H, Ogawa Y, Suga S, et al. (1992)

Organization, structure, chromosomal assignment, and expression of the gene encoding the human endothelin A receptor. *J. Biol. Chem.* 267(226): 18797-18804

Hosoda K, Hammer RE, Richardson JA, Baynash AG, Cheung JC, Giard A (1994)

Targeted and neutral (Pibald-Lethal) mutations of endothelin-B receptor gene produces megacolon associated with spotted coat color in mice. *Cell* 79: 1267-1276

Hughes PM, Anthony DC, Ruddin M, Botham MS, Rankine EL, Sablone M, Baumann D, Mir AK, Perry VH (2003)

Focal lesions in the rat central nervous system induced by endothelin-1. *Neuropathol. Exp. Neurol.* 62(12): 1276-1286

Hume DA, Perry VH, Gordon S (1983)

Mouse retina: phagocytosis of dying neurons and differentiation of microglial cells to form a regular array in the plexiform layers. *J. Cell Biol.* 97: 253-257

Hutchins JB et Casagrande VA (1989)

Vimentin: Changes in distribution during brain development. *Glia* 2: 55-66

Huttenlocher A, Lakonishok M, Kinder M, Wu S, Truong T, Knudsen KA, Horwitz AF (1998)

Integrin and cadherin synergy regulates contact inhibition of migration and motile activity. *J. Cell Biol.* 141: 515-526

Iijima K, Lin L, Nasjletti A, Goligorsky MS (1991)

Intracellular signaling pathway of endothelin-1. *J. Cardiovasc. Pharmacol.* 17 Suppl. 7: 146-149

Ikeda T, Ohta H, Okada M, Kawai N, Nakao R, Siegl PK, Kobayashi T, Maeda S, Miyauchi T, Nishikibe M (1999)

Pathophysiological roles of endothelin-1 in Dahl salt-sensitive hypertension. *Hypertension* 34: 514-519

Imokawa G, Yada Y, Miyagishi M (1992)

Endothelins secreted from human keratinocytes are intrinsic mitogens for human melanocytes. *J. Biol. Chem.* 267 (34): 24675-24680

Inoue A, Yanagisawa M, Kimura S, Kasuya Y, Miyauchi T, Goto K, Masaki T (1989)

The human endothelin family: three structurally and pharmacologically distinct isopeptides predicted by three separate genes. *Proc. Natl. Acad. Sci. USA* 86: 2863-2867

Ishikawa T, Yanagisawa M, Rimura S, Goto K, Masaki T (1989)

Positive inotropic action of novel vasoconstrictor peptide endothelin on guinea pig atria. *Am. J. Physiol.* 255: H970-H973

Ishikawa N, Takemura M, Koyama Y, Shigenaga Y, Okada T, Baba A (1997)

Endothelins promote the activation of astrocytes in rat neostriatum through ET-B receptors. *Eur. J. Neurosci.* 9: 895-901

Itoh Y, Yanagisawa M, Ohkubo S, Kimura C, Inoue A, Ishida N, Mitsui Y, Onda H, Fujino M, Msaki T (1988)

Cloning and sequence analysis of cDNA encoding the precursor of a human endothelium-derived vasoconstrictor peptide, endothelin; identity of human and porcine endothelin. FEBS Lett. 231: 440-444

Iwamuro Y, Miwa S, Minowa T, Enoki T, Zhang XF, Ishikawa M, Hashimoto N, Masaki T (1998)

Activation of two types of Ca²⁺-permeable nonselective cation channels by endothelin-1 in A7r5 cells. Br. J. Pharmacol. 124: 1541-1549

Janzer RC et Raff MC (1987)

Astrocytes induce blood-brain-barrier properties in endothelial cells. Nature 325: 253-257

Jiang MH, Hoog A, Ma KC, Nie XJ, Olsson Y, Zhang WW (1993)

Endothelin-1 immunoreactivity is expressed in human reactive astrocytes. Neuroreport 4: 935-937

Jouneaux C, Mallat A, Serradeil-le GAL, Goldsmith P, Hanoune J, Lotersztajn S (1994)

Coupling of endothelin B receptors to the calcium pump and phospholipase C via Gs and Gq in rat liver. J. Biol. Chem. 269: 1845-1851

Kanse SM, Takahashi K, Warren LB, Ghatei M, Bloom SR (1991a)

Glucocorticoids induce endothelin release from vascular smooth muscle cells but not endothelial cells. Eur. J. Pharmacol. 199: 99-101

Kanse SM, Takahashi K, Lam HC, Rees A, Warren LB, Porta M, Molinatti P, Ghatei M, Bloom SR (1991b)

Cytokine stimulated endothelin release from endothelial cells. Life Sci. 48: 1379-1384

Kanyicska B, Burris TP, Freeman ME (1991)

Endothelin-3 inhibits prolactin and stimulates LH, FSH and TSH secretion from pituitary cell culture. Biochem. Biophys. Re. Comm. 174: 338-343

Kanyicska B, Freeman ME, Dryer SE (1997)

Endothelin activates large-conductance K⁺ channels in rat lactotrophs: reversal by long-term exposure to dopamine agonist. Endocrinology 138: 3141-3153

Kershman J (1939)

Genesis of microglia in the human brain. Arch. Neurol. Psychiatry 41: 24-50

Kettenmann H, Banati R, Walz W (1993)

Electrophysiological behaviour of microglia. Glia 7: 93-101

Kiefer R, Streit WJ, Toyka KV, Kreutzberg GW, Hartung HP (1995)i

Transforming growth factor-beta 1: a lesion-associated cytokine of the nervous system. Int. J. Dev. Neurosci. 13(3-4): 331-9. Review.

Kikuchi A, Iwakami N, Takahashi K, Suzuki J, Kondo J, Yamada E, Nonaka I, Kamo I (1995)

Immunological and biochemical characterization of *biglycan*-like hemopoieticfactor. Immunology 85: 131-139

Kimelberg HK et Katz DM (1985)

High-affinity uptake of serotonin into immunocytochemically identified astrocytes. Science 228: 889-891

Kimelberg HK (1999)

Current and approaches to studying astrocytes: A forum position paper. Neuro Tox. 20: 703-712

Kimelberg HK (2004)

The problem of astrocyte identity. *Neurochemistry* 45: 191-202

Kiowski W, Linder L, Stoschitzky K, Pfisterer M, Burckhardt D, Burkart F, et al. (1994)

Diminished vascular response to inhibition of endothelium-derived nitric oxide and enhanced vasoconstriction to exogenously administered endothelin-1 in clinically healthy smokers. *Circulation* 90: 27-34

Kloog Y et Sokolovsky M (1989)

Similarities in mode and sites of action of sarafotoxins and endothelins. *Trends Pharmacol. Sci.* 10 (6): 212-214

Kloss CU, Kreutzberg GW, Raivich G (1997)

Proliferation of ramified microglia on astrocyte monolayer: characterization of stimulatory and inhibitory cytokines. *J. Neurosci. Res.* 49 (2): 248-254

Kohan DE (1997)

Endothelins in the normal and diseased kidney. *Am. J. Kidney Dis.* 29: 2-26

Kohno M, Yasunari K, Murakawa K, Yokokawa K, Horio T, Fukui T, Takeda T (1990)

Plasma immunoreactive endothelin in essential hypertension. *Am. J. Med.* 88 (6): 614-618

Kohzuki M, Chai SY, Paxinos G, Karavas A, Casley DJ, Johnston CI, Mendelsohn F (1991)

Localization and characterization of endothelin receptor binding sites in the rat brain visualized by in vitro autoradiography. *Neuroscience* 42: 245-260

Kohzuki M, Onodera H, Yasujima M, Itoyama Y, Kanazawa M, Sato T, Abe K (1995)

Endothelin receptors in ischemic rat brain and Alzheimer brain. *J. Cardiovasc. Pharmacol.* 26: S329-S331

Kourembanas S, Marsden PA, McQuillan LP, Faller DV (1991)

Hypoxia induces endothelin gene expression and secretion in cultured human endothelium. *J. Clin. Invest.* 88: 1054-1057

Kreutzberg GW (1995)

Microglia, the first line of defence in brain pathologies. *Arzneim. Forsch./Drug Res.* 45: 357-360

Kreutzberg GW (1996)

Microglia: a sensor for pathological events in the CNS. *Trends Neurosci.* 19(8): 312-318

Kruger GM, Mosher JT, Tsai YH, Yeager KJ, Iwashita T, Gariepy CE, Morrison SJ (2003)

Temporally distinct requirements for endothelin receptor B in the generation and migration of gut neural crest stem cells. *Neuron* 40(5): 917-929

Krum H, Viskoper RJ, Lacourciere Y, Budde M, Charlon V (1998)

The effect of an endothelin-receptor antagonist, bosentan, on blood pressure in patients with essential hypertension. Bosentan Hypertension Investigators. *N. Eng. J. Med.* 338 (12): 784-790

Kuchan MJ et Frangos JA (1993)

Shear stress regulates endothelin-1 release via protein kinase C and cGMP in cultured endothelial cells. *Am. J. Physiol.* 264: H150-H156

Kurama M, Ishida N, Matsui M, Saida K, Mitsui Y (1996)

Sequenze and neuronal expression of mouse endothelin-1 cDNA. *BBA Gene Struct., Express* 1307: 249-253

Kurihara H, Yoshizumi M, Sugiyama T, et al. (1989)

The possible role of endothelin-1 in the pathogenesis of coronary vasospasms. *J. Cardiovasc. Pharmacol.* 13 (Suppl.5): S132-S137

Kurihara Y, Kurihara H, Suzuki H, Kodama T, Maenura K, Nagai R, Oda H, Kuwaki T, Cao WH, Kamada N, Yanagisawa M (1994)

Elevated Blood pressure and craniofacial abnormalities in mice deficient in endothelin-1. *Nature* 368 (6473): 703-710

Kurokawa K, Yamada H, Ochi J (1997)

Topographical distribution of neurons containing endothelin type a receptor in the rat brain. *J. Comp. Neurol.* 389: 348-360

Langenstroer P, Tang R, Shapiro E, Divish B, Opgenorth T, Lepor H (1993)

Endothelin-1 in the human prostate: tissue levels, source of production and isometric tension studies. *J. Urol.* 150 (2Pt1): 495-499

Laping NJ, Teter B, Nichols NR, Rozovsky I, Finch CE (1994)

Glial fibrillary acidic protein: Regulation by hormones, cytokines, and growth factors. *Brain Pathol.* 4: 259-275

Larivière R, Day R, Schiffrin EL (1993a)

Increased expression of endothelin-1 gene in blood vessels of deoxycorticosterone acetate-salt hypertensive rats. *Hypertension* 21 (6 Pt 2): 916-920

Larivière R, Thibault G, Schiffrin EL (1993b)

Increased endothelin-1 content in blood vessels of deoxycorticosterone acetate-salt hypertensive but not in spontaneously hypertensive rats. *Hypertension* 21(3): 294-300

Lee ME, de la Monte SM, Ng SC, Bloch KD, Quertermous T (1990)

Expression of the potent vasoconstrictor endothelin in the human central nervous system. *J. Clin. Invest.* (Jul) 86(1): 141-7

Lerman A, Edwards BS, Hallett JW, Heublin DM, Sandberg SM, Bumett JC Jr. (1991)

Circulating and tissue endothelin immunoreactivity in advanced atherosclerosis. *N. Engl. J. Med.* 325: 997-1001

Lerman A, Holmes DR Jr., Garratt KN, Reeder GS, Bell MR, Bumett JC Jr. (1994)

Local release of endothelin in human coronary arteries in response to balloon angioplasty [abstract]. *J. Am. Coll. Cardiol.* 23: 124A

Lewis SA et Cowan NJ (1985)

Temporal expression of mouse GFAP mRNA studied by rapid in situ hybridization procedure.

J. Neurochem. 45: 913-919

Lewy H, Galron R, Bdolah A, Sokolovsky M, Naor Z (1992)

Paradoxical signal transduction mechanism of endothelins and sarafotoxins in cultured pituitary cells: stimulation of phosphositide turnover and inhibition of prolactin release. *Mol. Cell Endocr.* 89: 1-9

Li JS, Knafo L, Turgeon A, Garcia R, Schiffrin EL (1996)

Effect of endothelin antagonism on blood pressure and vascular structure in renovascular hypertensive rats. *Am. J. Physiol.* 271 (1 Pt2): H88-93

Liedtke W, Edelman W, Bieri PL, Chiu FC, Cowan NJ, Kucherlapati R, Raine CS (1996)

GFAP is necessary for the integrity of CNS white matter architecture and long-term maintenance of myelination. *Neuron* 17: 607-615

Liedtke W, Edelmann W, Chiu FC, Kucherlapati R, Raine CS (1998)

Experimental autoimmune encephalomyelitis in mice lacking glial fibrillary acidic protein is characterized by a more severe clinical course and an infiltrative central nervous system lesion. *Am. J. Pathol.* 152: 251-259

Liefeldt L, Schönfelder G, Böcker W, Hocher B, Talsness CE, Rettig R, Paul M (1999)

Transgenic rats expressing the human ET-2 gene: a model for the study of endothelin actions in vivo. *J. Mol. Med.* 77(7): 565-574 Erratum in *J. Mol. Med.* 77(9): 690

Ling EA (1979)

Transformation of monocytes into amoeboid microglia in the corpus callosum of postnatal rats, as shown by labelling monocytes by carbon particles. *J. Anat.* 28: 847-858

Ling EA, Kaur C, Wong WC (1991)

Expression of major histocompatibility complex and leukocyte common antigens in amoeboid microglia in postnatal rats. *J. Anat.* 177: 117-126

Ling EA et Wong WC (1993)

The origin and nature of ramified and amoeboid microglia: a historical review and current concepts. *Glia* 7: 9-18

Liu B et Hong JS (2003)

Role of microglia in inflammation-mediated neurodegenerative diseases: mechanisms and strategies for therapeutic intervention. *J. Pharmacol. Exp. Ther.* 304 (1): 1-7

Liu W, Brosnan CF, Dickson DW, Lee SC (1994)

Macrophage colony-stimulating factor mediates astrocyte-induced microglial ramification in human fetal central nervous system culture. *Am. J. Pathol.* 145: 48-53

Lonchampt MO, Pinelis S, Goulin J, Chabrier PE, Braquet P (1991)

Proliferation and Na⁺/H⁺ exchange activation by endothelin in vascular smooth muscle cells. *Am. J. Hypertens.* 4: 776-779

Lopez-Farre A, Montanes I, Millus I, Lopez-Nova JM (1989)

Effect of endothelin on renal function in rats. *Eur. J. Pharmacol.* 163: 187-189

Lüscher TF et Wenzel RR (1995)

Endothelin and endothelin antagonists: pharmacology and clinical implications. *Agents Actions Suppl.* 45: 237-253

Maeda A et Sobel RA (1996)

Matrix metalloproteinases in the normal human central nervous system, microglial nodules and multiple sclerosis lesions. *J. Neuropath. Exp. Neurol.* 55: 300-309

Maeda K, Nakai M, Maeda S, Kawamata T, Yamaguchi T, Tanaka C (1997)

Possible different mechanism between amyloid-beta (25-35)-and substance P-induced chemotaxis of murine microglia. *Gerontology* 43 Suppl. 1: 11-15

Magistretti PJ (1988)

Regulation of glycogenolysis by neurotransmitters in the central nervous system. *Diabete Metab.* 14: 237-246

Mannoji H, Yeger H, Becker LE (1986)

A specific histochemical marker (lectin Ricinus communis agglutinin-1) for normal human microglia, and application to routine histopathology. *Acta Neuropathol.* 71: 341-343

- Marsden PA, Schramek H, Dunn MJ (1994)**
 Renal actions of endothelin: Linking cellular signalling pathway to kidney disease. *Kidney Int.* 45: 336-344
- Martin ER, Brenner BM, Ballermann BJ (1990)**
 Heterogeneity of cell surface endothelin receptors. *J. Biol. Chem.* 265 (23): 14044-14049
- Martin-Nizard F, Houssaini HS, Lestavel-Delattre S, Duriez P, Fruchard JC (1991)**
 Modified low density lipoproteins activate human macrophages to secrete immunoreactive endothelin. *FEBS Letters* 293: 127-130
- Masaki T et Yanagisawa M (1992)**
 Endothelins. In: *Endothelin*; Rubanyi G (Hrsg.); Oxford University Press; New York: 79-89
- Masaki T, Yanagisawa M, Goto K (1992)**
 Physiology and pharmacology of endothelins. *Med. Res. Rev* 12(4): 391-421
- Masuo Y, Ishikawa Y, Kozakai T, Uchide T, Komatsu Y, Saida K (2003)**
 Vasoactive intestinal contractor/endothelin-2 gene expression in murine central nervous system. *Biochem. Biophys. Res. Commun.* 300(3): 661-668
- Matsumoto H, Suzuki N, Onda H, Fujino M (1989)**
 Abundance of endothelin-3 in rat intestine, pituitary gland and brain. *Biochem. Biophys. Res. Commun.* 164 (1): 74-80
- Matsumoto H, Suzuki N, Shiota K, Inoue K, Tsuda M, Fujino M (1990)**
 Insulin-like growth factor-1 stimulates endothelin-3 secretion from rat anterior pituitary cells in primary culture. *Biochem. Biophys. Res. Commun.* 172: 661-668
- Matsumura Y, Hisaki K, Takaoka M, Morimoto S (1990)**
 Phosphoramidon, a metalloprotease inhibitor, suppresses the hypertensive effect of big endothelin-1. *Eur. J. Pharmacol.* 185(1): 103-106
- Mazzocci G, Rossi GP, Rebuffat P, Malendowicz LK, Markowska A, Nussdorfer GG (1997)**
 Endothelins stimulate desoxyribonucleic acid synthesis and cell proliferation in rat adrenal zona glomerulosa, acting through an endothelin A receptor coupled with protein kinase C- and tyrosine kinase-dependent signalling pathways. *Endocrinology* 138: 2333-2337
- McLendon RE et Bigner DD (1994)**
 Immunohistochemistry of the glial fibrillary acidic protein: Basic and applied considerations. *Brain Pathol.* 4: 221-228
- Milner P, Bodin P, Loesch A, Burnstock G (1990)**
 Rapid release of endothelin and ATP from isolated aortic endothelial cells exposed to increased flow. *Biochem. Biophys. Res. Commun.* 170: 649-656
- Minami M, Kimura M, Iwamoto N, Arai H (1995)**
 Endothelin-1-like immunoreactivity in cerebral cortex of Alzheimer-type dementia. *Prog. Neuro-Psychopharmacol. Biol. Psych.* 19: 509-513
- Miyake T, Hattori T, Fukuda M, Kitamura T, Fujita (1988)**
 Quantitative studies on proliferative changes of reactive astrocytes in mouse cerebral cortex. *Brain Res.* 451: 133-138
- Miyauchi T, Yorikane R, Sakai S, Sakurai T, Okada M, Nishikibe M, Yano M, Yamaguchi I, Sugishita Y, Goto K (1993)**
 Contribution of endogenous endothelin-1 to the progression of cardiopulmonary alterations in rats with monorotaline-induced pulmonary hypertension. *Circ. Res.* 73: 887-897
- Miyauchi T et Masaki T (1999)**
 Pathophysiology of endothelin in the cardiovascular system. *Annu. Rev. Physiol.* 61: 391-415

Molenaar P, O'Reilly G, Sharkey A et al. (1993)

Characterization and localization of endothelin receptor subtypes in the human atrioventricular conducting system and myocardium. *Circulation* 72: 526-538

Moser PC et Pelton JT (1989)

Behavioural effects of centrally administered endothelin in the rat. *Br. J. Pharmacol.* 96: 347P

Mosqueda-Garcia R, Inagami T, Appalsamy M, Sugiura M, Robertson RM (1992)

Endothelin as a neuropeptide, cardiovascular effects in the brainstem of normotensive rats. *Circ. Res.* 72: 20-35

Mosqueda-Garcia R, Yates K, O'Leary J, Inagami T (1995)

Cardiovascular and respiratory effects of Endothelin in the ventrolateral medulla of the normotensive rat. *Hypertension* 26: 263-271

Mulder P, Richard V, Derumeaux G, Hogie M, Henry JP, Lallemand F, Compagnon P, Mace B, Comoy E, Letac B, Thuillez C (1997)

Role of endogenous endothelin in chronic heart failure: effect of long-term treatment with an endothelin antagonist on survival, hemodynamics, and cardiac remodelling. *Circulation* 98: 2235-2240

Muller HW, Junghans U, Kappler J (1995)

Astroglial neurotrophic and neurite-promoting factors. *Pharmacol. Ther.* 65: 1-18

Mylona P et Cleland JG (1999)

Update of REACH-1 and MERIT-HF clinical trials in heart failure. *Cardio.net Editorial Team. Eur. J. Heart fail.* 1: 197-200

Naidoo V, Mahabeer R, Raidoo DM (2001)

Cellular distribution of endothelin-1 mRNA in human brain by in situ RT-PCR. *Metab. Brain Dis.* 16 (3-4): 207-218

Naidoo V, Naidoo S, Raidoo DM (2004)

Immunolocalisation of Endothelin-1 in human brain. *J. Chem. Neuroanat.* 27 (3): 193-200

Nakagomi S, Kiryu-Seo S, Kiyama H (2000)

Endothelin -converting enzymes and endothelin receptor B messenger RNAs are expressed in different neural cell species and these messenger RNAs are co-ordinately induced in neurons and astrocytes respectively following nerve injury. *Neuroscience* 101: 441-449

Nakahama H (1990)

Stimulatory effect of cyclosporin A on endothelin secretion by a cultured renal epithelial cell line, LLC-PK1 cells. *Eur. J. Pharmacol.* 180: 191-192

Nakai M, Hojo K, Taniguchi T, Terashima A, Kawamata T, Hashimoto T, Maeda K, Tanaka C (1998)

PKC and Tyrosine kinase Involvement in amyloid-beta (25-35)-induced chemotaxis of microglia. *Neuroreport* 9: 3467-3470

Nakajima Y, Homma S, Musha T, Sasaki H, Okamoto Y (1992)

Estimation of neural architecture in human brain by means of the dipole tracing method. *Neurosci. Lett.* 136 (2): 169-172

Nakamura S, Naruse M, Maruse K, Shioda S, Nakai Y, Uemura H (1993)

Colonization of immunoreactive endothelin-1 and neurohypophyseal hormones in the axons of the neural lobe of the rat pituitary. *Endocrinology* 132: 530-533

Nakamura T, Ebihara I, Fukui M, Osada S, Tomino Y, Masaki T, Goto K, Furuichi Y, Kiode H (1993)

Renal expression of mRNAs for endothelin-1, endothelin-3 and endothelin receptors in NZB/W F1 mice. *Ren. Physiol. Biochem.* 16: 233-243

Nambi P, Pullen M, Contino LC, Brooks DP (1990)

Upregulation of renal endothelin receptors in rats with cyclosporin-A-induced nephrotoxicity. Eur. J. Pharmacol. 187: 113-116

Nambi P, Pullen M, Kumar C (1994)

Identification of a novel endothelin receptor in *Xenopus laevis* liver. Neuropeptides 26 (3): 181-185

Nawashiro H, Messing A, Azzam N, Brenner M (1998)

Mice lacking GFAP are hypertensive to traumatic cerebrospinal injury. NeuroReport. 9: 1691-1696

Nichols NR, Day JR, Laping NJ, Johnson SA, Finch CE (1993)

GFAP mRNA increases with age in rat and human brain. Neurobiol. Aging 14: 421-429

Nikolov R, Rami A, Kriegstein J (1993)

Endothelin-1 exacerbates focal cerebral ischemia without exerting neurotoxic action in vitro. Eur. J. Pharmacol. Env. Toxicol. Pharm. 248: 205-208

Nolan CC et Brown AW (1989)

Reversible neuronal damage in hippocampal pyramidal cells with triethyllead : the role of astrocytes. Neuropathol. Appl. Neurobiol. 15: 441-457

Nolte C, Möller T, Walter T, Kettenmann H (1996)

Complement 5a controls motility of murine microglial cells *in vitro* via activation of a G-protein and the re-arrangement of the actin cytoskeleton. Neuroscience 73: 1091-1097

Norenberg MD, Hertz L, Schousboe A (1988)

The biochemical pathology of astrocytes. Alan R Liss, New York

Norenberg MD (1994)

Astrocyte responses to CNS Injury. J. Neuropath. Exp. Neurol. 53: 213-220

di Nunzio AS, Jaureguiberry MS, Rodano V, Bianciotti LG, Vatta MS (2002)

Endothelin-1 and -3 diminish neuronal NE release through an NO mechanism in rat anterior hypothalamus. Am. J. Physiol. Regul. Integr. Comp. Physiol. 283: R615-R622

O'Callaghan JP (1988)

Neurotypic proteins as biochemical markers of neurotoxicity. Neurotoxicol. Teratol. 10: 445-452

O'Callaghan JP (1991)

Assessment of neurotoxicity: Use of the glia acid fibrillary protein as a biomarker. Biomed. Environ. Sci. 4: 171-174

Ogawa Y, Nakao K, Arai H et al. (1991)

Molecular cloning of a non-isopeptide-selective human endothelin receptor. Biochem. Biophys. Res. Commun. 178: 248-255

Okada M, Yamashita C, Okada M, Okada K (1995)

Endothelin receptor antagonists in a beagle model of pulmonary hypertension: contribution to possible potential therapy? J. Am. Coll. Cardiol. 25: 1213-1217

Oliver FJ, De la Ruba G, Feener EP, Lee ME, Loeken MR, Shiba T, Quertermous T, King GL (1991)

Stimulation of endothelin-1 gene expression by insulin in endothelial cells. J. Biol. Chem. 266: 23251-23256

Omland T, Lie RT, Aakvaag A, Aarsland T, Dickstein K (1994)

Plasma endothelin determinations as a prognostic indicator of 1-year mortality after acute myocardial infarction. Circulation 89: 1573-1579

- Ong AC, Jowett TP, Firth JD, Burton S, Karet FE, Fine LG (1995)**
 An endothelin-1 mediated autocrine growth loop involved in human renal tubular regeneration. *Kidney Int.* 48: 390-401
- Ortega Mateo A, De Artinano AA (1997)**
 Highlights on endothelins: a review. *Pharmacol. Res.* 36: 339-351
- Pagotto U, Arzberger T, Hopfner U, Weindl A, Stalla GK (1995)**
 Cellular localization of endothelin receptor mRNAs (ET_A and ET_B) in brain tumors and normal human brain. *J. Cardiovasc. Pharmacol.* 26: 104-106
- Palmer RM, Ferrige AG, Moncada S (1987)**
 Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor. *Nature* 327 (6122): 524-526
- Panettieri RA jr., Goldi RG, Rigby PJ, Eszterhas AJ, Hay DW (1996)**
 Endotheli-1-induced potentiation of human airway smooth muscle proliferation: an ET_A receptor mediated phenomenon. *Br. J. Pharmacol.* 118: 191-197
- Paxinos G et Watson C (1986)**
 The rat brain in stereotaxic coordinates. Academic Press: Sydney, New York, London, San Diego
- Peacock AJ, Dawes KE, Schock A, Gray AJ, Reeves JT, Lauerent GJ (1992)**
 Endothelin-1 and endothelin-3 induce chemotaxis and replication of pulmonary artery fibroblasts. *Am. J. Resp. Cell. Mol. Biol.* 7: 492-499
- Pearson PJ, Lin PJ, Schaff HV (1992)**
 Global myocardial ischemia and reperfusion impairs endothelium-dependent relaxation to aggregating platelets in the canine coronary artery: a possible aetiology of vasospasm following cardiopulmonary bypass. *J. Thorac. Cardiovasc. Surg.* 103: 1147-1154
- Pellerin L, Stoltz M, Sorg O, Martin JL, Deschepper CF, Magistretti PJ (1997)**
 Regulation of energy metabolism by neurotransmitters in astrocytes in primary culture and in an immortalized cell line. *Glia* 21: 74-83
- Pereira HA, Ruan X, Kumar P (2003)**
 Activation of microglia: a neuroinflammatory role for CAP37. *Glia* 41(1): 64-72
- Perry VH, Hume DA, Gordon S (1985)**
 Immunohistochemical localization of macrophages and microglia in the adult and developing mouse brain. *Neuroscience* 15: 313-326
- Perry VH et Gordon S (1987)**
 Modulation of CD4 antigen on macrophages and microglia in rat brain. *J. Exp. Med.* 166: 1138-1143
- Perry VH et Gordon S (1988)**
 Macrophages and microglia in the nervous system. *Trends In Neurosci.* 11: 273-277
- Pollock DM et Opgenorth TJ (1993)**
 Evidence for endothelin-induced renal vasoconstriction independent of ETA receptor activation. *Am. J. Physiol.* 264 (1 Pt 2): R222-226
- Prujis WM (1927)**
 Über Mikroglia, ihre Herkunft, Funktion und ihr Verhältnis zu anderen Gliaelementen. *Z. ges. Neurol. Psychiat.* 108: 298-331
- Racay P (2002)**
 Genetically modified animals and human medicine. *Bratisl. Lek. Listy.* 103(3): 121-126

Raff MC, Miller RH, Noble M (1983)

A glial progenitor that develops in vitro into an astrocyte or an oligodendrocyte on culture medium. *Nature* 303: 390-396

Raivich G, Gehrmann J, Kreutzberg GW (1991)

Increase of macrophage colony-stimulating factor and granulocyte-macrophage colony-stimulating factor receptors in the regenerating rat facial nucleus. *J. Neurosci. Res.* 30: 682-686

Rajagopalan S, Laursen JB, Borthayre A, Kurz S, Keiser J, Haleen S, Giaid A, Harrison DG (1997)

Role for endothelin-1 in angiotensin II mediated hypertension. *Hypertension* 30 (1 Pt 1): 29-34

Ransom PA et Thomas WE (1991)

Pinocytosis as a select marker of ramified microglia *in vivo* and *in vitro*. *J. Histochem. Cytochem.* 39: 853-858

Raschack M et Stumpf C (1996)

Selective ETA-receptor antagonism by orally given LU 135252 reduces neointima formation in collared carotid arteries [abstract]. *Eur. J. Clin. Invest.* 26 (Suppl.1): A50

Resink TJ, Scott-Burden T, Buhler FR (1990a)

Activation of phospholipase A2 by endothelin in cultured vascular smooth muscle cells. *Biochem. Biophys. Res. Commun.* 158: 279-286

Resink TJ, Hahn AWA, Scott-Burden T, Powell J, Weber E, Buhler FR (1990b)

Inducible endothelin mRNA expression and peptide secretion in cultured human vascular smooth muscle cells. *Biochem. Biophys. Res. Commun.* 168: 1303-1310

Rezaie P et Male DK (1999)

Colonisation of the developing human nervous system by microglia- a review. *Microsc. Res. Tech.* 45:359-382

Rezaie P et Male DK (2001)

Differentiation, ramification and distribution of microglia within the central nervous system examined. *Neuroembryology* (Switzerland)1 (1): 29-43

Del Rio-Hortega P (1932)

Microglia. In: Penfield W (Ed.): *Cytology and cellular pathology of the nervous system*. Vol. II: 481-534, New York

Ritz MF, Stuenkel EL, Dayanithi G, Jones R, Nordmann JJ (1992)

Endothelin regulation of neuropeptide release from nerve endings of posterior pituitary. *Proc. Nat. Acad. Sci. USA* 89: 8371-8375

Rogers SD, Demaster E, Catton M, Ghilardi JR, Levin LA, Maggio JE, Manthy PW (1997)

Expression of endothelin-B receptors by glia *in vivo* is increased after CNS injury in rat, rabbits, and humans. *Exp. Neurol.* 145: 180-195

Rogers SD, Peters CM, Pomonis JD, Hagiwara H, Ghilardi JR, Manthy PW (2003)

Endothelin B receptors are expressed by astrocytes and regulate astrocyte hypertrophy in the normal and injured CNS. *Glia* 41(2): 180-190

Ross R (1990)

The pathogenesis of atherosclerosis: a perspective for the 1990s. *Nature* 362: 801-809

Russell FD, Skepper JN, Davenport AP (1997)

Detection of endothelin receptors in human coronary artery vascular smooth muscle cells but not endothelial cells by using electron microscope autoradiography. *J. Cardiovasc. Pharmacol.* 29: 820-826

Rydberg E (1932)

Cerebral injury in new-born children consequent on birth trauma; with an inquiry into the normal and pathological anatomy of the neuroglia. *Acta Pathol. Mikrobiol. Scand. Suppl.* 10: 1-247

Sakai S, Miyauchi T, Sakurai T, Kasuya Y, Ihara M, Yamaguchi I, Goto K, Sugishita Y (1996)

Endogenous endothelin-1 participates in the maintenance of cardiac function in rats with congestive heart failure. Marked increase in endothelin-1 production in the failing heart. *Circulation* 93: 1214-1222

Salvati P, Chierchia S, Dho L, Ferrario RG, Parenti P, Vicedomini G, Patrono C (1991)

Proarrhythmic activity of intracoronary endothelin in dogs: relation to the site of administration and to changes in regional flow. *J. Cardiovasc. Pharmacol.* 17(6): 1007-1014

Samson WK, Skala KD, Alexander B, Huang FLS (1990)

Pituitary site of action of endothelin: selective inhibition of prolactin release in vitro. *Biochem. Biophys. Res. Comm.* 169: 737-743

Samson WK, Skala KD, Alexander B, Huang FLS (1991)

Possible neuroendocrine actions of endothelin-3. *Endocrinology* 128: 1465-1473

Sato M et Noble LJ (1998)

Involvement of the endothelin receptor subtype A in neuronal pathogenesis after traumatic brain injury. *Brain Res.* 809: 39-49

Schiffrin EL, Larivière R, Li JS, Sventek P, Touyz RM (1995)

Deoxycorticosterone acetate plus salt induces overexpression of vascular endothelin-1 and severe vascular hypertrophy in spontaneously hypertensive rats. *Hypertension* 25 (4 Pt 2): 769-773

Schiffrin EL (1999)

State-of-the-Art lecture. Role of endothelin-1 in hypertension. *Hypertension* 34 (4 Pt 2): 876-881

Schmitt-Ott KM, Tuschick S, Kirchhoff F, Verkhratsky A, Liefeldt L, Kettenmann H, Paul M (1998)

Single-cell characterization of endothelin system gene expression in the cerebellum in situ. *J. Cardiovasc. Pharmacol.* 31 Suppl. 1: 364-366

Schousboe A, Westergaard N, Sonnewald U, Petersen SB, Yu AC, Hertz L (1992)

Regulatory role of astrocytes for neuronal biosynthesis and homeostasis of glutamate and GABA. *Prog. Brain Res.* 94: 199-211

Shibaguchi H, Kataoka Y, Koizumi S, Kohzuma M, Obana M, Himeno A, Yamashita K, Taniyama K (1997)

Nitric oxide participates in the stimulatory and neurotoxic action of endothelin on rat striatal dopaminergic neurons. *Cell Mol. Neurobiol.* 17: 471-481

Shibata S, Niwa M, Himeno A, Gana NG, Shigematsu K, Matsumoto M, Yamashita K, Sumikawa K, Taniyama K (1997)

The endothelin ET_A receptor exists in the caudal solitary tract nucleus of the rat brain. *Cell. Mol. Neurobiol.* 17: 151-156

- Shibouta Y, Suzuki N, Shino A, Matsumoto H, Terashita Z, Kondo K, Nishikawa K (1990)**
Pathophysiological role of endothelin in acute renal failure. *Life Sci.* 46: 1611-1618
- Shimojo M, Nakajima K, Takei N, Hamanoue M, Kohsaka S (1991)**
Production of basic fibroblast growth factor in cultured rat brain microglia. *Neurosci. Lett.* 123: 229-231
- Simonson MS, Wann S, Mene P et al. (1989)**
Endothelin stimulates phospholipase C, Na⁺/H⁺ exchange, c-fos expression, and mitogenesis in rat mesangial cells. *J. Clin. Invest.* 83: 708-712
- Simonson MS et Dunn MJ (1990)**
Cellular signalling by peptides of the endothelin gene family. *FASEB J.* 4: 2989-3000
- Simonson MS, Jones JM, Dunn MJ (1992)**
Differential regulation of fos and jun gene expression and AP-1 cis-element activity by endothelin isopeptides. Possible implications for mitogenic signalling by endothelin. *J. Biol. Chem.* 267: 8643-8649
- Simonson MS et Dunn MJ (1993)**
Renal actions of endothelin peptides. *Curr. Opin. Nephrol. Hypertens.* 2: 51-60
- Sitbon O, Badesch DB, Channick RN, Frost A, Robbins IM, Simonneau G, Tapson VF, Rubin LJ (2003)**
Effects of the dual endothelin receptor antagonist bosentan in patients with pulmonary arterial hypertension: a 1-year follow-up study. *Chest.* 124(1): 247-54
- Sjolund M, Hedin U, Sej'ersen T, Hedin CH, Thyberg J (1988)**
Arterial smooth muscle cells express platelet-derived growth factor (PDGF), a chain mRNA, secrete a PDGF-like mitogen, and bind exogenous PDGF in a phenotype- and growth state-dependent manner. *J. Cell. Biol.* 106: 403-413
- Slowinski T, Schulz N, Ruschitzka FT, Quaschning T, Bauer C, Theuring F, Neumayer H-H, Gassmann M, Hocher B (2002)**
Pattern of prepro-endothelin-1 expression revealed by reporter-gene activity in kidneys of erythropoietin-overexpressing mice. *Clin. Sci. Suppl.* 48: 44S-47S
- Sluck JM, Lin RC, Katolik LI, Jeng AY, Lehmann JC (1999)**
Endothelin converting enzyme-1-, endothelin-1-, and endothelin-3-like immunoreactivity in the rat brain. *Neurosci.* 91 (4): 1483-1497
- Sone M, Takahashi K, Totsune K, Murakami O, Arihara Z, Satoh F, Mouri T, Shibahara S (2000)**
Expression of endothelin-1 and endothelin receptors in cultured human glioblastoma cells. *J. Cardiovasc. Pharmacol.* 36(Suppl. 1): S390-392
- Spieker LE, Noll G, Ruschitzka FT, Luscher TF (2001)**
Endothelin receptor antagonists in congestive heart failure: a new therapeutic principle for the future? *J. Am. Coll. Cardiol.* 37: 1493-1505
- Steiner J, Rafols D, Park HK, Katar MS, Rafols JA, Petrov T (2004)**
Attenuation of iNOS mRNA exacerbates hypoperfusion and upregulates andothelin-1 expression in hippocampus and cortex after brain trauma. *Nitric Oxide* 10(3): 162-169
- Stossel TP (1993)**
On the crawling of animal cells. *Science* 260: 1086-1094
- Streit WJ et Kreutzberg GW (1988)**
Response of endogenous glial cells to motor neuron degeneration induced by toxic ricin. *J. Comp. Neurol.* 268 (2): 284-263

Streit WJ, Graeber MB, Kreutzberg GW (1989)

Peripheral nerve lesion produces increased levels of major histocompatibility complex antigens in the central nervous system. *J. Neuroimmunol.* 21: 117-123

Sugiura M, Inagami T, Kon V (1989)

Endotoxin stimulates endothelin-release in vivo and in vitro as determined by radioimmunoassay. *Biochem. Biophys. Res. Commun.* 161: 1220-1227

Sutsch G, Kiowski W, Yan XW, Hunziker P, Christen S, Strobel W, Kim JH, Rickenbacher P, Bertel O (1998)

Short-term oral endothelin-receptor antagonist therapy in conventionally treated patients with symptomatic severe chronic heart failure. *Circulation* 98: 2262-2268

Suzuki N, Matsumoto H, Kitada C, Masaki T, Fujino M (1989)

A sensitive sandwich-enzyme immunoassay for human endothelin. *J. Immunol. Methods* 118: 245-250

Suzuki N, Miyauchi T, Tomobe Y, Matsumoto H, Goto K, Masaki T, Fujino M (1990)

Plasma concentrations of endothelin-1 in spontaneously hypertensive rats and DOCA-salt hypertensive rats. *Biochem. Biophys. Res. Commun.* 167 (3): 941-947

Suzumura A, Sawada M, Itoh Y, Marunouchi T (1994)

Interleukin-4 induces proliferation and activation of microglia but suppresses their induction of class II major histo compatibility complex antigen expression. *J. Neuroimmunol.* 53 (2): 209-218

Takahashi K, Ghatei MA, Jones PM, Murphy JK, Lam HC, O'Halloran DJ, Bloom SR (1991)

Endothelin in human brain and pituitary gland: comparison with rat. *J. Cardiovasc. Pharmacol.* 17: 101-103

Takahashi K, Totsune K, Mouri T (1994)

Endothelin in chronic renal failure. *Nephron* 66: 373-379

Takahashi K, Hara E, Murakami O, Totsune K, Sone M, Satoh F, Kumabe T, Tominaga T, **Kayama T, Yoshimoto T, Shibahara S (1998)**

Production and secretion of Endothelin-1 by cultured choroids plexus carcinoma cells. *J. Cardiovasc. Pharmacol.* 31(Suppl.1): S367-369

Takeda Y, Miyamori I, Furukawa K, Inaba S, Mabuchi H (1999)

Mechanisms of FK 506-induced hypertension in the rat. *Hypertension* 33: 130-136

Tanaka J et Maeda N (1996)

Microglial ramification requires nondiffusible factors derived from astrocytes. *Exp. Neurol.* 137: 367-375

Tanaka J, Toku K, Matsuda S, Sudo S, Fujita H, Sakanaka M, Maeda N (1998)

Induction of resting microglia in culture medium devoid of glycine and serine. *Glia* 24: 198-215

Tanaka J, Toku K, Sakanaka M, Maeda N (1999)

Morphological differentiation of microglial cells in culture: involvement of insoluble factors derived from astrocytes. *Neurosci. Res.* 34: 207-215

Tayag EC, Jeng AY, Savage P, Lehmann JC (1996)

Rat striatum contains pure population of ET_B receptors. *Eur. J. Pharmacol.* 300: 261-265

Tharaux PL, Chatziantoniou C, Casellas D, Fouassier L, Ardaillou R, Dussaule JC (1999)

Vascular endotehlin-1 gene expression and synthesis and effect on renal type I collagen synthesis and nephroangiosclerosis during nitric oxide synthase inhibition in rats. Circulation 99: 2185-2191

Theuring F, Thonke-Reinecke C, Vogler H, Schmager F, Rohmeiss P, Slowinski T, Neumayer HH, Hocher B (1998)

Pathophysiology in endothelin-1 transgenic mice. J. Cardiovasc. Pharmacol. 31 Suppl. 1: 489-491

Tonnessen T, Christensen G, Oie E, Holt E, Kjekshus H, Smiseth OA, Sejersted OM, Attramadal H (1997)

Increased cardiac expression of endothelin-1 mRNA in ischemic heart failure in rats. Cardiovasc. Res. 33: 601-610

Topp KS, Faddis BT, Vijayan VK (1989)

Trauma induced proliferation of astrocytes in the brain of young and aged rats. Glia 2: 201-211

Torre-Amione G, Young JB, Colucci WS, Lewis BS, Pratt C, Cotter G, Stangl K, Elkayam U, Teerlink JR, Frey A, Rainisio M, Kobrin I (2003)

Hemodynamic and clinical effects of tezosentan, an intravenous dual endothelin receptor antagonist, in patients hospitalised for acute decompensated heart failure. J. Am. Coll. Cardiol. 42(1): 140-147

Van den Buuse M, Webber KM (2000)

Endothelin and dopamin release. Prog. Neurobiol. (Mar) 60(4): 385-405

Ventura R et Harris KM (1999)

Three-dimensional relationships between hippocampal synapses and astrocytes. J. Neurosci. 19: 6897-6906

Wagner OF, Christ G, Wojta J, Vierhapper H, Parzer S, Nowotny PJ, Schneider B, Waldhausl W, Binder BR (1992)

Polar secretion of endothelin-1 by cultured endothelial cells. J. Biol. Chem. 267: 16066-16068

Wang QD, Li XS, Pernow J (1994)

Characterization of endothelin-1-induced vascular effects in the rat heart by using endothelin receptor antagonists. Eur. J. Pharmacol. 271: 25-30

Wang X, Zhu C, Zhang G, Lu A (1995)

Changes of endothelin during cerebral vasospasm after experimental subarachnoid hemorrhage. Chin. Med. J. 108: 586-590

Warner TD, Budzik GP, Matsumoto T, Mitchell JA, Förstermann U, Murad F (1992)

Regional differences in endothelin converting enzyme activity in rat brain: inhibition by phosphoramidon and EDTA. Br. J. Pharmacol. 106: 505-506

Watanabe T, Suzuki N, Shimamoto N, Fujino M, Imada A (1991)

Contribution of endogenous endothelin to the extension of myocardial infarct size in rats. Circulation Res. 69: 370-377

Webber KM, Wallace CA, Smith AI, van den Buuse M (1998a)

Endothelin interactions with brain dopamine systems. J. Cardiovasc. Pharmacol. 31: 373-375

Webber KM, Pennefather JN, Howells DW, Porritt MJ, Dean R, van den Buuse M (1998b)

Endothelin ET-B receptors in rat and human striatum: association with dopaminergic terminals. Naunyn-Schmied Arch. Pharmacol. 358: 46 (abstract P35.73)

Weinstein DE, Shelanski ML, Liem RK (1991)

Suppression by antisense mRNA demonstrates a requirement for the glial fibrillary acidic protein in the formation of stable astrocytic processes in response to neurons. *J. Cell Biol.* 112: 1205-1213

Weissberg PL, Witchell C, Davenport AP, Hesketh TR, Metcalfe JC (1990)

The endothelin peptides ET-1, ET-2, ET-3 and Sarafotoxin S6b are comitogenic with platelet derived growth factor for vascular smooth muscle cells. *Atherosclerosis* 85: 257-262

Wenzel RR, Fleisch M, Shaw S, Noll G, Kaufmann U, Schmitt R, Jones CR, Clozel M, Meier B, Luscher TF (1998)

Hemodynamic and coronary effects of the endothelin antagonist bosentan in patients with coronary artery disease. *Circulation* 98: 2235-2240

Westmark R, Noble LJ, Fukuda K, Aihara N, McKenzie AL (1995)

Intrathecal administration of endothelin-1 in the rat: Impact on spinal cord blood flow and the blood-spinal cord barrier. *Neurosci. Lett.* 192: 173-176

Williams DL, Jones KL, Colton CD, Nutt RF (1991)

Identification of high affinity endothelin-1 receptor subtypes in human tissues. *Biochem. Res. Comm.* 180: 475-480

Williamson DJ, Wallman LL, Jones R, Keogh AM, Scroope F, Penny R, Weber C, Macdonald PS (2000)

Hemodynamic effects of bosentan, an endothelin receptor antagonist, in patients with pulmonary hypertension. *Circulation* 102: 411-418

Wu WW, Oh MM, Disterhoft JF (2002)

Age-related biophysical alterations of hippocampal pyramidal neurons: implications for learning and memory. *Ageing Res. Rev.* 1(2): 181-207

Xiao BG, Bai XF, Zhang GX et al. (1996)

Shift from anti- to proinflammatory cytokine profiles in microglia through LPS- or INF-gamma-mediated pathways. *Neuroreport* 7: 1893-1898

Xu D, Emoto N, Giard A, Slaughter C, Kaw S, deWit D, Yanagisawa M (1994)

ECE-1: a membrane-bound metalloprotease that catalyzes the proteolytic activation of big endothelin-1. *Cell* 78: 473-485

Yamamoto T, Suzuki H, Uemura H (1997)

Endothelin B receptor-like immunoreactivity is associated with LHRH-immunoreactive fibres in the rat hypothalamus. *Neurosci. Lett.* 223: 117-120

Yamauchi T, Ohnaka K, Takayanagi R, Umeda F, Nawata H (1990)

Enhanced secretion of endothelin-1 by elevated glucose levels from cultured bovine aortic endothelial cells. *FEBS Lett.* 267: 16-18

Yanagisawa M, Kurihara H, Kimura S, Tomobe Y, Kobayashi M, Mitsui Y, Yazaki Y, Goto K, Masaki T (1988)

A novel potent vasoconstrictor peptide produced by vascular endothelial cells. *Nature* 332 (6163): 411-415

Yanagisawa H, Hammer RE, Richardson JA, Emoto N, Williams SC, Takeda S, Clouthier DE, Yanagisawa M (2000)

Disruption of ECE-1 and ECE-2 reveals a role for endothelin-converting enzyme-2 in murine cardiac development. *J. Clin. Invest.* 105: 1373-1382

Yang P, de Vos AF, Kijlstra A (1996)

Macrophages in the retina of normal Lewis rats and their dynamics after injection of lipopolysaccharide. *Invest. Ophthalmol. Vis. Sci.* 37: 77-85

Yao J, Harvath L, Gilbert DL, Colton CA (1990)

Chemotaxis by a CNS macrophage, the microglia. *J. Neurosci. Res.* 27: 36-42

Yasin S, Costa A, Navarra P, Pozzoli G, Kostoglou-Athanassiou I, Forsling M, Grossman A (1994)

Endothelin-1 stimulates the in vitro release of neurohypophyseal hormones, but not corticotropin-releasing hormone, via ET_A receptors. *Neuroendocrinology* 60: 553-558

Yomogida S, Maruya J, Ishii K, Endoh M (2004)

Differential inhibition by TAK-044 of the inotropic effects of endothelin-1 and endothelin-3. *Eur. J. Pharmacol.* 492(2-3): 217-224

Yoshizawa T, Iwamoto H, Mizusawa H, Suzuki N, Matsumoto H, Kanazawa I (1992)

Cerebrospinal fluid endothelin-1 in Alzheimer's disease and senile dementia of Alzheimer's type. *Neuropeptides* 22: 85-88

Yoshizumi M, Kurihara H, Sugiyama T, Takaku F, Yanigasawa M, Masaki T, et al. (1989)

Hemodynamic shear stress stimulates endothelin production by cultured endothelial cells. *Biochem. Biophys. Res. Commun.* 161: 858-864

Yoshizumi M, Kurihara H, Morati T et al. (1990)

Interleukin 1 increases the production of endothelin-1 by cultured endothelial cells. *Biochem. Biophys. Res. Commun.* 166: 324-329

Zimmer C, Sampaolo S, Shaker Sharma H, Cervós-Navarro J (1991)

Altered glial fibrillary acidic protein immunoreactivity in rat brain following chronic hypoxia. *Neuroscience* 40(2): 353-361

Zoja C, Orisio S, Perico N, Benigni A, Morigi M, Benfatti L, Rambaldi A, Remuzzi G (1991)

Constitutive expression of endothelin gene in cultured human mesangial cells and its modulation by transforming growth factor-beta, thrombin, and a thromboxane A2 analogue. *Lab. Invest.* 64: 16-20

Zolk O, Quatttek J, Sitzler G, Schrader T, Nickenig G, Schnabel P, Shimada K, Takahashi M, Bohm M (1999)

Expression of endothelin-1, endothelin-converting enzyme, and endothelin receptors in chronic heart failure. *Circulation* 99: 2118-2123

Zuccarello M, Lewis AI, Rapoport RM (1994)

Endothelin ET_A and ET_B receptors in subarachnoid hemorrhage-induced cerebral vasospasm. *Eur. J. Pharmacol.* 259: R1-R2