

## REFERENCES

- Abramovitz , T., Landes, M., Thybo, H., Brian Jacob, A.W., Prodehl, C., 1999. Crustal velocity structure across the Tornquist and Iapetus Suture Zones – a comparison based on MONA LISA and VARNET data. *Tectonophysics* 314, pp. 69-82.
- Abramovitz , T., Thybo, H., 1999. Pre-Zechstein structures around the MONNA LISA deep seismic lines in the southern Horn Graben area. *Bulletin of the Geological Society of Denmark*, v. 45, pp. 99-116.
- Aichroth, B., Prodehl, C., Thybo, H., 1992. Crustal structure along the central segment of the EGT. *Tectonophysics* 207, pp. 43– 64.
- Averiev, V., A., 1962. Features of the formation of the salt-dome structures within the south-eastern part of the Dniepr-Donets basin. In: Elina, N., D., Klitochenko., I., F., Pistrak, R., M. (editors). *Collected Papers on the Geology of Gas Areas of the USSR*. Gostoptechizdat, Moscow, pp. 89–100.11
- Bachmann, G., Hoffmann, N., 1997. Development of the Rotliegend basin in Northern Germany. *Geologisches Jahrbuch* 103, pp. 9-31.
- Baldschuhn, R., Binot, F., Fleig, S., Kockel, F., 2001. Geotektonischer Atlas von Nordwest-Deutschland und dem deutschen Nordsee-Sektor. *Geologisches Jahrbuch*, Reihe A, Heft 153.
- Baldschuhn, R., Frisch, U., Kockel, F., (eds.) 1996. Geotektonischer Atlas von NW-Deutschland 1:300000. 4 pp., 65 maps, Bundesanstalt für geowissenschaften und Rohstoffe, Hannover.
- Bayer, U., Grad, M., Pharaoh, T., Thybo, H., Guterch, A., Banka, D., Lamarche, J., Lassen, A., Lewerenz, B., Scheck, M., Marotta, A., M., 2002. The southern margin of the East European Craton: new results from seismic sounding and potential fields between the North Sea and Poland. *Tectonophysics* 360, pp. 301-314.
- Bayer, U., Maystrenko, Yu., Hoffmann, N., Scheck-Wenderoth, M., Meyer, H., 2003. 3D structural modelling and basin analysis of the Central European Basin System (CEBS) between the North Sea and Poland. *Terra Nostra* 3, pp. 1-4.
- Bayer, U., Scheck, M., Rabbel, W., Krawczyk, C.M., Götze, H.-J., Stiller, M., Beilecke, Th., Marotta, A.M., Barrio-Alvers, L., Kuder, J., 1999. An integrated study of the NE German Basin. *Tectonophysics* 314, pp. 285-307.
- Benek, R., Kramer, W., McCann, T., Scheck, M., Negendank, J.F.W., Korich, D., Huebscher, H., Bayer, U., 1996. Permo-Carboniferous magmatism of the NE German basin. *Tectonophysics*, v. 266, pp. 379– 404.

## References

---

- Best, G., Kockel, F., Schoeneich, H., 1983. Geological history of the southern Horn graben. *Geol. en Mijnbouw* 62, pp. 25-33.
- Betz, D., Führer, F., Plein, E., 1987. Evolution of the lower Saxony basin. *Tectonophysics* 137, pp. 127-170.
- Blundell, D., J., 1999. The legacy of the European Geotraverse. *Tectonophysics* 314, pp. 7-16.
- Blundell, D., Mueller, S., Mengel, K., 1992. A Continent Revealed: the European Geotraverse. Camb. In: Blundell, D., Freeman, R., Mueller, St. (eds.), *Geodynamics of Europe*, Univ. Press. Cambridge, United Kingdom, pp. 215-231.
- Boigk, H., 1981. Erdöl und Erdölgas in der Bundesrepublik Deutschland: Erdölprovinzen, Felder, Förderung, Vorräte, Lagerstättentechnik. Germany, Stuttgart: Enke, 330 pp.
- Brink, H.J., Dürschner, H., Trappe, H., 1992. Some aspects of the late and post-Variscian development of the Northwestern German Basin. *Tectonophysics*, 207, pp. 65-95.
- Brink, H.J., Franke, D., Hoffmann, N., Horst, W. and Oncken, O., 1990. Structure and evolution of the North German Basin. In: R. Freeman, P. Giese and St. Mueller (Editors), *The European Geotraverse: Integrative Studies*. European Science Foundation, Strasbourg, pp. 195-212.
- Britze, P., Japsen, P., 1991. The Danish Basin.Triassic. Isochore map: Danmarks Geologiske Undersøgelse (DGU) Miloeministeriet, Copenhagen, DGU map series no. 31, 1 sheet, scale 1:400000.
- Cartwright, J., Stewart, S., Clark, J., 2001. Salt dissolution and salt-related deformation of the Forth Approaches Basin, UK North Sea. *Marine and Petroleum Geology*, 18, pp. 757-778.
- Clark, J., A., Cartwright, J., A., Stewart, S., A., 1999. Mesozoic dissolution tectonics on the West Central Shelf, UK Central North Sea. *Marine and Petroleum Geology*, 16, pp. 283-300.
- Cocks, L.R.M., McKerrow, W.S., Van Staal, C.R., 1997. The margin of Avalonia. *Geol. Mag.* 134, pp. 627-636.
- Dadlez, R., 2003. Mesozoic thickness pattern in the Mid-Polish Trough. *Geological Quarterly*, 47 (3), pp. 223-240.
- Dadlez, R., Narkiewicz, M., Stephenson, R.A., Visser, M.T.M., van Wees, J-D., 1995. Tectonic evolution of the Mid-Polish Trough: modelling implications and significance for central European geology. *Tectonophysics* 252, pp. 179-195.

- Daudre, B., Cloetingh, S., 1994. Numerical modelling of salt diapirism: influence of the tectonic regime. *Tectonophysics* 240, pp. 59–79.
- DEKORP-BASIN Research Group, Bachmann, G.H., Bayer, U., Dürbaum, H.J., Hoffmann, N., Krawczyk, C.M., Lück, E., McCann, T., Meissner, R., Meyer, H., Oncken, O., Polom, U., Prochnow, U., Rabbel, W., Scheck, M., Stiller, M., 1999. The deep crustal structure of the Northeast German basin: New DEKORP-Basin'96 deep-profiling results. *Geology*, 27, pp. 55-58.
- Dohr, G., Bachmann, G.H., Grosse, S., 1989. Das Norddeutsche Becken. Niedersächsische Akademie der Geowissenschaften Veröffentlichungen, 2, pp. 4-47.
- EUGENO-S Working Group, 1988. Crustal structure and tectonic evolution of the transition between the Baltic Schield and the North German Caledonides (The EUGENO-S Project). *Tectonophysics*, 150, pp. 253-348.
- Evans, D., Graham, C., Armour, A., Bathurst, P., 2003. The Millennium Atlas: Petroleum geology of the central and northern North Sea. The Geological Society of London, London, 990 pp..
- Evans, D., Graham, C., Armour, A., Bathurst, P., 2003. The Millennium Atlas: Petroleum geology of the central and northern North Sea. The Geological Society of London, London, 990 pp..
- Garetsky, R.G., Ludwig, A.O., Schwab, G., Stackebrandt, W. (eds.), 2001. Neogeodynamics of the Baltic Sea depression and adjacent areas. Brandenburgische Geowissenschaftliche Beiträge, 1-2001, 47 pp, 8 maps.
- Gast, R., 1988. Rifting im Rotliegenden Niedersachsens. *Die Geowissenschaften*, 4, pp. 115-122.
- George, G., T., Berry, J., K., 1997. Permian Upper Rotliegend synsedimentary tectonics, basin development and palaeogeography of the southern North Sea, in Ziegler P, Turner P, and Daines S R eds., *Petroleum geology of the southern North Sea: Geological Society of London Special Publication* 123, pp. 31–61.
- Gregersen, S., Voss, P., TOR Working Group, 2002. Summary of project TOR: delineation of a stepwise, sharp, deep lithosphere transition across Germany-Denmark-Sweden. *Tectonophysics*, 360, pp. 61-73.
- Guglielmo, G.J., Vendeville B.C., Jackson M.P.A., 1999. Isochores and 3-D visualization of rising and falling salt diapirs. *Marine and Petroleum Geology*, 16, pp. 849-861.
- Ismail-Zadeh, A., Tsepelev, I., Talbot, C., Korotkii, A., 2004. Three-dimensional forward and backward modelling of diapirism: numerical approach and its applicability to the evolution of salt structures in the Pricaspian basin. *Tectonophysics*, 387, pp. 81-103.

## References

---

- Jaritz, W., 1980. Einige Aspekte der Entwicklungsgeschichte der nordwestdeutschen Salzstöcke. *Zeitschrift der Deutschen Geologischen Gesellschaft*, 131, 8 Abb., pp. 387-408.
- Jordt, H., Faleide, J., I., Bjerlykke, K., Ibrahim, M., T., 1995. Cenozoic sequence stratigraphy of the central and northern North Sea Basin: tectonic development, sediment distribution and provenance areas. *Marine and Petroleum Geology*, 12, pp. 845-879.
- Kaus, B.J.P., Podladchikov, Y.Y., 2001. Forward and reverse modeling of the three-dimensional viscous Rayleigh-Taylor instability. *Geophysical Research Letters* 28, pp. 1095–1098.
- Kockel, F., 1988. Teufenplan Basis Miozän. Bundesanstalt für Geowissenschaften und Rohstoffe, Hannover, 1 map.
- Kockel, F., 2002. Rifting processes in NW-Germany and the German North Sea Sector. *Geologie en Mijnbouw*, 81, pp. 149-158.
- Kockel, F., 2003. Problems of diapirism in northern Germany. *Geologos* 6, pp. 57-88.
- Koyi, H., 1998. The shaping of salt diapirs. *Journal of Structural Geology*, 20, pp. 321-338.
- Koyi, H., Jenyon, M. K., Petersen, K., 1993. The effects of basement faulting on diapirism. *Journal of Petroleum Geology*, 16 (3), pp. 285–312.
- Krawczyk, C.M., Eilts, F., Lassen, A., Thybo, H., 2002. Seismic evidence of Caledonian deformed crust and uppermost mantle structures in the northern part of the Trans-European Suture Zone, SW Baltic Sea. *Tectonophysics* 360, pp. 215-244.
- Krzywiec, P., 2004. Triassic evolution of the Kłodawa salt structure: basement-controlled salt tectonics within the Mid-Polish Trough (Central Poland). *Geological Quarterly* 48, pp. 123–134
- Lamarche, J., Scheck-Wenderoth, M., 2005. 3D structural model of the Polish Basin. *Tectonophysics*, Tectonophysics 397, pp. 73-91.
- Lockhorst, A. (ed.), 1998. NW European Gas Atlas-Composition and Isotope Ratios of natural Gases. GIS application on CD-ROM by the British Geological Survey, Bundesanstalt für Geowissenschaften und Rohstoffe, Danmarks og Gronlands Geologiske Undersogelse, Netherlands Instituut voor Toegepaste geowetenschappen, Panstwowy Instytut Geologiczny, European Union.
- Marotta, A.M., Bayer, U., Thybo, H., 1999. A 2-D flexural model for crustal deformation below the NE German Basin. Abstract Volume of EUG10, 1999, Strasbourg.

- Marotta, A.M., Bayer, U., Thybo, H., 2000. The legacy of the NE-German Basin – reactivation by compressional buckling. *Terra Nova* 12, pp. 132-140.
- Marotta, A.M., Bayer, U., Thybo, H., Scheck, M., 2002. Origin of the regional stress in the North German basin: results from numerical modelling. *Tectonophysics* 360, pp. 245-264.
- Maystrenko, Yu., Bayer, U., Scheck-Wenderoth, M., 2005. The Glueckstadt Graben, a sedimentary record between the North and Baltic Sea in north Central Europe. *Tectonophysics*, in press.
- Meissner, R., Thybo, H., Abramowitz, T., 2002. Interwedging and inversion structures around the Trans-European Suture Zone in the Baltic Sea, a manifestation of compressive tectonic phases. *Tectonophysics* 360, pp. 265-280.
- Nielsen, L., Balling, N., Jacobsen, B.H., MONA LISA Working Group, 2000. Seismic and gravity modelling of crustal structure in the Central graben, North Sea. Observations along MONA LISA profile 3. *Tectonophysics*, 328, pp. 229-244.
- Petmecky, S., Meier, L., Reiser, H., Littke, R., 1999. High thermal maturity in the Lower Saxony Basin: intrusion or deep burial?. *Tectonophysics* 304, pp. 317–344.
- Pharaoh, T., C., 1999. Paleozoic terranes and their lithospheric boundaries within the Trans-European Suture Zone (TESZ): a review. *Tectonophysics* 314, pp. 17–41.
- Pharaoh, T.C., England, R.W., Verniers, J., Zelazniewicz, A. 1997. Introduction: geological and geophysical studies in the Trans-European Suture Zone. *Geol. Mag.* 134, pp. 585-590.
- Plein, E., 1990. The Southern Permian Basin and its Paleogeography. In: Sediments and environmental geochemistry – Selected aspects and case histories. Springer-Verlag Berlin Heidelberg, pp. 124-133.
- Poliakov, A.N.B., van Balen, R., Podladchikov, Yu., Daudre', B., Cloetingh, S., Talbot, C., 1993. Numerical analysis of how sedimentation and redistribution of surficial sediments affects salt diapirism. *Tectonophysics* 226, pp. 199– 216.
- Roemer, M.-M., Neugebauer, H.J., 1991. The salt dome problem: a multilayered approach. *Journal of Geophysical Research* 96, pp. 2389–2396.
- Sannemann, D., 1968. Salt-stock families in northwestern Germany. In: Braunstein, J., O'Brien, G., „Diapirism and diapirs“. AAPG publ., pp. 261-270.
- Sannemann, D., 1983. Migration of salt-induced structures. In: Bally, A.W. (ed.) Seismic expression of structural styles: a picture and work atlas. AAPG, Vol 2, series 15.

## References

---

- Scheck, M., 1997. Dreidimensionale Strukturmodellierung des Nordostdeutschen Beckens unter Einbeziehung von Krustenmodellen. STR97/10 GeoForschungsZentrum Potsdam, 125 pp.
- Scheck, M., Bayer, U., 1999. Evolution of the Northeast German Basin – inferences from 3D structural modelling and subsidence analysis. *Tectonophysics* 313, pp. 145–169.
- Scheck, M., Bayer, U., Lewerenz, B., 2003. Salt movements in the Northeast German Basin and its relation to major post-Permian tectonic phases—results from 3D structural modelling, backstripping and reflection seismic data. *Tectonophysics* 361, pp. 277–299
- Scheck, M., Bayer, U., Lewerenz, B., 2003. Salt redistribution during extension and inversion inferred from 3D backstripping. *Tectonophysics* 373, pp. 55–73.
- Scheck, M., Bayer, U., Otto, V., Lamarche, J., Banka, D., Pharaoh, T., 2002. The Elbe fault System in North central Europe – a basement controlled zone of crustal weakness. *Tectonophysics* 360, pp. 281-299.
- Scheck-Wenderoth, M., Lamarche, J., 2005. Crustal memory and basin evolution in the Central European Basin System—new insights from a 3D structural model. *Tectonophysics*, in press.
- Schmeling, H., 1987. On the relation between initial conditions and late stages of Rayleigh–Taylor instabilities. *Tectonophysics* 133, pp. 65–80.
- Sclater, J., G., Christie, P., A., F., 1980. Continental stretching: an explanation of the post-Mid-Cretaceous subsidence of the central North Sea basin. *Journal of Geophysical Research* 85-B7, pp. 3711-3739.
- Šimkevičius, P., Katinas, V., Norkūnaitė, L., Voitichovaitė, J., 2001. Mineralogical composition of the Triassic-Lower Jurassic boundary rocks in the South-eastern Baltic region. *Lithosphere*, 5, pp. 36-48.
- Sliaupa, S., 2004. RW disposal prospects in Lithuania. [http://esd.lbl.gov/IAEAnetworktraining/session\\_summaries/pdfs/Sess\\_04\\_Sliaupa.pdf](http://esd.lbl.gov/IAEAnetworktraining/session_summaries/pdfs/Sess_04_Sliaupa.pdf).
- Stephenson, R.A., Narkiewicz, M., Dadlez, R., van Wees, J-D., Andriessen, P., 2003. Tectonic subsidence modelling of the Polish Basin in the light of new data on crustal structure and magnitude of inversion. *Sedimentary Geology* 156, pp.59–70.
- Stovba, S., M., Maystrenko, Yu., P., Stephenson, R., A., Kusznir, N., J., 2003. The formation of the south-eastern part of the Dniepr–Donets Basin: 2-D forward and reverse modelling taking into account post-rift redeposition of syn-rift salt. *Sedimentary Geology* 156, pp. 11-33.

- Talbot, C., J., Medvedev, S., Alavi, M., Shahrivar, H., Heidari, E., 2000. Salt extrusion at Kuh-e-Jahani, Iran, from June 1994 to November 1997. In: Vendeville B, Mart Y, Vigneresse J-L (Eds.), Salt, Shale and Igneous Diapirs in and Around Europe, Special Publications, Geological Society, London, 174, pp. 93– 110.
- Talbot, C.J., 1995. Molding of salt diapirs by stiff overburdens. In: Jackson, M.P.A., Roberts, D.G., Snellson, S. (Eds.), Salt Tectonics—A Global Perspective, Memoir, American Association of Petroleum Geologists, Tulsa, 65, pp. 61– 75.
- Thybo, H., 2001. Crustal structure along the EGT profile across the Tornquist Fan interpreted from seismic gravity and magnetic data. *Tectonophysics* 334, pp. 155– 190.
- Trusheim, F., 1960. Mechanism of salt migration in North Germany. *Bull. AAPG*, 44, pp. 1519– 1540.
- Van Hoorn, B., 1987. Structural evolution, timing and tectonic style of the Sole Pit inversion. *Tectonophysics* 137, pp. 239-284.
- Van Wijhe, D. H., 1987. Structural evolution of inverted basins in the Dutch offshore (North Sea). *Tectonophysics*, 137, pp. 171-219.
- Vejbaek, O., V., Britze, P., 1994. Top of the pre-Zechstein rocks. Sub- and supercrop map: Danmarks Geologiske Undersogelse (DGU) Miloeministeriet, Copenhagen, DGU map series no. 45, 1 sheet, scale 1:750000.
- Vendeville, B. C., Jackson, M. P. A., 1992. The rise of diapirs during thin-skinned extension. *Marine and Petroleum Geology*, 9, pp. 331-353.
- Woidt, W.-D., 1978. Finite element calculations applied to salt dome analysis. *Tectonophysics* 50, pp. 369– 386.
- Ziegler, P., 1992. European Cenozoic rift systems. *Tectonophysics* 208, pp. 91-111.
- Ziegler, P., A., 1990a. Collision related intra-plate compression deformations in western and central Europe. *Journal of Geodynamics* 11, pp. 357-388.
- Ziegler, P., 1990b. Geological atlas of Western and Central Europe. 2nd ed. Geol. Soc. Publ. House, Bath, Shell International Petroleum Mij., B.v., 239 pp.

