HIGH-THROUGHPUT SCREENING OF PROTEIN-PROTEIN-INTERACTIONS IN MAMMALIAN CELLS USING TRANSFECTED CELL ARRAYS



Dissertation

zur Erlangung des akademischen Grades
Doktor der Naturwissenschaften
(Dr. rer. nat.)

eingereicht am Fachbereich Biologie-Chemie-Pharmazie
der Freien Universität Berlin

vorgelegt von

Andrea Fiebitz

Berlin, 2006

Diese Arbeit wurde durchgeführt
am Max-Planck-Institut für Molekulare Genetik, Berlin,
in der Arbeitsgruppe „Oligofingerprinting / Cell Arrays“
der Abteilung von Prof. Dr. Hans Lehrach.

1. Gutachter: Prof. Dr. Hans Lehrach
2. Gutachter: Prof. Dr. Gerd Multhaup

Tag der Disputation: 19.12.2006

Ernstzunehmende Forschung erkennt man daran, daß plötzlich zwei Probleme existieren, wo es vorher nur eines gegeben hat.

Thorstein Bunde Veblen (1857-1929)

amerikanischer Soziologe und Ökonom

TABLE OF CONTENTS

TABLE OF CONTENTS V

SUMMARY VII

ZUSAMMENFASSUNG IX

INTRODUCTION 1
1.1 Microarray technology 1
1.2 Reverse transfection 2
1.3 Protein-protein-interaction research 3
1.4 Methods to detect protein-protein-interactions 4
1.4.1 Yeast two-hybrid system 4
1.4.2 Limits of the yeast two-hybrid system 5
1.4.3 Mammalian two-hybrid system 7
1.5 Biology of androgen receptor 8
1.6 Aims of the study 10

MATERIAL AND METHODS 11
2.1 Cell culture 11
2.1.1 Equipment and cultivation 11
2.1.2 Cell lines 12
2.2 Slides 13
2.3 Containers for reverse transfection 15
2.4 Plasmids 16
2.4.1 Mammalian two-hybrid kits 16
2.4.2 Autofluorescent control 18
2.4.3 Bait and prey vectors 19
2.5 Reverse transfection protocol 21
2.5.1 Methods of preparing samples 21
2.5.2 Spotting 22
2.5.3 Transfection of the cells 24
2.6 Fixation and staining 25
2.6.1 Fixation 25
2.6.2. Immunostaining 25
2.6.3 Alternative methods to detect LacZ 27
2.6.4 Normalising transfection signal 27
2.6.5 DAPI staining 27
2.7 Direct transfection 28
2.7.1 Applications for direct transfection 28
2.7.2 Stable transfection 28
2.7.3 Trans-bait transfection 29
2.8 Analysis 29
2.8.1 Fluorescence microscope and BIOccd camera 29
2.8.2 Software for scanning and analysis 30

RESULTS 31
3.1 Optimisation 31
3.1.1 Slide surface 33
3.1.2 Reverse transfection on coverslips 35
3.1.3 Sample preparation 37
3.1.4 Conversion to fluorescent reporter 41
3.1.5 Spotting 42
3.1.6 Treatment after spotting 46
3.1.7 Transfection reagents 48
3.1.8 Reverse transfection procedure 51
3.1.9 Fixation and staining procedures 52
3.1.10 Transfection of different cell types 57
3.1.11 Transfection of stable transfected cell lines 58
3.2 Screening the prey library for detection of protein-protein-interactions 60
3.2.1 Verification of known interactions 60
3.2.2 Application of CAPPIA for the quantitative detection of hormone-dependent interactions 62
3.2.3 PR-stable-bait and PR-trans-bait cell arrays 64

DISCUSSION 66
4.1 Application of VPL slides for reverse transfection 66
4.2 Reverse transfection of different cell types 68
4.3 Reporter expression induced by bait and prey interaction 69
4.3.1 Multiplex plasmid transfection 69
4.3.2 Advantage of fluorescent reporter 70
4.3.3 Microarray spotting and storage 71
4.3.4 Fixation and staining 72
4.4 CAPPIA and detection of protein-protein-interactions 73
4.4.1 Verification of known interaction using CAPPIA 73
4.4.2 Determination of essential components for protein-protein-interactions 74
4.4.3 Screening for unknown protein-interaction partners 74
4.4.4 High-throughput character of CAPPIA 75
4.4.5 Stable-bait and trans-bait reverse transfections 75
4.5 Advantages and limitations of CAPPIA 77
4.6 Outlook 79

REFERENCES 81

APPENDIX 92
Acknowledgments 93
List of figures 95
List of tables 96
Abbreviations 97
Curriculum Vitae 100
Publications 102
Selbständigkeitserklärung 103