

6. Anhang

6.1 Literaturverzeichnis

1. Adkins B, 1999 T-cell function in newborn mice and humans. *Immunol Today* 20(7):330-335
2. Anderson P, Permin H, Anderson V, Schejbel L, Garred P, Svejgaard A, Barington T, 2005 Deficiency of somatic hypermutation of the antibody light chain is associated with increased frequency of severe respiratory tract infection in common variable immunodeficiency. *Blood* 105(2):511-517
3. Andersson U, Bird G, Britton S, 1981 A sequential study of human B lymphocyte function from birth to two years of age. *Acta Paediatr Scand* 70:837-842
4. Bauer K, Zemlin M 2002 Diversification of Ig heavy chain genes in Human preterm neonates prematurely exposed to environmental antigens. *J Immunol* 169:1349-1356
5. Betz A, Neuberger M, Milstein C, 1993 Discriminating intrinsic and antigen-selected mutational hotspots in immunoglobulin V genes. *Immunol Today* 14(8):405-411
6. Berek C, Milstein C 1987 Mutation drift and repertoire shift in the maturation of the immune response. *Immunol Rev* 96:23-41
7. Bos NA, Ploplis VA 1994 Humoral immune response to 2,4-dinitrophenyl—keyhole limpet hemocyanin in antigen-free, germ-free and conventional BALB/c mice. *Eur J Immunol* 24(1):59-65
8. Brugnoli D, Airo P, Marconi M, Lebowitz M, Plebani A, Giliani S, Malacarne F, Cattaneo R, Ugazio AG, 1994 Ineffective expression of CD40 ligand on cord blood T cells may contribute to poor immunoglobulin production in the newborn. *Eur J Immunol* 24(8):1919-1924

-
9. Cook G, Tomlinson I, 1995 The human immunoglobulin VH repertoire. *Immunol Today* 16(5):237-242
 10. Cooper MD, 1987 B-Lymphocytes- Normal development and function. *N Engl J Med* 317:23 1452-1456
 11. Corbett SJ, Tomlinson IM, Sonnhammer DB, Buck D, Winter G, 1997 Sequence of the human immunoglobulin Diversity (D) segments locus: a systematic analysis provides no evidence for the use of DIR Segments, inverted D segments, "minor" D segments or D-D recombination. *J Mol Biol* 270:587-597
 12. Cuisinier AM, Gauthier L, Boubli L, Fougereau M, Tonnelle C, 1993 Mechanism that human immunoglobulin diversity operate from the 8th week of gestation in fetal liver. *Eur J Immunol* 23:110-118
 13. Ehrenstein MR, Neuberger MS, 1999 Deficiency in Msh2 affects the efficiency and local sequence specificity of immunoglobulin class-switch recombination: parallels with somatic hypermutations. *EMBO J.* 18-3484-3490
 14. Fuleihan R, Ahern D, Geha RS, 1994 Decreased expression of the ligand for CD40 in newborn lymphocytes. *Eur J Immunol* 24(8):1925-1928
 15. Giorgetti CA, Press JL, 1998 Somatic Mutation in the neonatal mouse. *J Immunol* 161:6093-6104
 16. Grawunder U, West R, Lieber M, 1998 Antigen receptor gene rearrangement. *Curr Opin Immunol* 10:172-180
 17. Haury M, Sundblad A, Grandien A, Barreau C, Coutinho A, Nobrega A, 1997 The repertoire of serum IgM in normal mice is largely independent of external antigenic contact. *Eur J Immunol* 27:1557-1563

-
18. Haire RN, Buell RD, Litman RT, Ohta Y, Fu SM, Honjo T, Matsuda F, de la Morena M, Carro J, Good RA, Litman GW, 1993 Diversification, not use of immunoglobulin VH gene repertoire is restricted in DiGeorge Syndrome. *J Exp Med* 178:825-834.
19. Hooijkaas H, Benner R, Pleasants JR, Wostmann BS, 1984 Isotypes and specificities of immunoglobulins produced by germ-free mice fed chemically defined ultrafiltered "antigen-free" diet. *Eur J Immunol* 14(12):1127-1130
20. Hooijkaas H, van der Linde-Preesman A, Bitter W, Brenner R, Pleasants J, Wostmann B, 1985 Frequency analysis of functional immunoglobulin C- and V-gene expression by mitogen-reactive B cells in germfree mice fed chemically defined ultra-filtered "antigen-free" diet. *J Immunol* 134(4):2223-2227
21. Jacob J, Kassir R, Kelsoe G 1991a In situ Studies of the primary immune response to (4-hydroxy-3-nitrophenyl)acetyl. I. The architecture and dynamics of responding cell populations. *JExp Med* 173:1165-1175
22. Jacob J, Kelsoe G, Rajewsky K, Weiss U, 1991b Intraclonal generation of antibody mutants in germinal centres. *Nature* 354:389-392
23. Jannway C, Travers P, Walport M, Shlomchik M, 2002 *Immunologie*, Spektrum Akademischer Verlag Heidelberg, Berlin, 5. Auflage
24. Jumper MD, Splawski JB, Lipsky PE, Meek K, 1994 Ligation of CD 40 induces sterile transcripts of multiple Ig H chain isotypes in human B cells. *J Immunol* 152(2): 438-445
25. Korthauer U, Graf D, Mages HW, Briere F, Padayachee M, Malcolm S, Ugazio AG, Notarangelo LD, Levinsky RJ, Kroczeck RA, 1993 Defective expression of T-cell CD40 ligand causes X-linked immunodeficiency with hyper-IgM. *Nature* 361:539-541
26. Lundgren M, Persson P, Larsson P, Magnusson C, Smith CIE, Hammarström L, Severinson E, 1989 Interleukin 4 induces synthesis of IgE and IgG4 in human B cells. *Eur J Immunol* 19:1311-1315

-
27. Matsuda F, Ishii K, Bourvaganet P, Kuma K, Hayashida H, Miyata T, Honjo T 1998 The complete nucleotide sequence of the human immunoglobulin heavy chain variable region locus. *J Exp Med* 188(11):2151-2162
28. MacLennan IC, 1994 Germinal Centers. *Annu Rev Immunol* 12:117-139
29. McHeyzer-Williams LJ, McHeyzer-Williams MG, 2005 Antigen-Specific memory B-Cell development. *Annu Rev Immunol* 23:487-513
30. Mortari F, Wang J, Schroeder Jr, HW 1993 Human Cord Blood Antibody Repertoire: mixed Population of Vh Segments and CDR3 distribution in the expressed C alpha and C gamma repertoires. *J Immunol* 150: 1348-1357
31. Muramatsu M, Sankaranand VS, Anant S, Sugai M, Kinoshita K, Davidson NO, Honjo T 1999 Specific expression of activation-induced cytidine deaminase (AID), a novel member of the RNA-editing deaminase family in germinal center B cells. *J Biol Chem* 274: 26 18470-18476
32. Muramatsu M, Kinoshita K, Fagarasan S, Yamada S, Shinkai Y, Honjo T 2000 Class Switch Recombination and Hypermutation require activation-induced cytidine deaminase (AID), a potential RNA editing enzyme. *Cell* 102: 553-563
33. Notarangelo LD, Duse M, Ugazio AG, 1992 Immunodeficiency with hyper-IgM (HIM) *Immunodef Rev* 3(2):101-121
34. Petersen-Mahrt S, Harris R, Neuberger M 2002 AID mutates E.coli suggesting a DNA deamination mechanism for antibody diversification. *Nature* 418:99-103
35. Pihlgren M, Tougne C, Bozzotti P, Fulurija A, Duchosal M, Lambert PH, Siegrist CA, 2003 Unresponsiveness to lymphoid-mediated signals at the neonatal follicular dendritic cell precursor level contributes to delayed germinal centers induction and limitations of neonatal antibody responses to T-dependent antigens. *J Immunol* 170:2824-2832

-
36. Rada C, Williams GT, Nilsen H, Barnes DE, Lindahl T, Neuberger MS, 2002 Immunoglobulin isotype switching is inhibited and somatic hypermutation perturbed in UNG-deficient mice. *Curr Biol* 12(20):1748-1755
37. Rajewsky, K 1996 Clonal selection and learning in the antibody system. *Nature* 381:751-757
38. Revy P, Muto T, Levy Y, Geissmann F, Plebani A, Sanal O, Catalan N, Forveille M, Dufourcq-Lagelouse R, Gennery A, Tezcan I, Ersoy F, Kayserili H, Ugatzio A, Brousse N, Muramatsu M, Notarangelo L, Kinoshita K, Honjo T, Fischer A, Durandy A, 2000 Activation-induced cytidine deaminase (AID) deficiency causes the autosomal recessive form of the hyper-IgM Syndrome (HIGM2). *Cell* 102:565-575.
39. Ridings J, Dinan L, Williams R, Robertson D, Zola H, 1998 Somatic mutation of immunoglobulin Vh6 genes in human infants. *Clin Exp Immunol* 114:33-39
40. Schallert N, Pihlgren M, Kovarik J, Roduit C, Tougne C, Bozzotti P, Del Giudice G, Siegrist CA, LambertHP, 2002 Generation of adult-like antibody avidity profiles after early-life immunization with protein vaccines. *Eur J Immunol* 32:752-760
41. Schröder HW, Zhang L, Philips J 2001 Slow, programmed of the immunoglobulin HCDR3 repertoire during the third trimester of fetal life. *Blood* 98:2745-2751
42. Snapper CM, Paul WE, 1987 Interferon-gamma and B cell stimulatory factor-1 reciprocally regulate Ig isotype production. *Science* 236(4804):944-947
43. Speer CP, Gahr M, 2001 Pädiatrie. Springer-Verlag Berlin Heidelberg
44. Splawski JB, Jelinek DF, Lipsky P, 1991a Delineation of the functional capacity of human neonatal lymphocytes. *J Clin Invest* 87:545:553
45. Splawski JB, Lipsky PE, 1991b Cytokine regulation of immunoglobulin secretion by neonatal lymphocytes. *J Clin Invest* 88(3):967-977

-
46. Splawski JB, Nishioka J, Nishioka Y, Lipsky PE, 1996 CD40 ligand is expressed on activated neonatal T cells. *J Immunol* 156(1):119-127
47. Stavnezer J, 1996 Immunoglobulin class switching. *Curr Opin Immunol* 8:199-205
48. Stein KE, 1992 Thymus-independent and thymus-dependent responses to polysaccharide antigens. *J Infect Dis* 165:49-52
49. Storb U, Stavnezer J 2002 Immunoglobulin genes: Generating diversity with AID and UNG. *Curr Biol* 12: R725-R727
50. Tomlinson IM, Williams SC, Ignatovic O, Corbett SJ, Winter G 1998 VBASE sequence directory. <http://www.mcr-cpe.cam.ac.uk/imt-doc/public/INTRO.html>. MRC Centre for Protein Engineering, Cambridge, UK
51. Tonegawa S 1983 Somatic generation of antibody diversity. *Nature* 302: 575-581
52. Wagner SD, Neuberger MS 1996 Somatic hypermutation of immunoglobulin genes. *Annu Rev Immunol* 14:441-457
53. Wedgwood J, Weinberger B, Hatam L, Plamer R, 1997 Umbilical cord blood lacks circulating B Lymphocytes expressing surface IgG or IgA. *Clin Immunol and immunopathol* 84:276-282
54. Weigert, M 1986 The influence of somatic mutation on the immune response. *Prog. Immunol* VI:138
55. Westerga J, Timens W 1989 Immunohistological Analysis of Human Fetal Lymph Nodes. *Scand J Immunol* 29: 103-112
56. Xu J, Davis M 2000 Diversity in the CDR3 region of Vh is sufficient for most antibody specificities. *Immunity* 13: 37-45

57. Zemlin M, Bauer K 2001 The diversity of rearranged immunoglobulin heavy chain variable region genes in peripheral blood B cells of preterm infants is restricted by short third complementarity-determining regions but not by limited gene segment usage. *Blood* 97:1511-1513

58. Zhou C, Saxon A, Zhang K, 2003 Human activation-induced cytidine deaminase is induced by IL-4 and negatively regulated by CD 45 : Implication of CD45 as a janus kinase phosphatase in antibody diversification. *J Immunol* 170:1887-1893