

## 6. Literatur

- Adler A. Über den „einseitigen Drehschwindel.“ *Dtsch Z Nervenheilkd* 1897;10:358-375.
- Allen G, Fernandez C. Experimental observations in postural nystagmus: extensive lesions in posterior vermis of the cerebellum. *Acta Otolaryngol* 1960;51:2-14.
- American Academy of Neurology. Assessment: Electronystagmography. Report of the therapeutics and technology assessment subcommittee. *Neurology* 1996;46:1763-1766.
- Anagnostou E, Mandellos D, Limbitaki G, Papadimitrou, Anastasopoulos D. Positional nystagmus and vertigo due to a solitary brachium conjunctivum claque. *J Neurol Neurosurg Psychiatry* 2006;77:790-792.
- Anastasopoulos D, Lempert T, Gianna C, Gresty MA, Bronstein AM. Horizontal otolith-ocular responses to lateral translation in benign paroxysmal positional vertigo. *Acta Otolaryngol* 1997;117:468-471.
- Arbusow V, Strupp M, Brandt T. Amiodarone-induced severe prolonged head-positional vertigo and vomiting. *Neurology* 1998;51:917.
- Asawavichianginda S, Isipradit P, Snidvongs K, Supiyaphun P. Canalith repositioning for benign paroxysmal positional vertigo: a randomised, controlled trial. *Ear Nose Throat J* 2000;79:732-737.
- Aw ST, Todd MJ, Aw GE, McGarvie LA, Halmagyi GM. Benign positional nystagmus. A study of its three-dimensional spatio-temporal characteristics. *Neurology* 2005;64:1897-1905.
- Baloh RW, Honrubia V, Jacobson K. Benign positional vertigo: clinical and oculographic features in 240 cases. *Neurology* 1987;37:371-378.
- Baloh RW, Yue Q, Jacobson KM, Honrubia V. Persistent direction-changing positional nystagmus: another variant of benign positional vertigo? *Neurology* 1995;45:1297-301.
- Baloh RW Foster CA, Yue Q, Nelson SF. Familial migraine with vertigo and essential tremor. *Neurology* 1996;46:458-460.
- Baloh RW. Neurotology of migraine. *Headache* 1997a;37:615-621.
- Baloh RW, Yue Q, Furman JM, Nelson SF. Familial episodic ataxia: clinical heterogeneity in four families linked to chromosome 19p. *Ann Neurol* 1997b;41:8-16.
- Baloh RW. Advances in neuro-otology. *Curr Opin Neurol* 1998;11:1-3.
- Baloh RW. Prosper Ménière and his disease. *Arch Neurol* 2001;58:1151-1156.
- Bárány R. Diagnose von Krankheitserscheinungen im Bereiche des Otolithenapparates. *Acta Otolaryngol* 1921;2:434-437.
- Barber HO. Positional vertigo and nystagmus. *Otolaryngol Clin North Am* 1973;6:169-187.
- Barmack NH, Baughmann RW, Errico P, Shojaku H. Vestibular primary afferent projection to the cerebellum of the rabbit. *J Comp Neurol* 1993;327:521-534.
- Barmack NH, Shojaku H. Vestibular and visual climbing fiber signals evoked in the uvula-nodulus of the rabbit cerebellum by natural stimulation. *J Neurophysiol* 1995;74:2573-2589.
- Basser LS. Benign paroxysmal vertigo of childhood. *Brain* 1964;87:141-152.
- Bertholon P, Bronstein AM, Davies RA, Rudge P, Thilo KV. Positional down beating nystagmus in 50 patients: cerebellar disorders and possible anterior semicircular canalithiasis. *J Neurol Neurosurg Psychiatry* 2002;72:366-372.

- Bisdorff AR, Sancovic S, Debatisse D, Bentley C, Gresty MA, Bronstein AM. Positional nystagmus in the dark in normal subjects. *Neuro-ophthalmology* 2000;24:283-290.
- Blakley BW. A randomized, controlled assessment of the canalith repositioning maneuver. *Otolaryngol Head Neck Surg* 1994;110:391-396.
- Blatt PJ, Georgakakis GA, Herdman SJ, Clendaniel RA, Tusa RJ. The effect of the canalith repositioning maneuver on resolving postural instability in patients with benign paroxysmal positional vertigo. *Am J Otol* 2000;21:356-363.
- Böhmer A, Mast F. Assessing otolith function by the subjective visual vertical. *Ann N Y Acad Sci* 1999;87:221-223.
- Brandt T, Daroff RB. The multisensory physiological and pathological vertigo syndromes. *Ann Neurol* 1980;7:195-203.
- Brandt T. Positional and positioning vertigo and nystagmus. *J Neurol Sci* 1990;95:3-28.
- Brandt T, Steddin S. Current view of the mechanisms of benign paroxysmal positioning vertigo: cupulolithiasis or canalolithiasis? *J Vest Res* 1993;3:373-382.
- Brandt T, Dieterich M. Vestibular paroxysmia. *Neuro-ophthalmology* 1994;14:359-69.
- Brandt T. A chameleon among the episodic vertigo syndromes : "migrainous vertigo" or "vestibular migraine". *Cephalalgia* 2004;24:81-82.
- Brantberg K, Bergenius J, Mendel L, Witt H, Tribukait A, Ygge J. Symptoms, findings and treatment in patients with dehiscence of the superior semicircular canal. *Acta Otolaryngol* 2001;121:68-75.
- Bronstein AM. Benign paroxysmal positional vertigo: some recent advances. *Curr Opin Neurol* 2003;16:1-3.
- Bruns L. Die Geschwülste des Nervensystems. Berlin: S.Karger, 1897.
- Bruns L. Neuropathologische Demonstration. *Neurol Centralbl* 1902;21:561-567.
- Büttner U, Helmchen CH, Brandt T. Diagnostic criteria for central versus peripheral positioning nystagmus and vertigo: a review. *Acta Otolaryngol* 1999;119:1-5.
- Büttner-Ennever JA. A review of otolith pathways to brainstem and cerebellum. *Ann N Y Acad Sci* 1999;871:51-64.
- Cass SP, Ankerstjerne JKP, Yetiser S, Furman J, Balaban C, Aydogan B. Migraine-related vestibulopathy. *Ann Otol Rhinol Laryngol* 1997;106:182-189.
- Cawthorne T. Positional nystagmus. *Ann Otol Rhinol Laryngol* 1954;63:481-490.
- Clarke AH, Engelhorn A. Unilateral testing of utricular function. *Exp Brain Res* 1998;121:457-464.
- Cohen B, Tokumasu K, Goto K. Semicircular canal nerve, eye and head movements: the effect of changes in initial eye and head position on the plane of the induced movement. *Arch Ophthalmol* 1966;76:523-531.
- Cutrer FM, Baloh RW. Migraine-associated dizziness. *Headache* 1992;32:300-304.
- Damman W, Kuhweide R, Dehaene I. Benign paroxysmal positional vertigo (BPPV) predominantly affects the right labyrinth. *J Neurol Neurosurg Psychiatry* 2005;76:1307-1308 (Letter).
- Davis A, Moorjani P. The epidemiology of hearing and balance disorders. In Luxon LM, Furman JM, Martini A, Stephens D (eds.): *Audiological Medicine*. London: Martin Dunitz, 2003, 89-101.

- Dayal VS, Tarantino L, Farkashidy L, Paradisgarten A. Spontaneous and positional nystagmus: a reassessment of clinical significance. *Laryngoscope* 1974;84:2033-2044.
- De Fusco M, Marconi R, Silvestri L, Atorino L, Rampoldi L, Morgante L, Ballabio A, Aridon P, Casari G. Haploinsufficiency of ATP1A2 encoding the Na<sup>+</sup>/K<sup>+</sup> pump alpha2 subunit associated with familial hemiplegic migraine type 2. *Nat Genet* 2003;3:192-196.
- Denier C, Ducros A, Vahedi K, Joutel A, Thierry P, Ritz A, Castelnovo G, Deonna T, Gerard P, Devoize JL, Gayou A, Perrouty B, Soisson T, Autret A, Warter JM, Vighetto A, van Bogaert P, Alamowitch S, Rouillet E, Tournier-Lasserre E. High prevalence of CACNA1A truncations and broader clinical spectrum in episodic ataxia type 2. *Neurology* 1999;52:1816-1821.
- Dichgans M, Freilinger T, Eckstein G, Babini E, Lorenz-Depiereux B, Biskup S, Ferrari MD, Herzog J, van der Maagdenber JM, Pusch M, Strom TM. Mutation of the neuronal voltage-gated sodium channel SCN1A in familial hemiplegic migraine. *Lancet* 2005;366:371-377.
- Dieterich M, Brandt T. Episodic vertigo related to migraine (90 cases): vestibular migraine? *J Neurol* 1999;246:883-892.
- Di Girolamo S, Paludetti G, Briglia G, Cosenza A, Santarelli R, Di Nardo W. Postural control in benign paroxysmal positional vertigo before and after recovery. *Acta Otolaryngol* 1998;118:289-293.
- Dix MR, Hallpike CS. The pathology, symptomatology and diagnosis of certain common disorders of the vestibular system. *Proc R Soc Med* 1952;45:341-354.
- Drachman DA, Diamond ER, Hart CW. Posturally evoked vomiting: association with posterior fossa lesions. *Ann Otol Rhinol Laryngol* 1977;86:97-101.
- Elliott MA, Peroutka SJ, Welch S, May EF. Familial hemiplegic migraine, nystagmus, and cerebellar atrophy. *Ann Neurol*. 1996;39:100-106.
- Epley JM. The canalith repositioning procedure: for treatment of benign paroxysmal positional vertigo. *Otolaryngol Head Neck Surg* 1992;107:399-404.
- Epley JM. Human experience with canalith repositioning maneuvers. *Ann N Y Acad Sci* 2001;942:179-191.
- Escayg A, MacDonald BT, Meisler MH, Baulac S. Mutations of SCN1A, encoding a neuronal sodium channel in two families with GEFS+2. *Nat Genet* 2000;24:343-345.
- Fernández C, Alzate R, Lindsay JR. Experimental observation on postural nystagmus. II. Lesions of the nodulus. *Ann Otol Rhinol Laryngol* 1960;69:94-114.
- Fernández C, Fredrickson JM. Experimental cerebellar lesions and their effect on vestibular function. *Acta otolaryngol* 1964;Suppl.192:52-62.
- Fetter M, Dichgans J. Vestibular neuritis spares the inferior division of the vestibular nerve. *Brain* 1996;119:755-763.
- Fife D, FitzGerald JE. Do patients with benign paroxysmal positional vertigo receive prompt treatment? Analysis of waiting times and human and financial costs associated with current practice. *Int J Audiol* 2005;44:50-57.
- Froehling DA, Bowen JM, Mohr DN, et al. The canalith repositioning procedure for the treatment of benign paroxysmal positional vertigo: A randomized controlled trial. *Mayo Clin Proc* 2000;75:695-700.
- Frohman EM, Solomon D, Zee DS. Vestibular dysfunction in multiple sclerosis. *Int J MS* 1997;3:13-26.
- Furman JM, Marcus DA, Balaban CD. Migrainous vertigo: development of a pathogenetic model and structured diagnostic interview. *Curr Opin Neurology* 2003;16:5-13.

- Geisler C, Bergentius J, Brantberg K. Nystagmus findings in healthy subjects examined with infrared videonystagmography. *ORL* 2000;62:266-269.
- Giacomini PG, Alessandrini M, Magrini A. Long-term postural abnormalities in benign paroxysmal positional vertigo. *ORL* 2002;64:237-241.
- Glasauer S, Dieterich M, Brandt T. Central positional nystagmus simulated by a mathematical ocular motor model of otolith-dependent modification of Listings's plane. *J Neurophysiol* 2001;86:1546-1554.
- Goodhill V, Harris I, Brockman SJ, Hantz O. Sudden deafness and labyrinthine window ruptures. *Ann Otol* 1973;82:2-12.
- Gordon CR, Gadoth N. Repeated vs single physical maneuver in benign paroxysmal positional vertigo. *Acta Neurol Scand* 2004;110:166-169.
- Goto F, Ogawa K, Kunihiro T, Kurashima K, Kobayashi H, Kanzaki J. Perilymph fistula – 45 case analysis. *Auris Nasus Larynx* 2001;28:29-33.
- Gregorius FK, Grandall PH, Baloh RW. Positional vertigo with cerebellar astrocytoma. *Surg Neurol* 1976;6:283-286.
- Gresty MA, Bronstein AM, Brandt T, Dieterich M. Neurology of otolith function. Peripheral and central disorders. *Brain* 1992;115:647-673.
- Gyo K. Benign paroxysmal positional vertigo as a complication of postoperative bedrest. *Laryngoscope* 1988;98:332-333.
- Haan J, Terwindt GM, Ophoff RA, Bos PL, Frants RR, Ferrari MD, Krommenhoek T, Lindhout DL, Sandkuyl LA, van Eyk R. Is familial hemiplegic migraine a hereditary form of basilar migraine? *Cephalalgia* 1995;15:477-481.
- Hall SF, Ruby RR, McClure JA. The mechanics of benign paroxysmal vertigo. *J Otolaryngol* 1979;8:151-158.
- Halmagyi GM, Cremer PD. Assessment and treatment of dizziness. *J Neurol Neurosurg Psychiatry* 2000;129:36.
- Harrison MS, Ozahinoglu C. Positional vertigo: aetiology and clinical significance. *Brain* 1972;95:369-372.
- Headache Classification Subcommittee of the International Headache Society. The International Classification of Headache Disorders: 2nd edition. *Cephalalgia*. 2004;24 Suppl 1:9-160.
- Herdmann SJ, Tusa RJ, Zee DS, Proctor LR, Mattox DE. Single treatment approaches to benign paroxysmal positional vertigo. *Arch Otolaryngol Head Neck Surg* 1993;119:450-454.
- Huppert D, Kunihiro T, Brandt T. Phobic postural vertigo (154 patients): its association with vestibular disorders. *J Audiol Med* 1995;4:97-103.
- Igarashi M, Saito R, Mizukoshi K, Alford BR. Otoconia in young and elderly persons: a temporal bone study. *Acta Otolaryngol Suppl* 1993;504:26-29.
- Ishiyama A, Jacobson KM, Baloh RW. Migraine and benign positional vertigo. *Ann Otol Rhinol Laryngol* 2000;109:377-380.
- Jannetta PJ, Moller MB, Moller AR. Disabling positional vertigo. *New Engl J Med* 1984;310:1700-1705.
- Johnson GD. Medical management of Migraine-related dizziness and vertigo. *Laryngoscope* 1998; 108 (Suppl. 85):1-28.

- Jongkees LBW. On positional nystagmus. *Acta Otolaryngol* 1961; Suppl.159:78-83.
- Karlberg M, Hall K, Quickert N, Hinson J, Halmagyi GM. What inner ear diseases cause benign paroxysmal positional vertigo? *Acta Otolaryngol* 2000;120:380-385.
- Kattah JC, Kolsky MP, Luessenhop AJ. Positional vertigo and the cerebellar vermis. *Neurology* 1984;34:527-529.
- Kattah JC, Gujrati M. Familial positional downbeat nystagmus and cerebellar ataxia: Clinical and pathologic findings. *Ann N Y Acad Sci* 2005;1039:540-543.
- Kayan A, Hood JD. Neuro-otological manifestations of migraine. *Brain* 1984;107:1123-1142.
- Kim JS, Yue Q, Jen JC, Nelson SF, Baloh RW. Familial migraine with vertigo: no mutations found in CACNA1A. *Am J Med Genet* 1998;79:148-151.
- Kirchmann M, Thomsen LL, Olesen J. Basilar-type migraine. Clinical, epidemiological, and genetic features. *Neurology* 2006;66:880-886.
- Korres S, Balatsouras DG, Kaberos A, Economou C, Kandiloros C, Ferekidis E. Occurrence of semicircular canal involvement in benign paroxysmal positional vertigo. *Otol Neurotol* 2002;23:926-932.
- Lempert T, Tiel-Wilck K, Menzhausen L. Migräne: eine Differentialdiagnose des episodischen Schwindels. *Nervenarzt* 1993;64:121-126.
- Lempert T, Leopold M, von Brevern M, Neuhauser H. Migraine and benign paroxysmal positional vertigo. *Ann Otol Rhinol Laryngol* 2000;109:1176 (Letter).
- Leung RST, Bowman ME, Parker JD, Newton GE, Bradley TD. Avoidance of the left lateral decubitus position during sleep in patients with heart failure: relationship to cardiac size and function. *J Am Coll Cardiol* 2003;41:227-230.
- Li JC, Li CJ, Epley J, Weinberg L. Cost-effective management of benign positional vertigo using canalith repositioning. *Otolaryngol Head Neck Surg* 2000;122:334-339.
- Lilienfeld SO, Jacob RG, Furman JM. Vestibular dysfunction followed by panic disorder with agoraphobia. *J Nerv Ment Dis* 1988;177:700-701.
- Lopez-Escamez JA, Gámiz MJ, Gomez-Finana M, Fernandez-Perez A, Sanchez-Canet I. Position in bed is associated with left or right location in benign paroxysmal positional vertigo of the posterior canal. *Am J Otolaryngol* 2002; 23:263-266.
- Lopez-Escamez JA, Gámiz MJ, Fernandez-Perez A, Gomez-Finana G, Sanchez-Canet I. Impact of treatment on health-related quality of life in patients with posterior canal benign paroxysmal positional vertigo. *Otol Neurotol* 2003;24:637-641.
- Lopez-Escamez JA, Gámiz MJ, Fernandez-Perez A, Gomez-Finana G. Long-term outcome and health-related quality of life in benign paroxysmal positional vertigo. *Eur Arch Otorhinolaryngol* 2005;262:507-511.
- Lynn S, Pool A, Darrell R, Brey R, Suman V. Randomized trial of the canalith repositioning procedure. *Otolaryngol Head Neck Surg* 1995;113:712-719.
- Magliulo G, Bertin S, Ruggieri M, Gagliardi M. Benign paroxysmal positional vertigo and post-treatment quality of life. *Eur Arch Otorhinolaryngol*. 2005;262:627-630.
- Markham CH, Diamond SG, Ito J. Utricular dysfunction in benign paroxysmal positional vertigo. In: Graham MD, Kemink JL (eds) *The vestibular system: neurophysiologic and clinical research*. Raven Press, New York 1987, pp 255-262.

- McAuley JR, Dickmann JD, Mustain W, Anand VK. Positional nystagmus in asymptomatic human subjects. *Otolaryngol Head Neck Surg* 1996;114:545-553.
- McClure JA. Horizontal canal BPV. *J Otolaryngol* 1985;14:30-35.
- Meisler MH, Sprunger LK, Plummer NW, Escayg A, Jones JM. Ion channel mutations in mouse models of inherited neurological disease. *Ann Med* 1997;29:569-574.
- Menière P. Mémoire sur des lésions de l'oreille interne donnant lieu à des symptômes de congestion cérébrale apoplectiforme. *Gaz Méd de Paris* 1861;16:597-601.
- Minor LB, Cremer PD, Carey JP, della Santina CC, Streubel SO, Wek N. Symptoms and signs in superior canal dehiscence syndrome. *Ann NY Acad Sci* 2001;942:259-273.
- Money KE, Johnson WH, Cerlett BM. Role of semicircular canals in positional alcohol nystagmus. *Am J Physiol* 1965;208:1065-1970.
- Moretti G, Manzoni GC, Caffara P, Parma M. „Benign recurrent vertigo“ and its connection with migraine. *Headache* 1980; 20: 344-346.
- Mulch G, Lewitzki W. Spontaneous and positional nystagmus in healthy persons demonstrated only by electronystagmography: Physiologic spontaneous nystagmus or “functional scar”? *Arch Otol-Rinol-Laryngol* 1977;215:135-145.
- Nagarkar AN, Gupta AK, Mann SBS. Psychological findings in benign paroxysmal positional vertigo and psychogenic vertigo. *J Otolaryngol* 2000;29:154-158.
- Neuhauser H, Leopold M, von Brevern M, Arnold G, Lempert T. The interrelations of migraine, vertigo and migrainous vertigo. *Neurology* 2001;56:436-441.
- Neuhauser H, Radtke A, von Brevern M, Lempert T. Zolmitriptan for treatment of migrainous vertigo - a pilot randomised placebo-controlled trial. *Neurology* 2003;60:882-883.
- Neuhauser H, Lempert T. Vertigo and dizziness related to migraine: a diagnostic challenge. *Cephalalgia* 2004;24:83-91.
- Neuhauser H, von Brevern M, Radtke A, Lezius F, Feldmann M, Ziese T, Lempert T. Epidemiology of vestibular vertigo. A neurotological survey of the general population. *Neurology* 2005;65:898-904.
- Nunez RA, Cass SP, Furman JM. Short- and long-term outcomes of canalith repositioning for benign paroxysmal positional vertigo. *Otolaryngol Head Neck Surg* 2000;122:647-652.
- Nylén CO. The oto-neurological diagnosis of tumors of the brain. *Acta Otolaryngol* 1939;Suppl. 33:1-151.
- Nylén CO. Positional nystagmus. A review and future perspectives. *J Laryngol Otol* 1950;64:295-318
- Oghalai JS, Manolidis S, Barth JL, Steward MG, Jenkins HA. Unrecognized benign paroxysmal positional vertigo in elderly patients. *Otolaryngol Head Neck Surg* 2000;122:630-634.
- Ophoff RA, Terwindt GM, Vergouwe MN, van Eijk R, Oefner PJ, Hoffmann SM, Lamerdin JE, Mohrenweiser JE, Bulman DE, Ferrari M, Haan J, Lindhout D, van Ommen GJ, Hofker MH, Ferrari MD, Frants RR. Familial hemiplegic migraine and episodic ataxia are caused by mutations in the Ca<sup>2+</sup> channel gene CACNL1A4. *Cell* 1996;87:543-552.
- Otsuka K, Suzuki M, Furaya M. Model experiment of benign paroxysmal positional vertigo mechanism using the whole membranous labyrinth. *Acta Otolaryngol* 2003;123:515-518.
- Reploeg MD, Goebel JA. Migraine-associated dizziness: patient characteristics and management options. *Otol Neurotol* 2002;23:364-371.

- Sakata E, Ohtsu K, Itoh Y. Positional nystagmus of benign paroxysmal type (BPPN) due to cerebellar vermis lesions. Pseudo-BPPN. *Acta Otolaryngol* 1991; Suppl 481:254-257.
- Sargent EW, Bankaitis AE, Hollenbeck CS, et al. Mastoid oscillation in canalith repositioning for paroxysmal positional vertigo. *Otol Neurotol* 2001;22:205-209.
- Schiller F, Hedberg WC. An appraisal of positional nystagmus. *Arch Neurol* 1960;2:309-316.
- Schuknecht HF. Cupulolithiasis. *Arch Otolaryngol* 1969;90:765-778.
- Schwaber MK, Hall JW. Cochleovestibular nerve compression syndrome. I. Clinical features and audiovestibular findings. *Laryngoscope* 1992;102:1020-1029.
- Sheliga BM, Yakushin SB, Silvers A, Raphan T, Cohen B. Control of spatial orientation of the angular vestibulo-ocular reflex by the nodulus and uvula of the vestibulocerebellum. *Ann N Y Acad Sci* 1999;871:94-122.
- Singleton GT, Post KN, Karlan MS, Bock DG. Perilymph fistulas. Diagnostic criteria and treatment. *Ann Otol* 1987;87:797-803.
- Spiegel EA, Scala NP. Positional nystagmus in cerebellar lesions. *J Neurophysiol* 1942;5:247-260.
- Semont A, Freyss G, Vitte E. Curing the BPPV with a liberatory maneuver. *Adv Otorhinolaryngol* 1988;42:290-293.
- Serafini G, Palmieri AM, Simincelli C. Benign paroxysmal positional vertigo of posterior semicircular canal: results in 160 cases treated with Semont's maneuver. *Ann Otol Rhinol Laryngol* 1996;105:770-775.
- Sturzenegger MH, Meienberg O. Basilar artery migraine: a follow-up study of 82 cases. *Headache* 1985;25:408-415.
- Suzuki M, Kadir A, Hayashi N, Takamoto M. Functional model of benign paroxysmal positional vertigo using an isolated frog semicircular canal. *J Vest Res* 1995;6:121-125.
- Takemori S, Tanaka M, Moriyama H. An analysis of ocular counter-rolling measured with search coils. *Acta Otolaryngol* 1998;Suppl. 468:271-276.
- Ter Brugge JP, Keunen RW, Tijssen CC, Wijnalda D. Octavus nerve neurovascular compression syndrome. *Eur Neurol* 1987;27:82-87.
- Thalmann R, Ignatova E, Kachar B. Development and maintenance of otoconia: biochemical considerations. *Ann N Y Acad Sci*. 2001;942:162-78.
- Thomsen J, Zilstorff K, Johnsen NJ. Positional nystagmus of the persistent type. *ORL* 1987;40:86-91.
- von Brevern M, Lempert T. Benign paroxysmal positional vertigo. *Arch Neurol* 2001;58:1491-1493.
- von Brevern M, Lezius F, Tiel-Wilck K, Lempert T. Zur ärztlichen Versorgung von Patienten mit benignem paroxysmalen Lagerungsschwindel. *Nervenarzt* 2002;73:538-542.
- von Brevern M, Radtke A, Lezius F, Feldmann M, Ziese T, Lempert T, Neuhauser H. Benign paroxysmal positional vertigo in Germany: Prevalence and health-care utilisation. *J Vest Res* 2004a;14:253-254 (Abstract).
- von Brevern M, Lempert T. Benigner paroxysmaler Lagerungsschwindel. *Nervenarzt* 2004b;75:1027-1035.
- von Brevern M, Arnold G, Lempert T. Migräne-Schwindel. *Schmerz* 2004c;18:411-414.
- von Brevern M, Seelig T, Neuhauser H, Lempert T. Benign paroxysmal positional vertigo affects predominantly the right labyrinth. *J Neurol Neurosurg Psychiatry* 2004;75:1487-1488.

- von Brevern M, Radtke A, Clarke A, Lempert T. Migrainous vertigo presenting with episodic positional vertigo. *Neurology* 2004;62:469-472.
- von Brevern M, Schmidt T, Schönfeld U, Lempert T, Clarke A. Otolith dysfunction in patients with benign paroxysmal positional vertigo. *Otol Neurotol* 2005;27:92-96.
- von Brevern M, Zeise D, Neuhauser H, Clarke A, Lempert T. Acute migrainous vertigo: Clinical and oculographic features. *Brain* 2005;128:365-374.
- von Brevern M, Seelig T, Radtke A, Tiel-Wilck K, Neuhauser H, Lempert T. Epley's maneuver for benign paroxysmal positional vertigo: a double blind randomized trial. *J Neurol Neurosurg Psychiatry* 2006;77:980-982.
- von Brevern M, Ta N, Shankar A, Wiste A, Siegel A, Radtke A, Sander A, Escayg A. Migrainous vertigo: Mutation analysis of the candidate genes *CACNA1A*, *ATP1A2*, *SCN1A* and *CACNB4*. *Headache* 2006;46:1136-1141.
- Vivino LL, Tusa RJ. Transient central positional vertigo and nystagmus from migraine. *Neurology* 1999; 52 (Suppl 2);A36 (Abstract).
- Wartenberg R. *Diagnostic tests in Neurology*. Chicago: Year Book Publishers, Inc, 1953;p42.
- Watson CP, Barber HO, Peck J, Terbrugge K. Positional vertigo and nystagmus of central origin. *Can J Neurol Sci* 1981;8:133-137.
- Welling DB, Parnes LS, O'Brien B, Bakaletz LO, Brackman DE, Hinojosa R. Particulate matter in the posterior semicircular canal. *Laryngoscope* 1997;107:90-94.
- Wittmaack K. Beitrag in der Diskussion von: Nylén CO. Lagenystagmus. *Acta Otolaryngol* 1927;11:156.
- Woodworth BA, Gillespie MB, Lambert PR. The canalith repositioning procedure for benign positional vertigo: A meta-analysis. *Laryngoscope* 2004;114:1143-1146.
- Yabe I, Sasaki H, Takeichi N, Takei A, Hamada T, Fukushima K, Tashiro K. Positional vertigo and macroscopic downbeat positioning nystagmus in spinocerebellar ataxia type 6 (SCA6). *J Neurol* 2003;250:440-443.
- Yimtae K, Srirompotong S, Srirompotong S, Sea-seaw P. A randomized trial of the canalith repositioning procedure. *Laryngoscope* 2003;113:828-832.
- Zhuchenko O, Bailey J, Bonnen P, Ashizawa T, Stockton DW, Amos C, Dobyns WB, Subramony SH, Zoghbi HY, Lee CC. Autosomal dominant cerebellar ataxia (SCA6) associated with small polyglutamine expansions in the alpha 1A-voltage-dependent calcium channel. *Nat Genet* 1997;15:62-69.