Bibliography

Note that the author's name has changed in the course of this work due to marriage from Zöckler to Westerhoff

[1] David Adalsteinsson and James A. Sethian. A fast level set method for propagating interfaces. *Journal of Computational Physics*, 118(2):269–277, 1995.

[2] Kurt Akeley. Reality Engine graphics. *Computer Graphics*, 27(Annual Conference Series):109–116, 1993.

[3] Khalid Al-Kofahi, Sharie Lasek, Donald Szarowski, Christopher J. Pace, George Nagy, James N. Turner, and Badrinath Roysam. Rapid automated three-dimensional tracing of neurons from confocal image stacks. *IEEE Transactions on Information Technology in Biomedicine*, 6(2), june 2002.

[4] Marc Alexa. Linear combination of transformations. In *ACM Transactions on Graphics: Proceedings of SIGGRAPH 2002*, pages 380–386. ACM Press / ACM SIGGRAPH, 2002.

[5] Stephen Aylward and Elizabeth Bullitt. Initialization, noise, singularities, and scale in height-ridge traversal for tubular object centerline extraction. *IEEE Transactions on Medical Imaging*, 21(2):61–75, feb 2002.

[6] David C. Banks. Illumination in diverse codimensions. *Computer Graphics*, 28(Annual Conference Series):327–334, July 1994.

[7] Jules Bloomenthal and Keith Ferguson. Polygonization of Non-Manifold implicit surfaces. In Robert Cook, editor, *SIGGRAPH 95 Conference Proceedings*, Annual Conference Series, pages 309–316. ACM SIGGRAPH, Addison Wesley, August 1995. held in Los Angeles, California, 06-11 August 1995.

[8] H. Blum. A transformation for extracting new descriptors of shape. In W. Wathen-Dunn, editor, *Models for the Perception of Speech and Visual Forms*, pages 362–380. MIT Press, Amsterdam, 1967.

[9] David Blythe. *Advanced Graphics Programming Techniques Using OpenGL, SIGGRAPH 1999 course notes*. SGI, Los Angeles, 1999.

[10] Fred L. Bookstein. Principle warps: Thin-plate splines and the decomposition of deformations. *IEEE Trans. Patt. Anal. Mach. Intell.*, 11(6):567–585, 1989.

[11] Gunilla Borgefors. Distance transformations in arbitrary dimensions. *Computer Vision, Graphics, and Image Processing*, 27(3):321–345, September 1984.

[12] Gunilla Borgefors. Distance transformations in digital images. *Computer Vision, Graphics, and Image Processing*, 34(3):344–371, June 1986.

[13] David E. Breen, Sean Mauch, and Ross T. Whitaker. 3D scan conversion of CSG models into distance volumes. In *IEEE Symposium on Volume Visualization*, pages 7–14. IEEE, ACM SIGGRAPH, 1998.

[14] Lisa Gottesfeld Brown. A survey of image registration techniques. *ACM Computing Surveys*, 24(4):325–376, December 1992.

[15] Brian Cabral, Nancy Cam, and Jim Foran. Accelerated volume rendering and tomographic reconstruction using texture mapping hardware. In Arie Kaufman and Wolfgang Krueger, editors, *1994 Symposium on Volume Visualization*, pages 91–98. ACM SIGGRAPH, October 1994. ISBN 0-89791-741-3.

[16] Brian Cabral, Marc Olano, and Philip Nemec. Reflection space image based rendering. In Alyn Rockwood, editor, *Siggraph 1999, Computer Graphics Proceedings*, Annual Conference Series, pages 165–170, Los Angeles, 1999. ACM Siggraph, Addison Wesley Longman.

[17] Jonathan C. Carr, Richard K. Beatson, Jon B. Cherrie, Tim J. Mitchell, W. Richard Fright, Bruce C. McCallum, and Tim R. Evans. Reconstruction and representation of 3D objects with radial basis functions. In Eugene Fiume, editor, *SIGGRAPH 2001, Computer Graphics Proceedings*, Annual Conference Series, pages 67–76. ACM Press / ACM SIGGRAPH, 2001.

[18] A. Chambolle. Image segmentation by variational methods: Mumford and Shah functional and the discrete approximations. *SIAM J. Appl. Math.*, 55:827–863, 1995.

[19] Daniel Cohen-Or, David Levin, and Amira Solomovici. Contour blending using warp-guided distance field interpolation. In Roni Yagel and Gregory M. Nielson, editors, *Proceedings of the Conference on Visualization*, pages 165–172, Los Alamitos, oct 1996. IEEE.

[20] OpenGL Consortium. *OpenGL - The Industry's Foundation for High Performance Graphics*. http://www.opengl.org, 2002.

[21] T. F. Cootes, A. Hill, C. J. Taylor, and J. Haslam. Use of active shape models for locating structures in medical images. *Image and Vision Computing*, 12(6):355–365, 1994.

[22] Olivier Cuisenaire. *Distance Transformations: Fast Algorithms and Applications to Medical Image Processing*. PhD thesis, Université catholique de Louvain, 1999.

[23] Timothy J. Cullip and Ulrich Neumann. Accelerating volume reconstruction with 3D texture hardware. Technical Report TR93-027, University of North Carolina, Chapel Hill, May 1, 1994.

[24] Per Erik Danielsson. Euclidean distance mapping. *Computer Graphics and Image Processing*, 14(3):227–248, November 1980.

[25] Peter Deuflhard and Folkmar Bornemann. *Scientific Computing with Ordinary Differential Equations*, volume 42 of *Texts in Applied Mathematics*. Springer Verlag, 2002.

[26] Peter Deuflhard and Andreas Hohmann. *Numerical Analysis in Modern Scientific Computing: An Introduction*, volume 43 of *Texts in Applied Mathematics*. Springer Verlag, 2003.

[27] R. B. Dial. ACM Algorithm 360: Shortest-path forest with topological ordering. *Communications of the ACM*, 12(11):632–633, November 1969.

[28] A. Dima, M. Scholz, and K. Obermayer. Automatic segmentation and skeletonization of neurons from confocal microscopy images based on the 3-d wavelet transform. *IEEE Transactions on Image Processing*, 11(7):790–801, July 2002.

[29] D. S. Ebert, C. J. Morris, P. Rheingans, and T. S. Yoo. Designing effective transfer functions for volume rendering from photographic volumes. In *IEEE Transcations on Visualization and Computer Graphics*, volume 8(2), pages 183–197. IEEE Computer Society, 2002.

[30] Markus Fleute, Stéphane Lavallée, and Rémi Julliard. Incorporating a statistically based shape model into a system for computer-assisted anterior cruciate ligament surgery. *Medical Image Analysis*, 3(3):209–222, 1999.

[31] James D. Foley, Andries van Dam, Steven K. Feiner, and John F. Hughes. *Computer Graphics, Principles and Practice, Second Edition*. Addison-Wesley, Reading, Massachusetts, 1990.

[32] Alejandro F. Frangi, Wiro J. Niessen, Koen L. Vincken, and Max A. Viergever. Multiscale vessel enhancement filtering. *Lecture Notes in Computer Science*, 1496:130, 1998.

[33] Sarah F. Frisken, Ronald N. Perry, Alyn P. Rockwood, and Thouis R. Jones. Adaptively sampled distance fields: A general representation of shape for computer graphics. In Kurt Akeley, editor, *Siggraph 2000, Computer Graphics Proceedings*, Annual Conference Series, pages 249–254. ACM Press / ACM SIGGRAPH / Addison Wesley Longman, 2000.

[34] Tom Gaens, Frederik Maes, Dirk Vandermeulen, and Paul Suetens. Non-rigid multimodal image registration using mutual information. *Lecture Notes in Computer Science*, 1496:1099–1106, 1998.

[35] C.G. Galizia, S. McIlwrath, and R. Menzel. A digital three-dimensional atlas of the honeybee antennal lobe based on optical sections acquired using confocal microscopy. *Cell Tissue Research*, 295:383–394, 1999.

[36] Tinsley A. Galyean and John F. Hughes. Sculpting: An interactive volumetric modeling technique. *Computer Graphics (SIGGRAPH '91 Proceedings)*, 25(4):267–274, July 1991.

[37] Allen Van Gelder and Kwansik Kim. Direct volume rendering with shading via three-dimensional textures (Graphics: S. 98). In *Proceedings of the Symposium on Volume Visualization*, pages 23–30, New York, October 28–29 1996. ACM Press.

[38] Sarah F. F. Gibson. Constrained elastic surface nets: Generating smooth surfaces from binary segmented data. *Lecture Notes in Computer Science*, 1496:888–900, 1998.

[39] Sarah F. F. Gibson. Using distance maps for accurate surface representation in sampled volumes. In *IEEE Symposium on Volume Visualization*, pages 23–30. IEEE, ACM SIGGRAPH, 1998.

[40] Indeed Visual Concepts GmbH. *Amira - Advanced Visualization*. http://www.amiravis.com, 2002.

[41] John Goutsias and Henk J.A.M. Heijmans. *Mathematical Morphology*. IOS Press, Amsterdam, 2000.

[42] Taosong He, Lichan Hong, Arie Kaufman, and Hanspeter Pfister. Generation of transfer functions with stochastic search techniques. In Roni Yagel and Gregory M. Nielson, editors, *IEEE Visualization '96*, pages 227–234. IEEE, 1996.

[43] Hans-Christian Hege, Tobias Höllerer, and Detlev Stalling. Volume rendering - mathematicals models and algorithmic aspects. Technical Report TR-93-07, Zuse Institute Berlin (ZIB), 1993.

[44] Wolfgang Heidrich and Hans-Peter Seidel. Realistic, hardware-accelerated shading and lighting. In Alyn Rockwood, editor, *Siggraph 1999, Annual Conference Proceedings*, Annual Conference Series, pages 171–178, Los Angeles, 1999. ACM Siggraph, Addison Wesley Longman.

[45] Timothy J. Holmes, Santosh Bhattacharyya, Joshua A. Cooper, David Hanzel, Vijaykumar Krishnamurthi, Wen chieh Lin, Badrinath Roysam, Donald H. Szarowski, and James N. Turner. Light microscopic images reconstructed by maximum likelihood deconvolution. In J. Pawley, editor, *Handbook of Biological Confocal Microscopy, Second Edition*, New York, 1995. Plenum Press.

[46] Timothy J. Holmes and N.J. O'Connor. Blind deconvolution of 3d transmitted light brightfield microscopy. *J. Microsc.*, 200:114–227, 2000.

[47] Hugues Hoppe. Progressive meshes. In Holly Rushmeier, editor, *SIGGRAPH 96 Conference Proceedings*, Annual Conference Series, pages 99–108. ACM SIGGRAPH, Addison Wesley, August 1996. held in New Orleans, Louisiana, 04-09 August 1996.

[48] J. Joerges, A. Küttner, C.G. Galizia, and R. Menzel. Representations of odours and odour mixtures visualized in the honeybee brain. *Nature*, 387:285–288, 1997.

[49] C. R. Johnson. Computational and numerical methods for bioelectric field problems. *Critical Reviews in Biomedical Engineering*, 1997. to appear.

[50] C.R. Johnson, D. Brederson, C. Hansen, M. Ikits, G. Kindlmann, Y. Livnat, S. Parker, D. Weinstein, and R. Whitaker. Computational field visualization. *Computer Graphics*, 35(4):5–9, 2001.

[51] Wolfgang Kabsch. A solution for the best rotation to relate two sets of vectors. *Acta Crystallographica A*, 32:922–923, 1976.

[52] Wolfgang Kabsch. A discussion of the solution for the best rotation to relate two sets of vectors. *Acta Crystallographica A*, 34:827–828, 1978.

[53] M. Kass, A. Witkin, and D. Terzopoulos. Snakes: Active contour models. In *First International Conference on Computer Vision, (London, England, June 8–11, 1987)*, pages 259–268, Washington, DC., 1987. IEEE Computer Society Press.

[54] A. Kelemen, G. Szekely, and G. Gerig. Three-dimensional model-based segmentation of brain mri. *IEEE Transactions on Medical Imaging*, 18(10):828–839, 1999.

[55] Renate Kempf and Jed Hartman. *OpenGL on Silicon Graphics Systems*. Silicon Graphics (Document Number 007-2392-002), 1998.

[56] Gordon Kindlmann and James Durkin. Semi-automatic generation of transfer functions for direct volume rendering. In *IEEE Symposium on Volume Rendering Proceedings*. IEEE, October 1998.

[57] Leif Kobbelt, Swen Campagna, and Hans-Peter Seidel. A general framework for mesh decimation. In Wayne Davis, Kellogg Booth, and Alain Fourier, editors, *Proceedings of the 24th Conference on Graphics Interface (GI-98)*, pages 43–50, San Francisco, June 18–20 1998. Morgan Kaufmann Publishers.

[58] Leif Kobbelt, Swen Campagna, Jens Vorsatz, and Hans-Peter Seidel. Interactive multi-resolution modeling on arbitrary meshes. In Michael Cohen, editor, *Proceedings of SIGGRAPH 98*, Annual Conference Series, Addison Wesley, pages 105–114. Addison Wesley, 1998.

[59] Leif P. Kobbelt, Mario Botsch, Ulrich Schwanecke, and Hans-Peter Seidel. Feature-sensitive surface extraction from volume data. In Eugene Fiume, editor, *SIGGRAPH 2001, Computer Graphics Proceedings*, Annual Conference Series, pages 57–66. ACM Press / ACM SIGGRAPH, 2001.

[60] Jan Kohlrausch, Karl Rohr, and Siegfried Stiehl. A new class of elastic body splines for nonrigid registration of medical images. In H. Handels, A. Horsch, T. Lehmann, and H.-P. Meinzer, editors, *Bildverarbeitung für die Medizin 2001*, pages 164–168. Springer Verlag, 2001.

[61] T.M. Koller, G. Gerig, G. Szekely, and D. Dettwiler. Multiscale detection of curvilinear structures in 2-d and 3-d image data. In *Proceedings of the Fifth International Conference on Computer Vision*. Commun. Technol. Lab., Eidgenossische Tech. Hochschule, Zurich, Switzerland, 1995.

[62] T. Yung Kong and Azriel Rosenfeld. Digital topology: Introduction and survey. *Computer Vision, Graphics, and Image Processing*, 48(3):357–393, December 1989.

[63] Karl Krissian, Grégoire Malandain, Nicholas Ayache, Régis Vaillant, and Yves Trousset. Model-based detection of tubular structures in 3D images. *Computer Vision and Image Understanding: CVIU*, 80(2):130–171, November 2000.

[64] Philippe Lacroute and Marc Levoy. Fast volume rendering using a shear–warp factorization of the viewing transformation. In Andrew Glassner, editor, *Proceedings of SIGGRAPH '94 (Orlando, Florida, July 24–29, 1994)*, Computer Graphics Proceedings, Annual Conference Series, pages 451–458. ACM SIGGRAPH, ACM Press, July 1994. ISBN 0-89791-667-0.

[65] Louisa Lam, Seong-Whan Lee, and Ching Y. Suen. Thinning methodologies — A comprehensive survey. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 14(9):869, 1992.

[66] Hans Lamecker, Thomas Lange, and Martin Seebass. A statistical shape model for the liver. In *Proceedings of the 5th International Conference on Medical Image Computing and Computer Assisted Intervention (MICCAI 2002)*, page (to appear), Tokyo, Japan, September 2002.

[67] Francis Lazarus and Anne Verroust. Three-dimensional metamorphosis: a survey. *The Visual Computer*, 14(4):373–389, 1998.

[68] T. Lehman, W. Oberschelp, E. Pelikan, and R. Repges. *Bildverarbeitung in der Medizin*. Springer Verlag, 1997.

[69] Apostolos Lerios, Chase D. Garfinkle, and Marc Levoy. Feature-Based volume metamorphosis. In Robert Cook, editor, *SIGGRAPH 95 Conference Proceedings*, pages 449–456. ACM SIGGRAPH, August 1995.

[70] David Levin. Multidimensional reconstruction by set-valued approximations. *IMA Journal of Numerical Analysis*, 6(2):173–184, 1986.

[71] F. Leymarie and Martin D. Levine. Fast raster scan distance propagation on the discrete rectangular lattice. *Computer Vision, Graphics, and Image Processing. Image Understanding*, 55(1):84–94, January 1992.

[72] Tony Lindeberg. Scale-space: A framework for handling image. In *Proc. CERN School of Computing*, September 1996.

[73] Tony Lindeberg. Edge detection and ridge detection with automatic scale selection. *International Journal of Computer Vision*, 30(2):117–156, November 1998.

[74] Tony Lindeberg. Feature detection with automatic scale selection. *International Journal of Computer Vision*, 30(2):79–116, November 1998.

[75] Y. Livnat and C. Hansen. View dependent isosurface extraction. In *IEEE Visualization '98 (VIS '98)*, pages 175–180, Washington - Brussels - Tokyo, October 1998. IEEE.

[76] Y. Livnat, S. G. Parker, and C. R. Johnson. Fast isosurface extraction methods for large imaging datasets. In Isaac Bankman, editor, *Handbook of Medical Imaging*. Academic Press, 2000.

[77] William E. Lorensen. Extracting surfaces from medical volumes. In *Visualization'94 Course Notes: Volume Visualization Algorithms and Applications*, pages 26–45, 1994.

[78] William E. Lorensen and Harvey E. Cline. Marching cubes: A high resolution 3D surface construction algorithm. *Computer Graphics*, 21(4):163–169, July 1987.

[79] C. Lorenz, I.-C. Carlsen, T.M. Buzug, C. Fassnacht, and J. Weese. Multi-scale line segmentation with automatic estimation of width, contrast and tangential direction in 2d and 3d medical images. In J. Troccaz, E. Grimson, and R. Mösges, editors, *Proceedings CVRMed-MRCAS'97, LNCS*, pages 233–242. Springer-Verlag, 1997.

[80] Thomas Lorenz. Mengenanalytischer Ansatz zur Bildsegmentierung. Master's thesis, Ruprecht-Karls-Universität, Heidelberg, 1999.

[81] Raghu Machiraju and Roni Yagel. Reconstruction error characterization and control: A sampling theory approach. *IEEE Transactions on Visualization and Computer Graphics*, 2(4), December 1996. ISSN 1077-2626.

[82] Frederik Maes, A. Collignon, D. Vandermeulen, G. Marchal, and P. Suetens. Multimodality image registration by maximization of mutual information. *IEEE Transactions of Medical Imaging*, 16(2):187–198, April 1997.

[83] Chris Maughan and Matthias Wloka. Introduction to vertex shaders. Technical report, NVIDIA corporation, 2001.

[84] N. Max, R. Crawfis, and C. Grant. Visualizing 3D velocity fields near contour surfaces. In R. Daniel Bergeron and Arie E. Kaufman, editors, *Proceedings of the Conference on Visualization*, pages 248–256, Los Alamitos, CA, USA, October 1994. IEEE Computer Society Press.

[85] Nelson Max. Optical models for direct volume rendering. *IEEE Transactions on Visualization and Computer Graphics*, 1(2):99–108, June 1995.

[86] David Meyers, Shelley Skinner, and Kenneth Sloan. Surfaces from contours. *ACM Transactions on Graphics*, 11(3):228–258, July 1992.

[87] Leica Microsystems. *Scientific and Technical Information*. http://www.leica.com, 2002.

[88] C. Montani, R. Scateni, and R. Scopigno. Discretized marching cubes. In R. Daniel Bergeron and Arie E. Kaufman, editors, *Proceedings of the Conference on Visualization*, pages 281–287, Los Alamitos, CA, USA, October 1994. IEEE Computer Society Press.

[89] C. Montani, R. Scateni, and R. Scopigno. A modified look-up table for implicit disambiguation of marching cubes. *The Visual Computer*, 10(6):353–355, 1994.

[90] John S. Montrym, Daniel R. Baum, David L. Dignam, and Christopher J. Migdal. Infinite Reality: a real-time graphics system. *Computer Graphics*, 31(Annual Conference Series):293–302, August 1997.

[91] D. Moore and J. Warren. Mesh displacement: An improved contouring methods for trivariate data. Technical Report COMP TR91-166, Department of Computer Science, Rice University, P.Ø. Box 1892, Houston, TX 77251-1892, September 1991.

[92] J. M. Morel and S. Solimini. *Variational Methods in Image Segmentation*. Birkhäuser, Basel, 1995.

[93] Eric N. Mortensen and William A. Barrett. Intelligent scissors for image composition. In Robert Cook, editor, *SIGGRAPH 95 Conference Proceedings*, Annual Conference Series, pages 191–198. ACM SIGGRAPH, Addison Wesley, August 1995. held in Los Angeles, California, 06-11 August 1995.

[94] D. Müller, R. Abel, R. Brandt, M. Zöckler, and R. Menzel. Differential parallel processing of olfactory information in the honeybee, apis mellifera l. *Journal of Comparative Physiology A*, 188:359–370, 2002.

[95] D. Mumford and J. Shah. Optimal approximations by piecewise smooth functions and variational problems. *Comm. on Pure and Applied Math.*, XLII(5):577–685, 1988.

[96] B.K. Natarajan. On generating topologically consistent isosurfaces from uniform samples. *The Visual Computer*, 11(1):52–62, 1994.

[97] Gregory M. Nielson and Richard Franke. Computing the separating surface for segmented data. In *IEEE Visualization '97*, October 1997.

[98] Gregory M. Nielson and Bernd Hamann. The asymptotic decider: Removing the ambiguity in marching cubes. In *Visualization '91*, pages 83–91, 1991.

[99] M. Ohlberger and M. Rumpf. Hierarchical and adaptive visualization on nested grids. *Computing*, 59(4):365–385, 1997.

[100] Hanspeter Pfister, Jan Hardenbergh, Jim Knittel, Hugh Lauer, and Larry Seiler. The volumepro real-time ray-casting system. In Alyn Rockwood, editor, *Siggraph 1999, Computer Graphics Proceedings,*, Annual Conference Series, pages 251–260, Los Angeles, 1999. ACM Siggraph, Addison Wesley Longman.

[101] Bui-Tuong Phong. Illumination for computer generated pictures. *CACM June 1975*, 18(6):311–317, 1975.

[102] William H. Press, Saul A. Teukolsky, William T. Vetterling, and Brian P. Flannery. *Numerical Recipes in C: The Art of Scientific Computing*. Cambridge University Press, Cambridge, 2nd edition, 1992.

[103] Steffen Prohaska and Hans-Christian Hege. Fast visualization of plane-like structures in voxel data. In *Proceedings of IEEE Visualization 2002, Boston (to appear)*, 2002.

[104] Chris Pudney. Distance-ordered homotopic thinning: A skeletonization algorithm for 3D digital images. *Computer Vision and Image Understanding: CVIU*, 72(3):404–413, December 1998.

[105] Karlheinz Rein. *$3D$ Reconstruction and Quantification of the Drosophial Brain*. PhD thesis, Universität Würzburg, 1998.

[106] Stefan Röll, Axel Haase, and Markus von Kienlin. Fast generation of leakproof surfaces from well-defined objects by a modified marching cubes algorithm. *Computer Graphics Forum*, 14(2):127–138, June 1995.

[107] John C. Russ. *The Image Processing Handbook (third edition)*. CRC Press LLC and Springer Verlag, 1999.

[108] M. Sato, I. Bitter, M. Bende, A. Kaufman, and M. Nakajima. TEASAR: Tree-structure extraction algorithm for accurate and robust skeletons. In Brian A. Barsky, Yoshihisa Shinagawa, and Wenping Wang, editors, *Proceedings of the 8th Pacific Graphics Conference on Computer Graphics and Application (PACIFIC GRAPHICS-00)*, pages 281–289, Los Alamitos, CA, October 3–5 2000. IEEE.

[109] Yoshinobu Sato, Shin Nakajima, Hideki Atsumi, Thomas Koller, Guido Gerig, Shigeyuki Yoshida, and Ron Kikinis. Three-dimensional multi-scale line filter for segmentation and visualization of curvilinear structures in medical images. *Medical Image Analysis*, 2(2):143–168, June 1998.

[110] W. J. Schroeder, W. E. Lorensen, and S. Linthicum. Implicit modeling of swept surfaces and volumes. In R. Daniel Bergeron and Arie E. Kaufman, editors, *Proceedings of the Conference on Visualization*, pages 40–45, Los Alamitos, CA, USA, October 1994. IEEE Computer Society Press.

[111] William J. Schroeder, Jonathan A. Zarge, and William E. Lorensen. Decimation of triangle meshes. *Computer Graphics (SIGGRAPH '92 Proc.)*, 26(2):65–70, July 1992.

[112] Mark Segal and Kurt Akeley. The OpenGL graphics system: A specification. Technical report, Silicon Graphics Computer Systems, Mountain View, CA,USA, 1993.

[113] J. A. Sethian. *Level Set Methods*. Cambridge University Press, 1996.

[114] R. Shekhar, E. Fayad, R. Yagel, and F. Cornhill. Octree-based decimation of marching cubes surfaces. In *Proceedings of Visualization'96*, pages 335–342, September 1996.

[115] C.J. Sheppard and D.M. Shotton. *Confocal Laser Scanning Microscopy,* Bd. 38 d. Reihe *Microscopy Handbooks*. BIOS Scientific Publishers, 1997.

[116] E. Shimon. *Graph Algorithms*. Pitman, London, 1979.

[117] K. Shoemake. Animating rotations with quaternion curves. *Computer Graphics*, 19(3):245–254, July 1985.

[118] Ken Shoemake and Tom Duff. Matrix animation and polar decomposition. In *Proceedings of Graphics Interface '92*, pages 258–264, May 1992.

[119] Alvy Ray Smith. A pixel is *not* a little square, a pixel is *not* a little square, a pixel is *not* a little square! (and a voxel is *not* a little cube!). Technical Report Technical Memo 6, Microsoft Research, July 1995.

[120] P. Soille. *Morphological Image Analysis*. Springer-Verlag, 1999.

[121] Detlev Stalling. *Fast Texture-Based Algorithms for Vector Field Visualization*. Shaker Verlag, Aachen, 1999.

[122] Detlev Stalling and Hans-Christian Hege. Intelligent scissors for medical image segmentation. In B. Arnolds, H. Müller, D. Saupe, and T. Tolxdorff, editors, *Proceedings of 4th Freiburger Workshop* Digitale Bildverarbeitung in der Medizin, *Freiburg*, pages 32–36, March 1996.

[123] Colin Studholme, David J. Hawkes, and Derek L. Hill. Normalized entropy measure for multimodality image alignment. In Kenneth M. Hanson, editor, *Proc. SPIE Vol. 3338, Medical Imaging 1998: Image Processing*, pages 132–143, 1998.

[124] Gabriel Taubin. A signal processing approach to fair surface design. *Computer Graphics*, 29(Annual Conference Series):351–358, November 1995.

[125] Paul M. Thompson and Arthur W. Toga. Detection, visualization and animation of abnormal anatomic structure with a deformable probabilistic brain atlas based on random vector field transformations. *Medical Image Analysis*, 1(4):271–294, 1997.

[126] Greg Turk and James O'Brien. Shape transformation using variational implicit functions. In Alyn Rockwood, editor, *Siggraph 1999*, Annual Conference Series, page 1999, Los Angeles, 1999. ACM Siggraph, Addison Wesley Longman.

[127] Greg Turk and James O'Brien. Modelling with implicite surfaces that interpolate. *ACM Transactions on Graphics*, 21(4), oct 2002 (to appear).

[128] Jarke J. van Wijk and Alexandru Telea. Enridged contour maps. In Thomas Ertl, Ken Joy, and Amitabh Varshney, editors, *Proceedings Visualization 2001*, pages 69–74. IEEE Computer Society Technical Committee on Visualization and Graphics Executive Committee, 2001.

[129] W. Wallace, L.H. Schaefer, and J.R. Swedlow. A workingperson's guide to deconvolution in light microscopy. *BioTechniques*, 31(5):1076–1097, 2001.

[130] S. W. Wang and A. E. Kaufman. Volume sampled voxelization of geometric primitives. In Gregory M. Nielson and Dan Bergeron, editors, *Proceedings of the Visualization '93 Conference*, pages 78–85, San Jose, CA, October 1993. IEEE Computer Society Press.

[131] Yongmei Wang and Lawrence H. Staib. Elastic model based non-rigid registration incorporating statistical shape information. *Lecture Notes in Computer Science*, 1496:1162–??, 1998.

[132] William Welch and Andrew Witkin. Free–Form shape design using triangulated surfaces. In Andrew Glassner, editor, *Proceedings of SIGGRAPH '94 (Orlando, Florida, July 24–29, 1994)*, Computer Graphics Proceedings, Annual Conference Series, pages 247–256. ACM SIGGRAPH, ACM Press, July 1994. ISBN 0-89791-667-0.

[133] William M. Wells III, Paul Viola, Hideki Atsumi, Shin Nakajima, and Ron Kikinis. Multimodal volume registration by maximisation of mutual information. *Medical Image Analysis*, 1(1):35–51, March 1996.

[134] D.B. West. *Introduction to Graph Theory*. Prentice Hall, Upper Saddle River, 1996.

[135] Rüdiger Westermann and Thomas Ertl. Efficiently using graphics hardware in volume rendering applications. In Michael Cohen, editor, *SIGGRAPH 98 Conference Proceedings*, Annual Conference Series, pages 169–178. ACM SIGGRAPH, Addison Wesley, July 1998. ISBN 0-89791-999-8.

[136] Rüdiger Westermann, Leif Kobbelt, and Thomas Ertl. Real-time exploration of regular volume data by adaptive reconstruction of isosurfaces. *The Visual Computer*, 15(2):100–111, 1999.

[137] Ross T. Whitaker. Reducing aliasing artifacts in iso-surfaces of binary volumes. In *Proceedings of the 2000 IEEE symposium on Volume visualization*, pages 23–32. ACM Press, 2000.

[138] Orion Wilson, Allen Van Gelder, and Jane Wilhelms. Direct volume rendeing via 3D textures. Technical Report UCSC-CRL-94-19, University of Califonia, Santa Cruz, 1994.

[139] Kevin Chun-Ho Wong, Pheng-Ann Heng, and Tien-Tsin Wong. Accelerating "intelligent scissors" using slimmed graphs. *Journal of Graphics Tools: JGT*, 5(2):1–13, 2000.

[140] P. Wust, J. Gellermann, J. Beier, S. Wegner, W. Tilly, J. Tröger, D. Stalling, H. Oswald, H.-C. Hege, P. Deuflhard, and R. Felix. Evaluation of segmentation algorithms for generation of patient models in radiofrequency hyperthermia. *Phys. Med. Biol*, 43(11):3295–3507, 1998.

[141] S. Zachow, E. Gladiline, H.-C. Hege, and P. Deuflhard. Finite-element simulation of soft tissue deformation. In H. U. Lemke et al., editor, *Computer Assisted Radiology and Surgery (CARS)*, pages 23–28. Elsevier Science B.V., 2000.

[142] Hans-Christian Hege, Martin Seebaß, Detlev Stalling, and Malte Zöckler. A generalized marching cubes algorithm based on non-binary classifications. Technical Report SC-97-05, Konrad-Zuse-Zentrum für Informationstechnik Berlin (ZIB), 1997.

[143] Karlheinz Rein, Malte Zöckler, and Martin Heisenberg. A quantitative three-dimensional model of the drosophila optic lobes. *Current Biology*, 9(2):93–96, 1999.

[144] Karlheinz Rein, Malte Zöckler, and Martin Heisenberg. Towards a quantitative 3d model of the drosophila brain. In N. Elsner and H.U. Schnitzler, editors, *Göttingen Neurobiology Report (Proc. 27th Göttingen Neurobiology Conference)*, page 742. G. Thieme Verlag, Stuttgart, 1999.

[145] Karlheinz Rein, Malte Zöckler, Michael Mader, Cornelia Grübel, and Martin Heisenberg. A quantitative three-dimensional model of the drosophila optic lobes. *Current Biology*, 12:227–231, 2002.

[146] Hartmut Schirmacher, Malte Zöckler, Detlev Stalling, and Hans-Christian Hege. Boundary surface shrinking - a continuous approach to 3D center line extraction. In Bernd Girod, Heinrich Niemann, and Hans-Peter Seidel, editors, *Proceedings of IMDSP'98*, pages 25–28, July 1998.

[147] Detlev Stalling and Malte Zöckler. *Amira 2.3 User's Guide*. Zuse Institute Berlin and Template Graphics Software Inc., San Diego, USA, http://www.amiravis.com/documentation.html, 2001.

[148] Detlev Stalling and Malte Zöckler. *AmiraDev 2.3 Programmer's Guide*. Zuse Institute Berlin and Template Graphics Software Inc., San Diego, USA, 2001.

[149] Detlev Stalling, Malte Zöckler, Oliver Sander, and Hans-Christian Hege. Weighted labels for 3D image segmentation. Technical report, Konrad-Zuse-Zentrum für Informationstechnik (ZIB), Preprint SC 98-39, 1998.

[150] Malte Zöckler, Karlheinz Rein, Robert Brandt, Detlev Stalling, and Hans-Christian Hege. Creating virtual insect brains with amira. Technical report, Zuse Institute Berlin (ZIB), Report ZR-01-32, 2001.

[151] Malte Zöckler, Detlev Stalling, and Hans-Christian Hege. Interactive visualization of 3D-vector fields using illuminated streamlines. In Roni Yagel and Gregory M. Nielson, editors, *Proceedings of the Conference on Visualization*, pages 107–114, Los Alamitos, October 27–November 1 1996. IEEE.

[152] Malte Zöckler, Detlev Stalling, and Hans-Christian Hege. Fast and intuitive generation of geometric shape transitions. *The Visual Computer*, 16(5):241–253, 2000.