

7 Literaturverzeichnis

- Abdel-Monem M, Durwald H and Hoffmann-Berling H (1976) Enzymatic unwinding of DNA. 2. Chain separation by an ATP-dependent DNA unwinding enzyme. *Eur J Biochem* **65**:441-9
- Baneyx F and Mujacic M (2004) Recombinant protein folding and misfolding in *Escherichia coli*. *Nat Biotechnol* **22**:1399-408
- Bertini E, Gadisseux JL, Palmieri G, Ricci E, Di Capua M, Ferriere G and Lyon G (1989) Distal infantile spinal muscular atrophy associated with paralysis of the diaphragm: a variant of infantile spinal muscular atrophy. *Am J Med Genet* **33**:328-35
- Biswas EE, Nagele RG and Biswas S (2001) A novel human hexameric DNA helicase: expression, purification and characterization. *Nucleic Acids Res* **29**:1733-40
- Borgato L, Bonizzato A, Lunardi C, Dusi S, Andrioli G, Scarperi A and Corrocher R (2001) A 1.1-kb duplication in the p67-phox gene causes chronic granulomatous disease. *Hum Genet* **108**:504-10
- Bradford MM (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* **72**:248-54
- Brown RS (2005) Zinc finger proteins: getting a grip on RNA. *Curr Opin Struct Biol* **15**:94-8
- Bulfield G, Siller WG, Wight PA and Moore KJ (1984) X chromosome-linked muscular dystrophy (mdx) in the mouse. *Proc Natl Acad Sci U S A* **81**:1189-92
- Bullock P, Champoux JJ and Botchan M (1985) Association of crossover points with topoisomerase I cleavage sites: a model for nonhomologous recombination. *Science* **230**:954-8
- Büttner K, Nehring S and Höpfner KP (2007) Structural basis for DNA duplex separation by a superfamily-2 helicase. *Nat Struct Mol Biol* **14**:647-52
- Cartegni L and Krainer AR (2002) Disruption of an SF2/ASF-dependent exonic splicing enhancer in SMN2 causes spinal muscular atrophy in the absence of SMN1. *Nat Genet* **30**:377-84
- Chen NN, Kerr D, Chang CF, Honjo T and Khalili K (1997) Evidence for regulation of

Literaturverzeichnis

- transcription and replication of the human neurotropic virus JCV genome by the human S(mu)bp-2 protein in glial cells. *Gene* **185**:55-62
- Chen YZ, et al. (2004) DNA/RNA helicase gene mutations in a form of juvenile amyotrophic lateral sclerosis (ALS4). *Am J Hum Genet* **74**:1128-35
- Chen JM, Chuzhanova N, Stenson PD, Ferec C and Cooper DN (2005) Complex gene rearrangements caused by serial replication slippage. *Hum Mutat* **26**:125-34
- Chen JM, Chuzhanova N, Stenson PD, Ferec C and Cooper DN (2005) Meta-analysis of gross insertions causing human genetic disease: novel mutational mechanisms and the role of replication slippage. *Hum Mutat* **25**:207-21
- Chen JM, Chuzhanova N, Stenson PD, Ferec C and Cooper DN (2005) Intrachromosomal serial replication slippage in trans gives rise to diverse genomic rearrangements involving inversions. *Hum Mutat* **26**:362-73
- Cheng Z, Muhrad D, Lim MK, Parker R and Song H (2007) Structural and functional insights into the human Upf1 helicase core. *EMBO J* **26**:253-64
- Chou CL and Morrison SL (1993) A common sequence motif near nonhomologous recombination breakpoints involving Ig sequences. *J Immunol* **150**:5350-60
- Cifuentes-Diaz C, et al. (2002) Neurofilament accumulation at the motor endplate and lack of axonal sprouting in a spinal muscular atrophy mouse model. *Hum Mol Genet* **11**:1439-47
- Collins JS and Schwartz CE (2002) Detecting polymorphisms and mutations in candidate genes. *Am J Hum Genet* **71**:1251-2
- Cook SA, Johnson KR, Bronson RT and Davisson MT (1995) Neuromuscular degeneration (nmd): a mutation on mouse chromosome 19 that causes motor neuron degeneration. *Mamm Genome* **6**:187-91
- Coover DD, et al. (1997) The survival motor neuron protein in spinal muscular atrophy. *Hum Mol Genet* **6**:1205-14
- Cox GA, Mahaffey CL and Frankel WN (1998) Identification of the mouse neuromuscular degeneration gene and mapping of a second site suppressor allele. *Neuron* **21**:1327-37
- Czaplinski K, Weng Y, Hagan KW and Peltz SW (1995) Purification and characterization of the Upf1 protein: a factor involved in translation and mRNA degradation. *RNA* **1**:610-23

- Dabora SL, Nieto AA, Franz D, Jozwiak S, Van Den Ouweland A and Kwiatkowski DJ (2000) Characterisation of six large deletions in TSC2 identified using long range PCR suggests diverse mechanisms including Alu mediated recombination. *J Med Genet* **37**:877-83
- Deininger PL and Batzer MA (1999) Alu repeats and human disease. *Mol Genet Metab* **67**:183-93
- den Dunnen JT and Antonarakis SE (2000) Mutation nomenclature extensions and suggestions to describe complex mutations: a discussion. *Hum Mutat* **15**:7-12
- DePristo MA, Weinreich DM and Hartl DL (2005) Missense meanderings in sequence space: a biophysical view of protein evolution. *Nat Rev Genet* **6**:678-87
- Desai-Mehta A, Cersaletti KM and Concannon P (2001) Distinct functional domains of nibrin mediate Mre11 binding, focus formation, and nuclear localization. *Mol Cell Biol* **21**:2184-91
- Diers A, Kaczinski M, Grohmann K, Hübner C and Stoltenburg-Didingier G (2005) The ultrastructure of peripheral nerve, motor end-plate and skeletal muscle in patients suffering from spinal muscular atrophy with respiratory distress type 1 (SMARD1). *Acta Neuropathol (Berl)* **110**:289-97
- Duquette A, et al. (2005) Mutations in senataxin responsible for Quebec cluster of ataxia with neuropathy. *Ann Neurol* **57**:408-14
- Eggert C, Chari A, Laggenbauer B and Fischer U (2006) Spinal muscular atrophy: the RNP connection. *Trends Mol Med* **12**:113-21
- Emery AE (1971) The nosology of the spinal muscular atrophies. *J Med Genet* **8**:481-95
- Emery AE, Hausmanowa-Petrusewicz I, Davie AM, Holloway S, Skinner R and Borkowska J (1976) International collaborative study of the spinal muscular atrophies. Part 1. Analysis of clinical and laboratory data. *J Neurol Sci* **29**:83-94
- Fairman ME, Maroney PA, Wang W, Bowers HA, Gollnick P, Nilsen TW and Jankowsky E (2004) Protein displacement by DExH/D "RNA helicases" without duplex unwinding. *Science* **304**:730-4
- Fan L and Simard LR (2002) Survival motor neuron (SMN) protein: role in neurite outgrowth and neuromuscular maturation during neuronal differentiation and development. *Hum Mol Genet* **11**:1605-14
- Faustino NA and Cooper TA (2003) Pre-mRNA splicing and human disease. *Genes Dev*

Literaturverzeichnis

17:419-37

- Feldkötter M, Schwarzer V, Wirth R, Wienker TF and Wirth B (2002) Quantitative analyses of SMN1 and SMN2 based on real-time lightCycler PCR: fast and highly reliable carrier testing and prediction of severity of spinal muscular atrophy. *Am J Hum Genet* **70**:358-68
- Fukita Y, Mizuta TR, Shirozu M, Ozawa K, Shimizu A and Honjo T (1993) The human S mu bp-2, a DNA-binding protein specific to the single-stranded guanine-rich sequence related to the immunoglobulin mu chain switch region. *J Biol Chem* **268**:17463-70
- Giannini A, Pinto AM, Rossetti G, Prandi E, Tiziano D, Brahe C and Nardocci N (2006) Respiratory failure in infants due to spinal muscular atrophy with respiratory distress type 1. *Intensive Care Med* **32**:1851-5
- Gorbalenya AE and Koonin EV (1993) Helicases: amino acid sequence comparisons and structure-function relationships. *Curr Opin Struct Biol* **3**:419-429
- Graves-Woodward KL, Gottlieb J, Challberg MD and Weller SK (1997) Biochemical analyses of mutations in the HSV-1 helicase-primase that alter ATP hydrolysis, DNA unwinding, and coupling between hydrolysis and unwinding. *J Biol Chem* **272**:4623-30
- Grishin NV (1998) The R3H motif: a domain that binds single-stranded nucleic acids. *Trends Biochem Sci* **23**:329-30
- Grohmann K, et al. (1999) Diaphragmatic spinal muscular atrophy with respiratory distress is heterogeneous, and one form is linked to chromosome 11q13-q21. *Am J Hum Genet* **65**:1459-62
- Grohmann K, et al. (2001) Mutations in the gene encoding immunoglobulin mu-binding protein 2 cause spinal muscular atrophy with respiratory distress type 1. *Nat Genet* **29**:75-7
- Grohmann K, et al. (2003) Infantile spinal muscular atrophy with respiratory distress type 1 (SMARD1). *Ann Neurol* **54**:719-24
- Grohmann K, et al. (2004) Characterization of Ighmbp2 in motor neurons and implications for the pathomechanism in a mouse model of human spinal muscular atrophy with respiratory distress type 1 (SMARD1). *Hum Mol Genet* **13**:2031-42
- Guenther UP, et al. (2004) Genomic rearrangements at the IGHMBP2 gene locus in two

- patients with SMARD1. *Hum Genet* **115**:319-26
- Guenther UP, et al. (2007) Clinical and mutational profile in spinal muscular atrophy with respiratory distress (SMARD): defining novel phenotypes through hierarchical cluster analysis. *Hum Mutat* **28**:808-15
- Guenther UP, Varon R, Handoko L, Stephani U, Tsao CY, Mendell JR, Hübner C, von Au K, Schuelke M (2007) Clinical variability in spinal muscular atrophy with respiratory distress type 1 (SMARD1): Determination of steady-state protein levels in five patients with infantile and juvenile disease onset. *J Mol Med (in revision)*
- Guex N and Peitsch MC (1997) SWISS-MODEL and the Swiss-PdbViewer: an environment for comparative protein modeling. *Electrophoresis* **18**:2714-23
- Hall MC and Matson SW (1999) Helicase motifs: the engine that powers DNA unwinding. *Mol Microbiol* **34**:867-77
- Hammond E and Donnerfeld AE (1995) Fetal akinesia. *Obstet Gynecol Surv* **50**:240-9
- Hartley L, et al. (2007) A congenital myopathy with diaphragmatic weakness not linked to the SMARD1 locus. *Neuromuscul Disord* **17**:174-9
- Helmken C, et al. (2003) Evidence for a modifying pathway in SMA discordant families: reduced SMN level decreases the amount of its interacting partners and Htra2-beta1. *Hum Genet* **114**:11-21
- Hentze MW and Kulozik AE (1999) A perfect message: RNA surveillance and nonsense-mediated decay. *Cell* **96**:307-10
- Hoffmann K, et al. (2006) Escobar syndrome is a prenatal myasthenia caused by disruption of the acetylcholine receptor fetal gamma subunit. *Am J Hum Genet* **79**:303-12
- Jankowsky E and Fairman ME (2007) RNA helicases - one fold for many functions. *Curr Opin Struct Biol* **17**:316-24
- Johnson ER and McKay DB (1999) Crystallographic structure of the amino terminal domain of yeast initiation factor 4A, a representative DEAD-box RNA helicase. *RNA* **5**:1526-34
- Kadare G and Haenni AL (1997) Virus-encoded RNA helicases. *J Virol* **71**:2583-90
- Kashima T and Manley JL (2003) A negative element in SMN2 exon 7 inhibits splicing in spinal muscular atrophy. *Nat Genet* **34**:460-3

Literaturverzeichnis

- Kim HD, Choe J and Seo YS (1999) The *sen1(+)* gene of *Schizosaccharomyces pombe*, a homologue of budding yeast SEN1, encodes an RNA and DNA helicase. *Biochemistry* **38**:14697-710
- Koonin EV (1992) A new group of putative RNA helicases. *Trends Biochem Sci* **17**:495-7
- Korolev S, Hsieh J, Gauss GH, Lohman TM and Waksman G (1997) Major domain swiveling revealed by the crystal structures of complexes of *E. coli* Rep helicase bound to single-stranded DNA and ADP. *Cell* **90**:635-47
- Laggerbauer B, Lauber J and Luhrmann R (1996) Identification of an RNA-dependent ATPase activity in mammalian U5 snRNPs. *Nucleic Acids Res* **24**:868-75
- Laggerbauer B, Achsel T and Luhrmann R (1998) The human U5-200kD DEXH-box protein unwinds U4/U6 RNA duplexes in vitro. *Proc Natl Acad Sci U S A* **95**:4188-92
- Lee JY and Yang W (2006) UvrD helicase unwinds DNA one base pair at a time by a two-part power stroke. *Cell* **127**:1349-60
- Lefebvre S, et al. (1995) Identification and characterization of a spinal muscular atrophy-determining gene. *Cell* **80**:155-65
- Lefebvre S, et al. (1997) Correlation between severity and SMN protein level in spinal muscular atrophy. *Nat Genet* **16**:265-9
- Levrán O, Doggett NA and Auerbach AD (1998) Identification of Alu-mediated deletions in the Fanconi anemia gene *FAA*. *Hum Mutat* **12**:145-52
- Liepinsh E, Leonchiks A, Sharipo A, Guignard L and Otting G (2003) Solution structure of the R3H domain from human Smubp-2. *J Mol Biol* **326**:217-23
- Lorson CL, Hahnen E, Androphy EJ and Wirth B (1999) A single nucleotide in the SMN gene regulates splicing and is responsible for spinal muscular atrophy. *Proc Natl Acad Sci U S A* **96**:6307-11
- Maddatu TP, Garvey SM, Schroeder DG, Hampton TG and Cox GA (2004) Transgenic rescue of neurogenic atrophy in the *nmd* mouse reveals a role for *Ighmbp2* in dilated cardiomyopathy. *Hum Mol Genet* **13**:1105-15
- Maddatu TP, et al. (2005) Dilated cardiomyopathy in the *nmd* mouse: transgenic rescue and QTLs that improve cardiac function and survival. *Hum Mol Genet* **14**:3179-89
- Marston FA (1986) The purification of eukaryotic polypeptides synthesized in

- Escherichia coli. *Biochem J* **240**:1-12
- Maystadt I, et al. (2004) Allelic heterogeneity of SMARD1 at the IGHMBP2 locus. *Hum Mutat* **23**:525-6
- McAndrew PE, et al. (1997) Identification of proximal spinal muscular atrophy carriers and patients by analysis of SMNT and SMNC gene copy number. *Am J Hum Genet* **60**:1411-22
- Meister G, Buhler D, Laggerbauer B, Zobawa M, Lottspeich F and Fischer U (2000) Characterization of a nuclear 20S complex containing the survival of motor neurons (SMN) protein and a specific subset of spliceosomal Sm proteins. *Hum Mol Genet* **9**:1977-86
- Mellins RB, Hays AP, Gold AP, Berdon WE and Bowdler JD (1974) Respiratory distress as the initial manifestation of Werdnig-Hoffmann disease. *Pediatrics* **53**:33-40
- Mizuta TR, Fukita Y, Miyoshi T, Shimizu A and Honjo T (1993) Isolation of cDNA encoding a binding protein specific to 5'-phosphorylated single-stranded DNA with G-rich sequences. *Nucleic Acids Res* **21**:1761-6
- Mohan WS, Chen ZQ, Zhang X, Khalili K, Honjo T, Deeley RG and Tam SP (1998) Human S mu binding protein-2 binds to the drug response element and transactivates the human apoA-I promoter: role of gemfibrozil. *J Lipid Res* **39**:255-67
- Molnar GM, Crozat A, Kraeft SK, Dou QP, Chen LB and Pardee AB (1997) Association of the mammalian helicase MAH with the pre-mRNA splicing complex. *Proc Natl Acad Sci U S A* **94**:7831-6
- Monani UR, Lorson CL, Parsons DW, Prior TW, Androphy EJ, Burghes AH and McPherson JD (1999) A single nucleotide difference that alters splicing patterns distinguishes the SMA gene SMN1 from the copy gene SMN2. *Hum Mol Genet* **8**:1177-83
- Monani UR, et al. (2000) The human centromeric survival motor neuron gene (SMN2) rescues embryonic lethality in Smn(-/-) mice and results in a mouse with spinal muscular atrophy. *Hum Mol Genet* **9**:333-9
- Monani UR (2005) Spinal muscular atrophy: a deficiency in a ubiquitous protein; a motor neuron-specific disease. *Neuron* **48**:885-96
- Moreira MC, et al. (2004) Senataxin, the ortholog of a yeast RNA helicase, is mutant in

Literaturverzeichnis

- ataxia-ocular apraxia 2. *Nat Genet* **36**:225-7
- Mullis KB and Faloona FA (1987) Specific synthesis of DNA in vitro via a polymerase-catalyzed chain reaction. *Methods Enzymol* **155**:335-50
- Neitzel H (1986) A routine method for the establishment of permanent growing lymphoblastoid cell lines. *Hum Genet* **73**:320-6
- Novelli G, Capon F, Tamisari L, Grandi E, Angelini C, Guerrini P and Dallapiccola B (1995) Neonatal spinal muscular atrophy with diaphragmatic paralysis is unlinked to 5q11.2-q13. *J Med Genet* **32**:216-9
- Patel SS and Donmez I (2006) Mechanisms of helicases. *J Biol Chem* **281**:18265-8
- Pfaffl MW (2001) A new mathematical model for relative quantification in real-time RT-PCR. *Nucleic Acids Res* **29**:e45
- Pitt M, Houlden H, Jacobs J, Mok Q, Harding B, Reilly M and Surtees R (2003) Severe infantile neuropathy with diaphragmatic weakness and its relationship to SMARD1. *Brain* **126**:2682-92
- Rajendra TK, Gonsalvez GB, Walker MP, Shpargel KB, Salz HK and Matera AG (2007) A *Drosophila melanogaster* model of spinal muscular atrophy reveals a function for SMN in striated muscle. *J Cell Biol* **176**:831-41
- Reese MG, Eeckman FH, Kulp D and Haussler D (1997) Improved splice site detection in Genie. *J Comput Biol* **4**:311-23
- Roberts RJ, et al. (2003) A nomenclature for restriction enzymes, DNA methyltransferases, homing endonucleases and their genes. *Nucleic Acids Res* **31**:1805-12
- Rocak S and Linder P (2004) DEAD-box proteins: the driving forces behind RNA metabolism. *Nat Rev Mol Cell Biol* **5**:232-41
- Rossoll W, Jablonka S, Andreassi C, Kroning AK, Karle K, Monani UR and Sendtner M (2003) Smn, the spinal muscular atrophy-determining gene product, modulates axon growth and localization of beta-actin mRNA in growth cones of motoneurons. *J Cell Biol* **163**:801-12
- Rudiger NS, Gregersen N and Kielland-Brandt MC (1995) One short well conserved region of Alu-sequences is involved in human gene rearrangements and has homology with prokaryotic chi. *Nucleic Acids Res* **23**:256-60
- Rudnik-Schöneborn S, Forkert R, Hahnen E, Wirth B and Zerres K (1996) Clinical

- spectrum and diagnostic criteria of infantile spinal muscular atrophy: further delineation on the basis of SMN gene deletion findings. *Neuropediatrics* **27**:8-15
- Rudnik-Schöneborn S, M. dV and K. Z (2004) Spinal muscular atrophies. In: Engel, A.G. and Franzini-Armstrong, C. *Myology, basic and clinical, 3rd edition, New York: McGraw-Hill.* **2**:1845-1864
- Rudnik-Schöneborn S, et al. (2004) Long-term observations of patients with infantile spinal muscular atrophy with respiratory distress type 1 (SMARD1). *Neuropediatrics* **35**:174-82
- Saiki RK, Scharf S, Faloona F, Mullis KB, Horn GT, Erlich HA and Arnheim N (1985) Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. *Science* **230**:1350-4
- Sanger F, Nicklen S and Coulson AR (1977) DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A* **74**:5463-7
- Schrank B, Gotz R, Gunnensen JM, Ure JM, Toyka KV, Smith AG and Sendtner M (1997) Inactivation of the survival motor neuron gene, a candidate gene for human spinal muscular atrophy, leads to massive cell death in early mouse embryos. *Proc Natl Acad Sci U S A* **94**:9920-5
- Sebastiani G, Durocher D, Gros P, Nemer M and Malo D (1995) Localization of the Catf1 transcription factor gene to mouse chromosome 19. *Mamm Genome* **6**:147-8
- Sengoku T, Nureki O, Nakamura A, Kobayashi S and Yokoyama S (2006) Structural basis for RNA unwinding by the DEAD-box protein Drosophila Vasa. *Cell* **125**:287-300
- Shapiro MB and Senapathy P (1987) RNA splice junctions of different classes of eukaryotes: sequence statistics and functional implications in gene expression. *Nucleic Acids Res* **15**:7155-74
- Shieh SY, Stellrecht CM and Tsai MJ (1995) Molecular characterization of the rat insulin enhancer-binding complex 3b2. Cloning of a binding factor with putative helicase motifs. *J Biol Chem* **270**:21503-8
- Shiratori A, Shibata T, Arisawa M, Hanaoka F, Murakami Y and Eki T (1999) Systematic identification, classification, and characterization of the open reading frames which encode novel helicase-related proteins in *Saccharomyces cerevisiae* by

Literaturverzeichnis

- gene disruption and Northern analysis. *Yeast* **15**:219-53
- Singleton MR, Dillingham MS, Gaudier M, Kowalczykowski SC and Wigley DB (2004) Crystal structure of RecBCD enzyme reveals a machine for processing DNA breaks. *Nature* **432**:187-93
- Singleton MR, Dillingham MS and Wigley DB (2007) Structure and mechanism of helicases and nucleic acid translocases. *Annu Rev Biochem* **76**:23-50
- Stahl FW (1979) Special sites in generalized recombination. *Annu Rev Genet* **13**:7-24
- Story RM and Steitz TA (1992) Structure of the recA protein-ADP complex. *Nature* **355**:374-6
- Streisinger G, Okada Y, Emrich J, Newton J, Tsugita A, Terzaghi E and Inouye M (1966) Frameshift mutations and the genetic code. This paper is dedicated to Professor Theodosius Dobzhansky on the occasion of his 66th birthday. *Cold Spring Harb Symp Quant Biol* **31**:77-84
- Takahashi TS, Wigley DB and Walter JC (2005) Pumps, paradoxes and ploughshares: mechanism of the MCM2-7 DNA helicase. *Trends Biochem Sci* **30**:437-44
- Tanner NK and Linder P (2001) DExD/H box RNA helicases: from generic motors to specific dissociation functions. *Mol Cell* **8**:251-62
- Vandesompele J, De Preter K, Pattyn F, Poppe B, Van Roy N, De Paepe A and Speleman F (2002) Accurate normalization of real-time quantitative RT-PCR data by geometric averaging of multiple internal control genes. *Genome Biol* **3**:RESEARCH0034
- Velankar SS, Soultanas P, Dillingham MS, Subramanya HS and Wigley DB (1999) Crystal structures of complexes of PcrA DNA helicase with a DNA substrate indicate an inchworm mechanism. *Cell* **97**:75-84
- Villaverde A and Carrio MM (2003) Protein aggregation in recombinant bacteria: biological role of inclusion bodies. *Biotechnol Lett* **25**:1385-95
- Viollet L, et al. (2002) Mapping of autosomal recessive chronic distal spinal muscular atrophy to chromosome 11q13. *Ann Neurol* **51**:585-92
- Viollet L, et al. (2004) Refined genetic mapping of autosomal recessive chronic distal spinal muscular atrophy to chromosome 11q13.3 and evidence of linkage disequilibrium in European families. *Eur J Hum Genet* **12**:483-8
- Volk AE (2007) Vergleichende molekularbiologische Untersuchung des IGHMBP2-Gens

- bei Patienten mit "Plötzlichen Säuglingstod" (SIDS) und bei "Säuglingen mit erklärter Todesursache" (SUDI). *Medizinische Doktorarbeit*
- Weng Y, Czaplinski K and Peltz SW (1996) Genetic and biochemical characterization of mutations in the ATPase and helicase regions of the Upf1 protein. *Mol Cell Biol* **16**:5477-90
- Werdnig G (1971) Two early infantile hereditary cases of progressive muscular atrophy simulating dystrophy, but on a neural basis. 1891. *Arch Neurol* **25**:276-8
- Winkler C, et al. (2005) Reduced U snRNP assembly causes motor axon degeneration in an animal model for spinal muscular atrophy. *Genes Dev* **19**:2320-30
- Wirth B (2000) An update of the mutation spectrum of the survival motor neuron gene (SMN1) in autosomal recessive spinal muscular atrophy (SMA). *Hum Mutat* **15**:228-37
- Wong I and Lohman TM (1992) Allosteric effects of nucleotide cofactors on Escherichia coli Rep helicase-DNA binding. *Science* **256**:350-5
- Wong VC, Chung BH, Li S, Goh W and Lee SL (2006) Mutation of gene in spinal muscular atrophy respiratory distress type I. *Pediatr Neurol* **34**:474-7
- Yang Q and Jankowsky E (2006) The DEAD-box protein Ded1 unwinds RNA duplexes by a mode distinct from translocating helicases. *Nat Struct Mol Biol* **13**:981-6
- Yeung KY and Ruzzo WL (2001) Principal component analysis for clustering gene expression data. *Bioinformatics* **17**:763-74
- Young L and Dong Q (2004) Two-step total gene synthesis method. *Nucleic Acids Res* **32**:e59
- Yu CE, et al. (1997) Mutations in the consensus helicase domains of the Werner syndrome gene. Werner's Syndrome Collaborative Group. *Am J Hum Genet* **60**:330-41
- Zerres K, Wirth B and Rudnik-Schoneborn S (1997) Spinal muscular atrophy--clinical and genetic correlations. *Neuromuscul Disord* **7**:202-7
- Zerres K and Davies KE (1999) 59th ENMC International Workshop: Spinal Muscular Atrophies: recent progress and revised diagnostic criteria 17-19 April 1998, Soestduinen, The Netherlands. *Neuromuscul Disord* **9**:272-8
- Zhang Q, Wang YC and Montalvo EA (1999) Smubp-2 represses the Epstein-Barr virus lytic switch promoter. *Virology* **255**:160-70

Literaturverzeichnis

- Zhang HL, Pan F, Hong D, Shenoy SM, Singer RH and Bassell GJ (2003) Active transport of the survival motor neuron protein and the role of exon-7 in cytoplasmic localization. *J Neurosci* **23**:6627-37
- Zhu J and Schiestl RH (1996) Topoisomerase I involvement in illegitimate recombination in *Saccharomyces cerevisiae*. *Mol Cell Biol* **16**:1805-12