

7 Literaturverzeichnis

Alarid ET, Bakopoulos N, Solodin N. Proteasome-mediated proteolysis of estrogen receptor: a novel component in autologous down-regulation. *Mol Endocrinol* 1999; 13: 1523-34.

Anderson GL, Judd HL, Kaunitz AM, et al.; Women's Health Initiative. Effects of estrogen plus progestin on gynecologic cancers and associated diagnostic procedures: the Women's Health Initiative randomized trial. *JAMA* 2003; 290: 1739-48.

Arai N, Strom A, Rafter JJ, et al. Estrogen receptor beta mRNA in colon cancer cells: growth effects of estrogen and genistein. *Biochem Biophys Res Commun* 2000; 270: 425-31.

Bayerdorffer E, Mannes GA, Ochsenkuhn T, et al. Unconjugated secondary bile acids in the serum of patients with colorectal adenomas. *Gut* 1995; 36: 268-73.

Becker HD, Hohenberger W, Junginger T, et al. in *Chirurgische Onkologie*, Kapitel 21, Seite 399-436, Stuttgart: Thieme Verlag 2002.

Beral V; Million Women Study Collaborators. Breast cancer and hormone-replacement therapy in the Million Women Study. *Lancet* 2003; 362: 419-27.

Bodmer WF, Bailey CJ, Bodmer J, et al. Localization of the gene for familial adenomatous polyposis on chromosome 5. *Nature* 1987; 328: 614-6.

Brandenberger AW, Tee MK, Jaffe RB. Estrogen receptor alpha (ER-alpha) and beta (ER-beta) mRNAs in normal ovary, ovarian serous cystadenocarcinoma and ovarian cancer cell lines: down regulation of ER beta in neoplastic tissues. *J Clin Endocrinol Metab* 1998; 83: 1025-28.

Brentnall TA, Crispin DA, Rabinovitch PS, et al. Mutations in the p53 gene: an early marker of neoplastic progression in ulcerative colitis. *Gastroenterol* 1994; 107: 639-78.

Breuer N, Goebell H. The role of bile acids in colonic carcinogenesis. *Klin Wochenschr* 1985; 63: 97-105.

Burt RW, Samowitz W. The adenomatous polyp and the hereditary polyposis syndromes. *Gastroenterol Clin N Am* 1988; 17:657-678.

Byers M, Kuiper GG, Gustafsson JA, et al. Estrogen receptor-beta mRNA expression in rat ovary: down-regulation by gonadotropins. *Mol Endocrinol* 1997; 11: 172-82.

Calle EE, Miracle-McMahill HL, Thun MJ, et al. Estrogen replacement therapy and risk of fatal colon cancer in a prospective cohort of postmenopausal women. *J Natl Cancer Inst* 1995; 87: 517-23.

Campbell-Thompson M, Lynch IJ, Bhardwaj B. Expression of estrogen receptor (ER) subtypes and ERbeta isoforms in colon cancer. *Cancer Res* 2001; 61: 632-640.

- Cheng J**, Lee EJ, Madison LD, et al. Expression of estrogen receptor beta in prostate carcinoma cells inhibits invasion and proliferation and triggers apoptosis. *FEBS Letters* 2004; 566: 169-72.
- Church JM**, McGannon E. Prior pregnancy ameliorates the course of intra-abdominal desmoid tumors in patients with familial adenomatous polyposis. *Dis Colon Rectum* 2000; 43: 445-50.
- Cowley SM**, Hoare S, Mosselman S, Parker MG. Estrogen receptors alpha and beta form heterodimers on DNA. *J Biol Chem* 1997; 272: 19858-62.
- DeCosse JJ**, Ngoi SS, Jacobson JS, et al. Gender and colorectal cancer. *Eur J Cancer Prev* 1993; 2: 105-113.
- Delaunay F**, Pettersson K, Tujague M, et al. Functional differences between the amino-terminal domains of estrogen receptors alpha and beta. *Mol Pharmacol* 2000; 58: 584-90.
- Di Leo A**, Messa C, Cavallini A, et al. Estrogens and colorectal cancer. *Curr Drug Targets Immune Endocr Metabol Disord*. 2001; 1: 1-12.
- Du Breuil RM**, Patel JM, Mendelow BV. Quantitation of beta-actin-specific mRNA transcripts using xeno-competitive PCR. *PCR Methods Appl* 1993; 6: 57-59.
- Enmark E**, Pelto-Huikko M, Grandien K, et al. Human estrogen receptor beta-gene structure, chromosomal localization, and expression pattern. *J Clin Endocrinol Metab* 1997; 82: 4258-4262.
- Fernandez E**, La Vecchia C, Franceschi S, et al. Oral contraceptive use and risk of colorectal cancer. *Epidemiology* 1998; 9: 295-300.
- Fiorelli G**, Picariello L, Martinetti V, et al. Functional estrogen receptor beta in colon cancer cells. *Biochem Biophys Res Commun* 1999; 261: 521-527.
- Fishel R**, Lescoe MK, Rao MR, et al. The human mutator gene homolog MSH2 and its association with hereditary nonpolyposis colon cancer. *Cell* 1993; 75: 1027-38.
- Foley EF**, Jazaeri AA, Shupnik MA, et al. Selective loss of estrogen receptor beta in malignant human colon. *Cancer Res* 2000; 60: 245-248.
- Folsom AR**, Anderson JP, Ross JA. Estrogen replacement therapy and ovarian cancer. *Epidemiology* 2004; 15: 100-4.
- Fraumeni JF**, Lloyd JW, Smith EM, et al. Cancer mortality among nuns; role of marital status in etiology of neoplastic disease in women. *J Natl Cancer Inst* 1969; 42: 455-468.
- Froggatt NJ**, Green J, Brassett C, et al. A common MSH2 mutation in English and North American HNPCC families: origin, phenotypic expression, and sex specific differences in colorectal cancer. *J Med Genet* 1999; 36: 97-102.

- Gardner EJ**, Richards RC. Multiple cutaneous and subcutaneous lesions occurring simultaneously with hereditary polyposis and osteomatosis. *Am J Hum Genet* 1953; 5: 139-147.
- Gershbein LL**. Action of estrogen and adrenocorticoids on adenocarcinoma induction by 1,2-dimethylhydrazine in male rats. *Res Commun Chem Pathol Pharmacol* 1993; 81: 117-120.
- Giardiello FM**, Hyland LM, Trimbath JD, et al. Oral contraceptives and polyp regression in familial adenomatous polyposis. *Gastroenterol* 2005; 128: 1077-80.
- Giovannucci E**, Stampfer MJ, Colditz G, et al. Relationship of diet to risk of colorectal adenoma in men. *J Natl Cancer Inst* 1992; 84: 91-8.
- Green S**, Walter P, Kumar V, et al. Human oestrogen receptor cDNA: sequence, expression and homology to v-erb-A. *Nature* 1986; 320: 134-9.
- Grodstein F**, Martinez ME, Platz EA, et al. Postmenopausal hormone use and risk for colorectal cancer and adenoma. *Ann Intern Med* 1998; 28: 705-12.
- Hill MJ**, Morson BC, Bussey HJ. Aetiology of adenoma-carcinoma-sequence in large bowel. *Lancet* 1978; 1: 245-7.
- Horvath LG**, Henshall SM, Lee CS, et al. Frequent loss of estrogen receptor-beta expression in prostate cancer. *Cancer Res* 2001; 61: 5331-35.
- Howe GR**, Benito E, Castelleto R, et al. Dietary intake of fiber and decreased risk of cancers of the colon and rectum: evidence from the combined analysis of 13 case-control studies. *J Natl Cancer Inst* 1992; 84: 1887-96.
- Ing NH**, Spencer TE, Bazer FW. Estrogen enhances endometrial estrogen receptor gene expression by a post-transcriptional mechanism in the ovariectomized ewe. *Biol Reprod* 1996; 54: 591-9.
- Issa JP**, Ottaviano YL, Celano P, et al. Methylation of the oestrogen receptor CpG island links ageing and neoplasia in human colon. *Nat Genet* 1994; 7: 536-40.
- Iwao K**, Miyoshi Y, Egawa C, et al. Quantitative analysis of estrogen receptor-beta mRNA and its variants in human breast cancer. *Int J Cancer* 2000; 88: 733-36.
- Jakacka M**, Ito M, Weiss J, et al. Estrogen receptor binding to DNA is not required for its activity through the nonclassical AP-1 pathway. *J Biol Chem* 2001; 276: 13615-13621.
- Jarvinen TA**, Pelto-Huikko M, Holli K, et al. Estrogen receptor beta is coexpressed with ERalpha and PR and associated with nodal status, grade, and proliferation rate in breast cancer. *Am J Pathol* 2000; 156: 29-35.
- Jarred RA**, Cancilla B, Prins GS, et al. Evidence that estrogens directly alter androgen-regulated prostate development. *Endocrinol* 2000; 141: 3471-77.

- Kampman E**, Potter JD, Slattery ML, et al. Hormone replacement therapy, reproductive history, and colon cancer: A multicenter, case-control study in the United States. *Cancer Causes Control* 1997; 8: 146-58.
- Katzenellenbogen JA**, Katzenellenbogen BS. Nuclear hormone receptors: ligand-activated regulators of transcription and diverse cell responses. *Chem Biol* 1996; 3: 529-36.
- Kolodner RD**. Mismatch repair: mechanism and relationship to cancer susceptibility. *Trend Biochem Sci* 1995; 20: 397-401.
- Konstantinopoulos PA**, Kominea A, Vandoros G, et al. Oestrogen receptor beta (ERbeta) is abundantly expressed in normal colonic mucosa, but declines in colon adenocarcinoma paralleling the tumor's dedifferentiation. *Eur J Cancer* 2003; 39: 1251-58.
- Kuiper GG**, Enmark E, Peltö-Huikko M, et al. Cloning of a novel receptor expressed in rat prostate and ovary. *Proc Natl Acad Sci USA* 1996; 93: 5925-30.
- Kuiper GG**, Carlsson B, Grandien K, et al. Comparison of the ligand binding specificity and transcript tissue distribution of estrogen receptor alpha and beta. *Endocrinol* 1997; 138: 863-70.
- Kumar V**, Chambon P. The estrogen receptor binds tightly to its responsive element as a ligand-induced homodimer. *Cell* 1988; 55: 145-56.
- Lacey JV Jr**, Mink PJ, Lubin JH, et al. Menopausal hormone replacement therapy and risk of ovarian cancer. *JAMA* 2002; 288: 334-41.
- Latil A**, Bieche I, Vidaud D, et al. Evaluation of androgen, estrogen (ER alpha and ER beta), and progesterone receptor expression in human prostate cancer by real-time quantitative reverse transcription-polymerase chain reaction assays. *Cancer Res* 2001; 61: 1919-26.
- Leach FS**, Nicolaidis NC, Papadopoulos N, et al. Mutations of mutS homolog in hereditary nonpolyposis colorectal cancer. *Cell* 1993; 75: 1215-25.
- Leav I**, Lau KM, Adams JY, et al. Comparative studies of the estrogen receptors beta and alpha and the androgen receptor in normal human prostate glands, dysplasia, and primary and metastatic carcinoma. *Am J Pathol* 2001; 159: 13-16.
- Leppert M**, Dobbs M, Scambler P, et al. The gene for familial polyposis coli maps to the long arm of chromosome 5. *Science* 1987; 238: 1411-3.
- Levi F**, La Vecchia C, Randimbison L, et al. Patterns of large bowel cancer by subsite, age, sex and marital status. *Tumori* 1991; 77: 246-51.
- Lowry OH**, Rosebrough NJ, Farr AL, et al. Protein measurement with the folin phenol reagent. *J Biol Chem* 1951; 193: 265-275.

- Luss H**, Nussler NC, Beger HG, et al. Expression and detection of inducible Nitric Oxide Synthase in experimental models of inflammation. *Methods* 1996; 10: 51-60.
- Mangelsdorf DJ**, Thummel C, Beato M, et al. The nuclear receptor superfamily: the second decade. *Cell* 1995; 83: 835-9.
- Monroe KR**, Hankin JH, Pike MC, et al. Correlation of dietary intake and colorectal cancer incidence among Mexican-American migrants: the multiethnic cohort study. *Nutr Cancer* 2003; 45: 133-47.
- Morson BC**. The polyp-cancer sequence in the large bowel. *Proc R Soc Med* 1974; 67: 451-7.
- Mosselman S**, Polman J, Dijkema R. ER beta: identification and characterization of a novel human estrogen receptor. *FEBS Lett.* 1996; 392: 49-53.
- Nanda K**, Bastian LA, Hasselblad V, et al. Hormone replacement therapy and the risk of colorectal cancer: a meta-analysis. *Obstet Gynecol* 1999; 93: 880-88.
- Nelson HD**, Humphrey LL, Nygren P, et al. Postmenopausal hormone replacement therapy: scientific review. *JAMA* 2002; 288: 872-81.
- Newcomb PA**, Storer BE. Postmenopausal hormone use and risk of large-bowel cancer. *J Natl Cancer Inst* 1995; 87: 1067-71.
- Ochiai M**, Watanabe M, Kushida H, et al. DNA adduct formation, cell proliferation and aberrant crypt focus formation induced by PhIP in male and female rats colon with relevance to carcinogenesis. *Carcinogenesis* 1996; 17: 95-98.
- Odagiri E**, Jibiki K, Kato Y, et al. Steroid receptors in dimethylhydrazine-induced colon carcinogenesis. *Cancer* 1985; 56: 2627-34.
- Pace P**, Taylor J, Suntharalingam S, et al. Human estrogen receptor beta binds DNA in a manner similar to and dimerizes with estrogen receptor alpha. *J Biol Chem* 1997; 272: 25832-38.
- Paech K**, Webb P, Kuiper GG, et al. Differential ligand activation of estrogen receptors ERalpha and ERbeta at AP1 sites. *Science* 1997; 277: 1508-1510.
- Paganini-Hill A**. Estrogen replacement therapy and colorectal cancer risk in elderly women. *Dis Colon Rectum* 1999; 42: 1300-5.
- Papadopoulos N**, Nicolaidis NC, Wei YE, et al. Mutation of a mutL homolog in hereditary colon cancer. *Science* 1994; 263: 1625-9.
- Parkin DM**, Muir CS, Whelan SL, et al. Cancer incidence in five continents. Lyon (France): International Agency for Research on Cancer; 1992.

- Pasquali D**, Rossi V, Esposito D, Abbondanza C, Puca GA, Bellastella A, Sinisi AA. Loss of estrogen receptor β expression in malignant human prostate cells in primary cultures and in prostate cancer tissues. *J Clin Endocrinol Metab* 2001, 86, 2051-55.
- Peltomaki P**, de la Chapelle A. Mutations predisposing to hereditary non-polyposis colorectal cancer. *Adv Cancer Res* 1997, 71, 93-119.
- Peters RK**, Pike MC, Chang WW, Mack TM. Reproductive factors and colon cancers. *Br J Cancer* 1990, 61, 741-8.
- Pettersson K**, Grandien K, Kuiper GG, Gustafsson JA. Mouse estrogen receptor β forms estrogen response element-binding heterodimers with estrogen receptor α . *Mol Endocrinol* 1997, 11, 1486-96.
- Potter JD**, McMichael AJ. Large bowel cancer in women in relation to reproductive and hormonal factors: a case-control study. *J Natl Cancer Inst* 1983, 71, 703-9.
- Potter JD**. Colorectal cancer: Molecules and Populations. *J Natl Cancer Inst* 1999, 91, 916-932.
- Pujol P**, Rey JM, Nirde P, Roger P, Gastaldi M, Laffargues F, Rochefort H, Maudelonde T. Differential expression of estrogen receptor-alpha and -beta messenger RNAs as a potential marker of ovarian carcinogenesis. *Cancer Res* 1998, 58, 5367-73.
- Qiu Y**, Waters CE, Lewis AE, Langman MJ, Eggo MC. Oestrogen-induced apoptosis in colonocytes expressing oestrogen receptor β . *J Endocrinol* 2002, 174, 369-77.
- Riede UN**, Schaefer HE, Krekeler GR. Digestorisches System. In: Riede UN, Schaefer HE. *Allgemeine und spezielle Pathologie. Kapitel 12, Seite 659-740*, Stuttgart: Thieme Verlag 1993.
- Ries LA**, Wingo PA, Miller DS, Howe HL, Weir HK, Rosenberg HM, Vernon SW, Cronin K, Edwards BK. The annual report to the nation on the status of cancer, 1993-1997. *Cancer (Phila)* 2000, 88, 2398-2424.
- Rodriguez C**, Patel AV, Calle EE, Jacob EJ, Thun MJ. Estrogen replacement therapy and ovarian cancer mortality in a large prospective study of US women. *JAMA* 2001, 285, 1460-65.
- Roger P**, Sahla ME, Makela S, Gustafsson JA, Baldet P, Rochefort H. Decreased expression of estrogen receptor beta protein in proliferative preinvasive mammary tumors. *Cancer Res* 2001, 61, 2537-41.
- Roussow JE**, Anderson GL, Prentice RL, LaCroix AZ, Kooperberg C, Stefanick ML, Jackson RD, Beresford SA, Howard BV, Johnson KC, Kotchen JM, Ockene J; Writing Group for Women's Health Initiative Investigators. Risks and benefits of estrogen plus progestin in

healthy postmenopausal women: principal results From the Women's Health Initiative randomized controlled trial. *JAMA* 2002, 288, 321-33.

Rutherford T, Brown WD, Sapi E, Aschkenazi S, Munoz A, Mor G. Absence of estrogen receptor-beta expression in metastatic ovarian cancer. *Obstet Gynecol* 2000, 96, 417-21.

Schmidt-Matthiesen H, Hepp H. *Gynäkologie und Geburtshilfe*. Stuttgart: Schattauer Verlag, 1998.

Shaw JA, Udokang K, Mosquera JM, Chauhan H, Jones JL, Walker RA. Estrogen receptor alpha and beta differ in normal human breast and breast carcinomas. *J Pathol* 2002, 198, 450-7.

Singh S, Paraskeva C, Callimore PH, Sheppard MC, Langman MJ. Differential growth response to oestrogen of premalignant and malignant colonic cell lines. *Anticancer Res* 1994, 14, 1037-41.

Slattery ML, Potter JD, Curtin K, Edwards S, Ma KN, Anderson K, Schaffer D, Samowitz WS. Estrogens reduce and withdrawal of estrogens increase risk of mikrosatellite instability-positive colon cancer. *Cancer Res* 2001, 61, 126-30.

Speirs V, Parkes AT, Kerin MJ, Walton DS, Carleton PJ, Fox JN, Atkin SL. Coexpression of estrogen receptor alpha and beta: poor prognostic factors in human breast cancer? *Cancer Res* 1999, 59, 525-528.

Thomas DB, Karagas MR. Cancer in first and second generation Americans. *Cancer Res* 1987, 47, 5771-6.

Tremblay GB, Tremblay A, Copeland NG, Gilbert DJ, Jenkins NA, Labrie F, Giugère V. Cloning, chromosomal localization, and functional analysis of the murine estrogen receptor β . *Mol Endocrinol* 1997, 11, 353-65.

Trock B, Lanza E, Greenwald P. Dietary fiber, vegetables, and colon cancer: critical review and meta-analyses of the epidemiologic evidence. *J Natl Cancer Inst* 1990, 82, 650-61.

Weiss NS, Daling JR, Chow WH. Incidence of cancer of the large bowel in women in relation to reproductive and hormonal factors. *J Natl Cancer Inst* 1981, 67, 57-60.

Xie LQ, Yu JP, Luo HS. Expression of estrogen receptor β in human colorectal cancer. *World J Gastroenterol* 2004, 10, 214-17.

Xu X, Thomas ML. Estrogen receptor-mediated direct stimulation of colon cancer cell growth in vitro. *Mol Cell Endocrinol* 1994, 105, 197-201.

Yeap BB, Krueger G, Leedman PJ. Differential post-transcriptional regulation of androgen receptor gene expression by androgen in prostate and breast cancer cells. *Endocrinol* 1999, 140, 3282-91.

