

## 6 Literaturverzeichnis

Abrams, J. S., Roncarolo, M. G., Yssel, H., Andersson, U., Gleich, G. J., Silver, J. E., Strategies of anti-cytokine monoclonal antibody development: immunoassay of IL-10 and IL-5 in clinical samples.  
Immunol. Rev. 127: 5 - 24, 1992

Alleva, D. G., Kaser, S. B., Monroy, M. A., Fenton, M. J., Beller, D. I., IL-15 functions as a potent autocrine regulator of macrophage proinflammatory cytokine production: evidence for differential receptor subunit utilization associated with stimulation or inhibition.  
J. Immunol. 159(6): 2941 - 2951, 1997

Anderson, D. M., Kumaki, S., Ahdieh, M., Bertles, J., Tometsko, M., Loomis, A., et al., Functional characterization of the human interleukin-15 receptor alpha chain and close linkage of IL-15R- and IL-2R-genes.  
J. Biol. Chem. 270:29862 - 29869, 1995

Armant, M., Delespesse, G., Sarfati, M., IL-2 and IL-7 but not IL-12 protect natural killer cells from death by apoptosis and up-regulate bcl-2 expression.  
Immunology 85(2): 331-337, 1995

Austyn, J.M. and Gordon, S., F4/80, a monoclonal antibody directed specifically against the mouse macrophage.  
Eur. J. Immunol. 11(10): 805 - 815, 1981

Avice, M. N., Demeure, C. E., Delespesse, G., Rubio, M., Armant, M., Sarfati, M., IL-15 promotes IL-12 production by human monocytes via T cell-dependent contact and may contribute to IL-12-mediated IFN-gamma secretion by CD4+ T cells in the absence of TCR ligation.  
J. Immunol. 161(7):3408 - 3415, 1998

Bamford, R. N., DeFilippis, A. P., Azimi, N., Kurys, G., Waldmann, T. A., The 5' untranslated region, signal peptide, and the coding sequence of the carboxyl terminus of IL-15 participate in its multifaceted translational control.  
J. Immunol. 160(9):4418 - 4426, 1998

Bamford, R. N., Grant, A. J., Burton, J. D., Peters, C., Kurys, G., Goldman, C. K., Brennan, J., Roessler, E., Waldmann, T. A., The interleukin (IL) 2 receptor beta chain is shared by IL-2 and a cytokine, provisionally designated IL-T, that stimulates T-cell proliferation and the induction of lymphokine-activated killer cells.  
Proc. Natl. Acad. Sci. U.S.A. 91(11):4940 - 4944, 1994

Bamford, R. N., Battiata, A. P., Burton, J. D., Sharma, H., Waldmann, T. A.,  
IL15/T produktion in the adult T-cell leukemia cell line HuT102 is associated with  
HTLV-I-R/IL-15 fusion message that lacks many upstream AUGs that normally  
attenuate IL-15 mRNA translation.

Proc. Natl. Acad. Sci. USA, 93: 2897 - 2902. 1996

Bancroft, G. J., Bosma, M. J., Bosma, G. C., Unanue, E. R.,  
Regulation of macrophage Ia expression in mice with severe combined  
immunodeficiency: induction of Ia expression by a T cell-independent mechanism.  
J. Immunol. 137(1):4 - 9, 1986

Bancroft, G. J., Sheehan, K. C. F., Schreiber R. D., Unanue, E. R.,  
Tumor Necrosis Factor is involved in the T Cell-independent Pathway of Macrophage  
Activation in *scid* Mice.  
J. Immunol. 143: 127-130, 1989

Bancroft, G.J., Schreiber, R.D., Bosma, G.C., Bosma, M.J., and Unanue, E. R.,  
A T cell-independent mechanism of macrophage activation by interferon-gamma.  
J. Immunol. 139(4): 1104 - 1107, 1987

Bancroft, G. J., Schreiber, R. D., Unanue, E. R.,  
Natural immunity: a T-cell-independent pathway of macrophage activation, defined in  
the scid mouse.  
Immunol. Rev. 124: 5 - 24, 1991

BD Biosciences Pharmingen (Autor nicht benannt), Apoptosis Applied Reagents and  
Technologies, [www.bdbiosciences.com](http://www.bdbiosciences.com)

Belosevic, M., Finbloom, D. S., Meltzer, M. S., Nacy, C. A.,  
A Cofactor for Induction of activated Macrophage Resistance to Infection  
J. Immunol. 145: 831 - 839, 1990

Biron, C. A., Nguyen, K. B, Pien, G. C., Cousens, L. P., Salazar-Mather, T. P.,  
Natural killer cells in antiviral defense: function and regulation by innate cytokines.  
Annu. Rev. Immunol. 17:189 – 220, 1999

Bogdan, Ch.,  
The function of type I interferons in antimicrobial immunity.  
Curr. Opin. Immunol., 12: 419-424; 2000

Budagian, V., Bulanova, E., Orinska, Z., Pohl, T., Borden, E.C., Silverman, R.,  
Bulfone-Paus, S.,  
Reverse signaling through membrane-bound interleukin-15.  
J. Biol. Chem. 279(40):42192 - 42201, 2004

Bulanova, E., Budagian, V., Orinska, Z., Krause, H., Paus, R., Bulfone-Paus, S.,  
Mast cells express novel functional IL-15 receptor alpha isoforms.  
J. Immunol. 170(10):5045 - 5055, 2003

Bulanova, E., Budagian, V., Pohl, T., Krause, H., Durkop, H., Paus, R., and Bulfone-Paus, S.,

The IL-15R alpha chain signals through association with Syk in human B cells.

J. Immunol. 167(11):6292-6302, 2001

Carayannopoulos, L. N. und Yokoyama, W. M.,

Recognition of infected cells by natural killer cells.

Curr. Opin. Immunol. 16(1):26-33, 2004

Carrero, J. A., Calderon, B., Unanue, E. R.

Listeriolysin O from *Listeria monocytogenes* is a lymphocyte apoptogenic molecule.

J. Immunol. 172(8):4866 - 4874, 2004

Carson, W. E., Fehniger, T. A., Haldar, S., Eckhert, K., Lindemann, M. J., Lai, C. F., Croce, C. M., Baumann, H., Caligiuri, M. A.,

A potential role for interleukin-15 in the regulation of human natural killer cell survival.

J. Clin. Invest. 99(5):937-943. 1997

Carson, W. E., Giri, J. G., Lindemann, M. J., Linett, M. L., Ahdieh, M., Paxton, R., Anderson, D., Eisenmann, J., Grabstein, K., and Caligiuri, M.A.,

Interleukin (IL) 15 is a novel cytokine that activates human natural killer cells via components of the IL-2 receptor.

J Exp Med 180(4):1395-1403, 1994

Carson, W. E., Ross, M. E., Baiocchi, R. A., Marien, M. J., Boiani, N., Grabstein, K., Caligiuri, M. A.,

Endogenous production of interleukin 15 by activated human monocytes is critical for optimal production of interferon-gamma by natural killer cells in vitro.

J. Clin. Invest. 96(6):2578 - 2582, 1995

Carson, W. E., Yu, H., Dierksheide, J., Pfeffer, K., Bouchard, P., Clark, R., Durbin, J., Baldwin, A. S., Peschon, J., Johnson, P. R., Ku, G., Baumann, H., Caligiuri, M. A.,  
A fatal cytokine-induced systemic inflammatory response reveals a critical role for NK cells.

J. Immunol. 162(8):4943 - 4951, 1999

Chan, Y.Y., und Cheers, C.,

Mechanism of depletion of T lymphocytes from the spleen of mice infected with *Listeria monocytogenes*.

Infect. Immun. 38: 686 – 693, 1982

Chomczynski, P., and Sacchi, N.,

Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction.

Anal. Biochem. Apr;162(1): 156 - 159, 1987.

Cooper M. A., Bush, J. E., Fehniger, T. A., VanDeusen, J. B., Waite, R. E., Liu Y., Aguila, H. L., Caligiuri, M. A.,

In vivo evidence for a dependence on interleukin 15 for survival of natural killer cells.

Blood 100: 3633 - 3638. 2002

- Cousens, L. P., Peterson, R., Hsu, S., Dorner, A., Altman, J. D., Ahmed, R., Biron, C. A.,  
Two roads diverged, interferon  $\alpha/\beta$ - and interleukin 12- mediated pathways in promoting T-cell interferon gamma responses during viral infections,  
J. Exp. Med. 189, 1315 ; 1999
- Daugelat, S., Ladel, C. H., Flesch, I. E., Kaufmann, S. H.,  
Activation of natural killer cells by heat-killed *Listeria monocytogenes* requires additional signals from lymphoid cells.  
Immunol. Lett. 50(1-2): 81 - 85, 1996
- Doherty, T. M., Seder, R. A., Sher, A.,  
Induction and regulation of IL-15 expression in murine macrophages.  
J. Immunol. 156(2): 735 - 741, 1996
- Dorner, B. G., Smith, H. R., French, A. R., Kim, S., Poursine-Laurent, J., Beckman, D. L., Pingel, J.T., Kroczeck, R. A., Yokoyama, W. M.,  
Coordinate expression of cytokines and chemokines by NK cells during murine cytomegalovirus infection.  
J. Immunol. 172(5): 3119 - 3131, 2004
- Dorshkind, K., Pollack, S. B., Bosma, M. J., Phillips, R. A.,  
Natural killer (NK) cells are present in mice with severe combined immunodeficiency (scid).  
J. Immunol. 134(6): 3798 - 3801, 1985
- Dubois, S., Mariner, J., Waldmann, T. A., Tagaya, Y.,  
IL-15Ralpha recycles and presents IL-15 in trans to neighboring cells.  
Immunity 17(5):537-547, 2002
- Ellery, J. M. und Nicholls, P. J.,  
Alternate signalling pathways from the interleukin-2 receptor.  
Cytokine. Growth Factor Rev. 13(1): 27 - 40, 2002
- Espinosa-Delgado, I., Ortaldo, J. R., Winkler-Pickett, R., Sugamura, K., Varesio, L., Longo, D. L.,  
Expression and role of p75 interleukin 2 receptor on human monocytes.  
J. Exp. Med 171(5): 1821 - 1826, 1990
- Farrar, M. A., und Schreiber, R. D.,  
The molecular cell biology of interferon-gamma and its receptor.  
Annu. Rev. Immunol. 11: 571 - 611, 1993
- Fehniger, T. A., und Caligiuri, M. A.,  
Interleukin 15: biology and relevance to human disease.  
Blood 97(1):14 - 32, 2001

Fehniger, T. A., Shah, M. H., Turner, M. J., VanDeusen, J. B., Whitman, S. P., Cooper, M. A., Suzuki, K., Wechsler, M., Goodsaid, F., Caligiuri, M. A., Differential cytokine and chemokine gene expression by human NK cells following activation with IL-18 or IL-15 in combination with IL-12: implications for the innate immune response.

J. Immunol. 162(8): 4511 - 4520, 1999

Fehniger, T. A., Yu, H., Cooper, M. A., Suzuki, K., Shah, M. H., Caligiuri, M. A., Cutting edge: IL-15 costimulates the generalized Shwartzman reaction and innate immune IFN-gamma production in vivo.

J. Immunol. 164(4):1643 - 1647, 2000

Fleming, T. J., Fleming, M. L., Malek, T. R., Selective expression of Ly-6G on myeloid lineage cells in mouse bone marrow. RB6-8C5 mAb to granulocyte-differentiation antigen (Gr-1) detects members of the Ly-6 family.

J. Immunol. 151(5):2399 - 2408, 1993

Flesch, I. E. A., Hess, J. H., Huang, S., Aguet, M., Rothe, J., Bluemann, H., Kaufmann, S. H. E.;

Early interleukin-12 production by macrophages in response to mycobacterial infection depends on interferon  $\gamma$  and tumour necrosis factor  $\alpha$ .

J. Exp. Med. 181:1615, 1995

Flynn, J. L., Chan, J., Triebold, K. J., Dalton, D. K., Stewart, T. A., Bloom, B. R., An essential role for interferon gamma in resistance to *Mycobacterium tuberculosis* infection.

J. Exp. Med. 178(6):2249 - 2254, 1993

Foti, M., Granucci, F., Ricciardi-Castagnoli, P.,

A central role for tissue-resident dendritic cells in innate responses.

Trends. Immunol. 25 (12): 650 - 654, 2004

Frank, S., Upender, S., Hansen, S. H., Casanova, J. E.,

ARNO is a Guanine Nucleotide Exchange Factor for ADP-ribosylation Factor 6.

J. Biol. Chem. 273: 23 – 27, 1998

Frucht, D. M., Fukao, T., Bogdan, C., Schindler, H., O'Shea, J. J., Koyasu, S., IFN-gamma production by antigen-presenting cells: mechanisms emerge.

Trends. Immunol. 22(10):556 - 560, 2001

Fukao, T., und Koyasu, S.,

Expression of functional IL-2 receptors on mature splenic dendritic cells.

Eur.J.Immunol. 30(5):1453-1457, 2000

Fukao, T., Matsuda, S., Koyasu, S.,

Synergistic effects of IL-4 and IL-18 on IL-12-dependent IFN-gamma production by dendritic cells.

J.Immunol. 164(1): 64 - 71, 2000

Gazzinelli, R. T., Hieny, S., Wynn, T. A., Wolf, S., Sher, A.,  
Interleukin 12 is required for the T-lymphocyte-independent induction of interferon  
gamma by an intracellular parasite and induces resistance in T-cell-deficient hosts.  
Proc. Natl. Acad. Sci. U.S.A. 90(13):6115 - 6119, 1993

Gazzinelli, R. T., Oswald, I. P., James, S. L., Sher, A.,  
IL-10 inhibits parasite killing and nitrogen oxide production by IFN-gamma-activated  
macrophages.  
J. Immunol. 148:1792 - 1796, 1992

Gillis, S., und Smith, K. A.,  
Long term culture of tumour-specific cytotoxic T cells.  
Nature. Jul 14;268(5616):154 - 156, 1977

Giorgi, J. V., und Warner, N. L.,  
Continuous cytotoxic T cell lines reaktive against plasmacytoma tumor-associated  
antigens.  
J. Immunol 126: 322 - 330. 1981

Giri, J. G., Ahdieh, M., Eisenman, J., Shanebeck, K., Grabstein, K., Kumaki, S.,  
Namen, A., Park, L. S., Cosman, D., and Anderson, D.  
Utilization of the beta and gamma chains of the IL-2 receptor by the novel cytokine  
IL-15.  
EMBO J. 13(12): 2822 - 2830, 1994

Giri, J. G., Kumaki, S., Ahdieh, M., Friend, D. J., Loomis, A., Shanebeck, K., DuBose,  
R., Cosman, D., Park, L. S., and Anderson, D. M.,  
Identification and cloning of a novel IL-15 binding protein that is structurally related to  
the alpha chain of the IL-2 receptor.  
EMBO J. 14(15):3654 - 3663, 1995

Glimcher, L., Shen, F.W., Cantor, H.,  
Identification of a cell-surface antigen selectively expressed on the natural killer cell.  
J. Exp. Med. 145(1): 1 - 9, 1977

Grabstein, K. H., Eisenman, J., Shanebeck, K., Rauch, C., Srinivasan, S., Fung, V.,  
Beers, C., Richardson, J., Schoenborn, M .A., and Ahdieh, M.  
Cloning of a T cell growth factor that interacts with the beta chain of the interleukin-2  
receptor.  
Science 264(5161): 965 - 968, 1994

Granucci, F., Vizzardelli, C., Pavelka, N., Feau, S., Persico, M., Virzi, E., Rescigno,  
M., Moro, G., and Ricciardi-Castagnoli, P.  
Inducible IL-2 production by dendritic cells revealed by global gene expression  
analysis.  
Nat. Immunol. 2(9):882 - 888, 2001

Granucci, F., Zanoni, I., Pavelka, N., Van Dommelen, S. L., Andoniou, C. E.,  
Belardelli, F., Degli Esposti, M. A., and Ricciardi-Castagnoli, P.,  
A contribution of mouse dendritic cell-derived IL-2 for NK cell activation.  
J. Exp. Med. 200(3): 287 - 295, 2004

---

- Harty, J. T., Schreiber, R. D., Bevan ,M. J.,  
CD8 T cells can protect against intracellular bacterium in an interferon  $\gamma$ -independent fashion  
Proc. Natl. Acad. Sci. U.S.A. 89, 11612 - 11616, 1992
- Havell, E. A., Spitalny, G. L., Patei, P. J.,  
Enhanced production of murine interferon  $\gamma$  by T cells generated in response to bacterial infection.  
J. Exp. Med. 156: 112, 1982
- Hebert, P., and Pruett, S. B.,  
Selective loss of viability of mouse NK cells in culture is associated with decreased NK cell lytic function.  
In Vitr. Mol. Toxicol. 14(2):71 - 82, 2001
- Hemar, A., Subtil, A., Lieb, M., Morelon, E., Hellio, R., and Dautry-Varsat, A.,  
Endocytosis of interleukin 2 receptors in human T lymphocytes: distinct intracellular localization and fate of the receptor alpha, beta, and gamma chains.  
J .Cell Biol. 129:55-64. 1995
- Hennig, M., Thäle, C., Kiderlen, A. F.,  
The role of IL-15 and IL-15R in Innate Immunity,  
27. Arbeitstagung der Norddeutschen Immunologen, Forschungszentrum Borstel,  
Abstract Book S.18, 2004
- Henning, M.,  
Interleukin-15 und Interleukin-15 Rezeptor in der angeborenen Immunantwort gegen pathogene Mikroorganismen, Diplomarbeit am Robert Koch Institut Berlin, 2005
- Hestdal, K., Ruscetti, F. W., Ihle, J. N., Jacobsen, S. E., Dubois, C. M., Kopp, W. C., Longo, D. L., Keller, J. R.,  
Characterization and regulation of RB6-8C5 antigen expression on murine bone marrow cells.  
J. Immunol. 147(1):22 - 28, 1991
- Hicke, L.,  
Ubiquitin-dependent internalization and downregulation,of plasma membrane proteins.  
FASEB J. 11: 1215 - 1226, 1997
- Hirose, K., Nishimura, H., Matsuguchi, T., Yoshikai, Y.,  
Endogenous IL-15 might be responsible for early protection by natural killer cells against infection with an avirulent strain of *Salmonella choleraesuis* in mice.  
J. Leukoc. Biol. 66(3): 382 - 390, 1999
- Hochrein, H., Shortman, K., Vremec, D., Scott, B., Hertzog, P., O'Keeffe, M.,  
Differential production of IL-12, IFN-alpha, and IFN-gamma by mouse dendritic cell subsets.  
J. Immunol. 166(9): 5448 - 5455, 2001

Hof, H., und Rocourt, J.,  
Is any strain of *Listeria monocytogenes* detected in food a health risk?  
Int J Food Microbiol. 16(3):173-82, 1992

Hof, H., Nichterlein, T., Kretschmar, M.,  
Management of listeriosis.  
Clin. Microbiol. Rev. 10(2): 345 - 357, 1997

Horst Ibergaufts cope: Cytokines Online Pathfinder Encyclopaedia ;  
<http://www.copewithcytokines.de>

Huang, S., Hendriks, W., Althage, A., Hemmi, S., Bluethmann, H., Kamijo, R., Vilcek, J., Zinkernagel, R. M., Aguet, M.,  
Immune response in mice that lack the interferon-gamma receptor.  
Science 259(5102):1742 - 1745, 1993

Internetseite des Robert Koch-Institutes <http://intern.rki.ivbb.bund.de/Listeriose>,  
Stand 01.03.2003

Jackson, C. L., und Casanova, J. E.,  
Turning on ARF: the Sec7 family of guanine-nucleotide-exchange factors.  
Trends Cell Biol. 10(2): 60 - 7, 2000

Janeway Ch. A., Travers, P., Walpot, M., Shlomchik, M.,  
Immunologie 5. Auflage-Heidelberg; Berlin Sektrum, Adademischer Verlag, 2002

Johnston J. A., Kawamura, M., Kirken, R. A., Chen Y. Q., Blake, T. B., Shibuya, K.,  
Ortaldo, J. R., McVicar O`Shea, J. J.,  
Phosphorylation and activation of JAK-3 Janus-Kinase in Response to interleukin-2,  
Nature 370: 151 - 153, 1994

Kagi, D., Ledermann, B., Burki, K., Seiler, P., Odermatt, B., Olsen, K. J., Podack, E. R., Zinkernagel, R. M., Hengartner, H.,  
Cytotoxicity mediated by T cells and natural killer cells is greatly impaired in perforin-deficient mice.  
Nature 369: 31 - 37, 1994

Karasuyama, H., Rolink, A., Melchers, F.,  
Recombinant interleukin 2 or 5, but not 3 or 4, induces maturation of resting mouse B lymphocytes and propagates proliferation of activated B cell blasts.  
J. Exp. Med. 167:1377 - 1390, 1988

Karlhofer, F. M., Orihuela, M. M., Yokoyama, W. M.,  
Ly-49-independent natural killer (NK) cell specificity revealed by NK cell clones derived from p53-deficient mice.  
J. Exp. Med. 181(5): 1785 - 1795, 1995

Kennedy, M. K., Glaccum, M., Brown, S. N., Butz, E. A., Viney, J. L., Embers, M., Matsuki, N., Charrier, K., Sedger, L., Willis, C.R., Brasel, K., Morrissey, P. J., Stocking, K., Schuh, J.C., Joyce, S., Peschon, J. J., Reversible defects in natural killer and memory CD8 T cell lineages in interleukin 15-deficient mice.

J. Exp. Med. 191(5):771 - 780, 2000

Khan, I. A., und Kasper, L. H.,

IL-15 Augments CD8+ T Cell-Mediated Immunity Against *Toxoplasma gondii* Infection in Mice

J. Immunol. 157: 2103-2108, 1996

Kidd, P.

Th1/Th2 balance: the hypothesis, its limitations, and implications for health and disease.

Altern. Med. Rev. 8(3):223 - 46, 2003

Kiderlen, A. F., und Kaye, P. M.,

A modified colorimetric assay of macrophage activation for intracellular cytotoxicity against Leishmania parasites.

J. Immunol. Methods 127(1):11 - 18, 1990

Kiderlen, A. F., Kaufmann, S. H., Lohmann-Matthes, M. L.,

Protection of mice against the intracellular bacterium *Listeria monocytogenes* by recombinant immune interferon.

Eur. J. Immunol. 14(10): 964 - 967, 1984

Kiessling, R., Klein, E., Pross, H., Wigzell, H.,

Natural killer cells in the mouse II. Cytotoxic cells with specificity for mouse Moloney leukemia cells. Characteristics of the killer cell.

Eur. J. Immunol. 5, 117–121. 1975a

Kim, S., Iizuka, K., Aguila, H. L., Weissman, I. L., Yokoyama, W. M.

In vivo natural killer cell activities revealed by natural killer cell-deficient mice.

Proc. Natl. Acad. Sci. U.S.A. 97(6): 2731 - 2736, 2000

Kim, S., Iizuka, K., Kang H. S., Dokun, A., French, A. R., Greco, S.,

Yokoyama, W. M.,

In vivo developmental stages in murine natural killer cell maturation.

Nat. Immunol. 3:523 - 528, 2002

Kirchhausen, T.,

Adaptors for clathrin-mediated traffic,

Annu. Rev. Cell Dev. Biol. 15: 705 - 32, 1999

Klausner, R. D., Ashwell, G., van Renswoude, J., Harford, J. B., Bridges, K. R.

Binding of apotransferrin to K 562 cells: explanation of the transferrin cycle.

Proc. Natl. Acad. Sci. USA. 80: 2263 - 2266, 1983

Klausner, R. D., Donaldson, J. G., Lippincott-Schwartz, J.,  
Brefeldin A: Insights into the Control of Membrane Traffic and Organelle Structure,  
Journal of Cell Biology 116(5): 1071 -1080, 1992

Kondo, M., Weissman, I. L., Akashi, K.  
Identifikation of a conogenic common lymphoid progenitors in mouse bone marrow.  
Cell 91: 661 - 72, 1997

Koo, G. C., und Peppard, J.R.,  
Establishment of monoclonal anti-Nk-1.1 antibody.  
Hybridoma 3(3): 301 - 303, 1984

Kundig, T. M., Schorle, H., Bachmann, M. F., Hengartner, H., Zinkernagel, R. M.,  
Horak, I.  
Immune responses in interleukin-2-deficient mice.  
Science 262(5136): 1059-1061, 1993

Laemmli, U. K.,  
Cleavage of structural proteins during the assembly of the head of bacteriophage T4.  
Nature 227: 680 - 685, 1970

Lauvau, G., Vijh, S., Kong, P., Horng, T., Kerksiek, K., Serbina, N., Tuma, R. A.,  
Pamer, E. G.,  
Priming of memory but not effector CD8 T cells by a killed bacterial vaccine.  
Science 294(5547):1735-9, 2001

Leonard, J. P., Sherman M. L., Fisher G. L., Buchanan L. J., Larsen, G., Atkins, M.  
B., Sosman, J. A., Dutcher, J. P., Vogelzang, N. J., Ryan, J. L.,  
Effects of single-dose interleukin-12 exposure on interleukin-12 associated toxicity  
and interferon- $\gamma$  production.  
Blood 90: 2541 - 2548, 1997

Lertmemongkolchai, G., Cai, G., Hunter, C. A., and Bancroft, G. J.,  
Bystander activation of CD8+ T cells contributes to the rapid production of IFN-  
gamma in response to bacterial pathogens.  
J. Immunol. 166(2):1097 - 1105, 2001

Lin, J. X., Migone, T. S., Tsang, M., Friedmann, M., Weatherbee, J. A., Zhou, L.,  
Yamauchi, A., Bloom, E.T., Mietz, J., John, S., et al.  
The role of shared receptor motifs and common STAT proteins in the generation of  
cytokine pleiotropy and redundancy by IL-2 IL4 IL-7 IL-13 and IL-15.  
Immunity 2(4): 331: 339 , 1995

Liu, K., Catalfamo, M., Li, Y., Henkart, P. A., Weng, N. P.,  
IL-15 mimics T cell receptor crosslinking in the induction of cellular proliferation, gene  
expression, and cytotoxicity in CD8+ memory T cells.  
Proc. Natl. Acad. Sci.U.S.A 99(9):6192 - 6197, 2002

Liu, T., Nishimura, H., Matsuguchi, T., and Yoshikai, Y.,  
Differences in interleukin-12 and -15 production by dendritic cells at the early stage of  
*Listeria monocytogenes* infection between BALB/c and C57 BL/6 mice.  
Cell Immunol. 202(1): 31 - 40, 2000

Ljunggren, H. G., und Kärre, K.,  
In search of the 'missing self':MHC molecules and NK cell recognition.  
Immunol. Today 11, 237 – 244, 1990

Ladolce, J. P., Burkett, P. R., Koka, R. M., Boone, D. L., Ma, A.  
Regulation of lymphoid homeostasis by interleukin-15.  
Cytokine Growth Factor Rev.13(6):429 - 39, 2002

Ma X,  
TNF- $\alpha$  and IL-12: a balancing act in macrophage functioning.  
Microbes and Infection 3: 121 - 129, 2001

Ma, X., Chow, J. M., Carra, G., Gerosa, F., Wolf, S. F., Dzalo, R., Trinchieri, G.,  
The interleukin-12 p40 gene promoter is primed by IFN- $\gamma$  in monocytic cells.  
J. Exp. Med. 183:147-157, 1996

Mackaness, G. B.,  
Cellular resistance to infection.  
J. Exp. Med. 116: 381 - 406, 1962

MacMicking, J., Xie, Q. W., Nathan, C.,  
Nitric oxide and macrophage function.  
Annu. Rev. Immunol. 15:323-350, 1997

Malek, T. R., Furse, R. K., Fleming, M. L., Fadell, A. J., and He, Y. W.,  
Biochemical identity and characterization of the mouse interleukin-2 receptor beta  
and gamma c subunits.  
J. Interferon. Cytokine. Res. 15(5): 447 - 454, 1995

Marks-Konczalik, J., Dubois, S., Losi, J.M., Sabzevari, H., Yamada, N., Feigenbaum,  
L., Waldmann, T.A., Tagaya, Y.  
IL-2-induced activation-induced cell death is inhibited in IL-15 transgenic mice.  
Proc. Natl. Acad. Sci. U.S.A 97(21):11445 - 11450, 2000

Matsumoto, S., Morikawa, K, Yanagida, M.,  
Light microscopic strukture of DNA in solution studied by the 4` , 6-diamidina-2-  
phenylindole staining method.  
J. Mol. Biol. 152 (501): 22-25, 1981

Mattei, F., Schiavoni, G., Belardelli, F., Tough, D. F.  
IL-15 is expressed by dendritic cells in response to type I IFN, double-stranded RNA,  
or lipopolysaccharide and promotes dendritic cell activation.  
J. Immunol. 167(3):1179 - 1187, 2001

- Mayor, S., Presley, J. F., Maxfield, F. R.  
Sorting of membrane components from endosomes and subsequent recycling to the cell surface occurs by a bulk flow process.  
J. Cell Biol. 121, 1257 - 1269, 1993
- Medzhitov, R. und Janeway, C. J.,  
Innate immunity.  
N. Engl. J. Med. 343(5):338 -344, 2000
- Merrick, J. C., Edelson, B. T., Bhardwaj, V., Swanson, P. E., Unanue, E. R.,  
Lymphocyte apoptosis during early phase of Listeria infection in mice.  
Am. J. Pathol. 151(3):785-792, 1997.
- Mestas, J., und Hughes, C.C.,  
Of mice and not men: differences between mouse and human immunology.  
J. Immunol. 172(5): 2731-2738, 2004
- Minagawa, M., Hisami Watanabe, H., Miyaji, C., Tomiyama, K., Shimura, H., Ito, A.,  
Ito, M., Domen, J., Weissman, I. L., Kawai, K.,  
Enforced expression of Bcl-2 restores the number of NK Cells, but does not rescue  
the impaired development of NKT Cells or Intraepithelial Lymphocytes, in IL-2/IL-15  
receptor-chain-deficient mice  
J. Immunol. 169: 4153 – 4160, 2002
- Miyagi, K., Kawakami, K., Saito, A.,  
Role of reactive nitrogen and oxygen intermediates in gamma interferon-stimulated  
murine macrophage bactericidal activity against *Burkholderia pseudomallei*.  
Infect. Immun. 65(10): 4108 - 4113, 1997
- Mombaerts, P., Iacomini, J., Johnson, R. S., Herrup, K., Tonegawa, S.,  
Papaioannou, V. E.,  
RAG-1-deficient mice have no mature B and T lymphocytes.  
Cell 68(5):869 - 877, 1992
- Mosmann, T. R., Cherwinski, H., Bond, M. W., Giedlin, M. A., Coffman, R. L.,  
Two types of murine helper T cell clone. I. Definition according to profiles of  
lymphokine activities and secreted proteins.  
J. Immunol. 136: 2348, 1986
- Mosmann, T.,  
Rapid colorimetric assay for cellular growth and survival: application to proliferation  
and cytotoxicity assays,  
J Immunol Methods. 65(1-2):55 - 63, 1983
- Moss, J., und Vaughan, M.,  
Molecules in the ARF orbit.  
J. Biol. Chem. 273: 21431 - 21434, 1998

Muller, I., Freudenberg, M., Kropf, P., Kiderlen, A. F., and Galanos, C.,  
*Leishmania major* infection in C57BL/10 mice differing at the Lps locus: a new non-healing phenotype.

Med. Microbiol. Immunol. 186(2-3): 75 - 81, 1997

Munder, M., Mallo, M., Eichmann, K., Modolell, M.,  
Murine macrophages secrete interferon gamma upon combined stimulation with interleukin (IL)-12 and IL-18: A novel pathway of autocrine macrophage activation.  
J. Exp. Med. 187(12): 2103 - 2108, 1998

Nakuchi, H., Shinkai, Y., Okumura, K.,  
Molecular cloning of Lyt-3, a membrane glycoprotein marking a subset of mouse T lymphocytes: Molecular homology to immunoglobulin and T-cell receptor variable and joining regions.  
Proc. Natl. Acad. Sci. USA, 84: 4210 - 4214, 1987

Naslavsky, N., Weigert, R., Julie G. Donaldson, J. G.,  
Convergence of Non-clathrin- and Clathrin-derived Endosomes Involves Arf6 Inactivation and Changes in Phosphoinositides.  
Molecular Biology of the Cell 14: 417–431, 2003

Neely, G. G., Epelman, S., Ma, L. L., Colarusso, P., Howlett, C. J., Amankwah, E. K., McIntyre, A. C., Robbins, S. M., Mody, C. H.,  
Monocyte surface-bound IL-15 can function as an activating receptor and participate in reverse signaling.  
J. Immunol. 172(7):4225-4234, 2004

Netea, M. G., Kullberg, B. J., Van Der Meer, J. W.,  
Circulating cytokines as mediators of fever.  
Clin. Infect. Dis. 31 (5):178 - 184, 2000

Nguyen, K. B., Cousens, L. P., Doughty, L. A., Pien, G. C., Durbin, J. E., Biron, C. A.,  
Interferon  $\alpha/\beta$ -mediated inhibition and promotion of interferon: STAT1 resolves a paradox.  
Nat. Immunol. 1: 70 - 76, 2000

Nguyen, K. B., Salazar-Mather, T. P., Dalod, M. Y., Van Deusen, J. B., Wei, X. Q.,  
Liew, F. Y., Caligiuri, M. A., Durbin, J. E., Biron, C. A.,  
Coordinated and distinct roles for IFN-alpha beta, IL-12, and IL-15 regulation of NK cell responses to viral infection.  
J. Immunol. 169(8): 4279 - 87, 2002

North, R. J., und Conlan, J. W.,  
Immunity to *Listeria monocytogenes*.  
Chem. Immunol. 70: 1 - 20, 1998

O'Donnell, M.A., Luo, Y., Chen, X., Szilvasi, A., Hunter, S.E., Clinton, S. K.,  
Role of IL-12 in the induction and potentiation of IFN-gamma in response to bacillus Calmette-Guerin.  
J. Immunol. 163(8): 4246 - 4252, 1999

- Ohteki, T.,  
Critical role for IL-15 in innate immunity.  
Curr. Mol. Med. 2(4): 371 - 380, 2002.
- Ohteki, T., Fukao, T., Suzue, K., Maki, C., Ito, M., Nakamura, M Koyasu, S.,  
Interleukin 12-dependent interferon gamma production by CD8alpha+ lymphoid  
dendritic cells.  
J. Exp. Med. 189(12):1981 - 1986, 1999.
- Ohteki, T., Suzue, K., Maki, C., Ota, T., Koyasu, S.,  
Critical role of IL-15-IL-15R for antigen-presenting cell functions in the innate immune  
response.  
Nat. Immunol. 2(12):1138 - 1143, 2001.
- Perera, L. P.,  
Interleukin 15: its role in inflammation and immunity.  
Arch. Immunol.T her.Exp.(Warsz). 48(6):457 - 464, 2000
- Peters, J., und Baumgarten, H.,  
Monoklonale Antikörper, Herstellung und Charakterisierung  
Springer Verlag Berlin 2.Auflage, S.202, 1990
- Picker, L. J., Singh, M. K., Zdravesci, Z., Treer, J.R., Waldrop, S. L., Bergstresser, P.  
R., Maino, V. C.,  
Direct demonstration of cytokine synthesis heterogeneity among human  
memory/effector T cells by flow cytometry.  
Blood 86:1408 - 1419, 1995
- Prat, M., Gribaudo, G., Comoglio, P. M., Cavallo, G., Landolfo, S.,  
Monoclonal antibodies against murine gamma interferon.  
Proc. Natl. Acad. Sci. U.S.A 81(14): 4515 - 4519, 1984
- Prussin, C., und Metcalfe, D. D.,  
Detection of intracytoplasmic cytokine using flow cytometry and directly conjugated  
anti-cytokine antibodies.  
J. Immunol. Methods 188(1): 117-128, 1995
- Puddu, P., Fantuzzi, L., Borghi, P., Varano, B., Rainaldi, G., Guillemard, E., Malorni,  
W., Nicaise, P., Wolf, S.F., Belardelli, F., Gessani, S.,  
IL-12 induces IFN-gamma expression and secretion in mouse peritoneal  
macrophages.  
J. Immunol. 159(7): 3490 - 3497, 1997
- Rogers, H. W., und Unanue, E. R.,  
Neutrophils are involved in acute, nonspecific resistance to *Listeria monocytogenes*  
in mice.  
Infect. Immun. 61(12):5090 - 5096, 1993
- Rogers, H. W., Callery, M. P., Deck, B., Unanue, E. R.,  
*Listeria monocytogenes* induces apoptosis of infected hepatocytes.  
J. Immunol. 156: 679 - 684, 1996

Rosmaraki, E. E., Douagi, I., Roth, C., Colucci, F., Cumano, A., Di Santo, J. P.,  
Identification of committed NK cell progenitors in adult murine bone marrow.  
Eur .J. Immunol. 31(6): 1900 - 1909, 2001

Salgame P.,  
Host innate and Th1 responses and the bacterial factors that control *Mycobacterium tuberculosis* infection.  
Curr. Opin. Immunol. 17: 374 - 380, 2005

Sandau, M. M., Schluns, K. S., Lefrancois, L., Jameson, S. C.,  
Cutting edge: transpresentation of IL-15 by bone marrow-derived cells necessitates  
expression of IL-15 and IL-15R alpha by the same cells.  
J. Immunol.;173 (11):6537-41. 2004

Sander, B., Andersson, J., Andersson, U.,  
Assessment of cytokines by immunofluorescence and the paraformaldehyde-saponin  
procedure.  
Immunol. Rev. 119: 65 - 93, 1991

Sasaki, D. T., Dumas, S. E., Engleman, E. G.,  
Discrimination of viable and non-viable cells using propidium iodide in two color  
immunofluorescence.  
Cytometry 8(4): 413 - 420, 1987

Schleicher, U., Hesse, A., Bogdan, C.,  
Minute numbers of contaminant CD8+ T cells or CD11b+CD11c+ NK cells are the  
source of IFN-gamma in IL-12/IL-18-stimulated mouse macrophage populations.  
Blood 105(3): 1319 - 1328, 2005

Schluns, K. S., Stoklasek, T., Lefrancois, L.,  
The roles of interleukin-15 receptor alpha: trans-presentation, receptor component, or  
both?  
Int. J. Biochem. Cell Biol. 37(8):1567 - 71, 2005

Schroder, K., Hertzog, P. J., Ravasi, T., Hume, D. A.,  
Interferon-gamma: an overview of signals, mechanisms and functions.  
J. Leukoc. Biol. 75(2): 163 - 189, 2004

Shapiro, H. M.,  
Practical Flow Cytometry.  
Forth Edition, John Wiley & Sons Hoboken New Jersey, USA, 2003

Spang, A., Herrmann, J. M., Hamamoto, S., Schekman, R.,  
The ADP ribosylation factor-nucleotide exchange factors Gea1p and Gea2p have  
overlapping, but not redundant functions in retrograde transport from the Golgi to the  
endoplasmic reticulum.  
Mol. Biol. Cell 12: 1035 – 1045, 2001

- Spitalny, G. L., und Havell, E. A.,  
Monoclonal antibody to murine gamma interferon inhibits lymphokine-induced  
antiviral and macrophage tumoricidal activities.  
J. Exp. Med. 159: 1560 - 1565, 1984
- Steinman, R. M., Mellman, I. S., Muller, W. A. Cohn, Z. A.,  
Endocytosis and the recycling of plasma membrane.  
J. Cell Biol. 96, 1 - 27, 1983
- Subtil A, Hémar, A., Dautry-Varsat, A.,  
Rapid endocytosis of interleukin 2 receptors when clathrin-coated pit endocytosis is  
inhibited.  
Journal of Cell Science 107, 3461-3468 ,1994
- Tabbara, K. S., Peters, N. C., Afrin, F., Mendez, S., Bertholot, S., Belkaid, Y., Sacks,  
D. L.,  
Conditions influencing the efficacy of vaccination with live organisms against  
*Leishmania major* infection  
Infect. Immun. 73 (8): 4714 - 4722, 2005
- Tagaya, Y., Burton, J.D., Miyamoto, Y., Waldmann, T.A.,  
Identification of a novel receptor/signal transduction pathway for IL-15/T in mast cells.  
EMBO J.15(18): 4928 - 4939, 1996
- Tagaya, Y., Kurys, G., Thies, T. A., Losi, J. M., Azimi, N., Hanover, J. A.,  
Bamford, R. N., and Waldmann, T. A.  
Generation of secretable and nonsecretable interleukin 15 isoforms through alternate  
usage of signal peptides.  
Proc. Natl. Acad. Sci. U.S.A. 94(26):14444 - 14449, 1997
- Tamaki, H., und Yamashina, S.,  
Structural integrity of the Golgi stack is essential for normal secretory functions of rat  
parotid acinar cells: effects of brefeldin A and okadaic acid.  
J. Histochem. Cytochem. 50(12): 1611 - 1623, 2002
- Tanaka, T., Tsudo, M., Karasuyama, H., Kitamura, F., Kono, T., Hatakeyama, M.,  
Taniguchi, T., Miyasaka, M.,  
A novel monoclonal antibody against murine IL-2 receptor beta-chain.  
Characterization of receptor expression in normal lymphoid cells and EL-4 cells.  
J. Immunol. 147(7): 2222 - 2228, 1991.
- Thäle, C.,und Kiderlen A.F.,  
Sources of Interferon gamma (IFN- $\gamma$ ) in early resone to *Listeria monocytogenes*.  
Immunobiology 210: 673 - 683, 2005
- Tomura, M., Zhou, X.Y., Maruo, S., Ahn, H.J., Hamaoka, T., Okamura, H., Nakanishi,  
K., Tanimoto, T., Kurimoto, M., Fujiwara, H. A.,  
Critical role for IL-18 in the proliferation and activation of NK1.1+ CD3- cells.  
J. Immunol. 160(10):4738 - 4746, 1998

Toomey, J. A., Gays, F., Foster, D., Brooks, C. G.,  
Cytokine requirements for the growth and development of mouse NK cells in vitro.  
J. Leukoc. Biol. 74(2): 233 - 242, 2003

Tran, P., Ahmad, R., Xu, J., Ahmad, A., Menezes, J.,  
Host's innate immune response to fungal and bacterial agents in vitro: up-regulation  
of interleukin-15 gene expression resulting in enhanced natural killer cell activity.  
Immunology 109(2): 263 - 270, 2003

Trinchieri, G.,  
Cytokines acting on or secreted by macrophages during intracellular infection (IL-10,  
IL-12, IFN-gamma).  
Curr. Opin. Immunol. 9(1): 17 - 23, 1997

Trinchieri, G., Matsumoto-Kobayashi, M., Clark, S. C., Sheehra, J., London, L.,  
Perussia, B.,  
Response of resting human peripheral blood natural killer cells to interleukin-2.  
J. Exp. Med. 160: 1147 - 1169, 1984

Trinchieri, G.,  
Interleukin-12 and the regulation of innate resistance and adaptive immunity.  
Nat. Rev. Immunol. 3(2):133 - 146, 2003

Tripp, C. S., Gately, M. K., Hakimi, J., Ling, P., Unanue, E. R.,  
Neutralization of IL-12 decreases resistance to Listeria in SCID and C.B-17 mice.  
Reversal by IFN-gamma.  
J. Immunol. 152(4):1883 - 1887, 1994

Tripp, C. S., Wolf, S. F., Unanue, E. R.,  
Interleukin 12 and tumor necrosis factor alpha are costimulators of interferon gamma  
production by natural killer cells in severe combined immunodeficiency mice with  
listeriosis, and interleukin 10 is a physiologic antagonist.  
Proc. Natl. Acad. Sci. U.S.A. 90(8): 3725 - 3729, 1993

Tsunobuchi, H., Nishimura, H., Goshima, F., Daikoku, T., Suzuki, H., Nakashima, I.,  
Nishiyama, Y., Yoshikai, Y.,  
A protective role of interleukin-15 in a mouse model for systemic infection with  
herpes simplex virus.  
Virology 275(1):57-66, 2000.

Unanue, E. R.,  
Inter-relationship among macrophages, natural killer cells and neutrophils in early  
stages of Listeria resistance.  
Curr. Opin. Immunol 9(1):35-43, 1997

Unkeless, J. C.,  
Characterisation of a monoclonal antibody directed against mouse macrophage and  
lymphocyte Fc receptors  
J. Exp. Med. 150: 580 - 596, 1979

Varkila, K., Chatelain, R., Leal, L. M., Coffman, R. L.,  
Reconstitution of C.B-17 scid mice with BALB/c T cells initiates a T helper type-1  
response and renders them capable of healing *Leishmania major* infection.  
Eur. J. Immunol. 23(1):262 - 268, 1993

Vermes, I., Haanen, C., Steffens-Nakken, H., Reutelingsperger, C. A.,  
Novel assay for apoptosis. Flow cytometric detection of phosphatidylserine  
expression on early apoptotic cells using fluorescein labelled Annexin V.  
J. Immunol. Methods. 184(1):39-51, 1995

von Koenig C. W., Finger, H., Hof, H.,  
Failure of killed *Listeria monocytogenes* vaccine to produce protective immunity  
Nature 297(5863), 233-234, 1982

Wang, X., Kang, H., Kikuchi, T., Suzuki, Y.,  
Gamma Interferon production, but not perforin-mediated cytolytic activity, of T Cells is  
required for prevention of Toxoplasmic Encephalitis in BALB/c mice genetically  
resistant to the disease.  
Infect. Immun. 72 (8); 4432 - 4438, 2004

Warschkau, H. und Kiderlen, A. F.  
A monoclonal antibody directed against the murine macrophage surface molecule  
F4/80 modulates natural immune response to *Listeria monocytogenes*.  
J. Immunol. 163(6):3409 - 3416, 1999

Williams, N. S., Klem, J., Puzanov, I. J., Sivakumar, P. V., Bennett, M., Kumar, V.,  
Differentiation of NK1.1+, Ly49+ NK cells from flt3+ multipotent marrow progenitor  
cells.  
J. Immunol. 163(5): 2648 - 2656, 1999

Witthuhn, B. A., Silvennoinen, O., Miura, O., Lai, K. S., Cwik, C., Liu, E. T., Ihle, J. N.,  
Involvement of JAK-3 Janus Kinase in signaling bei Interleukin-2 and 4 in lymphoid  
and myeloid cells  
Nature 370: 153 -157, 1994

Xu, R., Johnson, A. J., Liggitt, D., Bevan, M. J.,  
Cellular and humoral immunity against Vaccinia Virus infection of mice  
J. Immunol. 172 : 6265 - 6271, 2004

Yajima, T., Nishimura, H., Ishimitsu, R., Yamamura, K., Watase, T.,  
Busch, D. H., et al.,  
Memory phenotype CD8+ T cells in IL-15 transgenic mice are involved in early  
protection against a primary infection with *Listeria monocytogenes*.  
Eur J Immunol;31: 757 – 766, 2001

Yoshida, A., Koide, Y., Uchijima, M., Yoshida, T. O.,  
IFN-gamma induces IL-12 mRNA expression by a murine macrophage cell line J774.  
Biochem. Biophys. Res. Commun. 198: 857– 861, 1994

Yoshikai, Y., und Nishimura, H.,  
The role of interleukin 15 in mounting an immune response against microbial infections.  
Microbes. Infect. 2(4):381 - 389, 2000

Yoshimoto, T., Okamura, H., Tagawa, Y.I., Iwakura, Y., Nakanishi, K.,  
Interleukin 18 together with interleukin 12 inhibits IgE production by induction of interferon-gamma production from activated B cells.  
Proc. Natl. Acad. Sci. U.S.A. 94(8):3948 - 3953, 1997

Yu, A., und Malek, T. R.,  
The Proteasome Regulates Receptor-mediated Endocytosis of Interleukin-2,  
J. Biol. Chem. 276 (1): 381 – 385, 2001

Yu, A., Olosz, F., Choi, C.Y., Malek, T. R.,  
Efficient internalization of IL-2 depends on the distal portion of the cytoplasmic tail of the IL-2R common gamma-chain and a lymphoid cell environment.  
J. Immunol. 165(5):2556 - 2562, 2000