

7 Literatur

- ADAMS, H. P., BENDIXEN, B. H., KAPPELLE, L. J., BILLER, J., LOVE, B. B., GORDON, D. L., & E., M. E. (1993). Classification of subtype of acute ischemic stroke: definitions for use in a multicenter clinical trial. *Stroke*, 24, 35-41.
- AHARON-PERETZ, J., TOMER, R., GABRIELI, I., AHARONOV, D., NITECKI, S., & HOFFMAN, A. (2003). Cognitive performance following endarterectomy in asymptomatic severe carotid stenosis. *Eur J Neurol*, 10(5), 525-528.
- ARNING, C., HAMMER, E., KORTMANN, H., HAHM, H., MULLER-JENSEN, A., & LACHENMAYER, L. (2003). Quantifizierung von A. carotis interna-Stenosen: Welche Ultraschallkriterien sind geeignet? *Ultraschall Med*, 24(4), 233-238.
- ASKEN, M. J., & HOBSON, R. W. (1977). Intellectual change and carotid endarterectomy, subjective speculation or objective reality: a review. *J Surg Res*, 23(5), 367-375.
- ATKINSON, H. H., CESARI, M., KRITCHEVSKY, S. B., PENNINX, B. W., FRIED, L. P., GURALNIK, J. M. & WILLIAMSON, J. D. (2005). Predictors of combined cognitive and physical decline. *J Am Geriatr Soc*, 53(7), 1197-1202.
- BAILES, J. E. (2002). Carotid endarterectomy. *Neurosurgery*, 50(6), 1290-1295.
- BAKKER, F. C. K., C.J.M.; JENNEKENS-SCHINKEL, A.; KAPPELLE, L.J. (2000). Cognitive disorders in patients with occlusive disease of the carotid artery: a systematic review of the literature. *Journal of Neurology*, 247, 669-676.
- BALLOTTA, E., DA GIAU, G., RENON, L., ABBRUZZESE, E., SALADINI, M., MOSCARDO, P., BARACCHINI, C., & MENEGHETTI, G. (1999). Symptomatic and asymptomatic carotid artery lesions in peripheral vascular disease: a prospective study. *Int J Surg Investig*, 1(4), 357-363.
- BARNETT, H. J., MELDRUM, H. E., ELIASZIW, M., & THE NASCET COLLABORATORS. (2002). The appropriate use of carotid endarterectomy. *Cmaj*, 166(9), 1169-1179.
- BARNETT, H. J. M. (2004). Carotid Disease and Cognitive Dysfunction. *Ann Intern Med*, 140(4), 303-304.
- BARTH, A., LUKES, A., REMONDA, L., MATTLE, H., & SEILER, R. W. (2000). Ergebnisse und Stellenwert der Karotisthrombendarteriektomie. *Schweiz Med Wochenschr*, 130(29-30), 1062-1071.
- BARTH, A., & BASSETTI, C. (2003). Patient selection for carotid endarterectomy: how far is risk modeling applicable to the individual? *Stroke*, 34(2), 524-527.
- BENAVENTE, O., MOHER, D., & PHAM, B. (1998). Carotid endarterectomy for asymptomatic carotid stenosis: a meta-analysis. *Bmj*, 317(7171), 1477-1480.
- BENNION, R. S., OWENS, M. L., & WILSON, S. E. (1985). The effect of unilateral carotid endarterectomy on neuropsychological test performance in 53 patients. *J Cardiovasc Surg*, 26(1), 21-26.
- BERGER, K., KOLOMINSKY-RABAS, P., HEUSCHMANN, P., & KEIL, U. (2000). Die Häufigkeit des Schlaganfalls in Deutschland: Prävalenzen, Inzidenzen und ihre Datenquellen. *Dtsch Med Wochenschr*, 125(1-2), 21-25.
- BETTMANN, M. A., KATZEN, B. T., WHISNANT, J., BRANT-ZAWADZKI, M., BRODERICK, J. P., FURLAN, A. J., HERSHEY, L. A., HOWARD, V., KUNTZ, R., LOFTUS, C. M., PEARCE, W., ROBERTS, A., & ROUBIN, G. (1998). Carotid Stenting and Angioplasty : A Statement for Healthcare Professionals From the Councils on Cardiovascular Radiology, Stroke, Cardio-Thoracic and Vascular Surgery, Epidemiology and Prevention, and Clinical Cardiology, American Heart Association. *Stroke*, 29(1), 336-338.
- BICKEL, H. (2000). Demenzerkrankungen und Alzheimer Krankheit: Eine Schätzung des Krankenbestandes und der jährlichen Neuerkrankungen in Deutschland. *Gesundheitswesen*, 62, 211-218.
- BOEKE, S. (1981). The effect of carotid endarterectomy on mental functioning. *Clin Neurol Neurosurg*, 83(4), 209-217.

- BOGOUSLAVSKY, J., KASTE, M., SKYHOJ OLSEN, T., HACKE, W., & ORGOGOZO, J. M. (2000). Risk factors and stroke prevention. *European Stroke Initiative (EUSI). Cerebrovasc Dis*, 10(Suppl 3), 12-21.
- BOND, R., RERKASEM, K., SHEARMAN, C. P., & ROTHWELL, P. M. (2004). Time Trends in the Published Risks of Stroke and Death due to Endarterectomy for Symptomatic Carotid Stenosis. *Cerebrovasc Dis*, 18(1), 37-46.
- BONITA, R. (1992). Epidemiology of stroke. *Lancet*, 339, 342-344.
- BORNSTEIN, R. A., BENOIT, B. G., & TRITES, R. L. (1981). Neuropsychological changes following carotid endarterectomy. *Can J Neurol Sci*, 8(2), 127-132.
- BORRONI, B., TIBERIO, G., BONARDELLI, S., COTTINI, E., FACHERIS, M., AKKAWI, N., PEZZINI, A., CERVI, E., GIULINI, S. M., & PADOVANI, A. (2004). Is mild vascular cognitive impairment reversible? Evidence from a study on the effect of carotid endarterectomy. *Neurol Res*, 26(5), 594-597.
- BOSSEMA, E. R., BRAND, A. N., GEENEN, R., MOLL, F. L., ACKERSTAFF, R. G., & VAN DOORNEN, L. J. (2005). Effect of carotid endarterectomy on patient evaluations of cognitive functioning and mental and physical health. *Ann Vasc Surg*, 19(5), 673-677.
- BOSSEMA, E. R., BRAND, N., MOLL, F. L., ACKERSTAFF, R. G., & VAN DOORNEN, L. J. (2005a). Does carotid endarterectomy improve cognitive functioning? *J Vasc Surg*, 41(5), 775-781; discussion 781.
- BOSSEMA, E. R., BRAND, N., MOLL, F. L., ACKERSTAFF, R. G., & VAN DOORNEN, L. J. (2005b). Perioperative Microembolism is not Associated with Cognitive Outcome Three Months after Carotid Endarterectomy. *Eur J Vasc Endovasc Surg*, 29(3), 262-268.
- BRAND, N., BOSSEMA, E. R., OMMEN MV, M., MOLL, F. L., & ACKERSTAFF, R. G. (2004). Left or right carotid endarterectomy in patients with atherosclerotic disease: ipsilateral effects on cognition? *Brain Cogn*, 54(2), 117-123.
- BRINKMAN, S. D., BRAUN, P., GANJI, S., MORRELL, R. M., & JACOBS, L. A. (1984). Neuropsychological performance one week after carotid endarterectomy reflects intra-operative ischemia. *Stroke*, 15(3), 497-503.
- BROTT, T., ADAMS, H., JR, OLINGER, C. P., MARLER, J. R., BARSAN, W. G., BILLER, J., SPILKER, J., HOLLERAN, R., EBERLE, R., & HERTZBERG, V. (1989). Measurements of acute cerebral infarction: a clinical examination scale. *Stroke*, 20(7), 864-870.
- BROTT, T. G. (2002). Angioplasty and stenting should be performed only in the setting of a clinical trial. *Stroke*, 33, 2519-2520.
- BURKE, G. L., EVANS, G. W., RILEY, W. A., SHARRETT, A. R., HOWARD, G., BARNES, R. W., ROSAMOND, W., CROW, R. S., RAUTAHARJU, P. M., & HEISS, G. (1995). Arterial wall thickness is associated with prevalent cardiovascular disease in middle-aged adults. The Atherosclerosis Risk in Communities (ARIC) Study. *Stroke*, 26(3), 386-391.
- CAO, P., DE RANGO, P., & ZANNETTI, S. (2002). Eversion vs conventional carotid endarterectomy: a systematic review. *Eur J Vasc Endovasc Surg*, 23(3), 195-201.
- CASEY, J. E., FERGUSON, G. G., KIMURA, D., & HACHINSKI, V. C. (1989). Neuropsychological improvement versus practice effect following unilateral carotid endarterectomy in patients without stroke. *J Clin Exp Neuropsychol*, 11(4), 461-470.
- CHAMBERS, B. R., YOU, R. X., & DONNAN, G. A. (2003). Carotid endarterectomy for asymptomatic carotid stenosis. *Cochrane Database Syst Rev*(4).
- COLLIE, A., DARBY, D. G., FALLETTI, M. G., SILBERT, B. S., & MARUFF, P. (2002). Determining the extent of cognitive change after coronary surgery: a review of statistical procedures. *Ann Thorac Surg*, 73(6), 2005-2011.
- COLLIN, C., WADE, D. T., DAVIES, S., & HORNE, V. (1988). The Barthel ADL Index: a reliability study. *Int Disabil Stud*, 10(2), 61-63.

- COUMANS, J. V., & MCGRAIL, K. M. (2000). Psychiatric presentation of carotid stenosis. *Surgery*, 127(6), 713-715.
- CRAWLEY, F., STYGALL, J., LUNN, S., HARRISON, M., BROWN, M. M., & NEWMAN, S. (2000). Comparison of Microembolism Detected by Transcranial Doppler and Neuropsychological Sequelae of Carotid Surgery and Percutaneous Transluminal Angioplasty. *Stroke*, 31(6), 1329-1334.
- CUNNINGHAM, E. J., BOND, R., MEHTA, Z., MAYBERG, M. R., WARLOW, C. P., & ROTHWELL, P. M. (2002). Long-term durability of carotid endarterectomy for symptomatic stenosis and risk factors for late postoperative stroke. *Stroke*, 33(11), 2658-2663.
- CUSHMAN, L., BRINKMAN, S. D., GANJI, S., & JACOBS, L. A. (1984). Neuropsychological impairment after carotid endarterectomy correlates with intraoperative ischemia. *Cortex*, 20(3), 403-412.
- DARLING, R. C., 3RD, PATY, P. S., SHAH, D. M., CHANG, B. B., & LEATHER, R. P. (1996). Eversion endarterectomy of the internal carotid artery: technique and results in 449 procedures. *Surgery*, 120(4), 635-639; discussion 639-640.
- DAVIS, S. M., & DONNAN, G. A. (2002). Carotid stenting is unproven: randomization is a must. *Stroke*, 33, 2522-2523.
- DE LEO, D., SERRAIOTTO, L., PELLEGRINI, C., MAGNI, G., FRANCESCHI, L., & DERIU, G. P. (1987). Outcome from carotid endarterectomy. Neuropsychological performances, depressive symptoms and quality of life: 8-month follow-up. *Int J Psychiatry Med*, 17(4), 317-325.
- DEBUS, E. S., LARENA, A., & WINTZER, C. (2004). Offene Therapie der Karotisstenose durch Endarteriektomie. *Chirurg*.
- DEUTSCHE HOCHDRUCKLIGA, D. H. G. (2003). Leitlinien für die Prävention, Erkennung, Diagnostik und Therapie der arteriellen Hypertonie. AWMF.
- DGN. (2003). Leitlinien der Deutschen Gesellschaft für Neurologie: Primäre und Sekundäre Prävention der zerebralen Ischämie.
- DIEHL, R. R. (2002). Cerebral autoregulation studies in clinical practice. *Eur J Ultrasound*, 16(1-2), 31-36.
- DIENER, H. C., HAMSTER, W., & SEBOLDT, H. (1984). Neuropsychological functions after carotid endarterectomy. *Eur Arch Psychiatry Neurol Sci*, 234(1), 74-77.
- DIETERICH, H. A., & MÖRL, H. (1993). *Koronare Herzkrankheit. Grundlagen, Diagnostik, Therapie und Rehabilitation für Ärzte in Praxis und Klinik*. Stuttgart: Wissenschaftliche Verlagsgesellschaft.
- DRAKE, W. E., BAKER, M., BLUMENKRANTZ, J., & DAHLGREN, H. (1968). The quality and duration of survival in bilateral carotid occlusive disease: A preliminary survey of the effects of thrombendarterectomy. In J. Toole & R. Sieckert & J. Whisnant (Eds.), *Cerebral Vascular Disease* (pp. 242-259). New York: Grune & Stratton.
- DUKE, R. B., BLOOR, B. M., NUGENT, G. R., & MAJZOUB, H. S. (1968). Changes in performance on WAIS, trail making test and finger tapping test associated with carotid artery surgery. *Percept Mot Skills*, 26(2), 399-404.
- EC/IC BYPASS STUDY GROUP. (1985). Failure of extracranial-intracranial arterial bypass to reduce the risk of ischemic stroke. Results of an international randomized trial. *N Engl J Med*, 313(19), 1191-1200.
- ECKSTEIN, H. H., EICHBAUM, M., KLEMM, K., DOERFLER, A., RINGLEB, P., BRUCKNER, T., & ALLENBERG, J. R. (2003). Improvement of carotid blood flow after carotid endarterectomy--evaluation using intraoperative ultrasound flow measurement. *Eur J Vasc Endovasc Surg*, 25(2), 168-174.
- ECST. (1998). Randomised trial of endarterectomy for recently symptomatic carotid stenosis: final results of the MRC European Carotid Surgery Trial (ECST). *Lancet*, 351(9113), 1379-1387.

- ERKINJUNTTI, T. (2004). Vascular cognitive impairment and dementia. In J. P. Mohr & D. W. Choi & J. C. Grotta & B. Weir & P. A. Wolf (Eds.), *Stroke: Pathophysiology, diagnosis, and management* (4th ed., pp. 648-660). Philadelphia: Churchill Livingstone.
- EUROPEAN STROKE INITIATIVE. (2000). European Stroke Initiative recommendations for stroke management. European Stroke Council, European Neurological Society and European Federation of Neurological Societies. *Cerebrovasc Dis*, 10(5), 335-351.
- FEARN, S. J., HUTCHINSON, S., RIDING, G., HILL-WILSON, G., WESNES, K., & MCCOLLUM, C. N. (2003). Carotid endarterectomy improves cognitive function in patients with exhausted cerebrovascular reserve. *Eur J Vasc Endovasc Surg*, 26(5), 529-536.
- FISHER, C. M. (1951). Occlusion of the internal carotid artery. *Arch Neurol Psych*, 65, 346-377.
- FISHER, C. M., GORE, I., OKABE, N., & WHITE, P. D. (1965). Atherosclerosis of the carotid and vertebral arteries - extracranial and intracranial. *J Neuropathol Exp Neurol*, 24, 455-476.
- FOLSTEIN, M. F., FOLSTEIN, S. E., & MCHUGH, P. R. (1975). "Mini-mental state" : A practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, 12(3), 189-198.
- FORSBLAD, J., GOTTSATER, A., MATZSCH, T., & LINDGARDE, F. (2001). Predictors of carotid endarterectomy in middle-aged individuals. *Vasc Med*, 6(2), 81-85.
- FRERICKS, H., KIEVIT, J., VAN BAALEN, J. M., & VAN BOCKEL, J. H. (1998). Carotid recurrent stenosis and risk of ipsilateral stroke: a systematic review of the literature. *Stroke*, 29(1), 244-250.
- GASPARIS, A. P., RICOTTA, L., CUADRA, S. A., CHAR, D. J., PURTILL, W. A., VAN BEMMELEN, P. S., HINES, G. L., GIRON, F., & RICOTTA, J. J. (2003). High-risk carotid endarterectomy: Fact or fiction. *J Vasc Surg*, 37(1), 40-46.
- GAUNT, M. E., MARTIN, P. J., SMITH, J. L., & AL., E. (1994). Clinical relevance of intraoperative embolization detected by transcranial Doppler ultrasonography during carotid endarterectomy: a prospective study of 100 patients. *Br J Surg*, 81, 1435.
- GLADSTONE, D. J., & SAHLAS, D. J. (2004). Should people with asymptomatic carotid artery stenosis undergo endarterectomy for primary stroke prevention? *Cmaj*, 171(7), 726-727.
- GOLDSTEIN, S. G., KLEINKNECHT, R. A., & GALLO, A. E., JR. (1970). Neuropsychological changes associated with carotid endarterectomy. *Cortex*, 6(3), 308-322.
- GOLDSTEIN, L. B., BERTELS, C., & DAVIS, J. N. (1989). Interrater reliability of the NIH stroke scale. *Arch Neurol*, 46(6), 660-662.
- GOLLEDGE, J., MITCHELL, A., GREENHALGH, R. M., & DAVIES, A. H. (2000). Systematic comparison of the early outcome of angioplasty and endarterectomy for symptomatic carotid artery disease. *Stroke*, 31(6), 1439-1443.
- GRAU, A. J., WEIMAR, C., BUGGLE, F., HEINRICH, A., GOERTLER, M., NEUMAIER, S., GLAHN, J., BRANDT, T., HACKE, W., & DIENER, H. C. (2001). Risk factors, outcome, and treatment in subtypes of ischemic stroke: the German stroke data bank. *Stroke*, 32(11), 2559-2566.
- GREIFFENSTEIN, M. F., BRINKMAN, S., JACOBS, L., & BRAUN, P. (1988). Neuropsychological improvement following endarterectomy as a function of outcome measure and reconstructed vessel. *Cortex*, 24(2), 223-230.
- GRIFFIN, M., NICOLAIDES, A. N., BELCARO, G., & SHAH, E. (2002). Cardiovascular risk assessment using ultrasound: the value of arterial wall changes including the presence, severity and character of plaques. *Pathophysiol Haemost Thromb*, 32(5-6), 367-370.
- GRUBB, R. L., JR., & POWERS, W. J. (2001). Risks of stroke and current indications for cerebral revascularization in patients with carotid occlusion. *Neurosurg Clin N Am*, 12(3), 473-487, vii.
- GRUBB, R. L., JR. (2004). Extracranial-intracranial arterial bypass for treatment of occlusion of the internal carotid artery. *Curr Neurol Neurosci Rep*, 4(1), 23-30.

- HALLIDAY, A., MANSFIELD, A., MARRO, J., PETO, C., PETO, R., POTTER, J., & THOMAS, D. (2004). Prevention of disabling and fatal strokes by successful carotid endarterectomy in patients without recent neurological symptoms: randomised controlled trial. *Lancet*, 363(9420), 1491-1502.
- HARBAUGH, R. E., & PIKUS, H. J. (2001). Carotid endarterectomy with regional anesthesia. *Neurosurgery*, 49(3), 642-645.
- HARTMANN, A., HUPP, T., KOCH, H. C., DOLLINGER, P., STAPF, C., SCHMIDT, R., HOFMEISTER, C., THOMPSON, J. L., MARX, P., & MAST, H. (1999). Prospective study on the complication rate of carotid surgery. *Cerebrovasc Dis*, 9(3), 152-156.
- HARTMANN, A., MAST, H., THOMPSON, J. L., SIA, R. M., & MOHR, J. P. (2000). Transcranial Doppler waveform blunting in severe extracranial carotid artery stenosis. *Cerebrovasc Dis*, 10(1), 33-38.
- HARTMANN, A. (2001). Klinik des akuten ischämischen insults. In A. Hartmann & W. D. Heiss (Eds.), *Der Schlaganfall: Pathogenese, Diagnostik, Therapie akuter zerebrovaskulärer Erkrankungen* (pp. 439-461). Darmstadt: Steinkopf.
- HARTMANN, A. (2006). Auskunft per Email.
- HAYNES, C. D., GIDEON, D. A., KING, G. D., & DEMPSEY, R. L. (1976). The improvement of cognition and personality after carotid endarterectomy. *Surgery*, 80(6), 699-704.
- HELLER, K. A., KRATZMEIER, H., & LENGFELDER, A. (1998). *Matrizen Test-Manual Band 1 zu den Standard Progressive Matrices von J. C. Raven*. Göttingen: Beltz-Test.
- HELLER, W. D., SCHERER, G., SENNEWALD, E., & ADLKOFER, F. (1998a). Misclassification of smoking in a follow-up population study in southern Germany. *J Clin Epidemiol*, 51(3), 211-218.
- HEMMINGSSEN, R., MEJSHOLM, B., BOYSEN, G., & ENGELL, H. C. (1982). Intellectual function in patients with transient ischaemic attacks (TIA) or minor stroke. Long-term improvement after carotid endarterectomy. *Acta Neurol Scand*, 66(2), 145-159.
- HEMMINGSSEN, R., MEJSHOLM, B., VORSTRUP, S., LESTER, J., ENGELL, H. C., & BOYSEN, G. (1986). Carotid surgery, cognitive function, and cerebral blood flow in patients with transient ischemic attacks. *Ann Neurol*, 20(1), 13-19.
- HENON, H., PASQUIER, F., DURIEU, I., GODEFROY, O., LUCAS, C., LEBERT, F., & LEYS, D. (1997). Preexisting dementia in stroke patients. Baseline frequency, associated factors, and outcome. *Stroke*, 28(12), 2429-2436.
- HENSE, H. W. (2000). Epidemiologie der arteriellen Hypertonie und Implikationen für die Prävention: 10-Jahres-Ergebnisse der MONICA-Studie-Augsburg. *Dtsch Med Wochenschr*, 125(46), 1397-1402.
- HEYER, E. J., ADAMS, D. C., SOLOMON, R. A., TODD, G. J., QUEST, D. O., MCMAHON, D. J., STENECK, S. D., CHOUDHRI, T. F., & CONNOLLY, E. S. (1998). Neuropsychometric changes in patients after carotid endarterectomy. *Stroke*, 29(6), 1110-1115.
- HEYER, E. J., SHARMA, R., RAMPERSAD, A., WINFREE, C. J., MACK, W. J., SOLOMON, R. A., TODD, G. J., MCCORMICK, P. C., MCMURTRY, J. G., QUEST, D. O., STERN, Y., LAZAR, R. M., & CONNOLLY, E. S. (2002). A controlled prospective study of neuropsychological dysfunction following carotid endarterectomy. *Arch Neurol*, 59(2), 217-222.
- HO, D. S., WANG, Y., CHUI, M., HO, S. L., & CHEUNG, R. T. (2000). Epileptic seizures attributed to cerebral hyperperfusion after percutaneous transluminal angioplasty and stenting of the internal carotid artery. *Cerebrovasc Dis*, 10(5), 374-379.
- HORNE, D. J., & ROYLE, J. P. (1974). Cognitive changes after carotid endarterectomy. *Med J Aust*, 1(9), 316-317.
- HOSODA, K., KAWAGUCHI, T., SHIBATA, Y., KAMEI, M., KIDOGUCHI, K., KOYAMA, J., FUJITA, S., & TAMAKI, N. (2001). Cerebral vasoreactivity and internal carotid artery flow help to identify patients at risk for hyperperfusion after carotid endarterectomy. *Stroke*, 32(7), 1567-1573.

- HOWARD, G., WAGENKNECHT, L. E., BURKE, G. L., DIEZ-ROUX, A., EVANS, G. W., MCGOVERN, P., NIETO, F. J., & TELL, G. S. (1998). Cigarette smoking and progression of atherosclerosis: The Atherosclerosis Risk in Communities (ARIC) Study. *Jama*, 279(2), 119-124.
- IDDON, J. L., SAHAKIAN, B. J., & KIRKPATRICK, P. J. (1997). Uncomplicated carotid endarterectomy is not associated with neuropsychological impairment. *Pharmacol Biochem Behav*, 56(4), 781-787.
- INCALZI, R. A., GEMMA, A., LANDI, F., PAGANO, F., CAPPARELLA, O., SNIDER, F., MANNI, R., & CARBONIN, P. (1997). Neuropsychologic effects of carotid endarterectomy. *J Clin Exp Neuropsychol*, 19(6), 785-794.
- IRVINE, C. D., GARDNER, F. V., DAVIES, A. H., & LAMONT, P. M. (1998). Cognitive testing in patients undergoing carotid endarterectomy. *Eur J Vasc Endovasc Surg*, 15(3), 195-204.
- JACOBS, L. A., GANJI, S., SHIRLEY, J. G., MORRELL, R. M., & BRINKMAN, S. D. (1983). Cognitive improvement after extracranial reconstruction for the low flow--endangered brain. *Surgery*, 93(5), 683-687.
- JOHNSTON, S. C., O'MEARA, E. S., MANOLIO, T. A., LEFKOWITZ, D., O'LEARY, D. H., GOLDSTEIN, S., CARLSON, M. C., FRIED, L. P., & LONGSTRETH, W. T., JR. (2004). Cognitive Impairment and Decline Are Associated with Carotid Artery Disease in Patients without Clinically Evident Cerebrovascular Disease. *Ann Intern Med*, 140(4), 237-247.
- JUNGE, B., & NAGEL, M. (1999). Das Rauchverhalten in Deutschland. *Gesundheitswesen*, 61(Spec No), S121-125.
- KASTRUP, A., GRÖSCHEL, K., KRAPF, H., BREHM, B. R., DICHGANS, J., & SCHULZ, J. B. (2003). Early Outcome of Carotid Angioplasty and Stenting With and Without Cerebral Protection Devices. *Stroke*, 34, 813-819.
- KELLY, M. P., GARRON, D. C., & JAVID, H. (1980). Carotid artery disease, carotid endarterectomy, and behavior. *Arch Neurol*, 37(12), 743-748.
- KIM, G. E., LEE, J. H., & CHO, Y. P. (2002). Can carotid endarterectomy improve metabolic status in patients with asymptomatic internal carotid artery flow lesion? Studies with localized in vivo proton magnetic resonance spectroscopy. *J Vasc Surg*, 36(3), 559-564.
- KING, G. D., GIDEON, D. A., HAYNES, C. D., DEMPSEY, R. L., & JENKINS, C. W. (1977). Intellectual and personality changes associated with carotid endarterectomy. *J Clin Psychol*, 33(1), 215-220.
- KISHIKAWA, K., KAMOUCI, M., OKADA, Y., INOUE, T., IBAYASHI, S., & IIDA, M. (2003). Effects of carotid endarterectomy on cerebral blood flow and neuropsychological test performance in patients with high-grade carotid stenosis. *J Neurol Sci*, 213(1-2), 19-24.
- KOLOMINSKY-RABAS, P. L., SARTI, C., HEUSCHMANN, P. U., GRAF, C., SIEMONSEN, S., NEUNDOERFER, B., KATALINIC, A., LANG, E., GASSMANN, K. G., & VON STOCKERT, T. R. (1998). A prospective community-based study of stroke in Germany--the Erlangen Stroke Project (ESPro): incidence and case fatality at 1, 3, and 12 months. *Stroke*, 29(12), 2501-2506.
- KOLOMINSKY-RABAS, P. L., WEBER, M., GEFELLER, O., NEUNDOERFER, B., & HEUSCHMANN, P. U. (2001). Epidemiology of ischemic stroke subtypes according to TOAST criteria: incidence, recurrence, and long-term survival in ischemic stroke subtypes: a population-based study. *Stroke*, 32(12), 2735-2740.
- KOLOMINSKY-RABAS, P. L., & HEUSCHMANN, P. U. (2002). Inzidenz, Ätiologie und Langzeitprognose des Schlaganfalls. *Fortschr Neurol Psychiatr*, 70(12), 657-662.
- KRAGSTERMAN, B., LOGASON, K., AHARI, A., TROENG, T., PARSSON, H., & BERGQVIST, D. (2004). Risk Factors for Complications After Carotid Endarterectomy-A Population-based Study. *Eur J Vasc Endovasc Surg*, 28(1), 98-103.
- KRAUS, L., AUGUSTIN, R., & REESE, A. (2001). Repräsentativerhebung zum Gebrauch psychoaktiver Substanzen in Berlin 2000 (Vol. Band Nr. 122). München: Institut für Therapieforschung.
- LANDWEHR, P., SCHULTE, O., & VOSHAGE, G. (2001). Ultrasound examination of carotid and vertebral arteries. *Eur Radiol*, 11(9), 1521-1534.

- LEHRL, S., & GALLWITZ, A. (1983). Erlanger Depressions-Skala EDS (2. Aufl.). Vaterstetten: Vless.
- LEHRL, S., MERZ, J., BURKHARD, G., & FISCHER, B. (1991). Mehrfach-Wortschatz-Intelligenztest: MWT-A. Erlangen: Perimed.
- LIND, C., WIMMER, A., MAGOMETSCHNIGG, H., EHRMANN, L., HAVELEC, L., REICHENAUER, M., & ZEILER, K. (1993). Einflüsse der Karotisendarterektomie auf verschiedene Hirnleistungsparameter. *Langenbecks Arch Chir*, 378(6), 345-352.
- LLOYD, A. J., HAYES, P. D., LONDON, N. J., BELL, P. R., & NAYLOR, A. R. (2004). Does carotid endarterectomy lead to a decline in cognitive function or health related quality of life? *J Clin Exp Neuropsychol*, 26(6), 817-825.
- LUNN, S., CRAWLEY, F., HARRISON, M. J., BROWN, M. M., & NEWMAN, S. P. (1999). Impact of carotid endarterectomy upon cognitive functioning. A systematic review of the literature. *Cerebrovasc Dis*, 9(2), 74-81.
- MAHONEY, F. I., & BARTHEL, D. W. (1965). Functional Evaluation: The Barthel Index. *Md State Med J*, 14, 61-65.
- MARKUS, H., & CULLINANE, M. (2001). Severely impaired cerebrovascular reactivity predicts stroke and TIA risk in patients with carotid artery stenosis and occlusion. *Brain*, 124(Pt 3), 457-467.
- MARX, P. (1977). *Die Gefäßerkrankungen von Gehirn und Rückenmark*. Stuttgart: Gustav Fischer Verlag.
- MARX, P. (2001). Carotisendarterektomie. In A. Hartmann & W. D. Heiss (Eds.), *Der Schlaganfall: Pathogenese, Diagnostik, Therapie akuter zerebrovaskulärer Erkrankungen* (pp. 439-461). Darmstadt: Steinkopf.
- MAST, H., THOMPSON, J. L. P., LIN, I.-F., HOFMEISTER, C., HARTMANN, A., MARX, P., MOHR, J. P., & SACCO, R. L. (1998). Cigarette Smoking as a Determinant of High-Grade Carotid Artery Stenosis in Hispanic, Black, and White Patients With Stroke or Transient Ischemic Attack. *Stroke*, 29(5), 908-912.
- MATARAZZO, R. G., MATARAZZO, J. D., GALLO, A. E., & WIENS, A. N. (1979). IQ and neuropsychological changes following carotid endarterectomy. *J Clin Neuropsychol*, 1, 97-116.
- MATHIESEN, E. B., JOAKIMSEN, O., & BONAA, K. H. (2001). Prevalence of and risk factors associated with carotid artery stenosis: the Tromso Study. *Cerebrovasc Dis*, 12(1), 44-51.
- MATHIESEN, E. B., WATERLOO, K., JOAKIMSEN, O., BAKKE, S. J., JACOBSEN, E. A., & BONAA, K. H. (2004). Reduced neuropsychological test performance in asymptomatic carotid stenosis: The Tromso Study. *Neurology*, 62(5), 695-701.
- MATHIOWETZ, V., WEBER, K., KASHMAN, N., & VOLLAND, G. (1985). Adult norms for the Nine Hole Peg Test of finger dexterity. *Occup Ther J Res*, 5, 24-38.
- MAYBERG, M. R., WILSON, S. E., YATSU, F., WEISS, D. G., MESSINA, L., HERSHEY, L. A., COLLING, C., ESKRIDGE, J., DEYKIN, D., & WINN, H. R. (1991). Carotid endarterectomy and prevention of cerebral ischemia in symptomatic carotid stenosis: Veterans Affairs Cooperative Studies Program 309 Trialist Group. *JAMA*, 266, 3289-3294.
- MINEVA, P. P., MANCHEV, I. C., & HADJIEV, D. I. (2002). Prevalence and outcome of asymptomatic carotid stenosis: a population-based ultrasonographic study. *Eur J Neurol*, 9(4), 383-388.
- MOFTAKHAR, R., TURK, A. S., NIEMANN, D. B., HUSSAIN, S., RAJPAL, S., COOK, T., GERAGHTY, M., AAGAARD-KIENITZ, B., TURSKI, P. A., & NEWMAN, G. C. (2005). Effects of carotid or vertebrobasilar stent placement on cerebral perfusion and cognition. *AJNR Am J Neuroradiol*, 26(7), 1772-1780.
- MOHR, J. P., & GAUTIER, J. C. (2004). Internal Carotid Artery Disease. In J. P. Mohr & D. W. Choi & J. C. Grotta & B. Weir (Eds.), *Stroke: Pathophysiology, Diagnosis, and Management* (4th ed., pp. 75-100). Philadelphia: Churchill Livingstone.
- MONONEN, H., LEPOJARVI, M., & KALLANRANTA, T. (1990). Early neuropsychological outcome after carotid endarterectomy. *Eur Neurol*, 30(6), 328-333.

- MOSSO, M., & BAUMGARTNER, R. W. (2000). Karotisstenose: Epidemiologie und Symptomatologie. *Schweiz Med Wochenschr*, 130(35), 1226-1230.
- MÜLLER, M., BEHNKE, S., & WALTER, P. (1999). Cerebrovascular resistance and blood flow velocity changes after carotid endarterectomy. *Vasa*, 28(4), 279-282.
- MURABITO, J. M., EVANS, J. C., LARSON, M. G., & LEVY, D. (1993). Prognosis after the onset of coronary heart disease. An investigation of differences in outcome between the sexes according to initial coronary disease presentation. *Circulation*, 88(6), 2548-2555.
- MURKIN, J. M., NEWMAN, S. P., STUMP, D. A., & BLUMENTHAL, J. A. (1995). Statement of consensus on assessment of neurobehavioral outcomes after cardiac surgery. *Ann Thorac Surg*, 59(5), 1289-1295.
- MURKIN, J. M., STUMP, D. A., BLUMENTHAL, J. A., & MCKHANN, G. (1997). Defining dysfunction: group means versus incidence analysis--a statement of consensus. *Ann Thorac Surg*, 64(3), 904-905.
- NASCET, & COLLABORATORS, N. A. S. C. E. T. (1998). The final results of the NASCET trial. *N Engl J Med*, 339, 1415-1425.
- NEDERKOORN, P. J., MALI, W. P., EIKELBOOM, B. C., ELGERSMA, O. E., BUSKENS, E., HUNINK, M. G., KAPPELLE, L. J., BUIJS, P. C., WUST, A. F., VAN DER LUGT, A., & VAN DER GRAAF, Y. (2002). Preoperative diagnosis of carotid artery stenosis: accuracy of noninvasive testing. *Stroke*, 33(8), 2003-2008.
- NEUERBURG-HEUSLER, D., & HENNERICI, M. (1999). *Gefäßdiagnostik mit Ultraschall*. Stuttgart: Thieme Verlag.
- NIELSEN, H., HOJER-PEDERSEN, E., GULLIKSEN, G., HAASE, J., & ENEVOLDSEN, E. (1985). A neuropsychological study of 12 patients with transient ischemic attacks before and after EC/IC bypass surgery. *Acta Neurol Scand*, 71(4), 317-320.
- NIKOL, S., & MIDDENDORF, K. (2002). Thrombembolie- und Arteriosklerosisisiko bei Frauen. *Z Kardiol*, 91(7), 523-535.
- OGASAWARA, K., YAMADATE, K., KOBAYASHI, M., ENDO, H., FUKUDA, T., YOSHIDA, K., TERASAKI, K., INOUE, T., & OGAWA, A. (2005a). Effects of the free radical scavenger, edaravone, on the development of postoperative cognitive impairment in patients undergoing carotid endarterectomy. *Surg Neurol*, 64(4), 309-313; discussion 313-304.
- OGASAWARA, K., YAMADATE, K., KOBAYASHI, M., ENDO, H., FUKUDA, T., YOSHIDA, K., TERASAKI, K., INOUE, T., & OGAWA, A. (2005b). Postoperative cerebral hyperperfusion associated with impaired cognitive function in patients undergoing carotid endarterectomy. *J Neurosurg*, 102(1), 38-44.
- OWENS, M., PRESSMAN, M., EDWARDS, A. E., TOURTELLOTTE, W., ROSE, J. G., STERN, D., PETERS, G., STABILE, B. E., & WILSON, S. E. (1980). The effect of small infarcts and carotid endarterectomy on postoperative psychologic test performance. *J Surg Res*, 28(3), 209-216.
- PARKER, J. C., GRANBERG, B. W., NICHOLS, W. K., JONES, J. G., & HEWETT, J. E. (1983). Mental status outcomes following carotid endarterectomy: a six-month analysis. *J Clin Neuropsychol*, 5(4), 345-353.
- PARKER, J. C., SMARR, K. L., GRANBERG, B. W., NICHOLS, W. K., & HEWETT, J. E. (1986). Neuropsychological parameters of carotid endarterectomy: a two-year prospective analysis. *J Consult Clin Psychol*, 54(5), 676-681.
- PEARSON, S., MADDERN, G., & FITRIDGE, R. (2003). Cognitive performance in patients after carotid endarterectomy. *J Vasc Surg*, 38(6), 1248-1252; discussion 1252-1243.
- PERRY, P. M., DRINKWATER, J. E., & TAYLOR, G. W. (1975). Cerebral function before and after carotid endarterectomy. *Br Med J*, 4(5990), 215-216.

- PERRY, J. R., SZALAI, J. P., NORRIS, J. W., & CONSORTIUM, F. T. C. S. (1997). Consensus against both endarterectomy and routine screening for asymptomatic carotid artery stenosis. *Arch Neurol*, 54, 25-28.
- PERZ, S. (2002). EKG-Veränderungen auf der Spur - von MONICA bis zur Genetik von Herzrhythmusstörungen. In GSF Forschungszentrum für Umwelt und Gesundheit (Ed.), *Jahresbericht 2002* (pp. 91-96): gsf.
- PETTIGREW, L. C., THOMAS, N., HOWARD, V. J., VELTKAMP, R., & TOOLE, J. F. (2000). Low minimal status predicts mortality in asymptomatic carotid arterial stenosis. Asymptomatic Carotid Atherosclerosis Study investigators. *Neurology*, 55(1), 30-34.
- PHATOUROUS, C. C., HIGASHIDA, R. T., MALEK, A. M., MEYERS, P. M., LEMPERT, T. E., DOWD, C. F., & HALBACH, V. V. (2000). Carotid artery stent placement for atherosclerotic disease: rationale, technique, and current status. *Radiology*, 217(1), 26-41.
- RANKIN, J. (1957). Cerebral vascular accidents in patients over the age of 60. II. Prognosis. *Scott Med J*, 2(5), 200-215.
- RAO, R. (2001). The role of carotid stenosis in vascular cognitive impairment. *Eur Neurol*, 46(2), 63-69.
- RICHTER, W. O., SONNICHSEN, A. C., & SCHWANDT, P. (1995). Results and efficacy of public screening for hypercholesterolemia: the Bavarian Cholesterol Screening Project. *J Clin Epidemiol*, 48(11), 1307-1317.
- ROBERTS, B., W.H., H., HOLLING, H. E., & AL., E. (1964). Studies on extracranial cerebral blood flow. *Surgery*, 56, 826-833.
- ROCHE. (2000). Online-Lexikon der Medizin: PCTA (Koronarangioplastie), im Internet unter: <http://www.gesundheit.de/roche/>.
- ROSENSTOCK, J., GARNER, J. T., JACQUES, C., & MAJOWSKI, L. V. (1978). Improvement of cognitive functions by increased blood flow to the brain. *Clinical Neuropsychology*, 2(1), 25.
- ROTHWELL, P. M., GIBSON, R. J., SLATTERY, J., SELLAR, R. J., & WARLOW, C. P. (1994). Equivalence of measurements of carotid stenosis. A comparison of three methods on 1001 angiograms. European Carotid Surgery Trialists' Collaborative Group. PG - 2435-9. *Stroke*, 25(12), 2435-2439.
- ROTHWELL, P. M., SLATTERY, J. & WARLOW, C. P. (1995). Risk of stroke in the distribution of an asymptomatic carotid artery. *Lancet*, 345, 209-212.
- ROTHWELL, P. M., SLATTERY, J., & WARLOW, C. P. (1996). A systematic review of the risks of stroke and death due to endarterectomy for symptomatic carotid stenosis. *Stroke*, 27(2), 260-265.
- ROTHWELL, P. M., GIBSON, R. & WARLOW, C. P. (2000). Interrelation between plaque surface morphology and degree of stenosis on carotid angiograms and the risk of ischemic stroke in patients with symptomatic carotid stenosis. On behalf of the european carotid surgery trialists' collaborative group. *Stroke*, 31(3), 615-621.
- ROTHWELL, P. M., PENDLEBURY, S. T., WARDLAW, J., & WARLOW, C. P. (2000a). Critical appraisal of the design and reporting of studies of imaging and measurement of carotid stenosis. *Stroke*, 31(6), 1444-1450.
- ROTHWELL, P. M., GUTNIKOV, S. A., & WARLOW, C. P. (2003). Reanalysis of the final results of the European Carotid Surgery Trial. *Stroke*, 34(2), 514-523.
- ROTHWELL, P. M., & GOLDSTEIN, L. B. (2004). Carotid endarterectomy for asymptomatic carotid stenosis: asymptomatic carotid surgery trial. *Stroke*, 35(10), 2425-2427.
- ROUBIN, G. (2002). Angioplasty and stenting should not be restricted to clinical trials. *Stroke*, 33, 2520-2522.
- RUNDEK, T., & SACCO, R. L. (2004). Outcome following Stroke. In J. P. Mohr & D. W. Choi & J. C. Grotta & B. Weir & P. A. Wolf (Eds.), *Stroke: Pathophysiology, diagnosis, and management* (4th ed., pp. 725-745). Philadelphia: Churchill Livingstone.

- SACCO, R. L. (2001). Clinical practice. Extracranial carotid stenosis. *N Engl J Med*, 345(15), 1113-1118.
- SILLESEN, H. (2002). The natural history of patients with carotid stenosis. *Pathophysiol Haemost Thromb*, 32(5-6), 378-380.
- SINFORIANI, E., CURCI, R., FANCELLU, R., FACCHINETTI, P., MILLE, T., & BONO, G. (2001). Neuropsychological changes after carotid endarterectomy. *Funct Neurol*, 16(4), 329-336.
- SIRKKA, A., SALENIUS, J. P., PORTIN, R., & NUMMENMAA, T. (1992). Quality of life and cognitive performance after carotid endarterectomy during long-term follow-up. *Acta Neurol Scand*, 85(1), 58-62.
- SMITH, S. C., JR., MILANI, R. V., ARNETT, D. K., CROUSE, J. R., 3RD, McDERMOTT, M. M., RIDKER, P. M., ROSENSON, R. S., TAUBERT, K. A., & WILSON, P. W. (2004). Atherosclerotic Vascular Disease Conference: Writing Group II: risk factors. *Circulation*, 109(21), 2613-2616.
- SPACE. (2001). Stentgeschützte Perkutane Angioplastie der Carotis versus Endarteriektomie: Patienteninformation. Hamburg.
- STATISTISCHES BUNDESAMT. (1998). Gesundheitsbericht für Deutschland.
- STOBBE, H. (1996). *Innere Medizin: Grundlagen und Klinik innerer Krankheiten* (7. Aufl.). Berlin: Ullstein Mosby.
- STOLL, M., & HAMANN, G. F. (2002). Die zerebrovaskuläre Reservekapazität. *Nervenarzt*, 73(8), 711-718.
- SUDLOW, C. L. M., WARDLAW, C. P., & COLLABORATION, F. T. I. I. (1997). Comparable studies on the incidence of stroke and its pathological types: results from international collaboration. *Stroke*, 28, 491-499.
- TANGKANAKUL, C., COUNSELL, C., & WARLOW, C. (2003). Local versus general anaesthesia for carotid endarterectomy. *Cochrane Database Syst Rev*(4).
- TAYLOR, D. W., BARNETT, H. J. M., HAYNES, R. B., FERGUSON, G. G., SACKETT, D. L., THORPE, K. E., & AL FOR THE ASA AND CAROTID ENDARTERIECTOMY (ACE) TRIAL COLLABORATORS. (1999). Low-dose and high-dose acetylsalicylic acid for patients undergoing carotid endarterectomy: a randomized controlled trial. *Lancet*, 353, 2179-2184.
- TEPOHL, G., LANGE, S., H.-J., T., DARIUS, H., ALLENBERG, J. R., HABERL, R., VON STRITZKY, B., PITTRÖW, D., & DIEHM, C. (2003). Alarmierende Ergebnisse der getABI-Studie: Jeder fünfte ältere Patient in der Praxis leidet an pAVK. *Cardiovasc*, 2003/7, 16-20.
- TESTZENTRALE GÖTTINGEN. (2004). Testkatalog 2004/05: Mehr als 750 psychodiagnostische Verfahren für alle Anwendungsbereiche: Hogrefe-Verlag.
- TEWES, U. (Ed.). (1991). *HAWIE-R: Hamburg-Wechsler Intelligenztest für Erwachsene Revision 1991: Handbuch und Testanweisung*. Bern: Huber.
- THEFELD, W. (1999). Prävalenz des Diabetes mellitus in der erwachsenen Bevölkerung Deutschlands. *Gesundheitswesen*, 61(Spec No), S85-89.
- UCLES, P., ALMARCEGUI, C., LORENTE, S., ROMERO, F., & MARCO, M. (1997). Evaluation of cerebral function after carotid endarterectomy. *J Clin Neurophysiol*, 14(3), 242-249.
- VAN DEN BURG, W., SAAN, R. J., VAN ZOMEREN, A. H., BOONTJE, A. H., HAAXMA, R., & WICHMANN, T. E. (1985). Carotid endarterectomy: does it improve cognitive or motor functioning? *Psychol Med*, 15(2), 341-346.
- VAN SWIETEN, J. C., KOUDESTAAL, P. J., VISSER, M. C., SCHOUTEN, H. J., & VAN GIJN, J. (1988). Interobserver agreement for the assessment of handicap in stroke patients. *Stroke*, 19(5), 604-607.
- VANNINEN, E., VANNINEN, R., AIKIA, M., TULLA, H., KONONEN, M., KOIVISTO, K., PARTANEN, K., HIPPELAINEN, M., & KUIKKA, J. T. (1996). Frequency of carotid endarterectomy-related subclinical cerebral complications. *Cerebrovasc Dis*, 6, 272-280.

- WAHLQVIST, M., DENVALL, V., & HAVELIUS, U. (2003). No improvement of sustained attention after carotid endarterectomy as analysed by dark adaptometry. *Cerebrovasc Dis*, 16(1), 91-94.
- WHALLEY, L. J., FOX, H. C., DEARY, I. J. & STARR, J. M. (2005). Childhood iq, smoking, and cognitive change from age 11 to 64 years. *Addict Behav*, 30(1), 77-88.
- WHITTY, C., SUDLOW, C., & WARLOW, C. (1998). Investigating individual subjects and screening populations for asymptomatic carotid stenosis can be harmful. *J Neurol Neurosurg Psychiatry*(64), 619-623.
- WIESNER, G., GRIMM, J., & BITTNER, E. (1999a). Schlaganfall: Prävalenz, Inzidenz, Trend, Ost-West-Vergleich: Erste Ergebnisse aus dem Bundes-Gesundheitssurvey 1998. *Gesundheitswesen*, 61(Spec No), S79-84.
- WIESNER, G., GRIMM, J., & BITTNER, E. (1999b). Zum Herzinfarktgeschehen in der Bundesrepublik Deutschland: Prävalenz, Inzidenz, Trend, Ost-West-Vergleich. *Gesundheitswesen*, 61(Spec No), S72-78.
- WILLEIT, J., & KIECHL, S. (2000). Biology of arterial atheroma. *Cerebrovasc Dis*, 10(Suppl 5), 1-8.
- WILLIAMS, M. M. T. F. (1964). Psychological study of carotid occlusion and endarterectomy. *Arch Neurol*, 10, 293-297.
- WILSON, P. W., & CULLETON, B. F. (1998). Epidemiology of cardiovascular disease in the United States. *Am J Kidney Dis*, 32(5 Suppl 3), S56-65.
- WILSON, S. E., BENNION, R. S., & OWENS, L. (1983). Effect of carotid endarterectomy on postoperative psychological test performance (abstract). *J Cardiovasc Surg*, 24, 428.
- YIP, P. K., JENG, J. S., LEE, T. K., CHANG, Y. C., HUANG, Z. S., NG, S. K., & CHEN, R. C. (1997). Subtypes of ischemic stroke. A hospital-based stroke registry in Taiwan (SCAN-IV). *Stroke*, 28(12), 2507-2512.
- ZIMARINO, M., CAPPELLETTI, L., VENARUCCI, V., GALLINA, S., SCARPIGNATO, M., ACCIAI, N., CALAFIORE, A. M., BARSOTTI, A., & DE CATERINA, R. (2001). Age-dependence of risk factors for carotid stenosis: an observational study among candidates for coronary arteriography. *Atherosclerosis*, 159(1), 165-173.