
KAPITEL 6 Literaturverzeichnis

- [1] Adolf, G. R., Maureu-Fogy, I., Kalsner, I., Cantell, K. (1990) Purification and characterization of natural human interferon omega 1. Two alternative cleavage sites for the signal peptidase. *J. Biol. Chem.* **265**, 9290-9295.
 - [2] Amodeo, P., Morelli, M. A. C., Motta, A. (1994) Multiple Conformations and Prolin *cis/trans* Isomerization in Salmon Calcitonin: A Combined Nuclear Magnetic Resonance, Distance Geometry, and Molecular Mechanics Study. *Biochemistry* **33**, 10754-10762.
 - [3] Arnold, A., Horst, S. A., Gardella, T. J., Baba, H., Levine, M. A., Kronenberg, H. M. (1990) Mutation of the signal peptide-encoding region of the preproparathyroid hormone gene in familial isolated hypoparathyroidism. *J. Clin. Invest.* **86**, 1084-1087.
 - [4] Bairoch, A., Boeckmann, B. (1994) The SWISS-PROT protein sequence data bank: current status. *Nucleic Acids Res.* **22**, 3578-3580.
 - [5] Bell, A., Wernli, B., Franklin, R. M. (1994) Roles of peptidyl-prolyl-*cis/trans* isomerase and calcineurin in the mechanism of antimalarial action of cyclosporin A, FK506 and rapamycin. *Biochemical Pharmacology* **48**, 495-503.
 - [6] Bernstein, F. C., Koetzle, T. E., Williams, G. J. B., Meyer Jr., E. F., Brice, M. D., Rodgers, J. R., Kennard, O., Shimanouchi, T., Tasumi, M. (1977) The Protein Data Bank: A Computer-based Archival File for Macromolecular Structures *J. Mol. Biol.* **112**, 535-542.
 - [7] Böhm, H. J., Klebe, G., Kubinyi, H. (1996) *Wirkstoffdesign*. Spektrum Akad. Verl., Heidelberg, Berlin, Oxford.
 - [8] Bonifacino, J. S., Lippencott-Schwartz, J. (1991) Degradation of proteins within the endoplasmatic reticulum. *Curr. Opin. Cell Biol.* **3**, 592-600.
 - [9] Bossard, M. J., Bergsma, D. J., Brandt, M., Livi, G. P., Eng, W. K., Johnson, R. K., Levy, M. A. (1994) Catalytic and ligand binding properties of the FK506 binding protein FKBP12; effects of the single amino acid substitution of Tyr82 to Leu. *Biochem. J.* **297**, 365-372.
 - [10] Brennan, S. O., Myles, T., Peach, R. J., Donaldson, D., George, P. M. (1990) Albumin Redhill (-1 Arg, 320 Ala->Thr): A glycoprotein variant of human serum albumin whose precursor has an aberrant signal peptidase cleavage site. *Proc. Natl. Acad. Sci. USA.* **87**, 26-30.
 - [11] McCaldon, P., Argos, P. (1988) Oligopeptide biases in protein sequences and their use in prediction protein coding regions in nucleotide sequences. *Proteins* **4**, 99-122.
-

-
- [12] Chou, K. C., Elrod, D. W. (1999) Protein subcellular location prediction. *Protein Engineering* **12**, 107-118.
- [13] Chou, K. C., Zhang, C. T. (1994) in Predicting Protein Folding Types by Distance Functions That Make Allowances for Amino Acid Interactions. *J. Biol. Chem.* **269**, 22014-22020.
- [14] Claros, M. G., Brunak, S., von Heijne, G. (1997) Prediction of N-terminal protein sorting signals. *Curr. Opin. Struct. Biol.* **7**, 394-398.
- [15] Creighton, T. E. (1993) *Proteins-Structures and Molecular Properties*, W. H. Freeman and Company, New York, zweite Auflage, 4.
- [16] Dalbey, R. E., Lively, M. O., Bron, S., van Dijl, J. M. (1997) The chemistry and enzymology of the type I signal peptidase. *Protein Science* **6**, 1129-1138.
- [17] Daly, M., Bruce, D., Perry, D. J., Price, J., Harper, P. L., O'Meara, A., Carrel, R. W. (1990) Antithrombin Dublin (-3 ->Glu): an N-terminal variant which has an aberrant signal peptidase cleavage site. *FEBS Lett.* **273**, 87-90.
- [18] Denesyuk, A. I., Vihinen, M., Lundell, J., Zavyalov, V. P., Korpela, T. (1993) Structural similarity of the binding sites of cyclophilin A-Cyclosporin A and FKBP-FK506 Systems. *Biochem. and Biophys. Research Comm.* **192**, 912-917.
- [19] Doolittle, R. F. (1986) *Of Urfs and Orfs: A Primer on How to Analyse Derived Amino Acid Sequences*. University Science Books, Mill Valley, California.
- [20] Engelman, D. A., Steitz, T. A., Goldman, A. (1986) Identifying nonpolar transbilayer helices in amino acid sequences of membrane proteins. *Annu. Rev. Biophys. Biophys. Chem.* **15**, 321-353.
- [21] Fischer, G., Bang, H., Mech., C. (1984) Determination of enzymatic catalysis for the *cis/trans* isomerization of peptide binding in proline-containing peptides. *Biomed. Biochim. Acta* **43**, 1101-1111.
- [22] Fischer, G., Wittmann-Liebold, B., Lang, K., Kiefhaber, T., Schmid, F. X. (1989) Cyclophilin and peptidyl-prolyl *cis/trans* isomerase are probably identical proteins. *Nature* **337**, 476-478.
- [23] Fox, R. O., Evans, P. A., Dobson, C. M. (1986) Multiple conformations of a protein demonstrated by magnetization transfer NMR spectroscopy. *Nature* **320**, 192-194.
- [24] Frömmel, C., Preissner, R. (1990) Prediction of prolyl residues in *cis*-conformation in protein structures on the basis of the amino acid sequence. *FEBS Letters* **277**, 159-163.
- [25] Galat, A. (1993) Peptidylproline *cis/trans* isomerases: immunophilins. *Eur. J. Biochem.* **216**, 689-707.
- [26] Galat, A., Metcalfe, S. M. (1995) Peptidylproline *cis/trans* Isomerases. *Prog. Biophys. molec. Biol.* **63**, 67-118.
- [27] Grathwohl, C., Wüthrich, K. (1976) The X-Pro Peptide Bond as an NMR Probe for conformational Studies of Flexible Linear Peptides. *Biopolymers* **15**, 2025-2041.
- [28] Greve, J. M., Davis, G., Meyer, A. M., Forte, C. P., Yost, S. C., Marlor, C. W., Kamarck, M., McClelland, A. (1989) The major human rhinovirus receptor is ICAM-1. *Cell* **56**, 839-47.
- [29] Harrison, R. K., Stein, R. L. (1990) Substrate Specificities of the Peptidyl Prolyl *Cis/Trans* Isomerase Activities of Cyclophilin and FK-506 Binding Protein: Evidence for the Existence of a Family of Distinct Enzymes. *Biochemistry* **29**, 3813-3816.
-

-
- [30] Harrison, R. K., Stein, R. L. (1992) Mechanistic studies of enzymatic and nonenzymatic prolyl *cis/trans* isomerisation. *J. Am. Chem. Soc.* **114**, 3464-3471.
- [31] Harpaz, Y., Gerstein, M., Cothia, C., (1994) Volume changes on protein folding. *Structure* **2**, 641-649.
- [32] Hasumi, H., Nishikawa, T. (1993) Purification and properties of multiple molecular forms of yeast peptidyl prolyl *cis/trans* isomerase. *Biochimica et Biophysica Acta* **1161**, 161-167.
- [33] Hertz, J., Krogh, A., Palmer, R. G. (1991) *Introduction to the theory of neural computation*. Addison-Wesley Publishing Company, New York, Amsterdam, Bonn.
- [34] von Heijne, G. (1983) Patterns of amino acids near signal-sequence cleavage sites. *Eur. Microbiol. Lett.* **116**, 17-21.
- [35] von Heijne, G. (1985) Signal sequences. The limits in variation. *J. Mol. Biol.* **184**, 99-105.
- [36] von Heijne, G. (1986) Towards a comparative anatomy of N-terminal topogenic protein sequences. *J. Mol. Biol.* **189**, 239-242.
- [37] von Heijne, G. (1998) Life and death of a signal peptide. *Nature* **396**, 111-113.
- [38] Hobohm, U., Scharf, M., Schneider, R., Sander, C. (1992) Selection of representative protein data sets. *Protein Science* **1**, 409-417.
- [39] Hopp, T.P., Woods, K.R. (1981) Prediction of protein antigenic determinants from amino acid sequences. *Proc. Natl. Acad. Sci. USA* **78**, 3824-3828.
- [40] IZARD, J. W., Kendall, D. A. (1994) Signal peptides: exquisitely designed transport promoters. *Mol. Microbiol.* **13**, 7655-773.
- [41] Jabs, A., Weiss, M. S., Hilgenfeld, R. (1999) Non-proline *Cis* Peptide Bonds in Proteins. *J. Mol. Biol.* **286**, 291-304.
- [42] Jagla, B., Schneider, G., Schuchhardt, J., Wrede, P. (1996) Sequenzbasierte Vorhersage der *cis/trans* Konformation von Peptidgruppen in Proteinen. *Minimal Invasive Medizin* **7**, 2-12.
- [43] Jagla, B. Schneider, G., Wrede, P., Schuchhardt, J. in Vorbereitung.
- [44] Jaglom, A. M., Jaglom, I. M. (1984) *Wahrscheinlichkeit und Information*. 4. Aufl. Verlag Harri Deutsch Thun, Frankfurt a.M.
- [45] Jones, D. D. (1975) Amino acid properties and side chain orientation in proteins: A cross correlation approach. *J. Theor. Biol.* **50**, 167-183.
- [46] Kabsch, W., Sander, C. (1983) Dictionary of protein secondary structure: Pattern recognition of hydrogen bond and geometrical features. *Biopolymers* **22**, 2577-2637.
- [47] Kallen, J., Walkinshaw, M. D. (1992) The X-ray structure of a tetrapeptide bound to the active site of human cyclophilin A. *FEBS Lett.* **300**, 286-90.
- [48] Karnin, E. D. (1990) A simple procedure for pruning back-propagation trained neural networks. *IEEE Transactions on Neural Networks* **1**, 239-242.
- [49] Karpas, A., Lowdell, M., Jacobson, S. K., Hill, F. (1992) Inhibition of human immunodeficiency virus and growth of infected T cells by the immunosuppressive drugs cyclosporin A und FK-506. *Proc. Natl. Acad. Sci. USA* **89**, 8351-8355.
- [50] Ke, H., Mayrose, D., Cao, W. (1993) Crystal structure of cyclophilin A complexed with substrate Ala-Pro suggests a solvent-assisted mechanism of *cis/trans* isomerisation. *Proc. Natl. Acad. Sci. USA* **90**, 3324-3328.
-

-
- [51] Kern, G., Kern, D., Schmid, F. X., Fischer, G. (1994) Reassessment of the putative chaperone function of prolyl- *cis/trans*-isomerases. *FEBS Letters* **348**, 145-148.
- [52] Kiefhaber, T., Grunert, H. P., Hahn, U., Schmid, F. X. (1990) Replacement of a *cis* Proline simplifies the mechanism of Ribonuclease T1 Folding. *Biochemistry* **29**, 6475-6480.
- [53] Klappa, P., Dierks, T., Zimmermann, R. (1996) Cyclosporin A inhibits the degregation of signal sequences after processing of presecretory proteins by signal peptidase. *Eur. J. Biochem.* **239**, 509-518.
- [54] Koecher, M. (1985) *Lineare Algebra und analytische Geometrie*, Springer-Verlag, Berlin, Heidelberg, New York, Tokyo, zweite Auflage.
- [55] Kofron, J. L., Kuzmic, P., Kishore, V., Colon-Bonilla, E., Rich, D. H. (1991) Determination of kinetic constants for peptidyl-prolyl *cis/trans* Isomerases by an improved Spectrophotometric Assay. *Biochemistry* **30**, 6127-6134.
- [56] Kohonen, T. (1989) *Self-Organization and Associative Memory*. Springer-Verlag, Berlin, Heidelberg, New York, Tokyo, dritte Auflage.
- [57] Kohonen, T. (1990) The self-organization map. *Proceedings of the IEEE* **78**, 1464-1480.
- [58] Kohonen, T. (1991) *Self-organizing maps: Optimization approaches*. In Proceedings of the International Conference on Artificial Neural Networks, 981-990. Espoo, Finland.
- [59] Kohonen, T. (1995) *Self-Organizing Maps*. Springer-Verlag, Heidelberg.
- [60] Kohonen, T., Hynninen, J., Kangas, J., Laaksonen, J. (1996) SOM_PAK: The Self-Organizing Map Program Package. Technical Report A31, Helsinki University of Technology, Laboratory of Computer and Information Science, FIN-02150 Espoo, Finland.
- [61] Krogh, A., Riis, S. K. (1996) Prediction of beta sheets in proteins. In *Advances in Neural Information Processing Systems* (eds. Mozer, M. C., Touretzky, S., Hasselmo, M. E.) 231-238 (MIT Press, Cambridge, MA. 7).
- [62] Kyte, J. (1995) *Function in Protein Chemistry*. Garland Publishing, Inc. New York & London. 293.
- [63] Laforet, G. A., Kendall, D. A. (1991) Functional limits of conformation, hydrophobicity, and steric constraints in prokaryotic signal peptide cleavage site regions. Wild type transport by a simple polymeric signal sequence. *J. Biol. Chem.* **266**, 1326-34.
- [64] Lang, K., Schmid, F. X. (1990) Role of Two Proline-containing Turns in the Folding of Porcine Ribonuclease. *J. Mol. Biol.* **212**, 185-196.
- [65] Leitzgen, K., Haas, I. G. (1998) Protein Maturation in the Endoplasmatic Reticulum. *Chemtracts-Biochemistry and Molecular Biology* **11**, 423-445.
- [66] Lin, L. N., Hasumi, H., Brandts, J. F. (1988) Catalysis of proline isomerization during protein-folding reactions. *Biochim. Biophys. Acta* **956**, 256-266.
- [67] Lin, L. N., Brandts, J. F. (1979) Role of *cis/trans* Isomerisation of the Peptide Bond in Protease Specificity. Kinetic Studies on Small Proline Containing Peptides and on Polyproline. *Biochemistry* **18**, 5037-5042.
- [68] Lively, M. O., Shelness, G. S. (1994) Eukaryotic Microsomal signal peptidase. In *Signal Peptidases*. (Ed. von Heijne, G., CRC Press).
-

-
- [69] Lohmann, R., Schneider, G., Wrede, P. (1996) Structure Optimization of an Artificial Neural Filter Detecting Membrane-Spanning Amino Acid Sequences. *Biopolymers* **38**, 13-29.
- [70] London, R. E., Davis, D. G., Vavrek, R. J., Stewart, J. M., Handschumacher, R. E. (1990) Bradykinin and its Gly6 Analogue are Substrates of Cyclophilin: A Fluorine-19 Magnetization Transfer Study. *Biochemistry* **29**, 10298-10302.
- [71] Loomis, R. E., Gonzalez, M., Loomis, P. M. (1991) Investigation of *cis/trans* proline isomerisation in a multiply occurring peptide fragment from human salivary proline-rich glycoprotein. *Int. J. Peptide Protein Res.* **38**, 428-439.
- [72] Luban, J., Bossolt, K. L., Franke, E. K., Kalpana, G. V., Goff, S. P. (1993) Human immunodeficiency virus type 1 Gag protein binds to cyclophilins A and B. *Cell* **73**, 1067-1078.
- [73] Mahalanobis, P. C. (1936) On the Generalized Distance in Statistics. *Proc. Natl. Inst. India* **2**, 49-55.
- [74] Malik, A., Schuchhardt, J., Schneider, G., Wrede, P. (1996) DNA-Sequence Analysis by Perceptrons: Identification of Splice-Sites in Human DNA. 217-236. In *Software-Entwicklung in der Chemie 10*. (Ed. Gasteiger, J.) Gesellschaft Deutscher Chemiker, Frankfurt am Main.
- [75] Martoglio, B., Dobberstein, B. (1998) Signal sequences: more than just greasy peptides. *Trend in Cell Biol.* **8**, 410-415.
- [76] Matlack, K. E. S., Mothes, W., Rapoport, T. (1998) Protein Translocation: Tunnel Vision. *Cell* **92**, 381-390.
- [77] Matthews, B. W. (1975) Comparison of the Prediction and Observed Secondary Structure of T4 Phage Lysozym. *Biochim. Biophys. Acta* **405**, 442-451.
- [78] Mayr, L. M., Willbold, D., Rösch, P., Schmid, F. X. (1994) Generation of a Non-prolyl *cis* Peptide Bond in Ribonuclease T1. *J. Mol. Biol.* **240**, 288-293.
- [79] Meyer, H. A., Hartmann, E. (1997) The Yeast SPC22/23 Homolog Spc3p Is Essential for Signal Peptidase Activity. *J. Biol. Chem.* **272**, 13159-13164.
- [80] Nielsen, H., Engelbrecht, J., von Heijne, G., Brunak, S. (1996) Defining a Similarity Threshold for a Functional Protein Sequence Pattern: The Signal Peptide Cleavage Site. *Proteins: Structure, Function, and Genetics* **24**, 165-177.
- [81] Nielsen, H., Engelbrecht, J., Brunak, S., von Heijne, G. (1997) Identification of prokaryotic and eukaryotic signal peptides and prediction of their cleavage sites. *Protein Engineering* **10**, 1-6.
- [82] Nielsen, H., Krogh, A. (1998) Prediction of signal peptides and signal anchors by hidden Markov model. *Proceedings of ISMB-98*, 122-130.
- [83] Nilsson, I., Whitley, P., von Heijne, G. (1994) The COOH-terminal ends of internal signal and signal-anchor sequences are positioned differently in the ER translocase. *J. Cell Biol.* **126**, 1127-1132.
- [84] Orengo, C.A., Michie, A.D., Jones, S., Jones, D.T., Swindells, M.B., and Thornton, J.M. (1997) CATH- A Hierarchic Classification of Protein Domain Structures. *Structure* **5**, 1093-1108.
- [85] Paetzel, M., Dalbey, R. E., Strynadka, N. C. J. (1998) Crystal structure of a bacterial signal peptidase in complex with a β -lactam inhibitor. *Nature* **396**, 186-190.
-

-
- [86] Park, S. T., Aldape, R. A., Futter, O., DeCenzo, M. T., Livingston, D. J. (1992) PPIase catalysis by human FK-506-binding protein proceeds through a conformational twist mechanism. *J. Biol. Chem* **267**, 3316-3324.
- [87] Perricaudet, M., Pullman, A. (1973) An abinitio quantum-mechanical investigation on the rotational isomerism in amides and esters. *Int. J. Pept. Protein Res.* **5**, 99-107.
- [88] Poznanski, J., Ejchart, A., Wierzchowski, K. L., Ciurak, M. (1993) sup(1)H- and sup(13)C-NMR investigations on *cis/trans* isomerization of proline peptide bonds and conformation of aromatic side chains in H-Trp-(Pro)n-Tyr-OH peptides. *Biopolymers* **33**, 781-795.
- [89] Radzicka, A., Pedersen, L., Wolfenden, R. (1988) Influences of solvent water on protein folding: free energies of solvation of *cis* and *trans* peptides are nearly identical. *Biochemistry* **27**, 4538-4541.
- [90] Racchi, M., Watzke, H. H., High, K. A., Lively, M. O. (1993) Human Coagulation Factor X Deficiency Caused by a Mutant Signal Peptide That Blocks Cleavage by Signal Peptidase but Not Targeting and Translocation to the Endoplasmatic Reticulum. *J. Biol. Chem.* **268**, 5735-5740.
- [91] Rahfeld, J. U., Schierhorn, A., Mann, K., Fischer, G. (1994) A novel peptidyl-prolyl *cis/trans* isomerase from Escherichia coli. *FEBS Letters* **343**, 65 -69.
- [92] Rechenberg, I. (1973) Evolutionsstrategie-Optimierung technischer Systeme nach dem Prinzip der biologischen Evolution. Frommann-Holzboog, Stuttgart.
- [93] Reimer, U., Scherer, G., Drewello, M., Kruber, M., Schutkowski, G., Fischer, G. (1998) Side-chain effects on Peptidyl-prolyl *cis/trans* Isomerisation. *J. Mol. Biol.* **279**, 449-460.
- [94] Repaske, D. R., Medlej, R., Gültekin, E. K., Krishnamani, M. R. S., Halaby, G., Findling, J., Philips III, J. A. (1997) Heterogeneity in Clinical Manifestation of Autosomal Dominant Neurohypophyseal Diabetes Insipidus Caused by a Mutation Encoding Ala (-1)->Val in the Signal Peptide of the Arginine Vasopressin/Neurophysin II/Copeptin Precursor. *J. Clinical Endocrinology and Metabolism* **82**, 51-56.
- [95] Riis, S. K., Krogh, A. (1996) Improving prediction of protein secondary structure using structured neural networks and multiple sequence alignments. *J. Comput. Biol.* **3**, 163-183.
- [96] Ritz, D. Harvard Medical School. persönliche Mitteilungen.
- [97] Rosenblatt, F. (1958) The perceptron: a probabilistic model for information storage and organization in the brain. *Psychol. Rev.* **65**, 386-408.
- [98] Rossman, M. G., Palmenberg, A. C. (1988) Conservation of the Putative Receptor Attachment Site in Picornaviruses. *Virology* **164**, 373-382.
- [99] Rossmann, M. G. (1989) The canyon hypothesis. *Viral Immunol.* **2**, 143-61.
- [100] Rossmann, M. G., Arnold, E., Erickson, J. W., Frankenberger, E. A., Griffith, J. P., Hecht, H. J., Johnson, J. E., Kamer, G., Luo, M., Mosser, A. G., Rueckert, R. R., Sherry, B., Vriend, G. (1985) Structure of a human common cold virus and functional relationship to other picornaviruses. *Nature* **317**, 145-153.
- [101] Rudd, K. E., Sofia, H. J., Koonin, E. V., Plunkett III, G., Lazar, S., Rouviere, P. E. (1995) A new Family of Peptidyl-Prolyl-Isomerases. *TIBS* **20**, 12-14.
-

-
- [102] Rumelhart, D. E., Hinton, G. E., Williams, R. J. (1986) Learning internal representations by error propagation. In *Parallel Distribution Processing* Vol. I. (eds Rumelhart, D. E., McClelland, J. L.) 318-362 (Bradford Books, Cambridge, MA).
- [103] Scherer, G., Kramer, M. L., Schutkowski, M., Reimer, U., Fischer, G. (1998) Barriers of rotation in secondary amide peptide bonds. *J. Am. Chem. Soc.* **120**, 5568-5574.
- [104] Schneider, G., Lohmann, R., Wrede, P. (1994) The Rational Design of Amino Acid Sequences. In *Concepts in Protein Engineering and Design*. (eds Wrede, P., Schneider, G.) 281-317 (Walter de Gruyter, Berlin).
- [105] Schneider, G., Röhlk, S., Wrede, P. (1993) Analysis of cleavage-site patterns in protein precursor sequences with a perceptron-type neural network. *Biochem. Biophys. Res. Comm.* **194**, 951-959.
- [106] Schneider, G., Schuchhardt, J., Hobohm, U., Jagla, B., Wrede, P. (1996) Classification of local protein backbone motifs by Kohonen networks. *Minimal Invasive Medizin* **7** 164-168.
- [107] Schneider, G., Schuchhardt, J., Malik, A., Glienke, J., Jagla, B., Behrens, D., Müller, S., Müller, G., Wrede, P. (1997) Analysis of Mitochondrial and Chloroplast Targeting Signals by Neural Network Systems In Eukaryotism and Symbiosis (eds Schenk, E. H. A., Herrmann, R., Jeon, K. W., Müller, N. E., Schwemmler, W.) 214-229 (Springer Verlag Berlin Heidelberg).
- [108] Schneider, G., Schuchhardt, J., Wrede, P. (1994). Artificial neural networks and simulated molecular evolution are potential tools for sequence-orientated protein design. *CABIOS* **10**, 635-645.
- [109] Schneider, G., Schuchhardt, J., Wrede, P. (1995). Peptide Design in Machina: Development of Artificial Mitochondrial Protein Precursor Cleavage Sites by Simulated Molecular Evolution. *Biophysical Journal* **68**, 434-447.
- [110] Schneider, G., Wrede, P. (1994). The rational design of Amino Acid Sequences by Artificial Neural Networks and Simulated Molecular Evolution: De Novo Design of an Idealized Leader Peptidase Cleavage Site. *Biophysical Journal* **66**, 335-344.
- [111] Schneider, G., Wrede, P. (1998) Artificial neural networks for computer-based molecular design. *Progress in Biophysics & Molecular Biology* **70**, 175-222.
- [112] Schuchhardt, J. (1995) *Strukturbildung und Informationsverarbeitung in Neuronennetzen*. Shaker Verlag, 39ff.
- [113] Shannon, C. E., Weaver, W. (1949) *The Mathematical Theory of Information*. Univ. of Illin. Press, Urbana.
- [114] Spitzfaden, C., Weber, H. P., Braun, W., Kallen, J., Wider, G., Widmer, H., Walkinshaw, M. D., Wüthrich, K. (1992) Cyclosporin A-cyclophilin complex formation; A model based on X-ray and NMR data. *FEBS Letters* **300**, 291-300.
- [115] Stein, R. L. (1993) Mechanism of enzymatic and nonenzymatic prolyl *cis/trans* isomerisation. *Adv. Prot. Chem.* **44**, 1-24.
- [116] Sternberg, M. J. E. (1996) *Protein structure prediction: a practical approach*. Oxford University Press, Oxford.
- [117] Stewart, D. E., Sarkar, A., Wampler, J. E. (1990) Occurrence and Role of *Cis* Peptide Bonds in Protein Structures. *J. Mol. Biol.* **214**, 253-260.
-

- [118] Taylor, W. R. (1986) The classification of amino acid conservation. *J. Theor. Biol.* **119**, 205-18.
- [119] Takahashi, N., Hayano, T., Suzuki, M. (1989) Peptidyl-prolyl *cis/trans* isomerase is the cyclosporin A-binding protein cyclophilin. *Nature* **337**, 473-475.
- [120] Tropschug, M., Wachter, E., Mayer, S., Schönbrunner, E. R., Schmid, F. X. (1990) Isolation and sequence of an FK506-binding protein from *N. crassa* which catalyses protein folding. *Nature* **346**, 674-677.
- [121] Visvikis, S., Chan, L., Siest, G., Drouin, P., Boerwinkle, E. (1990) An insertion deletion polymorphism in the signal peptide of the human apolipoprotein B gene. *Hum. Genet.* **84**, 373-375.
- [122] Watson, M. E. E. (1984) Compilation of published signal sequences. *Nucl. Acid. Res.* **12**, 5145-5164.
- [123] Watzke, H. H., Wallmark, A., Hamaguchi, N., Giardina, P., Stafford, D. W., High, K. A. (1991) Factor X Santo Domingo. Evidence that the severe clinical phenotype arises from a mutation blocking secretion. *J. Clin. Invest.* **88**, 1685-1689.
- [124] Weiss, M. S., Jabs, A., Hilgenfeld, R. (1998) Peptide bonds revisited. *Nature Structural Biology* **5**, 676.
- [125] Williams, D. B., Vassilakos, A., Suh, W. K. (1996) Peptide presentation by MHC class I molecules. *Trends in Cell Biol.* **6**, 267-273.
- [126] Zamyatnin, A. A. (1972) Protein volume in solution. *Prog. Biophys. Mol. Biol.* **24**, 107-123.
- [127] Zimmermann, R. (1998) The Role of Molecular Chaperones in Proteine Transport into the Mammalian Endoplasmic Reticulum. *Biol. Chem.* **379**, 275-282.
-