
10 LITERATURVERZEICHNIS

- [1] Hooi, J. D.; Stoffers, H. E.; Kester, A. D.; Rinkens, P. E.; Kaiser, V.; van Ree, J. W. und Knottnerus, J. A. (1998): Risk factors and cardiovascular diseases associated with asymptomatic peripheral arterial occlusive disease. The Limburg PAOD Study. *Peripheral Arterial Occlusive Disease, Scand J Prim Health Care* (Band 16), Nr. 3, Seite 177-82. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9800232
- [2] Vogt, M. T.; Wolfson, S. K. und Kuller, L. H. (1992): Lower extremity arterial disease and the aging process: a review, *J Clin Epidemiol* (Band 45), Nr. 5, Seite 529-42. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1588358
- [3] Herold, Gerd und Mitarbeiter (2001): *Innere Medizin - Eine vorlesungsorientierte Darstellung*, Köln.
- [4] Schmieder, F. A. und Comerota, A. J. (2001): Intermittent claudication: magnitude of the problem, patient evaluation, and therapeutic strategies, *Am J Cardiol* (Band 87), Nr. 12A, Seite 3D-13D. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11434894
- [5] Hirsch, A. T.; Criqui, M. H.; Treat-Jacobson, D.; Regensteiner, J. G.; Creager, M. A.; Olin, J. W.; Krook, S. H.; Hunninghake, D. B.; Comerota, A. J.; Walsh, M. E.; McDermott, M. M. und Hiatt, W. R. (2001): Peripheral arterial disease detection, awareness, and treatment in primary care, *Jama* (Band 286), Nr. 11, Seite 1317-24. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11560536
- [6] Hirsch, A. T. und Hiatt, W. R. (2001): PAD awareness, risk, and treatment: new resources for survival-the USA PARTNERS program, *Vasc Med* (Band 6), Nr. 3 Suppl, Seite 9-12. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11789964
- [7] Valentine, R. J.; Guerra, R.; Stephan, P.; Scoggins, E.; Clagett, G. P. und Cohen, J. (2004): Family history is a major determinant of subclinical peripheral arterial disease in young adults, *J Vasc Surg* (Band 39), Nr. 2, Seite 351-6. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14743135
- [8] Henne-Bruns, D.; Duering, M. und Kremer, B. (2001): *Chirurgie*, Georg Thieme Verlag, Stuttgart.
- [9] Jeger, E. (1913): *Die Chirurgie der Blutgefäesse und des Herzens*, Berlin: Hirschwald.
- [10] Szilagyi, D. E. (1986): Arterial substitutes: thirty years of success and failure, *Ann Vasc*

- Surg (Band 1), Nr. 3, Seite 357-63. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=3332846
- [11] Szilagyi, D. E.; Mc, Donald Rt; Smith, R. F. und Whitcomb, J. G. (1957): Biologic fate of human arterial homografts, *AMA Arch Surg* (Band 75), Nr. 4, Seite 506-27; discussion 527-9. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=13457627
- [12] Kunlin, J. (1949): Le traitement de l'arterite obliterante par la greffe veineuse., *Arch.Mal.Coeur* (Band 42), Seite 371-372.
- [13] May, R. (1973): Jean Kunlin, *Vasa* 2, Seite 198.
- [14] May, R. (1970): Der erste Bypass, *Act.Chir.* (Band 5), Seite 385.
- [15] Dos Santos, C. (1947): Sur la desobstruction des thromboses arterielles anciennes, *Mem.Acad.Chir.* (Band 73), Seite 409.
- [16] Carrel, A. (1906): The surgery of blood vessels, *Bull.John.Hopk.Hosp* (Band 19), Seite 18-27.
- [17] Voorhees, A. B., Jr.; Jaretzki, A., 3rd und Blakemore, A. H. (1952): The use of tubes constructed from vinyon "N" cloth in bridging arterial defects, *Ann Surg* (Band 135), Nr. 3, Seite 332-6. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14903863
- [18] Largiader, J. (1987): *Lehrbuch und Atlas der Gefäßchirurgie am Unterschenkel*, Verlag Hans Hueber, Bern.
- [19] Veith, F. J.; Gupta, S. K.; Ascer, E.; White-Flores, S.; Samson, R. H.; Scher, L. A.; Towne, J. B.; Bernhard, V. M.; Bonier, P.; Flinn, W. R. und et al. (1986): Six-year prospective multicenter randomized comparison of autologous saphenous vein and expanded polytetrafluoroethylene grafts in infrainguinal arterial reconstructions, *J Vasc Surg* (Band 3), Nr. 1, Seite 104-14. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=3510323
- [20] Shah, D. M.; Leather, R. P.; Darling, R. C., 3rd; Chang, B. B.; Paty, P. S. und Lloyd, W. E. (1996): Long-term results of using the in situ saphenous vein bypass, *Adv Surg* (Band 30), Seite 123-40. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8960332
- [21] Shah, D. M.; Paty, P. S.; Leather, R. P.; Chang, B. B.; Darling, R. C., 3rd und Feustel, P. J. (1993): Optimal outcome after tibial arterial bypass, *Surg Gynecol Obstet* (Band 177), Nr. 3, Seite 283-7. URL:

- http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8356500
- [22] Schwartz, L. B.; Purut, C. M.; O'Donohoe, M. K.; Smith, P. K.; Hagen, P. O. und McCann, R. L. (1991): Quantitation of vascular outflow by measurement of impedance, *J Vasc Surg* (Band 14), Nr. 3, Seite 353-63. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1880843
- [23] Veith, F. J.; Gupta, S. und Daly, V. (1980): Management of early and late thrombosis of expanded polytetrafluoroethylene (PTFE) femoropopliteal bypass grafts: favorable prognosis with appropriate reoperation, *Surgery* (Band 87), Nr. 5, Seite 581-7. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7368109
- [24] Vollmar, J. (1996): *Rekonstruktive Chirurgie der Arterien*, Georg Thieme Verlag, Stuttgart.
- [25] Sottiurai, V. S. (1990): Biogenesis and etiology of distal anastomotic intimal hyperplasia, *Int Angiol* (Band 9), Nr. 2, Seite 59-69. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2254676
- [26] Eickhoff, J. H.; Broome, A.; Ericsson, B. F.; Buchardt Hansen, H. J.; Kordt, K. F.; Mouritzen, C.; Kvernebo, K.; Norgren, L.; Rostad, H. und Trippestad, A. (1987): Four years' results of a prospective, randomized clinical trial comparing polytetrafluoroethylene and modified human umbilical vein for below-knee femoropopliteal bypass, *J Vasc Surg* (Band 6), Nr. 5, Seite 506-11. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=3669200
- [27] Stonebridge, P. A.; Prescott, R. J. und Ruckley, C. V. (1997): Randomized trial comparing infrainguinal polytetrafluoroethylene bypass grafting with and without vein interposition cuff at the distal anastomosis. The Joint Vascular Research Group, *J Vasc Surg* (Band 26), Nr. 4, Seite 543-50. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9357453
- [28] Lidman, D.; Lyczakowski, T. und Daniel, R. K. (1984): The morphology and patency of arterial and venous microvascular anastomoses throughout the first post-operative year. A histological study, *Scand J Plast Reconstr Surg* (Band 18), Nr. 2, Seite 187-92. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=6494816
- [29] Brandl, R.; Höfing, B. und Becker, H. (1995): Intimahyperplasie - Neue Perspektiven für chirurgische und pharmakologische Therapieansätze. In: Mauerer, P., von Sommoggy, S.: *Gefäßchirurgie im Fortschritt*, Blackwell Wissenschafts-Verlag, Berlin.
- [30] Bassiouny, H. S.; White, S.; Glagov, S.; Choi, E.; Giddens, D. P. und Zarins, C. K.

- (1992): Anastomotic intimal hyperplasia: mechanical injury or flow induced, *J Vasc Surg* (Band 15), Nr. 4, Seite 708-16; discussion 716-7. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1560562
- [31] Sottiurai, V. S.; Yao, J. S.; Flinn, W. R. und Batson, R. C. (1983): Intimal hyperplasia and neointima: An ultrastructural analysis of thrombosed grafts in humans, *Surgery* (Band 93), Nr. 6, Seite 809-17. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=6222499
- [32] Itoh, H.; Komori, K.; Funahashi, S.; Okadome, K. und Sugimachi, K. (1994): Intimal hyperplasia of experimental autologous vein graft in hyperlipidemic rabbits with poor distal runoff, *Atherosclerosis* (Band 110), Nr. 2, Seite 259-70. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7848374
- [33] Abbott, W. M.; Megerman, J.; Hasson, J. E.; L'Italien, G. und Warnock, D. F. (1987): Effect of compliance mismatch on vascular graft patency, *J Vasc Surg* (Band 5), Nr. 2, Seite 376-82. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=3102762
- [34] Hasson, J. E.; Megerman, J. und Abbott, W. M. (1985): Increased compliance near vascular anastomoses, *J Vasc Surg* (Band 2), Nr. 3, Seite 419-23. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=3999232
- [35] Kinley, C. E. und Marble, A. E. (1980): Compliance: a continuing problem with vascular grafts, *J Cardiovasc Surg (Torino)* (Band 21), Nr. 2, Seite 163-70. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7364859
- [36] Clark, R. E.; Apostolou, S. und Kardos, J. L. (1976): Mismatch of mechanical properties as a cause of arterial prostheses thrombosis, *Surg Forum* (Band 27), Nr. 62, Seite 208-10. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1019858
- [37] Ballyk, P. D.; Walsh, C.; Butany, J. und Ojha, M. (1998): Compliance mismatch may promote graft-artery intimal hyperplasia by altering suture-line stresses, *J Biomech* (Band 31), Nr. 3, Seite 229-37. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9645537
- [38] Steinman, D. A.; Vinh, B.; Ethier, C. R.; Ojha, M.; Cobbold, R. S. und Johnston, K. W. (1993): A numerical simulation of flow in a two-dimensional end-to-side anastomosis model, *J Biomech Eng* (Band 115), Nr. 1, Seite 112-8. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8445888

- [39] Sterpetti, A. V.; Cucina, A.; Morena, A. R.; Di Donna, S.; D'Angelo, L. S.; Cavalarro, A. und Stipa, S. (1993): Shear stress increases the release of interleukin-1 and interleukin-6 by aortic endothelial cells, *Surgery* (Band 114), Nr. 5, Seite 911-4. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8236014
- [40] Salam, T.; Lumsden, A. ; Suggs, W. und Ku, D. (1996): Low shear stress promotes intimal hyperplasia thickening, *J.Vasc.Invest* (Band 2), Nr. 1, Seite 12-22 - RefTyp:Generic.
- [41] Gibbons, G. H. und Dzau, V. J. (1994): The emerging concept of vascular remodeling, *N Engl J Med* (Band 330), Nr. 20, Seite 1431-8. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8159199
- [42] Zarins, C. K.; Zatina, M. A.; Giddens, D. P.; Ku, D. N. und Glagov, S. (1987): Shear stress regulation of artery lumen diameter in experimental atherogenesis, *J Vasc Surg* (Band 5), Nr. 3, Seite 413-20. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=3509594
- [43] How, T. V.; Rowe, C. S.; Gilling-Smith, G. L. und Harris, P. L. (2000): Interposition vein cuff anastomosis alters wall shear stress distribution in the recipient artery, *J Vasc Surg* (Band 31), Nr. 5, Seite 1008-17. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10805893
- [44] Ojha, M. (1993): Spatial and temporal variations of wall shear stress within an end-to-side arterial anastomosis model, *J Biomech* (Band 26), Nr. 12, Seite 1377-88. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8308043
- [45] Heethaar, R.M. (1993): Viscosity of media. In: Strackee, J., Westerhof, N. (Ed.): *The Physics of Heart and Circulation*, Institute of Physics Publishing, Bristol and Philadelphia.
- [46] Kataoka, N.; Ujita, S.; Ogawa, Y.; Okadome, K. und Sugimachi, K. (1994): Flow direction affects shape and cytoskeletal structure of cultured bovine aortic endothelial cells., In: Liepsch, D. (Ed.): *Biofluid Mechanics, Proceedings of the 3rd International Symposium*, Munich.
- [47] Davies, P. F. (1995): Flow-mediated endothelial mechanotransduction, *Physiol Rev* (Band 75), Nr. 3, Seite 519-60. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7624393
- [48] Davies, P. F.; Polacek, D. C.; Handen, J. S.; Helmke, B. P. und DePaola, N. (1999): A spatial approach to transcriptional profiling: mechanotransduction and the focal origin of atherosclerosis, *Trends Biotechnol* (Band 17), Nr. 9, Seite 347-51. URL:

- http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10461179
- [49] Barbee, K. A.; Davies, P. F. und Lal, R. (1994): Shear stress-induced reorganization of the surface topography of living endothelial cells imaged by atomic force microscopy, *Circ Res* (Band 74), Nr. 1, Seite 163-71. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8261591
- [50] Long, Q.; Xu, X. Y.; Ariff, B.; Thom, S. A.; Hughes, A. D. und Stanton, A. V. (2000): Reconstruction of blood flow patterns in a human carotid bifurcation: a combined CFD and MRI study, *J Magn Reson Imaging* (Band 11), Nr. 3, Seite 299-311. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10739562
- [51] Noori, N.; Scherer, R.; Perktold, K.; Czerny, M.; Karner, G.; Trubel, M.; Polterauer, P. und Schima, H. (1999): Blood flow in distal end-to-side anastomoses with PTFE and a venous patch: results of an in vitro flow visualisation study, *Eur J Vasc Endovasc Surg* (Band 18), Nr. 3, Seite 191-200. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10479625
- [52] Crawshaw, H. M.; Quist, W. C.; Serallach, E.; Valeri, C. R. und LoGerfo, F. W. (1980): Flow disturbance at the distal end-to-side anastomosis. Effect of patency of the proximal outflow segment and angle of anastomosis, *Arch Surg* (Band 115), Nr. 11, Seite 1280-4. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7436722
- [53] Liepsch, D. (1993): Fundamental flow studies in models of human arteries, *Front Med Biol Eng* (Band 5), Nr. 1, Seite 51-5. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8323883
- [54] Wernet, M. P.; Subramanian, A.; Mu, H. und Kadambi, J. R. (2000): Comparison of particle image velocimetry and laser Doppler anemometry measurements in turbulent fluid flow, *Ann Biomed Eng* (Band 28), Nr. 11, Seite 1393-6. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11212957
- [55] Raffel, M.; Willert, C. und Kompenhans, J. (1998): *Particle Image Velocimetry*, Springer-Verlag, Berlin, Heidelberg, New York.
- [56] Westerweel, J. (1997): Fundamentals of digital particle image velocimetry, *Meas,Sci.Technol.* (Band 8), Seite 1379-1392.
- [57] Stamhuis, E. und Videler, J. (1995): Quantitative flow analysis around aquatic animals using laser sheet particle image velocimetry, *J Exp Biol* (Band 198), Nr. Pt 2, Seite 283-94. URL:

- http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9317812
- [58] Taylor, R. S.; Loh, A.; McFarland, R. J.; Cox, M. und Chester, J. F. (1992): Improved technique for polytetrafluoroethylene bypass grafting: long-term results using anastomotic vein patches, *Br J Surg* (Band 79), Nr. 4, Seite 348-54. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1576506
- [59] Miller, J.H.; Foreman, R.K.; Ferguson, L. und Faris, I. (1984): Interposition vein cuff for anastomosis of prosthesis to small artery., *Australian and New Zealand Journal of Surgery* (Band 54), Nr. 3, Seite 283-285.
- [60] Rueckert, R.I.; Settmacher, U.; Krueger, U. und Scholz, K. (2000): Femorodistal PTFE bypass grafting for severe limb ischaemia: results of a prospective clinical study using a new distal anastomotic technique., *European Journal of Vascular and Endovascular Surgery* (Band 20), Nr. 1, Seite 51-56.
- [61] Batson, R. C.; Sottiurai, V. S. und Craighead, CC. (1984): Linton patch angioplasty. An adjunct to distal bypass with polytetrafluoroethylene grafts, *Ann Surg* (Band 199), Nr. 6, Seite 684-693.
- [62] Heise, M.; Kruger, U.; Ruckert, R.; Pfitzman, R.; Neuhaus, P. und Settmacher, U. (2003): Correlation of intimal hyperplasia development and shear stress distribution at the distal end-side-anastomosis, in vitro study using particle image velocimetry, *Eur J Vasc Endovasc Surg* (Band 26), Nr. 4, Seite 357-66. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14511996
- [63] Klanchar, M.; Tarbell, J.M. und Wang, D.M. (1990): In vitro study of the influence of radial wall motion on wall shear stress in an elastic tube model of the aorta., *Circulation Research* (Band 66), Nr. 6, Seite 1624-1635.
- [64] Ojha, M.; Leask, R. L.; Johnston, K. W.; David, T. E. und Butany, J. (2000): Histology and morphology of 59 internal thoracic artery grafts and their distal anastomoses, *Ann Thorac Surg* (Band 70), Nr. 4, Seite 1338-44. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11081895
- [65] Imparato, A. M.; Bracco, A.; Kim, G. E. und Zeff, R. (1972): Intimal and neointimal fibrous proliferation causing failure of arterial reconstructions, *Surgery* (Band 72), Nr. 6, Seite 1007-17. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=5087270
- [66] Milnor, W. R.; Bergel, D. H. und Bargainer, J. D. (1966): Hydraulic power associated with pulmonary blood flow and its relation to heart rate, *Circ Res* (Band 19), Nr. 3, Seite 467-80. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=5087270

- on&list_uids=5925148
- [67] Butany, J. W.; David, T. E. und Ojha, M. (1998): Histological and morphometric analyses of early and late aortocoronary vein grafts and distal anastomoses, *Can J Cardiol* (Band 14), Nr. 5, Seite 671-7. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9627522
- [68] Swedberg, S. H.; Brown, B. G.; Sigley, R.; Wight, T. N.; Gordon, D. und Nicholls, S. C. (1989): Intimal fibromuscular hyperplasia at the venous anastomosis of PTFE grafts in hemodialysis patients. Clinical, immunocytochemical, light and electron microscopic assessment, *Circulation* (Band 80), Nr. 6, Seite 1726-36. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2688974
- [69] Szilagyi, D. E.; Smith, R. F. und Whitney, D. G. (1964): The Durability of Aorto-Iliac Endarterectomy; a Roentgenologic and Pathologic Study of Late Recurrence, *Arch Surg* (Band 89), Seite 827-39. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14216028
- [70] Asada, Y.; Kisanuki, A.; Tsuneyoshi, A.; Marutsuka, K.; Hatakeyama, K. und Sumiyoshi, A. (1996): Effects of inflation pressure of balloon catheter on vascular injuries and subsequent development of intimal hyperplasia in rabbit aorta, *Atherosclerosis* (Band 121), Nr. 1, Seite 45-53. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8678923
- [71] van Erven, L.; Velema, E.; Bos, A. N.; Post, M. J. und Borst, C. (1992): Thrombogenicity and intimal hyperplasia after conventional and thermal balloon dilation in normal rabbit iliac arteries, *J Vasc Res* (Band 29), Nr. 6, Seite 426-34. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1489888
- [72] Stewart, S. F. und Lyman, D. J. (1992): Effects of a vascular graft/natural artery compliance mismatch on pulsatile flow, *J Biomech* (Band 25), Nr. 3, Seite 297-310. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1564063
- [73] Kidson, I. G. und Abbott, W. M. (1978): Low compliance and arterial graft occlusion, *Circulation* (Band 58), Nr. 3 Pt 2, Seite I1-4. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14740668
- [74] Okuhn, S. P.; Connelly, D. P.; Calakos, N.; Ferrell, L.; Pan, M. X. und Goldstone, J. (1989): Does compliance mismatch alone cause neointimal hyperplasia?, *J Vasc Surg* (Band 9), Nr. 1, Seite 35-45. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2911141

- [75] Dobrin, P.B., Littooy, F.N., Edean, E.D. (1989): Mechanical factors predisposing to intimal hyperplasia and medial thickening in autogenous vein grafts, *Surgery* (Band 105), Nr. 3, Seite 393-400.
- [76] Zarins, C. K.; Bassiouny, H. S. und Glagov, S. (1996): Intimal Hyperplasia, In: Haimovici H (Ed.). *Haimovici's Vascular Surgery*. Blackwell Science, Cambridge (MA), Seite 678-687.
- [77] Zarins, C. K. und Giddens, D. P. (1991): Relationship between anastomotic hemodynamics and intimal thickening, *J Vasc Surg* (Band 13), Seite 738-740.
- [78] Bassiouny, H. S. (1996): Low flow enhances platelet activation after acute experimental arterial injury, *J Vasc Surg* (Band 27), Seite 910-916.
- [79] Heethaar, R.M. (1993): Atherosclerosis and blood flow, In: Strackee, J., Westerhof, N. (Ed.): *The Physics of Heart and Circulation*, Institute of Physics Publishing, Bristol and Philadelphia, Seite 321-334.
- [80] Heise, M. (2003): Der Einfluss der hydraulischen Impedanz auf die Prognose und lokale femoro-infrainguinaler Rekonstruktionen, *Klinik für Allgemein-, Viszeral- und Transplantationschirurgie*, Humboldt-Universität zu Berlin, Berlin.
- [81] Watase, M.; Kambayashi, J.; Itoh, T.; Tsuji, Y.; Kawasaki, T.; Shiba, E.; Sakon, M.; Mori, T.; Yashika, K. und Hashimoto, P. H. (1992): Ultrastructural analysis of pseudo-intimal hyperplasia of polytetrafluoroethylene prostheses implanted into the venous and arterial systems, *Eur J Vasc Surg* (Band 6), Nr. 4, Seite 371-80. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1499739
- [82] Fillinger, M. F.; Reinitz, E. R.; Schwartz, R. A.; Resetarits, D. E.; Paskanik, A. M. und Bredenberg, C. E. (1989): Beneficial effects of banding on venous intimal-medial hyperplasia in arteriovenous loop grafts, *Am J Surg* (Band 158), Nr. 2, Seite 87-94. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2757149
- [83] Fillinger, M. F.; Reinitz, E. R.; Schwartz, R. A.; Resetarits, D. E.; Paskanik, A. M.; Bruch, D. und Bredenberg, C. E. (1990): Graft geometry and venous intimal-medial hyperplasia in arteriovenous loop grafts, *J Vasc Surg* (Band 11), Nr. 4, Seite 556-66. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2182916
- [84] Keynton, R. S.; Rittgers, S. E. und Shu, M. C. (1991): The effect of angle and flow rate upon hemodynamics in distal vascular graft anastomoses: an in vitro model study, *J Biomech Eng* (Band 113), Nr. 4, Seite 458-63. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1762444
- [85] Friedmann, M.H. (1989): A biologically plausible model of thickening of arterial intima

- under stress, Arteriosclerosis (Band 9), Seite 511-522.
- [86] Meyerson, S. L.; Skelly, C. L.; Curi, M. A.; Shakur, U. M.; Vosicky, J. E.; Glagov, S.; Schwartz, L. B.; Christen, T. und Gabbiani, G. (2001): The effects of extremely low shear stress on cellular proliferation and neointimal thickening in the failing bypass graft, *J Vasc Surg* (Band 34), Nr. 1, Seite 90-7. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11436080
- [87] Zhuang, Y. J.; Singh, T. M.; Zarins, C. K. und Masuda, H. (1998): Sequential increases and decreases in blood flow stimulates progressive intimal thickening, *Eur J Vasc Endovasc Surg* (Band 16), Nr. 4, Seite 301-10. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9818007
- [88] Gnasso, A.; Carallo, C.; Irace, C.; Spagnuolo, V.; De Novara, G.; Mattioli, P. L. und Pujia, A. (1996): Association between intima-media thickness and wall shear stress in common carotid arteries in healthy male subjects, *Circulation* (Band 94), Nr. 12, Seite 3257-62. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8989138
- [89] Malek, A. M.; Alper, S. L. und Izumo, S. (1999): Hemodynamic shear stress and its role in atherosclerosis, *Jama* (Band 282), Nr. 21, Seite 2035-42. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10591386
- [90] Pedersen, E. M.; Oyre, S.; Agerbaek, M.; Kristensen, I. B.; Ringgaard, S.; Boesiger, P. und Paaske, W. P. (1999): Distribution of early atherosclerotic lesions in the human abdominal aorta correlates with wall shear stresses measured in vivo, *Eur J Vasc Endovasc Surg* (Band 18), Nr. 4, Seite 328-33. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10550268
- [91] Kohler, T. R.; Kirkman, T. R.; Kraiss, L. W.; Zierler, B. K. und Clowes, A. W. (1991): Increased blood flow inhibits neointimal hyperplasia in endothelialized vascular grafts, *Circ Res* (Band 69), Nr. 6, Seite 1557-65. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1954675
- [92] Fann, J. I.; Sokoloff, M. H.; Sarris, G. E.; Yun, K. L.; Kosek, J. C. und Miller, D. C. (1990): The reversibility of canine vein-graft arterialization, *Circulation* (Band 82), Nr. 5 Suppl, Seite IV9-18. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2225440
- [93] Junqueira und Carneiro (1996): Histologie, T.H.Schiebler, Springer-Verlag, Berlin, Heidelberg, New York.

- [94] Schmidt und Thews (1997): Physiologie des Menschen, Springer Verlag, Berlin.
- [95] Davies, P. F.; Remuzzi, A.; Gordon, E. J.; Dewey, C. F., Jr. und Gimbrone, M. A., Jr. (1986): Turbulent fluid shear stress induces vascular endothelial cell turnover in vitro, Proc Natl Acad Sci U S A (Band 83), Nr. 7, Seite 2114-7. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=3457378
- [96] Topper, J. N.; Cai, J.; Falb, D. und Gimbrone, M. A., Jr. (1996): Identification of vascular endothelial genes differentially responsive to fluid mechanical stimuli: cyclooxygenase-2, manganese superoxide dismutase, and endothelial cell nitric oxide synthase are selectively up-regulated by steady laminar shear stress, Proc Natl Acad Sci U S A (Band 93), Nr. 19, Seite 10417-22. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8816815
- [97] Berk, B. C.; Corson, M. A.; Peterson, T. E. und Tseng, H. (1995): Protein kinases as mediators of fluid shear stress stimulated signal transduction in endothelial cells: a hypothesis for calcium-dependent and calcium-independent events activated by flow, J Biomech (Band 28), Nr. 12, Seite 1439-50. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8666584
- [98] Tai, L. K.; Okuda, M.; Abe, J.; Yan, C. und Berk, B. C. (2002): Fluid shear stress activates proline-rich tyrosine kinase via reactive oxygen species-dependent pathway, Arterioscler Thromb Vasc Biol (Band 22), Nr. 11, Seite 1790-6. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12426206
- [99] Schnitzer, J. E. und Oh, P. (1994): Albondin-mediated capillary permeability to albumin. Differential role of receptors in endothelial transcytosis and endocytosis of native and modified albumins, J Biol Chem (Band 269), Nr. 8, Seite 6072-82. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8119952
- [100] Gudi, S. R.; Clark, C. B. und Frangos, J. A. (1996): Fluid flow rapidly activates G proteins in human endothelial cells. Involvement of G proteins in mechanochemical signal transduction, Circ Res (Band 79), Nr. 4, Seite 834-9. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8831508
- [101] Ellenby, M. I.; Ernst, C. B.; Carretero, O. A. und Scicli, A. G. (1996): Role of nitric oxide in the effect of blood flow on neointima formation, J Vasc Surg (Band 23), Nr. 2, Seite 314-22. URL: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8637109
- [102] Kraiss, L. W.; Raines, E. W.; Wilcox, J. N.; Seifert, R. A.; Barrett, T. B.; Kirkman, T. R.; Hart, C. E.; Bowen-Pope, D. F.; Ross, R. und Clowes, A. W. (1993): Regional expression of the platelet-derived growth factor and its receptors in a primate graft model of vessel

- wall assembly, J Clin Invest (Band 92), Nr. 1, Seite 338-48. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8326002
- [103] Sharefkin, J. B.; Diamond, S. L.; Eskin, S. G.; McIntire, L. V. und Dieffenbach, C. W. (1991): Fluid flow decreases preproendothelin mRNA levels and suppresses endothelin-1 peptide release in cultured human endothelial cells, J Vasc Surg (Band 14), Nr. 1, Seite 1-9. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2061949
- [104] Berk, B. C. und Corson, M. A. (1997): Angiotensin II signal transduction in vascular smooth muscle: role of tyrosine kinases, Circ Res (Band 80), Nr. 5, Seite 607-16. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9130441
- [105] Ku, D. N. und Giddens, D. P. (1983): Pulsatile flow in a model carotid bifurcation, Arteriosclerosis (Band 3), Seite 31-39.
- [106] Merten, A. Untersuchung von Fließinstabilität mit Hilfe der Laser-Doppler-Anemometrie.
- [107] Altmeyer, P; Hoffmann, K. und Stücker, M Laser Doppler Anemometrie,
<http://www.lawrenz.com/cam1lit5.htm>, <http://www.lawrenz.com/cam1lit5.htm>.
- [108] Hughes, P. E. und How, T. V. (1995): Flow structures at the proximal side-to-end anastomosis. Influence of geometry and flow division, J Biomech Eng (Band 117), Nr. 2, Seite 224-36. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7666660
- [109] Fisher, R.K.; How, T.V.; Carpenter, T.; Brennan, J.A. und Harris, P.L. (2001): Optimising miller cuff dimensions: the influence of geometry on anastomotic flow patterns., European Journal of Vascular and Endovascular Surgery (Band 21), Nr. 3, Seite 251-260.
- [110] Longest, P. W.; Kleinstreuer, C. und Archie, J. P., Jr. (2003): Particle hemodynamics analysis of Miller cuff arterial anastomosis, J Vasc Surg (Band 38), Nr. 6, Seite 1353-62. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14681641
- [111] Fisher, R.K.; How, T.V.; Toonder, I.M.; Hoedt, M.T.; Brennan, J.A. und Gilling-Smith, G.L. (2001): Harnessing haemodynamic forces for suppression of anastomotic intimal hyperplasia: The rationale for precuffed grafts., European Journal of Vascular and Endovascular Surgery (Band 21), Nr. 6, Seite 520-528.
- [112] Fisher, R. K.; How, T. V.; Carpenter, T.; Brennan, J. A. und Harris, P. L. (2001): Optimising miller cuff dimensions: the influence of geometry on anastomotic flow

- patterns, Eur J Vasc Endovasc Surg (Band 21), Nr. 3, Seite 251-60. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11352685
- [113] da Silva, A.F.; Carpenter, T.; How, T.V. und Harris, P.L. (1997): Stable vortices within vein cuffs inhibit anastomotic myointimal hyperplasia?, European Journal of Vascular and Endovascular Surgery (Band 14), Nr. 3, Seite 157-163.
- [114] Siegmann, F. (1997): The use of a venous cuff for graft anastomosis, Surg Gynecol Obstet (Band 148), Seite 930.
- [115] Raptis, S. und Miller, J. H. (1995): Influence of a vein cuff on polytetrafluoroethylene grafts for primary femoropopliteal bypass, Br J Surg (Band 82), Nr. 4, Seite 487-91. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7613892
- [116] Karacagil, S.; Holmberg, A.; Narbani, A.; Eriksson, I. und Bergqvist, D. (1996): Composite polytetrafluoroethylene/vein bypass grafts: conventional distal vein segment or vein cuff?, Eur J Vasc Endovasc Surg (Band 12), Nr. 3, Seite 337-41. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8896477
- [117] Mc Farland, RJ und Taylor, RS (1988): Une amelioration technique d'anastomose des protheses arterielles femoro-distales, Phlebologie (Band 41), Seite 229-233.
- [118] Taylor, R. S. (1991): Les pontages prothetiques: pouvons-nous ameliorer les resultats, J Mal Vasc (Band 16), Seite 18-22.
- [119] Taylor, RS et al (1991): Letter: Justifying arterial reconstruction to crural vessels- even with a prosthetic graft and new prosthetic venous collar anastomotic technique: combining the best of other procedures, Br J Surg (Band 79), Seite 183.
- [120] Ligush, J. (1995): Clinical trials a must. Letter to the editor, J Vasc Surg (Band 21), Seite 707-708.
- [121] Liepsch, D.; Thurston, G. und Lee, M. (1991): Studies of fluids simulating blood-like rheological properties and applications in models of arterial branches, Biorheology (Band 28), Nr. 1-2, Seite 39-52. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2049531
- [122] Day, S. W.; McDaniel, J. C.; Wood, H. G.; Allaire, P. E.; Song, X.; Lemire, P. P. und Miles, S. D. (2002): A prototype HeartQuest ventricular assist device for particle image velocimetry measurements, Artif Organs (Band 26), Nr. 11, Seite 1002-5. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12406161
- [123] Huang, H. und Dbiri, D. Aharib M (1997): On errors of digital particle image

- velocimetry, Measurement Sci Technol (Band 8), Seite 1427-40.
- [124] Adrian RJ (1997): Dynamic ranges and spatial resolution of particle image velocimetry, Measurement Sci Technol (Band 8), Seite 1393-1398.
- [125] Li, X. M. und Rittgers, S. E. (2001): Hemodynamic factors at the distal end-to-side anastomosis of a bypass graft with different POS:DOS flow ratios, J Biomech Eng (Band 123), Nr. 3, Seite 270-6. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11476371
- [126] Loth, F.; Jones, S. A.; Giddens, D. P.; Bassiouny, H. S.; Glagov, S. und Zarins, C. K. (1997): Measurements of velocity and wall shear stress inside a PTFE vascular graft model under steady flow conditions, J Biomech Eng (Band 119), Nr. 2, Seite 187-94. URL:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9168395
- [127] Rodgers, VGJ; Theodori, MF und Borovetz, HS (1987): Experimental determination of mechanical shear stress about anastomotic junction, J Biomech (Band 20), Seite 795-803.
- [128] Dobrin, P.B.; Littooy, F.N.; Golan, J.; Blakeman, B. und Fareed, J. (1988): Mechanical and histologic changes in canine vein grafts., Journal of Surgical Research (Band 44), Nr. 3, Seite 259-265.
- [129] Smits, A.J. (1999): A Physical Introduction to Fluid Mechanics., Wiley, New York, New York.
- [130] Wijesinghe, L.D.; Mahmood, T. und Scott, D.J. (1999): Axial flow fields in cuffed end-to-side anastomoses: effects of angle and disease progression., European Journal of Vascular and Endovascular Surgery (Band 18), Nr. 3, Seite 240-244.