

References

- Adushkin, V., Rodionov, V. N., and Turuntaev, S., Seismicity in the Oil Field, *Oilfield Review*, 1, 2–17, 2000.
- Audigane, P., *Caractérisation microsismique des massifs rocheux fracturés. Modélisation thermo-hydraulique. Application au concept géothermique de Soultz*, Ph.D. thesis, Ecole de Géologie de Nancy, 2000.
- Audigane, P., Royer, J.-J., and Kaieda, H., Permeability characterization of the Soultz and Ogachi large-scale reservoir using induced microseismicity, *Geophysics*, 67(1), 204–211, 2002.
- Baisch, S., Bohnhoff, M., Ceranna, L., Tu, Y., and Harjes, H.-P., Probing the crust to 9 km depth: Fluid injection experiments and induced seismicity at the KTB superdeep drilling hole, Germany, *Bulletin of the Seismological Society of America*, 92(6), 2369–2380, 2002.
- Baisch, S. and Harjes, H.-P., A model for fluid-injection-induced seismicity at the KTB, Germany, *Geophysical Journal International*, 152, 160–170, 2003.
- Biot, M. A., Theory of propagation of elastic waves in a fluid-saturated porous solid. I. Low-frequency range, *Journal of the Acoustical Society of America*, 28, 168–178, 1956a.
- Biot, M. A., Mechanics of deformation and acoustic propagation in porous media, *Journal of Applied Physics*, 33, 1482–1498, 1962.
- Boas, D. A., O’Leary, M., Chance, B., and A.G. Yodh, P., Detection and characterization of optical inhomogeneities with diffuse photon density waves: a signal-to-noise analysis, *Applied Optics*, 36, 75–92, 1997.
- Bohnhoff, M., Baisch, S., and Harjes, H.-P., Fault mechanisms of induced seismicity at the superdeep KTB borehole and their relation to fault structure and stress field, *Journal of Geophysical Research*, 2003, submitted.
- Brudy, M., Zoback, M., Fuchs, K., Rummel, F., and Baumgärtner, J., Estimation of the complete stress tensor to 8 km depth in the KTB scientific drill holes: Implications for crustal strength, *Journal of Geophysical Research*, 102, B8, 18453–18475, 1997.

- Buske, S., Three-dimensional pre-stack Kirchhoff migration of deep seismic reflection data, *Geophysical Journal International*, 137, 243–260, 1999.
- Carslaw, H. S. and Jaeger, J. C., *Conduction of heat in solids*, Oxford University Press, 1973.
- Červený, V., The application of ray tracing to the numerical modelling of seismic wavefields in complex structures, in *Seismic Shear Waves, Part A, Theory*, ed. G. Dohr, pp. 1–124, 1985.
- Cornet, F. H., Comment on 'Large-scale *in situ* permeability tensor of rocks from induced microseismicity' by S.A. Shapiro, P. Audigane and J.-J. Royer, *Geophysical Journal International*, 140, 465–469, 2000.
- Costain, J. and Bollinger, G., Climatic changes, streamflow, and long-term forecasting of intraplate seismicity, *Journal of Geodynamics*, 22(1/2), 97–117, 1996.
- Dutta, N. C. and Ode, H., Attenuation and dispersion of compressional waves in fluid filled porous rocks with partial gas saturation (white model)-part i: Biot theory, *Geophysics*, 44, 1777–1788, 1979.
- Dutton, S. P., Laubach, S. E., Tye, R., and Diggs, T., Geological analysis of the Travis Peak formation and Cotton Valley sandstone, in *Staged Field Experiment No. 3: Application of advanced technologies in tight gas sandstones - Travis Peak and Cotton Valley Formations, Waskom Field, Harrison County, Texas*, (Eds.) CER Corp. and S.A. Holditch Assoc., Inc., Gas Research Institute, 1991.
- Dyer, B., Juppe, A., Jones, R. H., Thomas, T., Willis-Richards, J., and Jaques, P., Microseismic Results from the European HDR Geothermal Project at Soultz-sous-Forets, Alsace, France, CSM Associated Ltd, IR03/24.
- Fehler, M., House, L., Phillips, W. S., and Potter, R., A method to allow temporal variation of velocity in travel-time tomography using microearthquakes induced during hydraulic fracturing, *Tectonophysics*, 289, 189–202, 1998.
- Fehler, M., Jupe, A., and Asanuma, H., More than cloud: New techniques for characterizing reservoir structure using induced seismicity, *The Leading Edge*, 20, No. 3, 324–328, 2001.
- Gibert, D., Tournerie, B., and Virieux, J., High-resolution electromagnetic imaging of the conductive Earth interior, *Inverse Problems*, 10, 341–351, 1994.
- Großmann, S., *Mathematischer Einführungskurs für die Physik*, Teubner Studienbücher, B.G. Teubner, Stuttgart, 1993.
- Harjes, H.-P., Bram, K., Dürbaum, H.-J., Gebrande, H., Hirschmann, G., Janik, M., Klöckner, M., Lüschen, E., Rabbel, W., Simon, M., Thomas, R., Tormann, J., and Wenzel, F., Origin and nature of crustal reflections: results from integrated seismic measurements at the KTB superdeep drill hole, *Journal of Geophysical Research*, 102, 18267–18288, 1997.

- Healy, J., Rubey, W., Griggs, D., and Raleigh, C., The Denver earthquakes, *Science*, 161, 1301–1310, 1968.
- Jost, M. L., Büselberg, T., Jost, Ö., and Harjes, H.-P., Source parameters of injection-induced microearthquakes at 9 km depth at the KTB deep drilling site, *Bulletin of the Seismological Society of America*, 88, 815–832, 1998.
- Kaiser, J., *Untersuchungen über das Auftreten von Geräuschen beim Zugversuch*, Ph.D. thesis, (in german), Fak. f. Maschinenwesen, TH München, Germany., 1950.
- Landau, L. D. and Lifshitz, E. M., *Electrodynamics of continuous media*, Addison-Wesley, Reading, MA, 1984, 2nd edition.
- Mandelis, A., Diffusion waves and their uses, *Physics Today*, 53, n.8, 29–34, 2000.
- Mavko, G., Mukerji, T., and Dvorkin, J., *The Rock Physics Handbook: Tools for seismic analysis in porous media*, Cambridge Univ. Press, 1998.
- Maxwell, S. C., Young, R. P., Bossu, R., Jupe, A., and Dangerfield, J., Microseismic logging of the Ekofisk reservoir, *SPE Paper 47276, Petro. Eng. / Int. Soc. Rock Mech., Eurock 1998 Conf, Trondheim, Norway*, 1998.
- Müller, T., *Seismic pulse propagation in statistically heterogeneous geological structures*, Ph.D. thesis, Fachbereich Geowissenschaften der Freien Universität Berlin, Germany., 2001.
- Nekut, A. G., Electromagnetic ray-trace tomography, *Geophysics*, 59, 371–377, 1994.
- Nur, A. and Booker, J., Aftershocks caused by pore fluid flow?, *Science*, 175, 885–887, 1972.
- Padé, O. and Mandelis, A., Thermal-wave slice tomography using wave-field reconstruction, *Inverse Problems*, 10, 185–197, 1994.
- Parotidis, M. and Shapiro, S., Reservoir characterization based on seismicity rate of fluid injection induced earthquakes, *Geophysical Research Letters*, 2004.
- Parotidis, M., Shapiro, S., and Rothert, E., Back front of seismicity induced after termination of borehole fluid injection, *Geophysical Research Letters*, *in press.*, 2004.
- Pechinig, R., Haverkamp, S., Wohlenberg, J., Zimmermann, G., and Burkhardt, H., Integrated log interpretation in the german continental deep drilling program: Lithology, porosity and fracture zones, *Journal of Geophysical Research*, 102, 18363–18390, 1997.
- Phillips, W., House, L., and Fehler, M., Detailed joint structure in a geothermal reservoir from studies of induced microearthquake clusters, *Journal of Geophysical Research*, 102(B6), 11,745–11,763, 1997.
- Raleigh, C. B., Healy, J., and Bredehoeft, J., An experiment in earthquake control at Rangely, Colorado, *Science*, 191, 1230–1237, 1976.

- Rentsch, S., *Hydraulic characterization of rocks using density of induced microseismicity*, Diploma thesis, Freie Universität Berlin, 2003.
- Rice, J. and Cleary, M., Some basic stress diffusion solutions for fluid-saturated porous media with compressible constituents, *Rev. Geophys. Space Phys.*, 14, 227–241, 1976.
- Rindschwentner, J., *Estimating the Global Permeability Tensor using Hydraulically Induced Seismicity - Implementation of a new Algorithm and Case Studies*, Master thesis, 101 pages, Freie Universität Berlin, 2001.
- Rothert, E. and Shapiro, S. A., Seismicity based reservoir characterization - case studies and numerical verifications of the approach, in *WIT Annual Report No. 5*, Karlsruhe, 2001, pp. 216–228.
- Rothert, E. and Shapiro, S. A., Microseismic monitoring of borehole fluid injections: Data modeling and inversion for hydraulic properties of rocks, in *Expanded Abstracts, RCT 4.8*, 72nd SEG Meeting, Salt Lake City, USA, 2002.
- Rothert, E. and Shapiro, S. A., Microseismic monitoring of borehole fluid injections: Data modeling and inversion for hydraulic properties of rocks, *Geophysics*, 68, No.2, 685–689, 2003.
- Rothert, E., Shapiro, S. A., Buske, S., and Bohnhoff, M., Mutual relationship between microseismicity and seismic reflectivity: Case study at the German Continental Deep Drilling Site (KTB), *Geophysical Research Letters*, 30, No.17, 1893–1896, 2003.
- Rothert, E., Shapiro, S. A., and Urbancic, T., Microseismic reservoir characterization: numerical experiments and case studies, in *Expanded Abstracts, RC 2.4*, 71st SEG Meeting, San Antonio, USA, 2001.
- Rutledge, J. T. and Phillips, W. S., Hydraulic stimulation of natural fractures as revealed by induced microearthquakes, Carthage Cotton Vally gas field, East Texas, *Geophysics*, 68, 441–452, 2003.
- Rutledge, J. T., Phillips, W. S., and Schuessler, B. K., Reservoir characterization using oil-production-induced microseismicity, Clinton County, Kentucky, *Tectonophysics*, 289, 129–152, 1998.
- Scholz, C. H., *The mechanics of earthquakes and faulting*, University Press. Cambridge, Cambridge, 1990.
- Shapiro, S. A., Audigane, P., and Royer, J.-J., Large-scale in situ permeability tensor of rocks from induced microseismicity, *Geophysical Journal International*, 137, 207–213, 1999a.
- Shapiro, S. A., Audigane, P., and Royer, J.-J., Reply to comment by F. H. Cornet on 'Large-scale in situ permeability tensor of rocks from induced microseismicity', *Geophysical Journal International*, 140, 470–473, 2000a.

- Shapiro, S. A., Audigane, P., Royer, J.-J., and Fehler, M., An inversion for the permeability tensor by using seismic emission, *Society of Exploration Geophysicists, Annual Meeting Abstracts*, pp. 1783–1786, 1999b.
- Shapiro, S. A., Huenges, E., and Borm, G., Estimating the crust permeability from fluid-injection-induced seismic emission at the KTB site, *Geophysical Journal International*, *131*, F15–F18, 1997, (see also Corrigendum, *Geoph. J. Int.*, 1998, v.134, p.913).
- Shapiro, S. A. and Müller, T., Seismic signatures of permeability in heterogeneous porous media, *Geophysics*, *64*, 99–103, 1999.
- Shapiro, S. A., Patzig, R., Rothert, E., and Rindschwentner, J., Triggering of microseismicity due to pore-pressure perturbation: permeability related signatures of the phenomenon, *Pure and Applied Geophysics*, *160*, 1051 – 1066, 2003.
- Shapiro, S. A., Rothert, E., Rath, V., and Rindschwentner, J., Characterization of fluid transport properties of reservoirs using induced microseismicity, *Geophysics*, *67*, 212–220, 2002.
- Shapiro, S. A., Royer, J.-J., and Audigane, P., Estimating the Permeability from Fluid-Injection Induced Seismic Emission, in *Thimus J.-F., Abousleiman Y., Cheng A.H.-D., Coussy O. and E. Detournay, Eds., Poromechanics*, A.A.Balkema, Rotterdam, Brookfield, pp. 301–305, 1998.
- Shapiro, S. A., Royer, J.-J., and Audigane, P., Reply to comment by F.H. Cornet on 'large-scale in situ permeability tensor of rocks from induced microseismicity', *Geophysical Journal International*, *140*, 470–473, 2000b.
- Simon, M., Gebrande, H., and Bopp, M., Pre-stack migration and true-amplitude processing of DEKORP near-normal incidence and wide-angle reflection measurements, *Tectonophysics*, *264*, 381–392, 1996.
- Talwani, P. and Acree, S., Pore pressure diffusion and the mechanism of reservoir-induced seismicity, *Pure appl. geophys.*, *122*, 947–965, 1985.
- Urbancic, T. I., Shumila, V., Rutledge, J. T., and Zinno, R. J., Determining hydraulic fracture behavior using microseismicity, *Proc. 37th U.S. Rock Mechanics Symposium, Vail, Colorado, USA*, pp. 991–996, 1999, June 6-9.
- van der Kamp, G. and Gal, J. E., Theory of earth tide and barometric effects in porous formations with compressible grains, *Water Resources Research*, *19*, n.2, 538–544, 1983.
- Virieux, J., Flores-Luna, C., and Gibert, D., Asymptotic theory for diffusive electromagnetic imaging, *Geophysical Journal International*, *119*, 857–868, 1994.
- Wagner, G., Coyle, D., Duyster, J., Henjes-Kunst, F., Peterek, A., Schröder, B., Stöckert, K., Wemmer, K., Zulauf, G., Ahrendt, H., Bischhoff, R., Heijl, E., Jacobs, J., Menzel, D., Lal, N., Haute, P. V. D., Vercoutere, C., and Welzel, B., Post-variscan and thermal and tectonic evolution of the KTB site and its surroundings, *Journal of Geophysical Research*, *102*, B8, 18221–18232, 1997.

- Walker, R. N., Cotton Valley Hydraulic Fracture Imaging Project, *SPE*, 3857715, 1997.
- W.H. Press and S.A. Teukolsky and W.T. Vetterling and B.P. Flannery, editor, *Numerical Recipes in C++, the art of scientific computing*, Cambridge University Press, Cambridge, UK, 2002, 2nd edition.
- Yodh, A. and Chance, B., Spectroscopy and imaging with diffusing light, *Physics Today*, 48(3), 34–40, 1995.
- Zoback, M. and Harjes, H.-P., Injection induced earthquakes and the crustal stress at 9km depth at the KTB deep drilling site, *Journal of Geophysical Research*, 102:18, 477–492, 1997a.
- Zoback, M. D. and Harjes, H.-P., Injection-induced earthquakes and crustal stress at 9 km depth at the ktb deep drilling site, germany, *Journal of Geophysical Research*, 102, 18477–18491, 1997b.