

6 Literaturverzeichnis

1. Moeller JH, Hoffmann JIE. Pediatric cardiovascular medicine. *Churchill Livingstone*. 2000.
2. Lederman H, Khademian Z, Felice M, Hurh P. Dose reduction fluoroscopy in pediatrics. *Pediatr Radiol*. 2002;32:844-8.
3. Modan B, Keinan L, Blumstein T. Cancer Following Cardiac Catheterization in Childhood. *Int J Epidemiol*. 2000;29:424-428.
4. Razavi R, Hill D, Keevil S, Miquel M, Muthurangu V, Hedge S, Rhode K, Barnett M, van Vaals J, Hawkes D, Baker E. Cardiac Catheterisation Guided by MRI in Children and Adults with Congenital Heart Disease. *Lancett*. 2003;362:1877-1882.
5. Saeed M, Lee R, Martin A, Weber O, Krombach G, Schalla S, Lee M, Saloner D, Higgins C. Transendocardial Delivery of Extracellular Myocardial Markers by Using Combination X-Ray/MR Fluoroscopic Guidance: Feasibility Study in Dogs. *Radiology*. 2004;231:689-696.
6. Rickers C, Seethamraju R, Jerosch-Herold M, Wilke N. Magnetic Resonance Imaging Guided Cardiovascular Interventions in Congenital Heart Diseases. *J Interv Cardiol*. 2003;161:143-147.
7. Sorensen TS, Korperich H, Greil GF, Eichhorn J, Barth P, Meyer H, Pedersen EM, Beerbaum P. Operator-independent isotropic three-dimensional magnetic resonance imaging for morphology in congenital heart disease: a validation study. *Circulation*. 2004;110:163-9.

8. Grothues F, Moon JC, Bellenger NG, Smith GS, Klein HU, Pennell DJ. Interstudy reproducibility of right ventricular volumes, function, and mass with cardiovascular magnetic resonance. *Am Heart J*. 2004;147:218-23.
9. Beerbaum P, Korperich H, Barth P, Esdorn H, Gieseke J, Meyer H. Noninvasive quantification of left-to-right shunt in pediatric patients: phase-contrast cine magnetic resonance imaging compared with invasive oximetry. *Circulation*. 2001;103:2476-82.
10. Rominger MB, Bachmann GF, Pabst W, Rau WS. Right ventricular volumes and ejection fraction with fast cine MR imaging in breath-hold technique: applicability, normal values from 52 volunteers, and evaluation of 325 adult cardiac patients. *J Magn Reson Imaging*. 1999;10:908-18.
11. Thompson RB, McVeigh ER. Real-time volumetric flow measurements with complex-difference MRI. *Magn Reson Med*. 2003;50:1248-55.
12. Muthurangu V, Taylor A, Andriantsimiavona R, Hedge S, Miquel M, Tulloh R, Baker E, Hill D, Razavi R. Novel Method of Quantifying Vascular Resistance by Use of Simultaneous Invasive Pressure Monitoring and Phase-Contrast Magnetic Resonance Flow. *Circulation*. 2004;110:826-834.
13. Rickers C, Jerosch-Herold M, Hu X, Murthy N, Wang X, Kong H, Seethamraju R, Weil J, Wilke N. Magnetic Resonance Image-guided Transcatheter Closure of Atrial Septal Defects. *Circulation*. 2003;107:132-138.
14. Schalla S, Saeed M, Higgins C, Martin A, Weber O, Moore P. Magnetic Resonance-guided Cardiac Catheterization in a Swine Model of Atrial Septal Defects. *Circulation*. 2003;108:1865-1870.
15. Kozerke S, Tsao J, Razavi R, Boesiger P. Accelerating cardiac cine 3D imaging using k-t BLAST. *Magn Reson Med*. 2004;52:19-26.

16. Korperich H, Gieseke J, Barth P, Hoogeveen R, Esdorn H, Peterschroder A, Meyer H, Beerbaum P. Flow volume and shunt quantification in pediatric congenital heart disease by real-time magnetic resonance velocity mapping: a validation study. *Circulation*. 2004;109:1987-93.
17. Pruessmann K, Weiger M, Scheidegger M, Boesiger P. SENSE: Sensitivity Encoding for Fast MRI. *Magn Reson Med*. 1999;42:952-962.
18. Spuentrup E, Schroeder J, Mahnken AH, Schaeffter T, Botnar RM, Kuhl HP, Hanrath P, Gunther RW, Buecker A. Quantitative assessment of left ventricular function with interactive real-time spiral and radial MR imaging. *Radiology*. 2003;227:870-6.
19. Hillenbrand CM, Elgort DR, Wong EY, Reykowski A, Wacker FK, Lewin JS, Duerk JL. Active device tracking and high-resolution intravascular MRI using a novel catheter-based, opposed-solenoid phased array coil. *Magn Reson Med*. 2004;51:668-75.
20. Zhang Q, Wendt M, Aschoff A, Zheng L, Lewin J, Duerk J. Active MR Guidance of Interventional Devices with Target-Navigation. *J Magn Reson Med*. 2000;44:56-65.
21. Bakker CJ, Hoogeveen RM, Weber J, van Vaals JJ, Viergever MA, Mali WP. Visualization of dedicated catheters using fast scanning techniques with potential for MR-guided vascular interventions. *Magn Reson Med*. 1996;36:816-20.
22. Wacker FK, Maes RM, Jesberger JA, Nour SG, Duerk JL, Lewin JS. MR imaging-guided vascular procedures using CO₂ as a contrast agent. *Am J Roentgenol*. 2003;181:485-9.

23. Glowinski A, Adam G, Brucker A, Neuerburg J, van Vaals J, Gunther R. Catheter Visualization Using Locally Induced, Actively Controlled Field Inhomogeneities. *Magn Reson Med.* 1997;38:253-258.
24. Miquel ME, Hegde S, Muthurangu V, Corcoran BJ, Keevil SF, Hill DL, Razavi RS. Visualization and tracking of an inflatable balloon catheter using SSFP in a flow phantom and in the heart and great vessels of patients. *Magn Reson Med.* 2004;51:988-95.
25. Kuehne T, Yilmaz S, Steendijk P, Moore P, Groenink M, Saaed M, Weber O, Higgins CB, Ewert P, Fleck E, Nagel E, Schulze-Neick I, Lange P. Magnetic resonance imaging analysis of right ventricular pressure-volume loops: in vivo validation and clinical application in patients with pulmonary hypertension. *Circulation.*2004;110:2010-6. [**Appendix 1**]
26. Kuehne T, Yilmaz S, Meinus C, Moore P, Saeed M, Weber O, Higgins CB, Blank T, Elsaesser E, Schnackenburg B, Ewert P, Lange PE, Nagel E. Magnetic resonance imaging-guided transcatheter implantation of a prosthetic valve in aortic valve position: Feasibility study in swine. *J Am Coll Cardiol.* 2004;44:2247-9. [**Appendix 2**]
27. Kuehne T, Saaed M, Higgins C, Gleason K, Krombach G, Weber O, Martin A, Turner D, Teitel D, Moore P. Endovascular stents in pulmonary valve and artery in swine: feasibility study of MR imaging-guided deployment and postinterventional assessment. *Radiology.* 2003;226:475-81. [**Appendix 3**]
28. Kuehne T, Fahrig R, Butts K. Pair of resonant fiducial markers for localization of endovascular catheters at all catheter orientations. *J Magn Reson Imaging.* 2003;17:620-4. [**Appendix 4**]

29. Kuehne T, Weiss S, Brinkert F, Weil J, Yilmaz S, Schmitt B, Ewert P, Lange P, Gutberlet M. Catheter visualization with resonant markers at MR imaging-guided deployment of endovascular stents in swine. *Radiology*. 2004;233:774-780. **[Appendix 5]**
30. Kuehne T, Saeed M, Moore P, Gleason K, Reddy G, Teitel D, Higgins CB. Influence of blood-pool contrast media on MR imaging and flow measurements in the presence of pulmonary arterial stents in swine. *Radiology*. 2002;223:439-45. **[Appendix 6]**
31. Kuehne T, Saeed M, Reddy G, Akbari H, Gleason K, Turner D, Teitel D, Moore P, Higgins CB. Sequential magnetic resonance monitoring of pulmonary flow with endovascular stents placed across the pulmonary valve in growing Swine. *Circulation*. 2001;104:2363-8. **[Appendix 7]**
32. Kuehne T, Yilmaz S, Schulze-Neick I, Wellnhofer W, Ewert P, Lange P. MRI guided catheterisation for assessment of pulmonary vascular resistance: in-vivo validation and clinical application in patients with pulmonary hypertension. *Heart*. 2005 (im Druck). **[Appendix 8]**
33. Yeung CJ, Susil RC, Atalar E. RF safety of wires in interventional MRI: using a safety index. *Magn Reson Med*. 2002;47:187-93.
34. Ordidge RJ, Shellock FG, Kanal E. A Y2000 Update of Current Safety Issues Related to MRI. *J Magn Reson Imaging*. 2000;12:1.
35. Nitz WR, Oppelt A, Renz W, Manke C, Lenhart M, Link J. On the heating of linear conductive structures as guide wires and catheters in interventional MRI. *J Magn Reson Imaging*. 2001;13:105-14.

36. Bock M, Volz S, Zühlsdorff S, Umathum R, Fink C, Hallscheid P, Semmler W. MR-Guided Intravascular Procedures: Real-Time Parameter Control and Automated Slice Positioning With Active Tracking Coils. *J Magn Reson Imaging*. 2004;19:580-589.
37. Yang X, Yeung CJ, Ji H, Serfaty JM, Atalar E. Thermal effect of intravascular MR imaging using an MR imaging-guidewire: an in vivo laboratory and histopathological evaluation. *Med Sci Monit*. 2002;8:MT113-7.
38. Ladd ME, Quick HH. Reduction of resonant RF heating in intravascular catheters using coaxial chokes. *Magn Reson Med*. 2000;43:615-9.
39. Wacker FK, Reither K, Ebert W, Wendt M, Lewin J, Wolf K. MR Imaging-Guided Endovascular Procedures with the Ultrasmall Superparamagnetic Iron Oxid SH U 555 C as an Intravascular Contrast Agent: Study in Pigs. *Radiology*. 2003;226:459-464.
40. Omary R, Unal O, Koscielski D, Frayne R, Korosec F, Mistretta C, Strother C, Grist T. Real-time MR imaging-guided passive catheter tracking with use of gadolinium-filled catheters. *J Vasc Interv Radiol*. 2000;11:1079-85.
41. Flask C, Elgort D, Wong E, Shankaranarayanan A, Lewin J, Wendt M, Duerk JL. A method for fast 3D tracking using tuned fiducial markers and a limited projection reconstruction FISP (LPR-FISP) sequence. *J Magn Reson Imaging*. 2001;14:617-27.
42. Burl M, Coutts GA, Young IR. Tuned fiducial markers to identify body locations with minimal perturbation of tissue magnetization. *Magn Reson Med*. 1996;36:491-3.

43. Weiss S, Kuehne T, Brinkert F, Krombach G, Katoh M, Schaeffter T, Guenther RW, Buecker A. In vivo safe catheter visualization and slice tracking using an optically detunable resonant marker. *Magn Reson Med.* 2004;52:860-8.
44. Okubo M, Benson L. Intravascular and Intracardiac Stents Used in Congenital Heart Disease. *Curr Opin Cardiol.* 2001;16:84-91.
45. Redington A, Weil J, J. S. Self Expanding Stents in Congenital Heart Disease. *Br Heart J.* 1994;72:378-383.
46. Wang Y, Truong TN, Yen C, Bilecen D, Watts R, Trost DW, Prince MR. Quantitative evaluation of susceptibility and shielding effects of nitinol, platinum, cobalt-alloy, and stainless steel stents. *Magn Reson Med.* 2003;49:972-6.
47. Meyer J, Buecker A, Schuermann K, al. e. MR Evaluation of Stent Patency: In Vitro Test of 22 Metallic Stents and the possibility of determining their patency by MR Angiography. *Invest Radiol.* 2000;35:739-746.
48. Lenhart M, Volk M, Manke C, al. e. Stent Appearance at Contrast-Enhanced MR Angiography: In Vitro Examination with 14 Stents. *Radiology.* 2000;217:173-178.
49. Klemm T, Duda S, Machnan J, Seekamp-Rahn K, Schnieder L, Claussen C, Schick F. MR Imaging in the Presence of Vascular Stents: a Systematic Assessment of Artifacts for Various Stent Orientations, Stent Types, and Field Strengths. *J Magn Reson Imaging.* 2000;12:606-615.
50. Bartels LW, Smits HF, Bakker CJ, Viergever MA. MR imaging of vascular stents: effects of susceptibility, flow, and radiofrequency eddy currents. *J Vasc Interv Radiol.* 2001;12:365-71.

51. Loewe C, Schillinger M, Haumer M, Loewe-Grgurin M, Lammer J, Thurnher S, Fuchsjager M, Cejna M. MRA versus DSA in the assessment of occlusive disease in the aortic arch vessels: accuracy in detecting the severity, number, and length of stenoses. *J Endovasc Ther.* 2004;11:152-60.
52. Sundgren PC, Sunden P, Lindgren A, Lanke J, Holtas S, Larsson EM. Carotid artery stenosis: contrast-enhanced MR angiography with two different scan times compared with digital subtraction angiography. *Neuroradiology.* 2002;44:592-9.
53. Maintz D, Kugel H, Schellhammer F, Landwehr P. In vitro evaluation of intravascular stent artifacts in three-dimensional MR angiography. *Invest Radiol.* 2001;36:218-24.
54. Bartels LW, Bakker CJ, Viergever MA. Improved lumen visualization in metallic vascular implants by reducing RF artifacts. *Magn Reson Med.* 2002;47:171-80.
55. Lardo AC. Real-time magnetic resonance imaging: diagnostic and interventional applications. *Pediatr Cardiol.* 2000;21:80-98.
56. Manke C, Nitz WR, Djavidani B, Strotzer M, Lenhart M, Volk M, Feuerbach S, Link J. MR imaging-guided stent placement in iliac arterial stenoses: a feasibility study. *Radiology.* 2001;219:527-34.
57. Buecker A, Neuerburg JM, Adam GB, Glowinski A, Schaeffter T, Rasche V, van Vaals JJ, Molgaard-Nielsen A, Guenther RW. Real-time MR fluoroscopy for MR-guided iliac artery stent placement. *J Magn Reson Imaging.* 2000;12:616-22.

58. Mahnken A, Chalabi K, Jalali F, Gunther R, Buecker A. Magnetic Resonance-Guided Placement of Aortic Stents Grafts: Feasibility with Real-Time Magnetic Resonance Fluoroscopy. *J Vasc Interv Radiol*. 2004;15:189-195.
59. Bonhoeffer P, Boudjemline Y, Saliba Z, Merckx J, Aggoun Y, Bonnet D, Acar P, Le Bidois J, Sidi D, Kachaner J. Percutaneous replacement of pulmonary valve in a right-ventricle to pulmonary-artery prosthetic conduit with valve dysfunction. *Lancet*. 2000;356:1403-5.
60. Andersen HR, Knudsen LL, Hasenkam JM. Transluminal implantation of artificial heart valves. Description of a new expandable aortic valve and initial results with implantation by catheter technique in closed chest pigs. *Eur Heart J*. 1992;13:704-8.
61. Boudjemline Y, Bonhoeffer P. Steps toward percutaneous aortic valve replacement. *Circulation*. 2002;105:775-8.
62. Cribier A, Eltchaninoff H, Bash A, Borenstein N, Tron C, Bauer F, Derumeaux G, Anselme F, Laborde F, Leon MB. Percutaneous transcatheter implantation of an aortic valve prosthesis for calcific aortic stenosis: first human case description. *Circulation*. 2002;106:3006-8.
63. Yamagishi M, Kurosawa H, Nomura K, Kitamura N. Fan-shaped expanded polytetrafluoroethylene valve in the pulmonary position. *J Cardiovasc Surg*. 2002;43:779-86.
64. Baan J, van der Velde E, Steendijk P. Ventricular pressure-volume relations in vivo. *Eur Heart J*. 1992.
65. Burkhoff D, Sagawa K. Ventricular efficiency predicted by an analytical model. *Am J Physiol*. 1986;250:R1021-7

66. Bishop A, White P, Oldershaw P, Chaturvedi R, Brookes C, Redington A. Clinical application of the conductance catheter technique in the adult human right ventricle. *Int J Cardiol.* 1997;58:211-21.
67. Frigiola A, Redington AN, Cullen S, Vogel M. Pulmonary regurgitation is an important determinant of right ventricular contractile dysfunction in patients with surgically repaired tetralogy of Fallot. *Circulation.* 2004;110:II153-7.
68. Hillis L, Firth B, Winniford M. Variability of right-sided cardiac oxygen saturations in adults with and without left-to-right intracardiac shunting. *Am J Cardiol.* 1986;58:129-32
69. Van Grondelle A, Ditchey R, Groves B. Thermodilution method overestimates low cardiac output in humans. *Am J Physiol.* 1983;245:690-2.
70. Wippermann CF, Huth RG, Schmidt FX, Thul J, Betancor M, Schranz D. Continuous measurement of cardiac output by the Fick principle in infants and children: comparison with the thermodilution method. *Intensive Care Med.* 1996;22:467-71.
71. Rebergen SA, van der Wall EE, Doornbos J, de Roos A. Magnetic resonance measurement of velocity and flow: technique, validation, and cardiovascular applications. *Am Heart J.* 1993;126:1439-56.
72. Fratz S, Hess J, Schwaiger M, Martinoff S, Stern HC. More accurate quantification of pulmonary blood flow by magnetic resonance imaging than by lung perfusion scintigraphy in patients with fontan circulation. *Circulation.* 2002;106:1510-3.
73. Brimiouille S, Wauthy P, Ewalenko P, Rondelet B, Vermeulen F, Kerbaul F, Naeije R. Single-beat estimation of right ventricular end-systolic pressure-volume relationship. *Am J Physiol Heart Circ Physiol.* 2003;284:H1625-30.

74. Goto Y, Slinker BK, LeWinter MM. Similar normalized Emax and O2 consumption-pressure-volume area relation in rabbit and dog. *Am J Physiol.* 1988;255:H366-74.
75. Schenck J. The role of magnetic susceptibility in magnetic resonance imaging: MRI magnetic compatibility of the first and second kind. *Med Phys.* 1996;23:815-850.
76. Teitelbaum GP, Bradley WG, Jr., Klein BD. MR imaging artifacts, ferromagnetism, and magnetic torque of intravascular filters, stents, and coils. *Radiology.* 1988;166:657-64.
77. Graf H, Klemm T, Lauer UA, Duda S, Claussen CD, Schick F. Systematics of imaging artifacts in MRT caused by metallic vascular implants (stents). *Rofo.* 2003;175:1711-9.
78. Meyer J, Bruecker A, Spuentrup E, al. e. Improved In-Stent Magnetic Resonance Angiography with High Flip Angle Excitation. *Invest Radiol.* 2001;36:677-681.
79. Haacke EM. Magnetic Resonance Imaging - Physical Principles and Sequence Design: *Wiley-Liss.* 1999.
80. van Holten J, Kunz P, Mulder PG, Pattynama PM, Lamb HJ, van Dijk LC. MR-velocity mapping in vascular stents to assess peak systolic velocity. In vitro comparison of various stent designs made of Stainless Steel and Nitinol. *Magma.* 2002;15:52-7.
81. Lethimonnier F, Bouligand B, Thouveny F, Furber A, Jallet P, Caron-Poitreau C, Le Jeune JJ. Error assessment due to coronary stents in flow-encoded phase contrast MR angiography: a phantom study. *J Magn Reson Imaging.* 1999;10:899-902.

82. van Dijk LC, van Holten J, van Dijk BP, Matheijssen NA, Pattynama PM. A precious metal alloy for construction of MR imaging-compatible balloon-expandable vascular stents. *Radiology*. 2001;219:284-7.
83. Buecker A, Spuentrup E, Ruebben A, Guenther R. Artifact-Free In-Stent Lumen Visualization by Standard Magnetic Resonance Imaging Stent. *Circulation*. 2002;105:1772-1775.
84. Higgins CHB, de Roose A. MRT and CT of the cardiovascular system. *Lippincott Williams and Wilkins*. 2005. (im Druck)
85. Ladd M, Zimmermann G, McKinnon G, von Schulthess G, Dumoulin C, Darrow R, Hofmann E, Debatin J. Visualization of Vascular Guidewires Using MR Tracking. *Magn Reson Imaging*. 1998;8:251-253.
86. Ocali O, Atalar E. Intravascular magnetic resonance imaging using a loopless catheter antenna. *Magn Reson Med*. 1997;37:112-8.
87. Buecker A, Spuentrup E, Schmitz-Rode T, Kinzel S, Pfeffer J, Hohl C, van Vaals JJ, Gunther RW. Use of a nonmetallic guide wire for magnetic resonance-guided coronary artery catheterization. *Invest Radiol*. 2004;39:656-60.
88. Kuehne T, Saeed M, Gleason K, Turner D, Teitel D, Higgins C, Moore P. Effects of pulmonary insufficiency on biventricular function in the developing heart of growing swine. *Circulation*. 2003;108:2007-13.
89. Schulze-Neick I, Hartenstein P, Li J, Stiller B, Nagdyman N, Hubler M, Butrous G, Petros A, Lange P, Redington AN. Intravenous sildenafil is a potent pulmonary vasodilator in children with congenital heart disease. *Circulation*. 2003;108 Suppl 1:II167-73.