

12 Literaturverzeichnis

- Anderson, C. M., Griffin, S., Rossi, A., Pagonis, I., Holder, D. P. & Treiber, R. (1986). A comparative study of the impact of education vs. process groups for families of patients with affective disorders. *Family Process*, 25, 185–205.
- Angermeyer, M.C., Kilian, R. & Matschinger, H. (2000). *WHOQOL-1000 und WHOQOL-BREF. Handbuch für die deutschsprachige Version der WHO- Instrumente zur internationalen Erfassung von Lebensqualität*. Göttingen: Hogrefe.
- Angermeyer, M. C., Diaz Ruiz de Zárate, J. & Matschinger, H. (2000). Informations- und Unterstützungsbedarf von Angehörigen psychiatrischer Patienten. *Das Gesundheitswesen*, 62, 483–486.
- Angermeyer, M. C., Matschinger, H. & Riedel-Heller, S. G. (1999). Whom to ask for help in case of a mental disorder? Preferences of the lay public. *Social Psychiatry and Psychiatric Epidemiology*, 34, 202–210.
- Angermeyer, M. C., Freigang, C., Kilian, R. & Wittmund, B. (1998). *Gesundheitliche und ökonomische Belastungen von Familien mit psychisch kranken Angehörigen. Forschungsantrag an das Bundesministerium für Forschung und Technologie*. Leipzig: Universität Leipzig.
- Angst, J. (1994). Das Komorbiditätskonzept in der psychiatrischen Diagnostik. In H. Dilling, E. Schulte-Markwort & Freyberger, H. J. (Hrsg.). *Von der ICD-9 zur ICD-10*. (S. 41–48) Bern: Huber.
- Angst, J. (1998). Sexual problems in healthy and depressed persons. *International Clinical Psychopharmacology*, 13 Suppl 6, S1–S4.
- Auckenthaler, A. (1983). *Therapie mit Paaren*. Stuttgart: Kohlhammer.
- Auckenthaler, A. (1985). Trennungsträume. Die tagabgewandte Seite der Zweisamkeit. *Zeitschrift für personzentrierte Psychologie und Psychotherapie*, 4 (2), 135–145.

- Auckenthaler, A. (1997). Was bleibt von der Klinischen Psychologie?
Medikalisierungsprozesse und ihre Folgen. *Journal für Psychologie*, 5 (3),
63–70.
- Auckenthaler, A. (im Druck). Paartherapie. In W. Keil, G. Stumm & J. Wiltschko
(Hrsg.). *Grundbegriffe der Klientenzentrierten und Focusing-orientierten
Psychotherapie*. Stuttgart: Pfeiffer.
- Backenstraß, M. (1998). *Depression und partnerschaftliche Interaktion*.
Münster: Waxmann.
- Badger, T. A. (1996). Family members' experiences living with members with
depression. *Western Journal of Nursing Research*, 18, 149–171.
- Baronet, A. M. (1999). Factors associated with caregiver burdens in mental illness: a
critical review of the research literature. *Clinical Psychology Review*, 19,
819–841.
- Baucom, D. H., Shoham, V., Mueser, K. T., Daiuto, A. D. & Stickle, T. R. (1998).
Empirically supported couple and family interventions for marital distress and
adult mental health problems. *Journal of Consulting and Clinical Psychology*,
66, 53–88.
- Beach, S. R. H. (Ed.). (2001). *Marital and family processes in depression: A scientific
foundation for clinical practice*. Washington: APA.
- Bebbington, P. (1998). Sex and depression. *Psychological Medicine*, 28, 1–8.
- Bebbington, P. & Tansella, M. (1989). Gender, marital status and treated affective
disorders in South Verona: a case register study. *Journal of affective disorders*,
17 (1), 83–91.
- Bellach, B. M., Knopf, H. & Thefel, W. (1999). Der Bundes-Gesundheitssurvey
1997/98. *Gesundheitswesen* 60 / Supp.2, 59–68.
- Benazon, N. R. & Coyne, J. C. (2000). Living with a depressed spouse. *Journal of
Family Psychology*, 14, 71–79.
- Berg-Cross, L. (1997). *Couples Therapy*. Thousand Oaks, London, New Delhi: Sage.

- Bergold, J. B. & Flick, U. (1987). Die Sicht des Subjekts verstehen: Eine Einleitung und Standortbestimmung. In J. Bergold & U. Flick (Hrsg.). *Ein-Sichten. Zugänge zur Sicht des Subjekts mittels qualitativer Forschung*. (S. 1–18). Tübingen: DGVT.
- Bergold, J. B. & Filsinger, D. (1998) Die Vernetzung psychosozialer Dienste und ihre Konsequenzen für Professionelle und Nutzer. Ein Vergleich zwischen den Gesundheitssystemen in BRD und DDR. In: B. Röhrle, G. Sommer & G. Nestmann (Hrsg.) *Netzwerkorientierte Interventionen*. Tübingen: DGVT.
- Bierhoff, H. W. & Grau, I. (1999). *Romantische Beziehungen. Bindung, Liebe, Partnerschaft*. Bern: Huber.
- Bifulco, A., Moran, P. M., Ball, C. & Bernazzani, O. (2002a). Adult attachment style. I: Its relationship to clinical depression. *Social Psychiatry and Psychiatric Epidemiology*, 37, 50–59.
- Bifulco, A., Moran, P. M., Ball, C. & Lillie, A. (2002b). Adult attachment style. II: Its relationship to psychosocial depressive vulnerability. *Social Psychiatry and Psychiatric Epidemiology*, 37, 60–67.
- Biglan, A., Hops, H., Sherman, L., Friedman, L. S., Arthur, J. & Osteen, V. (1985). Problem-solving interactions of depressed women and their husbands. *Behavior Therapy*, 16, 431–451.
- Billings, A. G. & Moos, R. H. (1984). Chronic and nonchronic unipolar depression. The differential role of environmental stressors and resources. *Journal of Nervous and Mental Disorders*, 172 (2), 65–75.
- Birtchnell, J. (1991). Negative modes of relating, marital quality and depression. *British Journal of Psychiatry*, 158, 648–657.
- Bischkopf, J., Jungbauer, J., Trosbach, J., Mory, C. & Angermeyer, M.C. (2001). *Spouses' views of mental illness stigma – Results from a qualitative study of spouses of people with schizophrenia, depression, anxiety disorders and obsessive-compulsive disorders*. Posterpräsentation auf dem 1. Internationalen Kongress „Together against Stigma“ in Leipzig, 2.–4.09.2001.
- Bischkopf, J., Wittmund, B. & Angermeyer, M. C. (2002). Alltag mit der Depression des Partners. *Psychotherapeut*, 42, 11–15.

- Blum, D. & Dauenhauer, M. (1996). „*Und wo bleibe ich?!*“ – *Leben mit depressiven Menschen*. Ostfildern: Deutscher Verlag für Gesundheitspflege.
- Bock, T. (1998). *Achterbahn der Gefühle*. Freiburg: Herder.
- Bock, T. (Hrsg.). (2000). „*Es ist normal, verschieden zu sein*“: *Psychose-Seminare – Hilfen zum Dialog*. 2., aktualisierte Aufl. Bonn: Psychiatrie-Verlag.
- Bodenmann, G. (2001). Psychologische Risikofaktoren für Scheidung: Ein Überblick. *Psychologische Rundschau*, 52 (2), 85–95.
- Bodenmann, G. (2002). *Stress und Coping bei Paaren mit verschiedenen Belastungsprofilen*. Vortrag auf dem 43. Kongress der Deutschen Gesellschaft für Psychologie am 23.09.2002 in Berlin.
- Bodenmann, G. & China, A. (1999). Der Einfluss von Stress, individueller Belastungsbewältigung und dyadischem Coping auf die Partnerschaftsstabilität: Eine 4-Jahres-Längsschnittstudie. *Zeitschrift für klinische Psychologie*, 28, 130–139.
- Bodenmann, G., Perrez, M. & Gottman, J. M. (1996). Die Bedeutung des intrapsychischen Copings für die dyadische Interaktion unter Streß. *Zeitschrift für klinische Psychologie*, 25, 1–13.
- Bohnsack, R. (1999). *Rekonstruktive Sozialforschung: Eine Einführung in die Methodologie und Praxis qualitativer Forschung*. Opladen: Leske & Budrich.
- Bortz, J. & Döring N. (2002). *Forschungsmethoden und Evaluation: für Human- und Sozialwissenschaftler*. 3., überarb. Aufl. Berlin [u.a.]: Springer.
- Boulton, M., Fitzpatrick, R. & Swinburn, C. (1996). Qualitative research in health care: II. A structured review and evaluation of studies. *Journal of Evaluation in Clinical Practice*, 3, 171–179.
- Bouras, N., Vanger, P. & Bridges, P. K. (1986). Marital problems in chronically depressed and physically ill patients and their spouses. *Comprehensive Psychiatry*, 27, 127–130.
- Bornstein, P. & Bornstein, M. (1993). *Psychotherapie mit Ehepaaren. Ein integrativer Ansatz*. Bern: Huber.

- Brähler, E. & Scheer, J.W. (1995). *Der Gießener Beschwerdebogen (GBB)*. 2., ergänzte und revidierte Auflage. Bern: Huber.
- Bromet, E. J., Ed, V. & May, S. (1984). Family environments of depressed outpatients. *Acta Psychiatrica Scandinavica*, 69, 197–200.
- Brown, G. W. & Harris, T. (1978). *Social origins of depression: a study of psychiatric disorder in women*. London: Tavistock.
- Brummett, B. H., Barefoot, J. C., Feaganes, J. R., Yen, S., Bosworth, H. B., Williams, R. B. & Siegler, I. C. (2000). Hostility in marital dyads: associations with depressive symptoms. *Journal of Behavioral Medicine*, 23, 95–105.
- Buchholz, W., Gmür, W., Höfer, R. & Straus, F. (1984). *Lebenswelt und Familienwirklichkeit*. F.a.M.: Campus.
- Cano, A. & O’Leary, K. D. (2000). Infidelity and Separations Precipitate Major Depressive Episodes and Symptoms of Nonspecific Depression and Anxiety. *Journal of Consulting and Clinical Psychology*, 68 (5), 774–781.
- Carlson, G. A. & Kashani, J. H. (1988). Phenomenology of major depression from childhood through adulthood: Analysis of three studies. *American Journal of Psychiatry*, 145, 1222–1225.
- Chakrabarti, S., Kulhara, P. & Verma, S. K. (1992). Extent and determinants of burden among families of patients with affective disorders. *Acta Psychiatrica Scandinavica*, 86, 247–252.
- Chakrabarti, S., Kulhara, P. & Verma, S. K. (1993). The pattern of burden in families of neurotic patients. *Social Psychiatry and Psychiatric Epidemiology*, 28, 172–177.
- Chambless, D. L. & Steketee, G. (1999). Expressed emotion and behavior therapy outcome: a prospective study with obsessive-compulsive and agoraphobic outpatients. *Journal of Consulting and Clinical Psychology*, 67, 658–665.
- Chwalisz, K. & Kisler, V. (1995). Assessment in action – Perceived stress: A better measure of caregiver burden. *Measurement and Evaluation in Counseling and Development*, 28, 88–98.

- Cierpka, M. (1989). Das Problem der Spezifität in der Familientheorie. *System Familie*, 2, 197–216.
- Conger, R. D., Rueter, M. A. & Elder, G. H., Jr. (1999). Couple resilience to economic pressure. *Journal of Personality and Social Psychology*, 76, 54–71.
- Corbin, J. M. & Strauss, A. L. (1993). *Weiterleben lernen. Chronisch Kranke in der Familie*. München: Piper. (engl. Original 1988)
- Coyne, J. C. (1976a). Toward an interactional description of depression. *Psychiatry*, 39, 28–40.
- Coyne, J. C. (1976b). Depression and the response of others. *Journal of Abnormal Psychology*, 85 (2), 186–193.
- Coyne, J. C. (1986). Strategic Marital Therapy for Depression. In N.S. Jacobson & A. S. Gurman (Eds.). *Clinical handbook of marital therapy* (pp. 495–511). New York: Guilford Press.
- Coyne, J. C. & DeLongis, A. (1986). Going beyond social support: the role of social relationships in adaptation. *Journal of Consulting and Clinical Psychology*, 54, 454–460.
- Coyne, J. C. & Gottlieb, B. H. (1996). The mismeasure of coping by checklist. *Journal of Personality*, 64, 959–991.
- Coyne, J. C., Kessler, R. C., Tal, M., Turnbull, J., Wortman, C. B. & Greden, J. F. (1987). Living with a depressed person. *Journal of Consulting and Clinical Psychology*, 55, 347–352.
- Coyne, J.C. & Benazon, N.R. (2001). No agent blue: Effects of marital functioning on depression and implications for treatment. In S.R.H. Beach (Ed.). (2001). *Marital and family processes in depression: A scientific foundation for clinical practice*. (p. 25–43). Washington: APA.
- Coyne, T. I. (1997). Sampling in qualitative research. Purposeful and theoretical sampling; merging or clear boundaries? *Journal of Advanced Nursing*, 26, 623–630.

- Crisp, A. H., Gelder, M. G., Rix, S., Meltzer, H. I. & Rowlands, O. J. (2000). Stigmatisation of people with mental illnesses. *British Journal of Psychiatry*, 177, 4–7.
- Crowther, J. H. (1985). The relationship between depression and marital maladjustment. A descriptive study. *Journal of Nervous and Mental Disease*, 173, 227–231.
- Daley, D. C., Bowler, K. & Cahalane, H. (1992). Approaches to patient and family education with affective disorders. *Patient Education and Counseling*, 19, 163–174.
- Daly, K. (1992). The fit between qualitative research and characteristics of families. In J. F. Gilgun, K. Daly & G. Handel (Eds.). *Qualitative Methods in Family Research*. (S. 3–11). London: Sage.
- Davidson, J. R. & Meltzer- Brody, S. E. (1999). The underrecognition and undertreatment of depression: What is the breadth and depth of the problem? *Journal of Clinical Psychiatry*, 60 (Suppl. 7), 4–9.
- Deck, R. & Röckelein, E. (1999). Zur Erhebung soziodemographischer und sozialmedizinischer Indikatoren in den rehabilitationswissenschaftlichen Forschungsverbänden. In Verband Deutscher Rentenversicherungsträger (VDR). (Hrsg.). *Förderschwerpunkt „Rehabilitationswissenschaften“*. *Empfehlungen der Arbeitsgruppen „Generische Methoden“, „Routinedaten“ und „Reha-Ökonomie“*. (S. 85–102). Bonn: DRV-Schriften, Band 16.
- Diaz Ruiz de Zárate, J. (1998). „Runtergeschrieben und weg ...“ – *Verfolgungsbiographik als Selbsttherapie?*. Unveröffentlichte Diplomarbeit am Fachbereich Psychologie und Erziehungswissenschaften der Freien Universität Berlin.
- Diaz Ruiz de Zárate, J., Jungbauer, J., Wittmund, B. (1999). *Schritte für die Auswertung narrativer Interviews*. Vortrag und Handout auf der Forschungskonferenz der C-Projekte des Reha-Forschungsverbundes Berlin-Brandenburg-Sachsen (BBS) am 15.01.1999 an der Universität Leipzig.
- Dilling, H., Mombour, W. & Schmidt, M. H. (Hrsg.). (1991). *Internationale Klassifikation psychischer Störungen. ICD-10*. Bern: Huber.

- Dörner, K. & Plog, U. (1992). Der sich und Andere niederschlagende Mensch (Depression). In K. Dörner & U. Plog (Hrsg.). *Irren ist menschlich. Lehrbuch der Psychiatrie / Psychotherapie* (S. 193–241). Bonn: Psychiatrie-Verlag.
- Druss, B. G., Rohrbaugh, R., Kosten, T., Hoff, R. & Rosenheck, R. A. (1998). Use of alternative medicine in major depression. *Psychiatric Services, 49*, 1397.
- Dufouil, C. & Alperovitch, A. (2000). Couple similarities for cognitive functions and psychological health. *Journal of Clinical Epidemiology, 53*, 589–593.
- Dunner, D. L., Fleiss, J. L., Addonizio, G. & Fieve, R. R. (1976). Assortative mating in primary affective disorder. *Biological Psychiatry, 11*, 43–51.
- Dye, J. F., Schatz, I. M., Rosenberg, B. A. & Coleman, S. T. (2000, January). Constant comparison method: A kaleidoscope of data. *The Qualitative Report [Online serial]*, 4 (1/2). Available: <http://www.nova.edu/ssss/QR/QR3-4/dye.html>
- Earle, J. R., Smith, M. H., Harris, C. T. & Longino, C. F. (1998). Women, marital status, and symptoms of depression in a midlife national sample. *Journal of Women and Aging, 10* (1), 41–57.
- Esterling, B. A., L'Abate, L., Murray, L. A. & Pennebaker, J. W. (1999). Empirical foundations for writing in prevention and psychotherapy: mental and physical health outcomes. *Clinical Psychology Review, 19*, 79–96.
- Fadden, G., Bebbington, P. & Kuipers, L. (1987a). Caring and its burdens. A study of the spouses of depressed patients. *British Journal of Psychiatry, 151*, 660–667.
- Fadden, G., Bebbington, P. & Kuipers, L. (1987b). The burden of care: the impact of functional psychiatric illness on the patient's family. *British Journal of Psychiatry, 150*, 285–292.
- Faltermeier, T. (1988). Notwendigkeit einer sozialwissenschaftlichen Belastungskonzeption. In L. Brüderl (Hrsg.). *Theorien und Methoden der Bewältigungsforschung* (S. 46–62). Weinheim: Juventa.
- Faltermaier, T., Mayring, P., Saup, W. & Strehmel, P. (2002). *Entwicklungspsychologie des Erwachsenenalters*. Stuttgart: Kohlhammer.

- Feng, D. & Baker, L. (1994). Spouse similarity in attitudes, personality, and psychological well-being. *Behavior Genetics*, 24, 357–364.
- Filipp, S.-H. (Hrsg.). (1995). *Kritische Lebensereignisse*. Weinheim: Beltz, PVU.
- Fischer-Rosenthal, W. (1996). Strukturelle Analyse biographischer Texte. In E. Brähler & C. Adler (Hsg.). *Quantitative Einzelfallanalyse und qualitative Verfahren*. (S. 147–208). Gießen: Psychosozial.
- Flick, U. (1995). Qualitative Forschung in der Sozialpsychiatrie – Methoden und Anwendungen. *Psychiatrische Praxis* 22, 91–96.
- Florin, I., Nostadt, A., Reck, C., Franzen, U. & Jenkins, M. (1992). Expressed emotion in depressed patients and their partners. *Family Process*, 31, 163–171.
- Focht, L. & Beardslee, W. R. (1996). “Speech after long silence”: the use of narrative therapy for children of parents with affective disorder. *Family Process*, 35, 407–422.
- Friedmann, M. S., McDermut, W. H., Solomon, D. A., Ryan, C. E., Keitner, G. I. & Miller, I. W. (1997). Family functioning and mental illness: a comparison of psychiatric and nonclinical families. *Family Process*, 36, 357–367.
- Galbaud du Fort, G., Bland, R. C., Newman, S. C. & Boothroyd, L. J. (1998). Spouse similarity for lifetime psychiatric history in the general population. *Psychological Medicine*, 28, 789–802.
- Galbaud du Fort, G., Boivin, J. F. & Kovess, V. (1993). Selection bias in the study of spouse similarity for psychiatric morbidity in clinical samples. *Comprehensive Psychiatry*, 34, 424–431.
- Galbaud du Fort, G., Kovess, V. & Boivin, J. F. (1994). Spouse similarity for psychological distress and well-being: a population study. *Psychological Medicine*, 24, 431–447.
- Gallagher, S. K. & Mechanic, D. (1996). Living with the mentally ill: effects on the health and functioning of other household members. *Social Science and Medicine*, 42, 1691–1701.

- Gara, M. A., Woolfolk, R. L., Cohen, B. D., Goldston, R. B., Allen, L. A. & Novalany, J. (1993). Perception of self and other in major depression. *Journal of Abnormal Psychology, 102*, 93–100.
- Gerlsma, C. & Hale, W. W. (1997). Predictive power and construct validity of the Level of Expressed Emotion (LEE) scale. Depressed out-patients and couples from the general community. *British Journal of Psychiatry, 170*, 520–525.
- Gerlsma, C., van der Lubbe, P. M. & van Nieuwenhuizen, C. (1992). Factor analysis of the level of expressed emotion scale, a questionnaire intended to measure 'perceived expressed emotion'. *British Journal of Psychiatry, 160*, 385–389.
- Gilgun, J. F. (1992). Definitions, Methodologies, and Methods in Qualitative Family Research. In J. F. Gilgun, K. Daly & G. Handel (Eds.). *Qualitative Methods in Family Research*. (S. 22–39). London: Sage.
- Girtler, R. (1984). *Methoden der qualitativen Sozialforschung. Anleitung zur Feldarbeit*. Wien: Böhlau.
- Glaser, B. G. & Strauss, A. L. (1998). *Grounded Theory. Strategien qualitativer Forschung*. Bern: Huber. (engl. Original 1967)
- Glinka, H.-J. (1998). *Das narrative Interview. Eine Einführung für Sozialpädagogen*. Weinheim und München: Weinheim.
- Goffman, E. (1999). *Stigma. Über Techniken der Bewältigung beschädigter Identität*. (14. Aufl. ed.) Frankfurt am Main: Suhrkamp.
- Golant, M. & Golant, S. (1996). *What to do when someone you love is depressed. A practical, compassionate, and helpful guide*. New York: Henry Holt.
- Gotlib, I. H. & Hammen, C. L. (1996). *Psychological Aspects of Depression. Toward a Cognitive-Interpersonal Integration*. Chichester: John Wiley & Sons.
- Greenberg, L. S. & Watson, J. (1998). Experiential therapy of depression: Differential effects of client-centered relationship conditions and process experiential interventions. *Psychotherapy Research, 8*, 210–224.
- Greenberg, L. S. & Johnson, S. M. (1988). *Emotionally Focused Therapy for Couples*. New York, London: Guilford Press.

- Greenberg, L. S. (2002). *Emotion focused therapy : coaching clients to work through their feelings*. Washington: APA.
- Grube, M. & Weigand-Tomiuk, H. (2002). Befragung zu sexuellen Störungen bei psychiatrisch Erkrankten. *Psychiatrische Praxis*, 4, 194–200.
- Gubman, G. D. & Tessler, R. C. (1987). The impact of mental illness on families. *Journal of Family Issues*, 8, 226–245.
- Habecker, J. (2001). *Psychotherapie bei Depression aus journalistischer Sicht – eine inhaltsanalytische Auswertung von Illustrierten und Nachrichtenmagazinen*. Unveröffentlichte Diplomarbeit am Fachbereich Erziehungswissenschaften und Psychologie der Freien Universität Berlin.
- Hahlweg, K. (1996). Interaktionelle Aspekte psychischer Störungen. In A. Ehlers & K. Hahlweg (Hrsg.), *Enzyklopädie der Psychologie, Band 1: Grundlagen der klinischen Psychologie* (S. 585–648). Braunschweig: Hogrefe.
- Hammen, C. L. & Peters, S. D. (1978). Interpersonal consequences of depression: Responses to men and women enacting a depressed role. *Journal of Abnormal Psychology*, 87 (3), 322–332.
- Hammen, C. L. (1991). *Depression runs in families: The social of risk and resilience in children of depressed mothers*. New York: Springer.
- Harter, C., Kick, J. & Rave-Schwank, M. (2002). Psychoedukative Gruppen für depressive Patienten und ihre Angehörigen, *Psychiatrische Praxis*, 3, 160–163.
- Hautzinger, M. & de Jong-Meyer, R. (1990). Depression. In H. Reinecker (Hrsg.), *Lehrbuch der Klinischen Psychologie* (S. 126–165). Göttingen: Hogrefe.
- Hautzinger, M. (1998). *Depression*. Göttingen: Hogrefe.
- Hautzinger, M., Linden, M. & Hoffman, N. (1982). Distressed couples with and without a depressed partner: an analysis of their verbal interaction. *Journal of Behavior Therapy and Experimental Psychiatry*, 13, 307–314.
- Hayhurst, H., Cooper, Z., Paykel, E. S., Vearnals, S. & Ramana, R. (1997). Expressed emotion and depression. A longitudinal study. *British Journal of Psychiatry*, 171, 439–443.

- Häfner, H. (1981). Der Ehepartner des Depressiven. In H. Häfner, H. Heimann & B. Pflug (Hrsg.). *Depressive Syndrome. Klinik, Forschung und Praxis*. Stuttgart: Gustav-Fischer-Verlag.
- Hegerl, U., Niklewski, G. & Althaus, D. (2001). *Anti-Stigma work within the research network on depression*. Vortrag auf dem 1. Internationalen Kongress „Together against Stigma“ in Leipzig, 2.–4.09.2001
- Heißler, M., Heißler, R. & Bock, T. (1991). Übergänge: Entwicklung und Krisen Erwachsener. Hilfen jenseits der Medizin. In T. Bock & H. Weigand (Hrsg.). *Hand-werks-buch Psychiatrie*. (S. 466–490). Bonn: Psychiatrie-Verlag.
- Hell, D. (1992). *Welchen Sinn macht Depression? Ein integrativer Ansatz*. Reinbek: Rowohlt.
- Hell, D. (1998). *Ehen depressiver und schizophrener Menschen. Eine vergleichende Untersuchung an 103 Kranken und ihren Ehepartnern*. (2. Aufl.). Berlin: Springer.
- Helle, M., Auckenthaler, A. & Kleiber, D. (1999). Psychosoziale und psychotherapeutische Versorgung in der hausärztlichen Praxis. *Verhaltenstherapie und psychosoziale Praxis*, 31 (3), 423–434.
- Herrmanns, H. (1992). Die Auswertung narrativer Interviews. Ein Beispiel für qualitative Verfahren. In J. Hoffmeyer-Zlotnick (Hrsg.). *Analyse verbaler Daten*. (S. 110–142). Opladen: Westdeutscher Verlag.
- Heun, R. & Maier, W. (1993). Morbid risks for major disorders and frequencies of personality disorders among spouses of psychiatric inpatients and controls. *Comprehensive Psychiatry*, 34, 137–143.
- Hickie, I. & Parker, G. (1992). The impact of an uncaring partner on improvement in non-melancholic depression. *Journal of Affective Disorders*, 25, 147–160.
- Hickie, I., Parker, G., Wilhelm, K. & Tennant, C. (1991). Perceived interpersonal risk factors of non-endogenous depression. *Psychological Medicine*, 21, 399–412.
- Hinchliffe, M. K., Hooper, D., Roberts, F. J. & Vaughan, P. W. (1978). The melancholy marriage: an inquiry into the interaction of depression. IV. Disruptions. *British Journal of Medical Psychology*, 51, 15–24.

- Hinchliffe, M. K., Vaughan, P. W., Hooper, D. & Roberts, F. J. (1978).
The melancholy marriage: an inquiry into the interaction of depression.
III. Responsiveness. *British Journal of Medical Psychology*, 51, 1–13.
- Hinchliffe, M. K., Vaughan, P. W., Hooper, D. & Roberts, J. F. (1977).
The melancholy marriage: an inquiry into the interaction of depression
II. Expressiveness. *British Journal of Medical Psychology*, 50, 125–142.
- Hocking, B. (2000). *Changing community attitudes to schizophrenia: working with the mass media to reduce stigma*. Vortrag auf der 4. Internationalen Konferenz des European Network for Mental Health Service Evaluation (ENMESH) in Leipzig, 28–30.04.2000.
- Hoening, J. & Hamilton, M. W. (1966). The schizophrenic patient in the community and his effect on the household. *International Journal of Social Psychiatry*, 12, 165–176.
- Holm-Hadulla, R.M. (2002). Coaching. *Psychotherapeut*, 47, 241–248.
- Holstein, J. A. & Gubrium, J. F. (1995). *The active interview*. London: Sage.
- Holte, A., Bjoru, E., Sorvig, B. S. & Abrahamsen, P. (1990). Simultaneous depression. *Acta Psychiatrica Scandinavica*, 81, 463–467.
- Holtz, H. (1994). *Schatten auf der Seele. Mein Mann ist depressiv*. München: Knauer.
- Hooley, J. M. (1986). Expressed emotion and depression: interactions between patients and high- versus low-expressed-emotion spouses. *Journal of Abnormal Psychology*, 95, 237–246.
- Hooley, J. M. & Licht, D. M. (1997). Expressed emotion and causal attributions in the spouses of depressed patients. *Journal of Abnormal Psychology*, 106, 298–306.
- Hooper, D., Roberts, F. J., Hinchliffe, M. K. & Vaughan, P. W. (1977).
The melancholy marriage: an inquiry into the interaction of depression.
I. Introduction. *British Journal of Medical Psychology*, 50, 113–114.
- Hooper, D., Vaughan, P. W., Hinchliffe, M. K. & Roberts, F. J. (1978).
The melancholy marriage: an inquiry into the interaction of depression.
V. Power. *British Journal of Medical Psychology*, 51, 387–398.

- Horgan, J. (1996). Multicultural studies. Rates of depression vary widely throughout the world. *Scientific American*, Nov. 1996, available: www.sciam.com/1196issue/1196scicit4.html
- Horwitz, A. V., Reinhard, S. C. & Howell-White, S. (1996). Caregiving as reciprocal exchange in families with seriously mentally ill members. *Journal of Health and Social Behavior*, 37, 149–162.
- Horwitz, A.V., McLaughlin, J. & White, H.-R. (1998). How the negative and positive aspects of partner relationships affect the mental health of young married people. *Journal of Health and Social Behavior*, 39 (2), 124–136.
- Jacob, M., Frank, E., Kupfer, D. J. & Carpenter, L. L. (1987). Recurrent depression: an assessment of family burden and family attitudes. *Journal of Clinical Psychiatry*, 48, 395–400.
- Jacob, M., Frank, E., Kupfer, D. J., Cornes, C. & Carpenter, L. L. (1987). A psychoeducational workshop for depressed patients, family, and friends: description and evaluation. *Hospital and Community Psychiatry*, 38, 968–972.
- Jacobson, N. S., Dobson, K., Fruzzetti, A. E., Schmaling, K. B. & Salusky, S. (1991). Marital therapy as a treatment for depression. *Journal of Consulting and Clinical Psychology*, 59, 547–557.
- John, U. (1988). Vertrauensbeziehungen Angehöriger zu psychiatrischen Patienten. *Zeitschrift für Klinische Psychologie, Psychopathologie und Psychotherapie*, 36, 212–229.
- Johnson, S. L. & Jacob, T. (1997). Marital interactions of depressed men and women. *Journal of Consulting and Clinical Psychology*, 65 (1), 15–23.
- Johnson, S. L. & Jacob, T. (2000). Sequential interactions in the marital communication of depressed men and women. *Journal of Consulting and Clinical Psychology*, 68, 4–12.
- Joraschky, P. & Petrowski, K. (2002). Angst und Depression. In M. Wirsching & P. Scheid (Hrsg.). *Paar- und Familientherapie*. (S. 325–338). Berlin: Springer.

- Jorm, A. F., Korten, A. E., Jacomb, P. A., Christensen, H. & Henderson, S. (1999). Attitudes towards people with a mental disorder: a survey of the Australian public and health professionals. *Australian and New Zealand Journal of Psychiatry*, 33, 77–83.
- Josefson, D. (2002). US task force recommends screening for depression. *British Medical Journal*, 321, 1293.
- Judd, L.L. (2001). Major depressive disorder: longitudinal symptomatic structure, relapse and recovery. *Acta Psychiatrica Scandinavica*, 104, 81–83.
- Judd, L.L. & Akiskal, H.S. (2000). Delineating the longitudinal structure of depressive illness: Beyond clinical subtypes and duration thresholds. *Pharmacopsychiatry*, 33, 3–7.
- Jungbauer, J., Bischof, J. & Angermeyer, M. C. (2001a). Belastungen von Angehörigen psychisch Kranker: Entwicklungslinien, Konzepte und Ergebnisse der Forschung. *Psychiatrische Praxis*, 28, 105–114.
- Jungbauer, J., Bischof, J. & Angermeyer, M. C. (2001b). „Die Krankheit hat unser Leben total verändert“ – Belastungen von Partnern schizophrener Patienten beim Beginn der Erkrankung. *Psychiatrische Praxis*, 28, 133–138.
- Karp, D. A. & Watts-Roy, D. (1999). Bearing responsibility: how caregivers to the mentally ill assess their obligations. *Health*, 3, 469–491.
- Keitner, G. & Miller, I. W. (1990). Family Functioning and major depression: An Overview. *American Journal of Psychiatry*, 147, 1128–1137.
- Keitner, G. I., Fodor, J., Ryan, C. E., Miller, I. W., Bishop, D. S. & Epstein, N. B. (1991). A cross-cultural study of major depression and family functioning. *Canadian Journal of Psychiatry*, 36, 254–259.
- Keitner, G. I. & Miller, I. W. (1990). Family functioning and major depression: an overview. *American Journal of Psychiatry*, 147, 1128–1137.
- Keitner, G. I., Miller, I. W., Ryan, C. E., Epstein, N. B. & Bishop, D. S. (1989). Compounded depression and family functioning during the acute episode and at 6-month follow-up. *Comprehensive Psychiatry*, 30, 512–521.

- Keitner, G. I., Ryan, C. E., Miller, I. W., Kohn, R., Bishop, D. S. & Epstein, N. B. (1995). Role of the family in recovery and major depression. *American Journal of Psychiatry*, 152, 1002–1008.
- Kelle, U. (1996). Die Bedeutung theoretischen Vorwissens in der Methodologie der Grounded Theory. In R. Strobl & A. Böttcher (Hrsg.). *Wahre Geschichten? Zur Theorie und Praxis qualitativer Interviews* (S. 23–47). Baden-Baden: Nomos.
- Kelle, U. & Kluge, S. (1999). *Von Einzelfall zum Typus. Fallvergleich und Fallkontrastierung in der qualitativen Sozialforschung*. Opladen: Leske & Budrich.
- Keller, F. & Schuler, B. (2002). Angehörigengruppen in der stationären Depressionsbehandlung. *Psychiatrische Praxis*, 3, 130–135.
- Keller, M.B. (1994). Depression: A long-term illness. *British Journal of Psychiatry*, 165 (Suppl. 26), 9–15.
- Kerns, R. D., Haythornthwaite, J., Southwick, S. & Giller, E. L., Jr. (1990). The role of marital interaction in chronic pain and depressive symptom severity. *Journal of Psychosomatic Research*, 34, 401–408.
- Khan, A. A., Gardner, C. O., Prescott, C. A. & Kendler, K. S. (2002). Gender differences in the symptoms of major depression in opposite-sex dizygotic twin pairs. *American Journal of Psychiatry*, 159, 1427–1429.
- Kiecolt-Glaser, J. K., Glaser, R., Cacioppo, J. T., MacCallum, R. C., Snyder-Smith, M., Kim, C. & Malarkey, W. B. (1997). Marital conflict in older adults: endocrinological and immunological correlates. *Psychosomatic Medicine*, 59, 339–349.
- Kiecolt-Glaser, J. K., Newton, T., Cacioppo, J. T., MacCallum, R. C., Glaser, R. & Malarkey, W. B. (1996). Marital conflict and endocrine function: are men really more physiologically affected than women? *Journal of Consulting and Clinical Psychology*, 64, 324–332.
- Kinnunen, U. & Pulkkinen, L. (1998). Linking Economic Stress to Marital Quality among Finnish Marital Couples: Mediator Effects. *Journal of Family Issues*, 19, 705–724.

- Kleiber, D. (1997). Das Psychotherapeutengesetz: ein Fortschritt mit Schatten seiten. *Psychomed*, 9, 234–242.
- Krantz, S. E. & Moos, R. H. (1987). Functioning and life context among spouses of remitted and nonremitted depressed patients. *Journal of Consulting and Clinical Psychology*, 55 (3), 353–360.
- Kung, W. W. & Elkin, I. (2000). Marital adjustment as a predictor of outcome in individual treatment of depression. *Psychotherapy Research*, 10, 267–278.
- Lamnek, S. (1995). *Qualitative Sozialforschung*. Weinheim: Beltz-PVU.
- Lazarus, R. S. (1985). The psychology of stress and coping. *Issues in Mental Health Nursing*, 7, 399–418.
- Lazarus, R. S. (2000). Toward better research on stress and coping. *American Psychologist*, 55, 665–673.
- Leeb, B., Mundt, C., Fiedler, P., Ernst, S., Lober, H. & Munzel, C. (1993). „Verdeckte Kritik“ – ein neues Kriterium zur Bestimmung des Expressed Emotion Index nach dem Five-Minute Speech Sample bei Partnern depressiver Patienten. *Nervenarzt*, 64, 727–729.
- Loukissa, D. A. (1995). Family burden in chronic mental illness: a review of research studies. *Journal of Advanced Nursing*, 21, 248–255.
- Lucius-Hoene, G. (1998). Erzählen von Krankheit und Behinderung. *Psychotherapie, Psychosomatik, medizinische Psychologie*, 48, 108–113.
- Lutz, M., Appelt, H. & Cohen, R. (1980). Belastungsfaktoren in den Familien alkoholkranker und depressiver Frauen aus der Sicht der Ehemänner. *Social Psychiatry*, 15, 137–144.
- Maes, H. H., Neale, M. C., Kendler, K. S., Hewitt, J. K., Silberg, J. L., Foley, D. L., Meyer, J. M., Rutter, M., Simonoff, E., Pickles, A. & Eaves, L. J. (1998). Assortative mating for major psychiatric diagnoses in two population - based samples. *Psychological Medicine*, 28, 1389–1401.

- Maier, W. (1994). Das Konzept der affektiven Störungen (F3). In H. Dilling, E. Schulte-Markwort & Freyberger, H. J. (Hrsg.). *Von der ICD-9 zur ICD-10*. (S. 111–125) Bern: Huber.
- Marks, M., Wieck, A., Checkley, S. & Kumar, C. (1996). How does marriage protect women with histories of affective disorder from post-partum relapse? *British Journal of Medical Psychology*, 69 (4), 329–342.
- Maslach, Ch. (2002). *Job burnout: New directions in research and intervention*. Vortrag an der Freien Universität Berlin, Fachbereich Erziehungswissenschaften und Psychologie, 27.05.2002.
- Maurin, J. T. & Boyd, C. B. (1990). Burden of mental illness on the family: a critical review. *Archives of Psychiatric Nursing*, 4, 99–107.
- Mayring, P. (1996). *Einführung in die qualitative Sozialforschung. Eine Anleitung zu qualitativem Denken*. Beltz: PVU.
- Mayring, P. (1988). Qualitative Auswertung im Rahmen des Belastungs- und Bewältigungs-Paradigmas. In L. Brüderl (Hrsg.). *Theorien und Methoden der Bewältigungsforschung*. (S. 200–207). Juventa.
- McGrath, E., Keita, G.P., Strickland, B.R. & Russo, N.F. (Hrsg.). (1990). *Frauen und Depression. Risikofaktoren und Behandlungsfragen*. Bergheim: Mackinger.
- McKeon, P. & Carrick, S. (1991). Public attitudes to depression: a national survey. *Irish Journal of Psychological Medicine*, 8, 116–121.
- McLeod, J. D. (1993). Spouse concordance for depressive disorders in a community sample. *Journal of Affective Disorders*, 27, 43–52.
- Meighan, M., Davis, M. W., Thomas, S. P. & Droppleman, P. G. (1999). Living with postpartum depression: the father's experience. *American Journal of Maternal Child Nursing*, 24, 202–208.
- Menaghan, E. G. (1985). Depressive affect and subsequent divorce. *Journal of Family Issues*, 6, 295–306.
- Merikangas, K. R. (1984). Divorce and assortative mating among depressed patients. *American Journal of Psychiatry*, 141, 74–76.

- Merikangas, K. R., Bromet, E. J. & Spiker, D. G. (1983). Assortative mating, social adjustment, and course of illness in primary affective disorder. *Archives of General Psychiatry*, 40, 795–800.
- Merikangas, K. R., Prusoff, B. A. & Weissman, M. M. (1988). Parental concordance for affective disorders: psychopathology in offspring. *Journal of Affective Disorders*, 15, 279–290.
- Merikangas, K. R. & Spiker, D. G. (1982). Assortative mating among in-patients with primary affective disorder. *Psychological Medicine*, 12, 753–764.
- Methorst, G. J. & Diekstra, R. F. (1987). Emotional distress among spouses of psychiatric outpatients in Holland. *American Journal of Psychotherapy*, 41, 428–442.
- Miller, I. W., Kabacoff, R. I., Keitner, G. I., Epstein, N. B. & Bishop, D. S. (1986). Family functioning in the families of psychiatric patients. *Comprehensive Psychiatry*, 27, 302–312.
- Mirowsky, J. & Ross, C. E. (2001). Age and the effect of economic hardship on depression. *Journal of Health and Social Behavior*, 42, 132–150.
- Mitchell, R. E., Cronkite, R. C. & Moos, R. H. (1983). Stress, coping, and depression among married couples. *Journal of Abnormal Psychology*, 92, 433–448.
- Mory C., Jungbauer J., Bischkopf, J. & Angermeyer, M. C. (2002). Finanzielle Belastungen von Partnern psychisch Erkrankter. *Fortschritte der Neurologie-und Psychiatrie*, 70, 71 – 77.
- Möller-Leimkühler, A. M. (1999). Sozialer Status und Geschlecht. *Nervenarzt*, 70, 970–980.
- Mueller, T.I. & Leon, A.C. (1996). Recovery, chronicity, and levels of psychopathology in major depression. *Psychiatr Clin North Am*, 19 (1), 85–102.
- Mueser, K. T., Webb, C., Pfeiffer, M., Gladis, M. & Levinson, D. F. (1996). Family burden of schizophrenia and bipolar disorder: perceptions of relatives and professionals. *Psychiatric Services*, 47, 507–511.

- Niklewski, G. & Riecke-Niklewski, R. (1998). *Depressionen überwinden. Ein Ratgeber für Betroffene, Angehörige und Helfer*. Berlin: Stiftung Warentest.
- Noh, S. & Avison, W. R. (1988). Spouses of discharged psychiatric patients: factors associated with their experience of burden. *Journal of Marriage and the Family*, 50, 377–389.
- Ochs, E. (1997). Narrative. In T. A. van Dijk (Ed.). *Discourse as structure and process. Discourse studies: A multidisciplinary introduction. Vol. 1.* (S. 185–207). London: Sage.
- O’Leary, K. D. & Beach, S. R. (1990). Marital therapy: a viable treatment for depression and marital discord. *American Journal of Psychiatry*, 147, 183–186.
- Ostler, K., Thompson, C., Kinmonth, A. L., Peveler, R. C., Stevens, L. & Stevens, A. (2001). Influence of socio-economic deprivation on the prevalence and outcome of depression in primary care: the Hampshire Depression Project. *British Journal of Psychiatry*, 178, 12–17.
- Parker, G. (2000). Classifying depression: Should paradigms lost be regained? *American Journal of Psychiatry*, 157, 1195–1203.
- Parnas, J. (1988). Assortative mating in schizophrenia: results from the Copenhagen High-Risk Study. *Psychiatry*, 51, 58–64.
- Perlick, D., Clarkin, J. F., Sirey, J., Raune, P., Greenfield, S., Struening, E. & Rosenheck, R. (1999). Burden experienced by care-givers of persons with bipolar affective disorders. *British Journal of Psychiatry*, 56–62.
- Peters, U. H. (1991). Der Typus melancholicus in Haus und Familie: Vom Typus melancholocus zur Familia melancholica. In C. Mundt, P. Fiedler, H. Lang & A. Kraus (Hrsg.). *Depressionskonzepte heute*. Berlin: Springer.
- Phelan, J. C., Bromet, E. J. & Link, B. G. (1998). Psychiatric illness and family stigma. *Schizophrenia Bulletin*, 24, 115–126.
- Picinelli, M. & Wilkinson, G. (2000). Gender differences in depression. A critical review. *British Journal of Psychiatry*, 177, 486–492.

- Rahn, E. & Mahnkopf, A. (1999). *Lehrbuch Psychiatrie für Studium und Beruf*. Bonn: Psychiatrie-Verlag.
- Raymond, M. E., Slaby, A. E. & Lieb, J. (1975). Familial response to mental illness. *Social Casework*, 492–498.
- Reich, G. (1998). Paare in der Lebensmitte. *Psychotherapeut*, 43, 102–110.
- Reiter, L. (1993). Die depressive Konstellation. Ein systemisch-integratives Konzept. In D. Hell (Hrsg.). *Ethologie der Depression – familientherapeutische Möglichkeiten* (S. 99–124). Stuttgart: Gustav-Fischer-Verlag.
- Reiter, L. (1997). Zur Rolle der Angehörigen in der Therapie depressiver Patienten. In L. Reiter, E. J. Brunner & S. Reiter-Theil (Hrsg.). *Von der Familientherapie zur systemischen Perspektive* (S. 105–120). Berlin: Springer.
- Riehl-Emde, A. (2000). „Kann denn Liebe Sünde sein“? – Paarforschung und Paartherapie entdecken ein neues Gebiet. *Psychotherapie im Dialog*, 2, 76–80.
- Rose, L. E. (1996). Families of psychiatric patients: a critical review and future research directions. *Archives of Psychiatric Nursing*, 10, 67–76.
- Rosen, L. E. & Amador, X. F. (1998). *Wenn der Mensch, den du liebst, depressiv ist*. Bern, München, Wien: Scherz-Verlag.
- Ross, C. E. & Huber, J. (1985). Hardship and depression. *Journal of Health and Social Behavior*, 26, 312–327.
- Saks, B. R. & Gillespie, M. A. (2002). Psychotropic medication and sexual function in women: an update. *Archives of Women's Mental Health*, 4, 139–144.
- Sandelowski, M. (1995). Sample Size in Qualitative Research. *Research in Nursing & Health*, 18, 179–183.
- Scazufca, M. & Kuipers, E. (1996). Links between expressed emotion and burden of care in relatives of patients with schizophrenia. *British Journal of Psychiatry*, 168, 580–587.

- Schene, A. H., Tessler, R. C. & Gamache, G. M. (1994). Instruments measuring family or caregiver burdens in severe mental illness. *Social Psychiatry and Psychiatric Epidemiology*, 29, 228–240.
- Schmaling, K. B. & Jacobson, N. S. (1990). Marital interaction and depression. *Journal of Abnormal Psychology*, 99, 229–236.
- Schmidt, G. (2001). Paartherapie bei sexuellen Funktionsstörungen. In V. Sigusch (Hrsg.). *Sexuelle Störungen und ihre Behandlung*. (S. 280–302). Stuttgart, New York: Thieme.
- Schmidt-Degenhard, M. (1983). *Melancholie und Depression: Zur Problemgeschichte der depressiven Erkrankungen seit Beginn des 19. Jahrhunderts*. Stuttgart: Kohlhammer.
- Schneewind, K. A., Graf, J. & Gerhard, A.-K. (2000). Entwicklung von Paarbeziehungen. In P. Kaiser (Hrsg.). *Partnerschaft und Paartherapie* (S. 97–111). Göttingen: Hogrefe.
- Schramm, E. (1996). *Interpersonelle Psychotherapie bei Depressionen und anderen psychischen Störungen*. Stuttgart: Schattauer.
- Schumacher, J. & Reschke, K. (1994). Theoretische Konzepte und empirische Methoden der Bewältigungsforschung. In Verband Deutscher Rentenversicherungsträger (Hrsg.). *Die Norm des Gesundseins – Lebensqualität und Kranksein (Band 6: Klinische Psychologie in der Rehabilitationsklinik)*. (S. 41–73). Frankfurt a.M.: VdR.
- Schütz, A. & Wiesner, C. (2000). Partnerschaft und Gesundheitszustand. In P. Kaiser (Hrsg.). *Partnerschaft und Paartherapie* (S. 191–218). Göttingen: Hogrefe.
- Schütze, F. (1983). Biographieforschung und narratives Interview. *Neue Praxis*, 3, 283–294.
- Schütze, F. (1987). *Das narrative Interview in Interaktionsfeldstudien. I. Studienbrief der Fernuniversität Hagen. Kurseinheit 1*. Fachbereich Erziehungs-, Sozial- und Geisteswissenschaften.
- Shanks, J. & Atkins, P. (1985). Psychiatric patients who marry each other. *Psychological Medicine*, 15, 377–382.

- Sieverding, M. (1992). Weiblichkeit, Männlichkeit und psychische Gesundheit. In E. Brähler & H. Felder (Hrsg.). *Weiblichkeit, Männlichkeit und Gesundheit*. (S. 33–63). Opladen: Westdeutscher Verlag.
- Silverstein, B. (2002). Gender differences in the prevalence of somatic versus pure depression: A replication. *American Journal of Psychiatry*, *159*, 1051–1052.
- Smolen, R. C., Spiegel, D. A. & Martin, C. J. (1986). Patterns of marital interaction associated with marital dissatisfaction and depression. *Journal of Behavior Therapy and Experimental Psychiatry*, *17*, 261–266.
- Sobieraj, M., Williams, J., Marley, J. & Ryan, P. (1998). The impact of depression on the physical health of family members. *British Journal of General Practice*, *48*, 1653–1655.
- Solomon, D. A., Keller, M. B., Leon, A. C., Mueller, T. I., Lavori, P. W., Shea, M. T., Coryell, W., Warshaw, M., Turvey, C., Maser, J. D. & Endicott, J. (2000). Multiple recurrences of major depressive disorder. *American Journal of Psychiatry*, *157*, 229–233.
- Solomon, P. & Draine, J. (1995). Subjective burden among family members of mentally ill adults: relation to stress, coping, and adaptation. *American Journal of Orthopsychiatry*, *65*, 419–427.
- Spangenberg, J. J. & Theron, J. C. (1999). Stress and coping strategies in spouses of depressed patients. *Journal of Psychology*, *133*, 253–262.
- Sternberg, R. J. (1988). Triangulation of love. In R. J. Sternberg & M. L. Barnes (Eds.). *The psychology of love*. (p. 119–138). New Haven, London: Yale University Press.
- Sternberg, R. J. & Barnes, M. L. (Eds.). (1988). *The psychology of love*. New Haven, London: Yale University Press.
- Stewart, D. E., Rondon, M., Damiani, G. & Honikman, J. (2001). International psychosocial and systemic issues in women's mental health. *Archives of Women's Mental Health*, *4*, 13–17.
- Stotland, N. L. (2002). Menopause: Social expectations, women's realities. *Archives of Women's Mental Health*, *5*, 5–8.

- Strauss, A. L. (1991). *Grundlagen qualitativer Forschung*. München: Fink.
- Strauss, A. L. & Corbin, J. (1996). *Grounded Theory. Grundlagen qualitativer Sozialforschung*. Weinheim: Beltz-PVU. (engl. Original 1990)
- Strauss, A. L. & Corbin, J. (1998). Grounded Theory Methodology: An overview. In N. K. Denzin & Y. S. Lincoln (Eds.). *Strategies of qualitative inquiry*. (pp. 158–183). Thousand Oaks, London, New Delhi: Sage.
- Südmersen, I. M. (1983). Hilfe, ich erstickte in Texten! – Eine Anleitung zur Aufarbeitung narrativer Interviews. *Neue Praxis*, 13, 294–306.
- Targum, S. D., Dibble, E. D., Davenport, Y. B. & Gershon, E. S. (1981). The Family Attitudes Questionnaire. Patients' and spouses' views of bipolar illness. *Archives of General Psychiatry*, 38, 562–568.
- Tesch-Römer, C., Salewski, Ch. & Schwarz, G. (1997). *Psychologie der Bewältigung*. Weinheim: Beltz.
- Tessler, R. C., Killian, L. M. & Gubman, G. D. (1987). Stages in family response to mental illness: An ideal type. *Psychosocial Rehabilitation Journal*, 3–16.
- Thompson, E. H. & Doll, W. (1982). The burden of families coping with the mentally ill: an invisible crisis. *Family Relations*, 31, 379–388.
- Thornicroft, G. & Sartorius, N. (1993). The course and outcome of depression in different cultures: 10-year follow-up of the WHO Collaborative Study on the assessment of depressive disorders. *Psychological Medicine*, 23, 1023–1032.
- Van den Hoonaard, W. C. (1997). *Working with sensitizing concepts: Analytical field research*. Thousand Oaks, London, New Dehli: Sage.
- Vaughn, C. E. & Leff, J. P. (1976). The influence of family and social factors on the course of psychiatric illness. A comparison of schizophrenic and depressed neurotic patients. *British Journal of Psychiatry*, 129, 125–137.
- Veltro, F., Magliano, L., Lobracc, S., Morosini, P. L. & Maj, M. (1994). Burden on key relatives of patients with schizophrenia vs neurotic disorders: a pilot study. *Social Psychiatry and Psychiatric Epidemiology*, 29, 66–70.

- Vinokur, A. D., Price, R. H. & Caplan, R. D. (1996). Hard times and hurtful partners: how financial strain affects depression and relationship satisfaction of unemployed persons and their spouses. *Journal of Personality and Social Psychology*, *71*, 166–179.
- Wahl, O. F. & Harman, C. R. (1989). Family views of stigma. *Schizophrenia Bulletin*, *15*, 131–139.
- Waring, E. M. & Patton, D. (1984). Marital intimacy and depression. *British Journal of Psychiatry*, *145*, 641–644.
- Weissman, M. M., Warner, V., Wickramaratne, P., Moreau, D. & Olfson, M. (1997). Offspring of depressed parents. 10 Years later. *Archives of General Psychiatry*, *54*, 932–940.
- Weissman, M. M., Leaf, P. J., Bruce, M. L. & Florio, L. (1988). The epidemiology of dysthymia in five communities: Rates, risks, comorbidity, and treatment. *American Journal of Psychiatry*, *145*, 815–819.
- Widmer, R. B., Cadoret, R. J. & North, C. S. (1980). Depression in family practice: some effects on spouses and children. *Journal of Family Practice*, *10*, 45–51.
- Willi, J. (1996). *Ökologische Psychotherapie*. Göttingen: Hogrefe.
- Wilms, H.-U. (1999). Inhalte und Konzepte des Themenschwerpunktes C: Angehörige in der Rehabilitation. In: GfR Gesellschaft für Rehabilitationswissenschaften (Hrsg.). *Rehabilitationsorganisation und Rehabilitationsökonomie* (S.59–66). Berlin: Dokumentation eines Symposiums am 7.7.1999.
- Wirsching, M. & Scheid, P. (Hrsg.). (2002). *Paar- und Familientherapie*. Berlin: Springer.
- Wittmund, B., Bischof, J. & Angermeyer, M. C. (2001). Wie nehmen Lebenspartner depressiver Patienten die Krankheit wahr und welche Informationen brauchen sie? *Das Gesundheitswesen*, *63*, 536–541.
- Wittmund, B., Wilms, H.-U. & Angermeyer, M. C. (in press). Depressive disorders in spouses of mentally ill patients. *Social Psychiatry and Psychiatric Epidemiology*.

- Wittchen, H.-U., Lachner, G., Pernikogg, A. & Hoeltz, J. (1994). Sind psychische Störungen in den neuen Bundesländern häufiger? *Verhaltenstherapie – Praxis, Forschung, Perspektiven*, 4, 96–103.
- Wittchen, H.-U., Knäuper, B. & Kessler, R. (1994). Lifetime risk of depression. *British Journal of Psychiatry*, 165 (Suppl. 26), 16–22.
- Wittchen, H.-U., Müller, N., Pfister, H., Winter, S. & Schmidt-kunz, B. (1999). Affektive, somatoforme und Angststörungen in Deutschland – Erste Ergebnisse des bundesweiten Zusatzsurveys „Psychische Störungen“. *Gesundheitswesen*, 61, S216–S222.
- Wittchen, H.-U., Hofler, M. & Meister, W. (2001). Prevalence and recognition of depressive syndromes in German primary care settings: poorly recognized and treated? *International Clinical Psychopharmacology*, 16 (3), 121–135.
- Woggon, B. (1998). „Ich kann nicht wollen“ – *Berichte depressiver Patienten*. Bern: Huber.
- Wolfersdorf, M. & Kiefer, A. (1998). Depression and aggression. A control group study on the aggression hypothesis in depressive disorders based on the Buss-Durkee Questionnaire. *Psychiatrische Praxis*, 25, 240–245.
- Wolfersdorf, M. (2000). *Krankheit Depression erkennen, verstehen, behandeln*. Bonn: Psychiatrie-Verlag.
- Wüthrich, C., Mattejat, F. & Remschmidt, H. (1997). Kinder depressiver Eltern. *Kindheit und Entwicklung*, 6, 141–146.
- Yarrow, M. R., Clausen, J. A. & Robbins, P. R. (1955). The Social Meaning of Mental Illness. *Journal of Social Issues*, 11, 40–41.
- Zaumseil, M. (1998). Psychosese minare – ein Puzzle theoretischer Bausteine. In R. Geislinger (Hrsg.). *Experten in eigener Sache: Psychiatrie, Selbsthilfe und Modelle der Teilhabe* (S. 191–204). München : Zenit.
- Zimmer, F. T. (1991). Konzepte und Aspekte der Chronifizierung von Depressionen. In C. Mundt, P. Fiedler, H. Lang & A. Kraus (Hrsg.). *Depressionskonzepte heute*. Berlin: Springer.

Zlotnick, C., Kohn, R., Keitner, G. & Della Grotta, S. A. (2000). The relationship between quality of interpersonal relationships and major depressive disorder: findings from the national comorbidity survey. *Journal of Affective Disorders*, 59, 205–215.