

## 7. LITERATURVERZEICHNIS

- ABDULLAH, K. M., UDOH, E. A., SHEWEN, P. E. MELLORS, A. (1992), A neutral glycoprotease of *Pasteurella haemolytica* A1 specifically cleaves O-sialoglycoproteins. *Infect Immun* **60**, 1: 56-62
- AHN, M. H., CHOO, Y. K., KIM, H. S., SONG, M., KO, K. JOUNG, H. (2008), Glyco-engineering of Biotherapeutic Proteins in Plants. *Mol Cells* **25**, 4: ahead of print
- ALON, R. ROSEN, S. (2007), Rolling on N-linked glycans: a new way to present L-selectin binding sites. *Nat Immunol* **8**, 4: 339-41
- ALPER, J. (2001), Searching for Medicine's Sweet Spot. *Science* **291**, 5512: 2338-2343
- ALPER, J. (2001), Sugar Separates Humans From Apes. *Science* **291**, 5512: 2340-41
- ALTMANN, F., PASCHINGER, K., DALIK, T. VORAUER, K. (1998), Characterisation of peptide-N4-(N-acetyl-beta-glucosaminyl)asparagine amidase A and its N-glycans. *Eur J Biochem* **252**, 1: 118-23
- ALTMANN, F., STAUDACHER, E., WILSON, I. B. MARZ, L. (1999), Insect cells as hosts for the expression of recombinant glycoproteins. *Glycoconj J* **16**, 2: 109-23
- ALTSCHUL, F. S., MADDEN, T. L., SCHAFFER, A. A., ZHANG, J., ZHANG, Z., MILLER, W. LIPPMAN, D. J. (1997), Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res* **25**, 3389-3402
- ANDERSEN, R. SORENSEN, A. (2000), Separation and determination of alditols and sugars by high-pH anion-exchange chromatography with pulsed amperometric detection. *J Chromatogr A* **897**, 1-2: 195-204
- ANGATA, T. VARKI, A. (2002), Chemical Diversity in the Sialic Acids and Related  $\alpha$ -Keto Acids: An Evolutionary Perspective. *Chem. Rev.* **102**, 2: 439-470
- ANUMULA, K. R. (1995), Rapid quantitative determination of sialic acids in glycoproteins by high-performance liquid chromatography with a sensitive fluorescence detection. *Anal Biochem* **230**, 1: 24-30
- AOKI, K. F., YAMAGUCHI, A., UEDA, N., AKUTSU, T., MAMITSUKA, H., GOTO, S. KANEHISA, M. (2004), KCaM (KEGG Carbohydrate Matcher): a software tool for analyzing the structures of carbohydrate sugar chains. *Nucl Acids Res* **32**, suppl\_2: W267-272
- APWEILER, R., BAIROCH, A., WU, C. H., BARKER, W. C., BOECKMANN, B., FERRO, S., GASTEIGER, E., HUANG, H., LOPEZ, R., MAGRANE, M., MARTIN, M. J., NATALE, D. A., O'DONOVAN, C., REDASCHI, N. YEH, L. S. (2004), UniProt: the Universal Protein knowledgebase. *Nucleic Acids Res* **32**, Database issue: D115-9
- ARNOLD, J. N., WORMALD, M. R., SIM, R. B., RUDD, P. M. DWEK, R. A. (2007), The Impact of Glycosylation on the Biological Function and Structure of Human Immunoglobulins. *Annual Review of Immunology* **25**, 1: 21-50
- ASADA, M., ORIKASA, N., YONEDA, A., ODA, Y., OTA, K. IMAMURA, T. (1999), The AATPAP sequence is a very efficient signal for O-glycosylation in CHO cells. *Glycoconj J* **16**, 7: 321-6
- ASHWELL, G. HARFORD, J. (1982), Carbohydrate-Specific Receptors of the Liver. *Annual Review of Biochemistry* **51**, 1: 531
- BÄCKSTROM, M., LINK, T., OLSON, F. J., KARLSSON, H., GRAHAM, R., PICCO, G., BURCHELL, J., TAYLOR-PAPADIMITRIOU, J., NOLL, T. HANSSON, G. C. (2003), Recombinant MUC1 mucin with a breast cancer-like O-glycosylation produced in large amounts in Chinese-hamster ovary cells. *Biochem J* **376**, Pt 3: 677-86
- BASA, L. J. SPELLMAN, M. W. (1990), Analysis of glycoprotein-derived oligosaccharides by high-pH anion-exchange chromatography. *J Chromatogr* **499**, 205-20

- BECKER, D. J. LOWE, J. B. (2003), Fucose: biosynthesis and biological function in mammals. *Glycobiology* **13**, 7: 41R-53R
- BENZ, I. SCHMIDT, M. A. (2002), Never say never again: protein glycosylation in pathogenic bacteria. *Mol Microbiol* **45**, 2: 267-76
- BERMAN, H. M., WESTBROOK, J., FENG, Z., GILLILAND, G., BHAT, T. N., WEISSIG, H., SHINDYALOV, I. N. BOURNE, P. E. (2000), The Protein Data Bank. *Nucl Acids Res* **28**, 1: 235-242
- BERTOZZI, C. R. KIESSLING, L. L. (2001), Chemical Glycobiology. *Science* **291**, 5512: 2357-2364
- BIEMANN, K. JAMES, A. M. (1990), Appendix 6. Mass values for amino acid residues in peptides. *Methods in Enzymology* **193**, 888-888
- BIGGE, J. C., PATEL, T. P., BRUCE, J. A., GOULDING, P. N., CHARLES, S. M. PAREKH, R. B. (1995), Nonselective and efficient fluorescent labeling of glycans using 2-amino benzamide and anthranilic acid. *Anal Biochem* **230**, 2: 229-38
- BLANCHARD, V., GADKARI, R. A., GEORGE, A. V., ROY, S., GERWIG, G. J., LEEFLANG, B. R., DIGHE, R. R., BOELEN, R. KAMERLING, J. P. (2008), High-level expression of biologically active glycoprotein hormones in *Pichia pastoris* strains--selection of strain GS115, and not X-33, for the production of biologically active N-glycosylated 15N-labeled pHCG. *Glycoconj J* **25**, 3: 245-57
- BLIX, F. G., GOTTSCHALK, A. KLENK, E. (1957), Proposed nomenclature in the field of neuraminic and sialic acids. *Nature* **179**, 4569: 1088
- BLUME, A., WEIDEMANN, W., STELZL, U., WANKER, E. E., LUCKA, L., DONNER, P., REUTTER, W., HORSTKORTE, R. HINDERLICH, S. (2004), Domain-specific characteristics of the bifunctional key enzyme of sialic acid biosynthesis, UDP-N-acetylglucosamine 2-epimerase/N-acetylmannosamine kinase. *Biochem. J.* **384**, 3: 599-607
- BÖCK, A., FORCHHAMMER, K., HEIDER, J., LEINFELDER, W., SAWERS, G., VEPREK, B. ZINONI, F. (1991), Selenocysteine: The 21st amino acid. *Mol. Microbiol.* **5**, 515-520
- BOHNE-LANG, A., LANG, E., FORSTER, T. VON DER LIETH, C. W. (2001), LINUCS: linear notation for unique description of carbohydrate sequences. *Carbohydr Res* **336**, 1: 1-11
- BORASTON, A. B., FICKO-BLEAN, E. HEALEY, M. (2007), Carbohydrate recognition by a large sialidase toxin from *Clostridium perfringens*. *Biochemistry* **46**, 40: 11352-60
- BORK, K., GAGIANNIS, D., ORTHMANN, A., WEIDEMANN, W., KONTOU, M., REUTTER, W. HORSTKORTE, R. (2007), Experimental approaches to interfere with the polysialylation of the neural cell adhesion molecule in vitro and in vivo. *Journal of Neurochemistry* **103**, s1: 65-71
- BORK, K., REUTTER, W., WEIDEMANN, W. HORSTKORTE, R. (2007), Enhanced sialylation of EPO by overexpression of UDP-GlcNAc 2-epimerase/ManAc kinase containing a sialuria mutation in CHO cells. *FEBS Letters* **581**, 22: 4195-4198
- BORMAN, S. (2007), Sugar Medicine. *C & E News* **85**, 31: 19-30
- BOSQUES, C. J., RAGURAM, S. SASISEKHARAN, R. (2006), The sweet side of biomarker discovery. *Nat Biotech* **24**, 9: 1100-1101
- BOUSFIELD, G. R., BAKER, V. L., GOTSCHALL, R. R. BUTNEV, V. Y. (2000), Carbohydrate analysis of glycoprotein hormones. *Methods* **21**, 1: 15-39
- BRINKMAN-VAN DER LINDEN, E. C., DE HAAN, P. F., HAVENAAR, E. C. VAN DIJK, W. (1998), Inflammation-induced expression of sialyl LewisX is not restricted to alpha1-acid glycoprotein but also occurs to a lesser extent on alpha1-antichymotrypsin and haptoglobin. *Glycoconj J* **15**, 2: 177-82

- BROOKS, S. A.** (2004), Appropriate glycosylation of recombinant proteins for human use: implications of choice of expression system. *Mol Biotechnol* **28**, 3: 241-55
- BÜCHSEL, R., HASSELS-VISCHER, B., TAUBER, R., REUTTER, W.** (1980), 2-Deoxy-d-galactose Impairs the Fucosylation of Glycoproteins of Rat Liver and Morris Hepatoma. *European Journal of Biochemistry* **111**, 2: 445-453
- BULLOCK, S., POTTER, J., ROSE, S. P.** (1990), Effects of the amnesic agent 2-deoxygalactose on incorporation of fucose into chick brain glycoproteins. *J Neurochem* **54**, 1: 135-42
- BURNETT, G., KENNEDY, E. P.** (1954), The enzymatic phosphorylation of proteins. *J Biol Chem* **211**, 2: 969-80
- BUTTERS, T. D.** (2002), Control in the N-linked Glycoprotein Biosynthesis Pathway. *Chemistry & Biology* **9**, 12: 1266-1268
- BYRNE, B., DONOHOE, G., O'KENNEDY, R.** (2007), Sialic acids: carbohydrate moieties that influence the biological and physical properties of biopharmaceutical proteins and living cells. *Drug Discovery Today* **12**, 7-8: 319-326
- CAMPBELL, M. P., ROYLE, L., RADCLIFFE, C. M., DWEK, R. A., RUDD, P. M.** (2008), GlycoBase and autoGU: tools for HPLC-based glycan analysis. *Bioinformatics*
- CARR, S. A., BARR, J. R., ROBERTS, G. D., ANUMULA, K. R., TAYLOR, P. B., JAMES, A. M.** (1990), Identification of attachment sites and structural classes of asparagine-linked carbohydrates in glycoproteins. *Methods in Enzymology* **Volume 193**, 501-518
- CERONI, A., DELL, A., HASLAM, S.** (2007), The GlycanBuilder: a fast, intuitive and flexible software tool for building and displaying glycan structures. *Source Code for Biology and Medicine* **2**, 1: 3
- CERONI, A., MAASS, K., GEYER, H., GEYER, R., DELL, A., HASLAM, S. M.** (2008), GlycoWorkbench: a tool for the computer-assisted annotation of mass spectra of glycans. *J Proteome Res* **7**, 4: 1650-9
- CHAI, W., PISKAREV, V., LAWSON, A. M.** (2001), Negative-ion electrospray mass spectrometry of neutral underivatized oligosaccharides. *Anal Chem* **73**, 3: 651-7
- CHANDRASEKARAN, A., SRINIVASAN, A., RAMAN, R., VISWANATHAN, K., RAGURAM, S., TUMPEY, T. M., SASISEKHARAN, V., SASISEKHARAN, R.** (2008), Glycan topology determines human adaptation of avian H5N1 virus hemagglutinin. *Nat Biotechnol* **26**, 1: 107-13
- CHEN, P., WERNER-ZWANZIGER, U., WIESLER, D., PAGEL, M., NOVOTNY, M. V.** (1999), Mass spectrometric analysis of benzoylated sialooligosaccharides and differentiation of terminal alpha 2-->3 and alpha 2-->6 sialogalactosylated linkages at subpicomole levels. *Anal Chem* **71**, 21: 4969-73
- CHOKHAWALA, H. A., YU, H., CHEN, X.** (2007), High-throughput substrate specificity studies of sialidases by using chemoenzymatically synthesized sialoside libraries. *ChemBioChem* **8**, 2: 194-201
- CHUENKOVA, M., PEREIRA, M., TAYLOR, G.** (1999), trans-sialidase of *Trypanosoma cruzi*: location of galactose-binding site(s). *Biochem Biophys Res Commun* **262**, 2: 549-56
- CIPOLLO, J. F., AWAD, A. M., COSTELLO, C. E., HIRSCHBERG, C. B.** (2005), N-Glycans of *Caenorhabditis elegans* Are Specific to Developmental Stages. *J. Biol. Chem.* **280**, 28: 26063-26072
- CIUCANU, I., KEREK, F.** (1984), A simple and rapid method for the permethylation of carbohydrates. *Carbohydr. Res.* **131**, 209-217
- CIUCANU, I.** (2006), Per-O-methylation reaction for structural analysis of carbohydrates by mass spectrometry. *Analytica Chimica Acta* **576**, 2: 147-155
- CLAUSEN, H., BENNETT, E., P., DABELSTEEN, E.** (1992), Carbohydrates of the cell surface: molecular aspects of glycosyltransferases and their genes. *APMIS Suppl* **27**, 9-17

- COLLI, W. (1993), Trans-sialidase: a unique enzyme activity discovered in the protozoan *Trypanosoma cruzi*. *FASEB J* **7**, 13: 1257-64
- COLLINS, B. E., FRALICH, T. J., ITONORI, S., ICHIKAWA, Y., SCHNAAR, R. L. (2000), Conversion of cellular sialic acid expression from N-acetyl- to N-glycolylneuraminic acid using a synthetic precursor, N-glycolylmannosamine pentaacetate: inhibition of myelin-associated glycoprotein binding to neural cells. *Glycobiology* **10**, 1: 11-20
- COMER, F. I., HART, G. W. (2000), O-Glycosylation of Nuclear and Cytosolic Proteins. DYNAMIC INTERPLAY BETWEEN O-GlcNAc AND O-PHOSPHATE. *J. Biol. Chem.* **275**, 38: 29179-29182
- CONRAD, H. E. (2001), Beta-elimination for release of O-linked glycosaminoglycans from proteoglycans. *Curr Protoc Mol Biol* **Chapter 17**, Unit 17 15A
- COOPER, C. A., GASTEIGER, E., PACKER, N. H. (2001), GlycoMod-a software tool for determining glycosylation compositions from mass spectrometric data. *Proteomics* **1**, 2: 340-9
- COOPER, C. A., JOSHI, H. J., HARRISON, M. J., WILKINS, M. R., PACKER, N. H. (2003), GlycoSuiteDB: a curated relational database of glycoprotein glycan structures and their biological sources. 2003 update. *Nucl Acids Res* **31**, 1: 511-513
- CORFIELD, A. P., HIGA, H., PAULSON, J. C., SCHAUER, R. (1983), The specificity of viral and bacterial sialidases for alpha(2-3)- and alpha(2-6)-linked sialic acids in glycoproteins. *Biochim Biophys Acta* **744**, 2: 121-6
- CRENNELL, S., GARMAN, E., LAVER, G., VIMR, E., TAYLOR, G. (1994), Crystal structure of *Vibrio cholerae* neuraminidase reveals dual lectin-like domains in addition to the catalytic domain. *Structure* **2**, 6: 535-44
- DATEMA, R., SCHWARZ, R. T. (1979), Interference with glycosylation of glycoproteins. Inhibition of formation of lipid-linked oligosaccharides in vivo. *Biochem J* **184**, 1: 113-23
- DELANEY, J., VOUIROS, P. (2001), Liquid chromatography ion trap mass spectrometric analysis of oligosaccharides using permethylated derivatives. *Rapid Communications in Mass Spectrometry* **15**, 5: 325-334
- DELL, A. (1990), Preparation and desorption mass spectrometry of permethyl and peracetyl derivatives of oligosaccharides. *Methods Enzymol* **193**, 647-60
- DELL, A., MORRIS, H. R. (2001), Glycoprotein Structure Determination by Mass Spectrometry. *Science* **291**, 5512: 2351-2356
- DELL, A. (2002), Structures of Glycoprotein Glycans. *Australian Journal of Chemistry* **55**, 27-37
- DELL, A., CHALABI, S., EASTON, R. L., HASLAM, S. M., SUTTON-SMITH, M., PATANKAR, M. S., LATTANZIO, F., PANICO, M., MORRIS, H. R., CLARK, G. F. (2003), Murine and human zona pellucida 3 derived from mouse eggs express identical O-glycans. *Proc Natl Acad Sci U S A* **100**, 26: 15631-6
- DENNIS, J. W., LAFERTE, S. (1985), Recognition of asparagine-linked oligosaccharides on murine tumor cells by natural killer cells. *Cancer Res* **45**, 12 Pt 1: 6034-40
- DOMON, B., COSTELLO, C. E. (1988), A systematic nomenclature for carbohydrate fragmentations in FAB-MS/MS spectra of glycoconjugates. *Glycoconjugate Journal* **5**, 4: 397-409
- DWEK, R. A., EDGE, C. J., HARVEY, D. J., WORMALD, M. R., PAREKH, R. B. (1993), Analysis of Glycoprotein-Associated Oligosaccharides. *Annual Review of Biochemistry* **62**, 1: 65-100
- ECKHARDT, M., MUHLENHOFF, M., BETHE, A., GERARDY-SCHAHN, R. (1996), Expression cloning of the Golgi CMP-sialic acid transporter. *Proc Natl Acad Sci U S A* **93**, 15: 7572-6
- EDGE, A. S., FALTYNEK, C. R., HOF, L., REICHERT, L. E., JR., WEBER, P. (1981), Deglycosylation of glycoproteins by trifluoromethanesulfonic acid. *Anal Biochem* **118**, 1: 131-7

- ENDO, T. (2004), Structure, function and pathology of O-mannosyl glycans. *Glycoconjugate Journal* **21**, 1: 3-7
- ENDO, T.MANYA, H. (2006), O-mannosylation in Mammalian cells. *Methods Mol Biol* **347**, 43-56
- FALICK, A. M., HINES, W. M., MEDZIHRADSKY, K. F., BALDWIN, M. A.GIBSON, B. W. (1993), Low-mass ions produced from peptides by high-energy collision-induced dissociation in tandem mass spectrometry. *Journal of the American Society for Mass Spectrometry* **4**, 11: 882-893
- FEIZI, T.MULLOY, B. (2003), Carbohydrates and glycoconjugates: Glycomics: the new era of carbohydrate biology. *Current Opinion in Structural Biology* **13**, 5: 602-604
- FENSKE, C.HINRICHS, G. J. P. W. (2003), Wie eindeutig ist der genetische Code? *Angewandte Chemie* **115**, 6: 626-630
- FINNE, J., FINNE, U., DEAGOSTINI-BAZIN, H.GORIDIS, C. (1983), Occurrence of alpha 2-8 linked polysialosyl units in a neural cell adhesion molecule. *Biochem Biophys Res Commun* **112**, 2: 482-7
- FISCHER, W.WEIDEMANN, G. (1964), THE CONVERSION OF 2-DESOXY-D-GALACTOSE IN METABOLISM. II. IDENTIFICATION OF PHOSPHORYLATED INTERMEDIATE PRODUCTS. *Hoppe Seylers Z Physiol Chem* **336**, 206-18
- FISCHER, W.WEIDEMANN, G. (1964), THE CONVERSION OF 2-DESOXY-D-GALACTOSE IN METABOLISM. I. A SIMPLE METHOD FOR DEMONSTRATION OF THE LELOIR PATHWAY. *Hoppe Seylers Z Physiol Chem* **336**, 195-205
- FLEISCHMANN, W., MOLLER, S., GATEAU, A.APWEILER, R. (1999), A novel method for automatic functional annotation of proteins. *Bioinformatics* **15**, 3: 228-33
- FLOREA, D., MAES, E., HADDAD, M.STRECKER, G. (2002), Structural analysis of the oligosaccharide alditols released from the jelly coat of *Rana dalmatina* eggs by reductive beta-elimination. *Biochimie* **84**, 7: 611-24
- FREEZE, H. H. (2001), Update and perspectives on congenital disorders of glycosylation. *Glycobiology* **11**, 12: 129R-143
- FREEZE, H. H. (2002), Sweet solution: sugars to the rescue. *J. Cell Biol.* **158**, 4: 615-616
- FRENKEL, Z., GREGORY, W., KORNFELD, S.LEDERKREMER, G. Z. (2003), Endoplasmic reticulum-associated degradation of mammalian glycoproteins involves sugar chain trimming to Man6-5GlcNAc2. *J Biol Chem* **278**, 36: 34119-24
- FRIGERIO, L.LORD, J. M. (2000), Glycoprotein degradation: do sugars hold the key? *Curr Biol* **10**, 18: R674-7
- GABIUS, H. J., ANDRE, S., KALTNER, H.SIEBERT, H. C. (2002), The sugar code: functional lectinomics. *Biochim Biophys Acta* **1572**, 2-3: 165-77
- GAGIANNIS, D., GOSSRAU, R., REUTTER, W., ZIMMERMANN-KORDMANN, M.HORSTKORTE, R. (2007), Engineering the sialic acid in organs of mice using N-propanoylmannosamine. *Biochimica et Biophysica Acta (BBA) - General Subjects* **1770**, 2: 297-306
- GAGNEUX, P., MOORE, J. J.VARKI, A. (2005), The ethics of research on great apes. *Nature* **437**, 7055: 27-9
- GASKELL, A., CRENNELL, S.TAYLOR, G. (1995), The three domains of a bacterial sialidase: a beta-propeller, an immunoglobulin module and a galactose-binding jelly-roll. *Structure* **3**, 11: 1197-205
- GEILEN, C. C., KANNICHT, C., ORTHEN, B., HEIDRICH, C., PAUL, C., GRUNOW, D., NUCK, R.REUTTER, W. (1992), Incorporation of the hexose analogue 2-deoxy-D-galactose into membrane glycoproteins in HepG2 cells. *Arch Biochem Biophys* **296**, 1: 108-14

- GENNARO, L. A., DELANEY, J., VOUIROS, P., HARVEY, D. J., DOMON, B.** (2002), Capillary electrophoresis/electrospray ion trap mass spectrometry for the analysis of negatively charged derivatized and underivatized glycans. *Rapid Communications in Mass Spectrometry* **16**, 3: 192-200
- GEYER, H., GEYER, R.** (2006), Strategies for analysis of glycoprotein glycosylation. *Biochim Biophys Acta* **1764**, 12: 1853-69
- GHADERI, D.** (2006), Das Schlüsselenzym der N-Acetylneuraminsäurebiosynthese, UDP-GlcNAc-2-Epimerase/ManNAc-Kinase. Freie Universität, Berlin
- GHADERI, D., STRAUSS, H. M., REINKE, S., CIRAK, S., REUTTER, W., LUCKA, L., HINDERLICH, S.** (2007), Evidence for dynamic interplay of different oligomeric states of UDP-N-acetylglucosamine 2-epimerase/N-acetylmannosamine kinase by biophysical methods. *J Mol Biol* **369**, 3: 746-58
- GIBBONS, A.** (1998), COMPARATIVE GENETICS: Which of Our Genes Make Us Human? *Science* **281**, 5382: 1432-1434
- GLASGOW, L. R., PAULSON, J. C., HILL, R. L.** (1977), Systematic purification of five glycosidases from *Streptococcus (Diplococcus) pneumoniae*. *J. Biol. Chem.* **252**, 23: 8615-8623
- GOHLKE, M., MACH, U., NUCK, R., ZIMMERMANN-KORDMANN, M., GRUNOW, D., FIEGER, C., VOLZ, B., TAUBER, R., PETRI, T., DEBUS, N., REUTTER, W.** (2000), Carbohydrate structures of soluble human L-selectin recombinantly expressed in baby-hamster kidney cells. *Biotechnol Appl Biochem* **32 ( Pt 1)**, 41-51
- GRABENHORST, E., SCHLENKE, P., POHL, S., NIMTZ, M., CONRADT, H. S.** (1999), Genetic engineering of recombinant glycoproteins and the glycosylation pathway in mammalian host cells. *Glycoconj J* **16**, 2: 81-97
- GRAHAM, F. L., SMILEY, J., RUSSELL, W. C., NAIRN, R.** (1977), Characteristics of a Human Cell Line Transformed by DNA from Human Adenovirus Type 5. *J Gen Virol* **36**, 1: 59-72
- GREIS, K. D., HAYES, B. K., COMER, F. I., KIRK, M., BARNES, S., LOWARY, T. L., HART, G. W.** (1996), Selective detection and site-analysis of O-GlcNAc-modified glycopeptides by beta-elimination and tandem electrospray mass spectrometry. *Anal Biochem* **234**, 1: 38-49
- GRÖBE, D.** (2001), Analysen zur Translation von Seleno-Proteinen aus *Eubacterium acidaminophilum* in *Escherichia coli*. *Diplomarbeit*; Martin-Luther-Universität Halle-Wittenberg, Halle
- GRÜNHOLZ, H. J., HARMS, E., OPETZ, M., REUTTER, W., CERNY, M.** (1981), Inhibition of in vitro biosynthesis of N-acetylneuraminic acid by N-acyl- and N-alkyl-2-amino-2-deoxyhexoses. *Carbohydr Res* **96**, 2: 259-70
- GURSINSKY, T., GRÖBE, D., SCHIERHORN, A., JÄGER, J., ANDRESEN, J. R., SÖHLING, B.** (2008), Factors and selenocysteine insertion sequence requirements for the synthesis of selenoproteins from a gram-positive anaerobe in *Escherichia coli*. *Appl Environ Microbiol* **74**, 5: 1385-93
- HÄGGLUND, P., MATTHIESEN, R., ELORTZA, F., HOJRUP, P., ROEPSTORFF, P., JENSEN, O. N., BUNKENBORG, J.** (2007), An enzymatic deglycosylation scheme enabling identification of core fucosylated N-glycans and O-glycosylation site mapping of human plasma proteins. *J Proteome Res* **6**, 8: 3021-31
- HALTIWANGER, R. S., LOWE, J. B.** (2004), Role of glycosylation in development. *Annu Rev Biochem* **73**, 491-537
- HAMILTON, S. R., DAVIDSON, R. C., SETHURAMAN, N., NETT, J. H., JIANG, Y., RIOS, S., BOBROWICZ, P., STADHEIM, T. A., LI, H., CHOI, B. K., HOPKINS, D., WISCHNEWSKI, H., ROSER, J., MITCHELL, T., STRAWBRIDGE, R. R., HOOPES, J., WILDT, S., GERNGROSS, T. U.** (2006), Humanization of yeast to produce complex terminally sialylated glycoproteins. *Science* **313**, 5792: 1441-3
- HANISCH, F. G., JOVANOVIC, M., PETER-KATALINIC, J.** (2001), Glycoprotein identification and localization of O-glycosylation sites by mass spectrometric analysis of deglycosylated/alkylaminylated peptide fragments. *Anal Biochem* **290**, 1: 47-59

- HANISCH, F. G., SCHWIENIEK, T., VON BERGWELT-BAILDON, M. S., SCHULTZE, J. L.FINN, O. (2003), O-Linked glycans control glycoprotein processing by antigen-presenting cells: a biochemical approach to the molecular aspects of MUC1 processing by dendritic cells. *Eur J Immunol* **33**, 12: 3242-54
- HARA, S., YAMAGUCHI, M., TAKEMORI, Y., FURUHATA, K., OGURA, H.NAKAMURA, M. (1989), Determination of mono-O-acetylated N-acetylneuraminic acids in human and rat sera by fluorometric high-performance liquid chromatography. *Anal Biochem* **179**, 1: 162-6
- HARDUIN-LEPERS, A., RECCHI, M. A.DELANNOY, P. (1995), 1994, the year of sialyltransferases. *Glycobiology* **5**, 8: 741-58
- HARDUIN-LEPERS, A., MOLLICONE, R., DELANNOY, P.ORIOL, R. (2005), The animal sialyltransferases and sialyltransferase-related genes: a phylogenetic approach. *Glycobiology* **15**, 8: 805-17
- HARDY, M. R., TOWNSEND, R. R.LEE, Y. C. (1988), Monosaccharide analysis of glycoconjugates by anion exchange chromatography with pulsed amperometric detection. *Anal Biochem* **170**, 1: 54-62
- HARRISON, R. L.JARVIS, D. L. (2006), Protein N-glycosylation in the baculovirus-insect cell expression system and engineering of insect cells to produce "mammalianized" recombinant glycoproteins. *Adv Virus Res* **68**, 159-91
- HARVEY, D. J. (1999), Matrix-assisted laser desorption/ionization mass spectrometry of carbohydrates. *Mass Spectrom Rev* **18**, 6: 349-450
- HARVEY, D. J. (2001), Identification of protein-bound carbohydrates by mass spectrometry. *Proteomics* **1**, 2: 311-28
- HARVEY, D. J., MARTIN, R. L., JACKSON, K. A.SUTTON, C. W. (2004), Fragmentation of N-linked glycans with a matrix-assisted laser desorption/ionization ion trap time-of-flight mass spectrometer. *Rapid Commun Mass Spectrom* **18**, 24: 2997-3007
- HARVEY, D. J. (2005), Proteomic analysis of glycosylation: structural determination of N- and O-linked glycans by mass spectrometry. *Expert Rev Proteomics* **2**, 1: 87-101
- HARVEY, D. J. (2005), Fragmentation of negative ions from carbohydrates: part 3. Fragmentation of hybrid and complex N-linked glycans. *J Am Soc Mass Spectrom* **16**, 5: 647-59
- HARVEY, D. J. (2005), Fragmentation of negative ions from carbohydrates: part 2. Fragmentation of high-mannose N-linked glycans. *J Am Soc Mass Spectrom* **16**, 5: 631-46
- HASHIMOTO, K., GOTO, S., KAWANO, S., AOKI-KINOSHITA, K. F., UEDA, N., HAMAJIMA, M., KAWASAKI, T.KANEHISA, M. (2006), KEGG as a glycome informatics resource. *Glycobiology* **16**, 5: 63R-70
- HASLAM, S. M., NORTH, S. J.DELL, A. (2006), Mass spectrometric analysis of N- and O-glycosylation of tissues and cells. *Current Opinion in Structural Biology* **16**, 5: 584-591
- HEMMERICH, S., VERDUGO, D.RATH, V. L. (2004), Strategies for drug discovery by targeting sulfation pathways. *Drug Discov Today* **9**, 22: 967-75
- HERGET, S., RANZINGER, R., MAASS, K.LIETH, C. W. (2008), GlycoCT-a unifying sequence format for carbohydrates. *Carbohydr Res*
- HERMENTIN, P., WITZEL, R., DOENGES, R., BAUER, R., HAUPT, H., PATEL, T., PAREKH, R. B.BRAZEL, D. (1992), The mapping by high-pH anion-exchange chromatography with pulsed amperometric detection and capillary electrophoresis of the carbohydrate moieties of human plasma alpha 1-acid glycoprotein. *Anal Biochem* **206**, 2: 419-29
- HERMENTIN, P., DOENGES, R., WITZEL, R., HOKKE, C. H., Vliegenthart, J. F., KAMERLING, J. P., CONRADT, H. S., NITZ, M.BRAZEL, D. (1994), A strategy for the mapping of N-glycans by high-performance capillary electrophoresis. *Anal Biochem* **221**, 1: 29-41

- HERRMANN, M., VON DER LIETH, C. W., STEHLING, P., REUTTER, W. PAWLITA, M. (1997), Consequences of a subtle sialic acid modification on the murine polyomavirus receptor. *J Virol* **71**, 8: 5922-31
- HINDERLICH, S., STASCHE, R., ZEITLER, R. REUTTER, W. (1997), A bifunctional enzyme catalyzes the first two steps in N-acetylneuraminic acid biosynthesis of rat liver. Purification and characterization of UDP-N-acetylglucosamine 2-epimerase/N-acetylmannosamine kinase. *J Biol Chem* **272**, 39: 24313-8
- HITCHEN, P. G. DELL, A. (2006), Bacterial glycoproteomics. *Microbiology* **152**, Pt 6: 1575-80
- HORDIJK, P. L. (2006), Endothelial signalling events during leukocyte transmigration. *FEBS Journal* **273**, 19: 4408-4415
- HORSTKORTE, R., LEE, H.-Y., LUCKA, L., DANKER, K., MANTEY, L. REUTTER, W. (2001), Biochemical Engineering of the Side Chain of Sialic Acids Increases the Biological Stability of the Highly Sialylated Cell Adhesion Molecule CEACAM1. *Biochemical and Biophysical Research Communications* **283**, 1: 31-35
- HORSTKORTE, R., MÜHLENHOFF, M., REUTTER, W., NÖHRING, S., ZIMMERMANN-KORDMANN, M. GERARDY-SCHAHN, R. (2004), Selective inhibition of polysialyltransferase ST8SiaII by unnatural sialic acids. *Exp Cell Res* **298**, 1: 268-74
- HORSTKORTE, R., RAU, K., REUTTER, W., NOHRING, S. LUCKA, L. (2004), Increased expression of the selectin ligand sialyl-Lewis(x) by biochemical engineering of sialic acids. *Exp Cell Res* **295**, 2: 549-54
- HUANG, Y., KONSE, T., MECHREF, Y. NOVOTNY, M. V. (2002), Matrix-assisted laser desorption/ionization mass spectrometry compatible beta-elimination of O-linked oligosaccharides. *Rapid Commun Mass Spectrom* **16**, 12: 1199-204
- HUGHES, R. C., MEAGER, A. NAIRN, R. (1977), Effect of 2-deoxy-D-glucose on the cell-surface glycoproteins of hamster fibroblasts. *Eur J Biochem* **72**, 2: 265-73
- HWANG, Y. H., KOHLA, G., GEILEN, C. C., PAUL, C., KANNICHT, C., GRUNOW, D., POHLENTZ, G., EGGE, H., NUCK, R. REUTTER, W. (1993), Synthesis of 2-deoxy-D-galactose containing gangliosides in vivo. *FEBS Lett* **327**, 1: 63-7
- IGURA, M., MAITA, N., KAMISHIKIRYO, J., YAMADA, M., OBITA, T., MAENAKA, K. KOHDA, D. (2008), Structure-guided identification of a new catalytic motif of oligosaccharyltransferase. *EMBO J* **27**, 1: 234-43
- IKEDA, K., KIMURA, F., SANO, K., SUZUKI, Y. ACHIWA, K. (1998), Chemoenzymatic synthesis of an N-acetylneuraminic acid analogue having a carbamoylmethyl group at C-4 as an inhibitor of sialidase from influenza virus. *Carbohydr Res* **312**, 4: 183-9
- IRIE, A., KOYAMA, S., KOZUTSUMI, Y., KAWASAKI, T. SUZUKI, A. (1998), The molecular basis for the absence of N-glycolylneuraminic acid in humans. *J Biol Chem* **273**, 25: 15866-71
- JACOBS, C. L., GOON, S., YAREMA, K. J., HINDERLICH, S., HANG, H. C., CHAI, D. H. BERTOZZI, C. R. (2001), Substrate specificity of the sialic acid biosynthetic pathway. *Biochemistry* **40**, 43: 12864-74
- JANEWAY, C. A., TRAVERS, P., WALPORT, M. SHLOMCHIK, M. (2005), Immunologie; *Spektrum Akademischer Verlag GmbH*
- JARDINE, I. JAMES, A. M. (1990), Molecular weight analysis of proteins. *Methods in Enzymology* **193**, 441-455
- JIANG, H., DESAIRE, H., BUTNEV, V. Y. BOUSFIELD, G. R. (2004), Glycoprotein profiling by electrospray mass spectrometry. *J Am Soc Mass Spectrom* **15**, 5: 750-8
- JIN, C., ALTMANN, F., STRASSER, R., MACH, L., SCHAHS, M., KUNERT, R., RADEMACHER, T., GLOSSL, J. STEINKELLNER, H. (2008), A plant-derived human monoclonal antibody induces an anti-carbohydrate immune response in rabbits. *Glycobiology* **18**, 3: 235-41



- JOHNSON, R. S., MARTIN, S. A., BIEMANN, K., STULTS, J. T. WATSON, J. T.** (1987), Novel fragmentation process of peptides by collision-induced decomposition in a tandem mass spectrometer: differentiation of leucine and isoleucine. *Anal. Chem.* **59**, 21: 2621-2625
- JOHNSON, R. S., MARTIN, S. A. BIEMANN, K.** (1998), Collision-induced fragmentation of  $(M + H)^+$  ions of peptides. Side chain specific sequence ions. *International Journal of Mass Spectrometry and Ion Processes* **86**, 137-154
- JUNG, E., VEUTHEY, A. L., GASTEIGER, E. BAIROCH, A.** (2001), Annotation of glycoproteins in the SWISS-PROT database. *Proteomics* **1**, 2: 262-8
- KAGESHITA, T., HIRAI, S., KIMURA, T., HANAI, N., OHTA, S. ONO, T.** (1995), Association between sialyl Lewis(a) expression and tumor progression in melanoma. *Cancer Res* **55**, 8: 1748-51
- KAMENA, F., TAMBORRINI, M., LIU, X., KWON, Y. U., THOMPSON, F., PLUSCHKE, G. SEEBERGER, P. H.** (2008), Synthetic GPI array to study antitoxic malaria response. *Nat Chem Biol* **4**, 4: 238-40
- KANEIDER, N. C., LEGER, A. J. KULIOPULOS, A.** (2006), Therapeutic targeting of molecules involved in leukocyte-endothelial cell interactions. *FEBS Journal* **273**, 19: 4416-4424
- KANNICHT, C.** (1995), Glykosylierung des Membranglykoproteins gp110 aus Rattenleber und dessen in vivo-Modulation durch 2-Desoxy-D-Galaktose. *Dissertation*; Freie Universität, Berlin
- KARLSSON, N. G. PACKER, N. H.** (2002), Analysis of O-linked reducing oligosaccharides released by an in-line flow system. *Anal Biochem* **305**, 2: 173-85
- KARLSSON, N. G., SCHULZ, B. L. PACKER, N. H.** (2004), Structural determination of neutral O-linked oligosaccharide alditols by negative ion LC-electrospray-MSn. *J Am Soc Mass Spectrom* **15**, 5: 659-72
- KARLSSON, N. G., WILSON, N. L., WIRTH, H. J., DAWES, P., JOSHI, H. PACKER, N. H.** (2004), Negative ion graphitised carbon nano-liquid chromatography/mass spectrometry increases sensitivity for glycoprotein oligosaccharide analysis. *Rapid Commun Mass Spectrom* **18**, 19: 2282-92
- KARLSSON, N. G., SCHULZ, B. L., PACKER, N. H. WHITELOCK, J. M.** (2005), Use of graphitised carbon negative ion LC-MS to analyse enzymatically digested glycosaminoglycans. *J Chromatogr B Analyt Technol Biomed Life Sci* **824**, 1-2: 139-47
- KAWANO, T., KOYAMA, S., TAKEMATSU, H., KOZUTSUMI, Y., KAWASAKI, H., KAWASHIMA, S., KAWASAKI, T. SUZUKI, A.** (1995), Molecular cloning of cytidine monophospho-N-acetylneuraminic acid hydroxylase. Regulation of species- and tissue-specific expression of N-glycolylneuraminic acid. *J Biol Chem* **270**, 27: 16458-63
- KAWASAKI, T. ASHWELL, G.** (1977), Isolation and characterization of an avian hepatic binding protein specific for N-acetylglucosamine-terminated glycoproteins. *J Biol Chem* **252**, 18: 6536-43
- KAYSER, H., ZEITLER, R., KANNICHT, C., GRUNOW, D., NUCK, R. REUTTER, W.** (1992), Biosynthesis of a nonphysiological sialic acid in different rat organs, using N-propanoyl-D-hexosamines as precursors. *J Biol Chem* **267**, 24: 16934-8
- KEAN, E. L.** (1970), Nuclear cytidine 5'-monophosphosialic acid synthetase. *J Biol Chem* **245**, 9: 2301-8
- KECK, R., NAYAK, N., LERNER, L., RAJU, S., MA, S., SCHREITMUELLER, T., CHAMOW, S., MOORHOUSE, K., KOTTS, C. JONES, A.** (2008), Characterization of a complex glycoprotein whose variable metabolic clearance in humans is dependent on terminal N-acetylglucosamine content. *Biologicals* **36**, 1: 49-60
- KEISER, H. D.** (1982), The immunology of proteoglycans. *Connect Tissue Res* **10**, 1: 101-8
- KELLNER, R.** (2000), Proteomics. Concepts and perspectives. *Fresenius J Anal Chem* **366**, 6-7: 517-24

- KEPPLER, O. T., STEHLING, P., HERRMANN, M., KAYSER, H., GRUNOW, D., REUTTER, W. PAWLITA, M. (1995), Biosynthetic modulation of sialic acid-dependent virus-receptor interactions of two primate polyoma viruses. *J Biol Chem* **270**, 3: 1308-14
- KEPPLER, O. T., HERRMANN, M., VON DER LIETH, C. W., STEHLING, P., REUTTER, W. PAWLITA, M. (1998), Elongation of the N-acyl side chain of sialic acids in MDCK II cells inhibits influenza A virus infection. *Biochem Biophys Res Commun* **253**, 2: 437-42
- KEPPLER, O. T., HORSTKORTE, R., PAWLITA, M., SCHMIDT, C. REUTTER, W. (2001), Biochemical engineering of the N-acyl side chain of sialic acid: biological implications. *Glycobiology* **11**, 2: 11R-18
- KILCOYNE, M. JOSHI, L. (2007), Carbohydrates in Therapeutics. *Cardiovascular & Hematological Agents in Medicinal Chemistry (Formerly Current Medicinal Chemistry - Cardiovascular & Hematological Agents)* **5**, 186-197
- KNAUER, R. LEHLE, L. (1999), The oligosaccharyltransferase complex from yeast. *Biochim Biophys Acta* **1426**, 2: 259-73
- KNIREL, Y. A. PEREPELOV, A. V. (2002), Trifluoromethanesulfonic acid: a useful reagent for the solvolytic cleavage of glycosidic linkages in structural analysis of bacterial polysaccharides. *Australien Journal of Chemistry* **55**, 69-72
- KOBATA, A. (1979), Use of endo- and exoglycosidases for structural studies of glycoconjugates. *Anal Biochem* **100**, 1: 1-14
- KOBATA, A. (1992), Structures and functions of the sugar chains of glycoproteins. *European Journal of Biochemistry* **209**, 2: 483-501
- KOBATA, A. (1998), A retrospective and prospective view of glycopathology. *Glycoconjugate Journal* **15**, 4: 323-331
- KOBATA, A. (2000), A journey to the world of glycobiology. *Glycoconj J* **17**, 7-9: 443-64
- KOBATA, A. (2003), Glycobiology in the field of aging research--introduction to glycoogerontology. *Biochimie* **85**, 1-2: 13-24
- KOBATA, A. AMANO, J. (2005), Altered glycosylation of proteins produced by malignant cells, and application for the diagnosis and immunotherapy of tumours. *Immunol Cell Biol* **83**, 4: 429-39
- KONTOU, M., BAUER, C., REUTTER, W. HORSTKORTE, R. (2008), Sialic acid metabolism is involved in the regulation of gene expression during neuronal differentiation of PC12 cells. *Glycoconj J* **25**, 3: 237-44
- KORNFELD, S., KORNFELD, R., NEUFELD, E. F. O'BRIEN, P. J. (1964), The Feedback Control of Sugar Nucleotide Biosynthesis in Liver. *Proceedings of the National Academy of Sciences* **52**, 2: 371-379
- LAEMMLI, U. (1970), Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **352**, 172-174:
- LAIRSON, L. L., HENRISSAT, B., DAVIES, G. J. WITHERS, S. G. (2008), Glycosyltransferases: Structures, Functions, and Mechanisms. *Annual Review of Biochemistry* **77**, 1: 521-555
- LASKY, L. A. (1995), Selectin-carbohydrate interactions and the initiation of the inflammatory response. *Annu Rev Biochem* **64**, 113-39
- LATTOVA, E., PERREAULT, H. KROKHIN, O. (2004), Matrix-assisted laser desorption/ionization tandem mass spectrometry and post-source decay fragmentation study of phenylhydrazones of N-linked oligosaccharides from ovalbumin. *J Am Soc Mass Spectrom* **15**, 5: 725-35
- LATTOVA, E., SNOVIDA, S., PERREAULT, H. KROKHIN, O. (2005), Influence of the labeling group on ionization and fragmentation of carbohydrates in mass spectrometry. *J Am Soc Mass Spectrom* **16**, 5: 683-96

- LAUC, G. HEFFER-LAUC, M. (2006), Shedding and uptake of gangliosides and glycosylphosphatidylinositol-anchored proteins. *Biochim Biophys Acta* **1760**, 4: 584-602
- LEHMANN, W. D., BOHNE, A. VON DER LIETH, C. W. (2000), The information encrypted in accurate peptide masses-improved protein identification and assistance in glycopeptide identification and characterization. *J Mass Spectrom* **35**, 11: 1335-41
- LEY, K. (2003), The role of selectins in inflammation and disease. *Trends Mol Med* **9**, 6: 263-8
- LI, X., KALOYANOVA, D., VAN EIJK, M., EERLAND, R., VAN DER GOOT, G., OORSCHOT, V., KLUMPERMAN, J., LOTSPEICH, F., STARKUVIENE, V., WIELAND, F. T. HELMS, J. B. (2007), Involvement of a Golgi-resident GPI-anchored protein in maintenance of the Golgi structure. *Mol Biol Cell* **18**, 4: 1261-71
- LIU, X., SIEGRIST, S., AMACKER, M., ZURBRIGGEN, R., PLUSCHKE, G. SEEBERGER, P. H. (2006), Enhancement of the immunogenicity of synthetic carbohydrates by conjugation to virosomes: a leishmaniasis vaccine candidate. *ACS Chem Biol* **1**, 3: 161-4
- LOHMANN, K. K. VON DER LIETH, C. W. (2004), GlycoFragment and GlycoSearchMS: web tools to support the interpretation of mass spectra of complex carbohydrates. *Nucleic Acids Res* **32**, Web Server issue: W261-6
- LORENZINI, C. G., BALDI, E., BUCHERELLI, C., SACCHETTI, B. TASSONI, G. (1997), 2-Deoxy-D-galactose effects on passive avoidance memorization in the rat. *Neurobiol Learn Mem* **68**, 3: 317-24
- LOZZIO, B. B. LOZZIO, C. B. (1979), Properties and usefulness of the original K-562 human myelogenous leukemia cell line. *Leukemia Research* **3**, 6: 363-370
- LÜTTEKE, T., BOHNE-LANG, A., LOSS, A., GOETZ, T., FRANK, M. VON DER LIETH, C. W. (2006), GLYCOSCIENCES.de: an Internet portal to support glycomics and glycobiology research. *Glycobiology* **16**, 5: 71R-81R
- MA, B., SIMALA-GRANT, J. L. TAYLOR, D. E. (2006), Fucosylation in prokaryotes and eukaryotes. *Glycobiology* **16**, 12: 158R-184R
- MAASS, K., RANZINGER, R., GEYER, H., VON DER LIETH, C. W. GEYER, R. (2007), "Glyco-peakfinder"--de novo composition analysis of glycoconjugates. *Proteomics* **7**, 24: 4435-44
- MAGNANI, J. L. (2004), The discovery, biology, and drug development of sialyl Lea and sialyl Lex. *Arch Biochem Biophys* **426**, 2: 122-31
- MAHDAVI, J., SONDEN, B., HURTIG, M., OLFAT, F. O., FORSBERG, L., ROCHE, N., ANGSTROM, J., LARSSON, T., TENEBERG, S., KARLSSON, K.-A., ALTRAJA, S., WADSTROM, T., KERSULYTE, D., BERG, D. E., DUBOIS, A., PETERSSON, C., MAGNUSSON, K.-E., NORBERG, T., LINDH, F., LUNDSKOG, B. B., ARNQVIST, A., HAMMARSTROM, L. BOREN, T. (2002), *Helicobacter pylori* SabA Adhesin in Persistent Infection and Chronic Inflammation. *Science* **297**, 5581: 573-578
- MALEY, F., TRIMBLE, R. B., TARENTINO, A. L. PLUMMER, T. H., JR. (1989), Characterization of glycoproteins and their associated oligosaccharides through the use of endoglycosidases. *Anal Biochem* **180**, 2: 195-204
- MANTEY, L. R., KEPPLER, O. T., PAWLITA, M., REUTTER, W. HINDERLICH, S. (2001), Efficient biochemical engineering of cellular sialic acids using an unphysiological sialic acid precursor in cells lacking UDP-N-acetylglucosamine 2-epimerase. *FEBS Lett* **503**, 1: 80-4
- MANYA, H., SUZUKI, T., AKASAKA-MANYA, K., ISHIDA, H.-K., MIZUNO, M., SUZUKI, Y., INAZU, T., DOHMAE, N. ENDO, T. (2007), Regulation of Mammalian Protein O-Mannosylation: PREFERENTIAL AMINO ACID SEQUENCE FOR O-MANNOSE MODIFICATION. *J. Biol. Chem.* **282**, 28: 20200-20206
- MANZI, A. E., DIAZ, S. VARKI, A. (1990), High-pressure liquid chromatography of sialic acids on a pellicular resin anion-exchange column with pulsed amperometric detection: a comparison with six other systems. *Anal Biochem* **188**, 1: 20-32

- MARSHALL, D.HASKARD, D. O. (2002), Clinical overview of leukocyte adhesion and migration: where are we now? *Semin Immunol* **14**, 2: 133-40
- MARTIN, M. J., RAYNER, J. C., GAGNEUX, P., BARNWELL, J. W.VARKI, A. (2005), Evolution of human-chimpanzee differences in malaria susceptibility: relationship to human genetic loss of N-glycolylneuraminic acid. *Proc Natl Acad Sci U S A* **102**, 36: 12819-24
- MATROSOVICH, M.KLENK, H. D. (2003), Natural and synthetic sialic acid-containing inhibitors of influenza virus receptor binding. *Rev Med Virol* **13**, 2: 85-97
- MATTU, T. S., PLEASS, R. J., WILLIS, A. C., KILIAN, M., WORMALD, M. R., LELLOUCH, A. C., RUDD, P. M., WOOF, J. M.DWEK, R. A. (1998), The glycosylation and structure of human serum IgA1, Fab, and Fc regions and the role of N-glycosylation on Fc alpha receptor interactions. *J Biol Chem* **273**, 4: 2260-72
- MCCLOSKEY, J. A.JAMES, A. M. (1990), Appendix 4. Calculation of isotopic abundance distributions. *Methods in Enzymology* **193**, 882-886
- MCCLOSKEY, J. A.JAMES, A. M. (1990), Appendix 1. Mass and abundance values. *Methods in Enzymology* **193**, 869-870
- MC EVER, R. P. (2002), Selectins: lectins that initiate cell adhesion under flow. *Curr Opin Cell Biol* **14**, 5: 581-6
- MECHREF, Y.NOVOTNY, M. V. (1998), Mass Spectrometric Mapping and Sequencing of N-Linked Oligosaccharides Derived from Submicrogram Amounts of Glycoproteins. *Anal. Chem.* **70**, 3: 455-463
- MELLQUIST, J. L., KASTURI, L., SPITALNIK, S. L.SHAKIN-ESHLEMAN, S. H. (1998), The amino acid following an Asn-X-Ser/Thr sequon is an important determinant of N-linked core glycosylation efficiency. *Biochemistry* **37**, 19: 6833-7
- MERRY, A. H., NEVILLE, D. C., ROYLE, L., MATTHEWS, B., HARVEY, D. J., DWEK, R. A.RUDD, P. M. (2002), Recovery of intact 2-aminobenzamide-labeled O-glycans released from glycoproteins by hydrazinolysis. *Anal Biochem* **304**, 1: 91-9
- MING, M., CHUENKOVA, M., ORTEGA-BARRIA, E.PEREIRA, M. E. (1993), Mediation of *Trypanosoma cruzi* invasion by sialic acid on the host cell and trans-sialidase on the trypanosome. *Mol Biochem Parasitol* **59**, 2: 243-52
- MORELL, A. G., GREGORIADIS, G., SCHEINBERG, I. H., HICKMAN, J.ASHWELL, G. (1971), The role of sialic acid in determining the survival of glycoproteins in the circulation. *J Biol Chem* **246**, 5: 1461-7
- MORELLE, W., SLOMIANNY, M. C., DIEMER, H., SCHAEFFER, C., VAN DORSSELAER, A.MICHALSKI, J. C. (2004), Fragmentation characteristics of permethylated oligosaccharides using a matrix-assisted laser desorption/ionization two-stage time-of-flight (TOF/TOF) tandem mass spectrometer. *Rapid Commun Mass Spectrom* **18**, 22: 2637-49
- MORELLE, W.MICHALSKI, J.-C. (2007), Analysis of protein glycosylation by mass spectrometry. *Nat. Protocols* **2**, 7: 1585-1602
- MOUSTAFA, I., CONNARIS, H., TAYLOR, M., ZAITSEV, V., WILSON, J. C., KIEFEL, M. J., VON ITZSTEIN, M.TAYLOR, G. (2004), Sialic acid recognition by *Vibrio cholerae* neuraminidase. *J Biol Chem* **279**, 39: 40819-26
- NAGAI, Y. (2002), Glycobiology in the 21st century: coming developments in glycobiology. *Glycoconj J* **19**, 3: 161-3
- NAVEN, T. J., HARVEY, D. J., BROWN, J.CRITCHLEY, G. (1997), Fragmentation of complex carbohydrates following ionization by matrix-assisted laser desorption with an instrument fitted with time-lag focusing. *Rapid Commun Mass Spectrom* **11**, 15: 1681-6

- NEWSTEAD, S. L., WATSON, J. N., BENNET, A. J. TAYLOR, G. (2005), Galactose recognition by the carbohydrate-binding module of a bacterial sialidase. *Acta Crystallogr D Biol Crystallogr* **61**, Pt 11: 1483-91
- NG, K. K., DRICKAMER, K. WEIS, W. I. (1996), Structural analysis of monosaccharide recognition by rat liver mannose-binding protein. *J Biol Chem* **271**, 2: 663-74
- NILSSON, I. VON HEIJNE, G. (2000), Glycosylation Efficiency of Asn-Xaa-Thr Sequons Depends Both on the Distance from the C Terminus and on the Presence of a Downstream Transmembrane Segment. *J. Biol. Chem.* **275**, 23: 17338-17343
- NIMITZ, M., GRABENHORST, E., CONRADT, H. S., SANZ, L. CALVETE, J. J. (1999), Structural characterization of the oligosaccharide chains of native and crystallized boar seminal plasma spermadhesin PSP-I and PSP-II glycoforms. *Eur J Biochem* **265**, 2: 703-18
- NINONUEVO, M., AN, H., YIN, H., KILLEEN, K., GRIMM, R., WARD, R., GERMAN, B. LEBRILLA, C. (2005), Nanoliquid chromatography-mass spectrometry of oligosaccharides employing graphitized carbon chromatography on microchip with a high-accuracy mass analyzer. *Electrophoresis* **26**, 19: 3641-9
- NOVAK, J., TOMANA, M., KILIAN, M., COWARD, L., KULHAVY, R., BARNES, S. MESTECKY, J. (2000), Heterogeneity of O-glycosylation in the hinge region of human IgA1. *Mol Immunol* **37**, 17: 1047-56
- NUCK, R., ZIMMERMANN, M., SAUVAGEOT, D., JOSI, D. REUTTER, W. (1990), Optimized deglycosylation of glycoproteins by peptide-N4-(N-acetyl-beta-glucosaminyl)-asparagine amidase from *Flavobacterium meningosepticum*. *Glycoconj J* **7**, 4: 279-86
- NUCK, R. (2002), Enzymatical hydrolysis of N-glycans from glycoproteins and fluorescent labeling by 2-aminobenzamide (2-AB). *Methods Mol Biol* **194**, 37-44
- OETKE, C., HINDERLICH, S., BROSSMER, R., REUTTER, W., PAWLITA, M. KEPPLER, O. T. (2001), Evidence for efficient uptake and incorporation of sialic acid by eukaryotic cells. *Eur J Biochem* **268**, 16: 4553-61
- OHL, C., ALBACH, C., ALTEVOGT, P. SCHMITZ, B. (2003), N-glycosylation patterns of HSA/CD24 from different cell lines and brain homogenates: a comparison. *Biochimie* **85**, 6: 565-573
- OHMORI, K., KANDA, K., MITSUOKA, C., KANAMORI, A., KURATA-MIURA, K., SASAKI, K., NISHI, T., TAMATANI, T. KANNAGI, R. (2000), P- and E-selectins recognize sialyl 6-sulfo Lewis X, the recently identified L-selectin ligand. *Biochem Biophys Res Commun* **278**, 1: 90-6
- OHTA, Y., TSUKADA, Y. SUGIMORI, T. (1989), Purification and properties of neuraminidase isozymes in *Arthrobacter ureafaciens* mutant. *J Biochem* **106**, 6: 1086-9
- OHYAMA, C., TSUBOI, S. FUKUDA, M. (1999), Dual roles of sialyl Lewis X oligosaccharides in tumor metastasis and rejection by natural killer cells. *EMBO J* **18**, 6: 1516-25
- OPDENAKKER, G., DILLEN, C., FITEN, P., MARTENS, E., VAN AELST, I., VAN DEN STEEN, P. E., NELISSEN, I., STARCKX, S., DESCAMPS, F. J., HU, J., PICCARD, H., VAN DAMME, J., WORMALD, M. R., RUDD, P. M. DWEK, R. A. (2006), Remnant epitopes, autoimmunity and glycosylation. *Biochim Biophys Acta* **1760**, 4: 610-5
- OXFORD, J. S. (2000), Influenza A pandemics of the 20th century with special reference to 1918: virology, pathology and epidemiology. *Rev Med Virol* **10**, 2: 119-33
- PACKER, N. H., LAWSON, M. A., JARDINE, D. R. REDMOND, J. W. (1998), A general approach to desalting oligosaccharides released from glycoproteins. *Glycoconjugate Journal* **15**, 8: 737-747
- PACKER, N. H., VON DER LIETH, C. W., AOKI-KINOSHITA, K. F., LEBRILLA, C. B., PAULSON, J. C., RAMAN, R., RUDD, P., SASISEKHARAN, R., TANIGUCHI, N. YORK, W. S. (2008), Frontiers in glycomics: bioinformatics and biomarkers in disease. An NIH white paper prepared from discussions by the focus groups at a workshop on the NIH campus, Bethesda MD (September 11-13, 2006). *Proteomics* **8**, 1: 8-20

- PAPAC, D. I., WONG, A. JONES, A. J. (1996), Analysis of acidic oligosaccharides and glycopeptides by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. *Anal Chem* **68**, 18: 3215-23
- PAPAYANNOPOULOS, I. A. (1995), The interpretation of collision-induced dissociation tandem mass spectra of peptides. *Mass Spectrometry Reviews* **14**, 1: 49-73
- PARKER, J. (1989), Errors and alternatives in reading the universal genetic code. *Microbiological Reviews* **53**, 3: 273-298
- PARODI, A. J. (2000), PROTEIN GLUCOSYLATION AND ITS ROLE IN PROTEIN FOLDING. *Annual Review of Biochemistry* **69**, 1: 69-93
- PATEL, T., BRUCE, J., MERRY, A., BIGGE, C., WORMALD, M., JAQUES, A. PAREKH, R. (1993), Use of hydrazine to release in intact and unreduced form both N- and O-linked oligosaccharides from glycoproteins. *Biochemistry* **32**, 2: 679-93
- PERKINS, D. N., PAPPIN, D. J., CREASY, D. M. COTTRELL, J. S. (1999), Probability-based protein identification by searching sequence databases using mass spectrometry data. *Electrophoresis* **20**, 18: 3551-67
- PETER-KATALINIC, J. (2005), Methods in enzymology: O-glycosylation of proteins. *Methods Enzymol* **405**, 139-71
- PLANTE, O. J., PALMACCI, E. R. SEEBERGER, P. H. (2001), Automated solid-phase synthesis of oligosaccharides. *Science* **291**, 5508: 1523-7
- PUCK, T. T., CIECIURA, S. J. ROBINSON, A. (1958), Genetics of somatic mammalian cells. III. Long-term cultivation of euploid cells from human and animal subjects. *J Exp Med* **108**, 6: 945-56
- RADEMACHER, T. W., PAREKH, R. B. DWEK, R. A. (1988), Glycobiology. *Annual Review of Biochemistry* **57**, 1: 785-838
- RAINER, T. H. (2002), L-selectin in health and disease. *Resuscitation* **52**, 2: 127-41
- RAJU, T. S., BRIGGS, J. B., CHAMOW, S. M., WINKLER, M. E. JONES, A. J. S. (2001), Glycoengineering of Therapeutic Glycoproteins: In Vitro Galactosylation and Sialylation of Glycoproteins with Terminal N-Acetylglucosamine and Galactose Residues. *Biochemistry* **40**, 30: 8868-8876
- RAJU, T. S. (2003), Glycosylation Variations with Expression Systems. *BioProcess International* 44-53
- RAMAN, R., VENKATARAMAN, M., RAMAKRISHNAN, S., LANG, W., RAGURAM, S. SASISEKHARAN, R. (2006), Advancing glycomics: implementation strategies at the consortium for functional glycomics. *Glycobiology* **16**, 5: 82R-90R
- RAMBERG, M. S. (2000), Glyconutritionals. *GlycoScience* 25: 577-95
- REINHOLD, V. N., REINHOLD, B. B. COSTELLO, C. E. (1995), Carbohydrate molecular weight profiling, sequence, linkage, and branching data: ES-MS and CID. *Anal Chem* **67**, 11: 1772-84
- REINHOLD, V. N., REINHOLD, B. B. CHAN, S. (1996), Carbohydrate sequence analysis by electrospray ionization-mass spectrometry. *Methods Enzymol* **271**, 377-402
- REINKE, S. (2008), Identifizierung, funktionelle Expression und biochemische Charakterisierung von Isoformen der UDP-N-Acetylglucosamin-2-Epimerase/N-Acetylmannosamin-kinase. Freie Universität, Berlin
- REINKE, S. O. HINDERLICH, S. (2007), Prediction of three different isoforms of the human UDP-N-acetylglucosamine 2-epimerase/N-acetylmannosamine kinase. *FEBS Lett* **581**, 17: 3327-31
- REUTER, G. GABIUS, H. J. (1996), Sialic acids structure-analysis-metabolism-occurrence-recognition. *Biol Chem Hoppe Seyler* **377**, 6: 325-42

- ROEPSTORFF, P.FOHLMAN, J. (1984), Proposal for a common nomenclature for sequence ions in mass spectra of peptides. *Biomed Mass Spectrom* **11**, 11: 601
- ROGENTIN, P., KLEINEIDAM, R. G.SCHAUER, R. (1995), Diversity in the properties of two sialidase isoenzymes produced by *Clostridium perfringens* spp. *Biol Chem Hoppe Seyler* **376**, 9: 569-75
- ROHRER, J. S. (2000), Analyzing sialic acids using high-performance anion-exchange chromatography with pulsed amperometric detection. *Anal Biochem* **283**, 1: 3-9
- RUDD, P. M., ELLIOTT, T., CRESSWELL, P., WILSON, I. A.DWEK, R. A. (2001), Glycosylation and the Immune System. *Science* **291**, 5512: 2370-2376
- RUDDOCK, L. W.MOLINARI, M. (2006), N-glycan processing in ER quality control. *J Cell Sci* **119**, 21: 4373-4380
- RUSSELL, C. J.WEBSTER, R. G. (2005), The genesis of a pandemic influenza virus. *Cell* **123**, 3: 368-71
- RUSSELL, R. J., HAIRE, L. F., STEVENS, D. J., COLLINS, P. J., LIN, Y. P., BLACKBURN, G. M., HAY, A. J., GAMBLIN, S. J.SKEHEL, J. J. (2006), The structure of H5N1 avian influenza neuraminidase suggests new opportunities for drug design. *Nature* **443**, 7107: 45-9
- SAHOO, S. S., THOMAS, C., SHETH, A., HENSON, C.YORK, W. S. (2005), GLYDE-an expressive XML standard for the representation of glycan structure. *Carbohydr Res* **340**, 18: 2802-7
- SANGER, F., AIR, G. M., BARRELL, B. G., BROWN, N. L., COULSON, A. R., FIDDES, C. A., HUTCHISON, C. A., SLOCOMBE, P. M.SMITH, M. (1977), Nucleotide sequence of bacteriophage phi X174 DNA. *Nature* **265**, 5596: 687-95
- SCALF, M., WESTPHALL, M. S., KRAUSE, J., KAUFMAN, S. L.SMITH, L. M. (1999), Controlling charge states of large ions. *Science* **283**, 5399: 194-7
- SCHÄFFER, C., GRANINGER, M.MESSNER, P. (2001), Prokaryotic glycosylation. *Proteomics* **1**, 2: 248-61
- SCHAHS, M., STRASSER, R., STADLMANN, J., KUNERT, R., RADEMACHER, T.STEINKELLNER, H. (2007), Production of a monoclonal antibody in plants with a humanized N-glycosylation pattern. *Plant Biotechnol J* **5**, 5: 657-63
- SCHAUER, R. (1982), Chemistry, metabolism, and biological functions of sialic acids. *Adv Carbohydr Chem Biochem* **40**, 131-234
- SCHAUER, R. (1985), Sialic acids and their role as biological masks. *Trends Biochem. Sci.* **10**, 357-360
- SCHAUER, R. (2000), Achievements and challenges of sialic acid research. *Glycoconj J* **17**, 7-9: 485-99
- SCHENKMAN, S., EICHINGER, D., PEREIRA, M. E.NUSSENZWEIG, V. (1994), Structural and functional properties of Trypanosoma trans-sialidase. *Annu Rev Microbiol* **48**, 499-523
- SCHMID, K., KAUFMANN, H., ISEMURA, S., BAUER, F., EMURA, J., MOTOYAMA, T., ISHIGURO, M.NANNO, S. (1973), Structure of 1 -acid glycoprotein. The complete amino acid sequence, multiple amino acid substitutions, and homology with the immunoglobulins. *Biochemistry* **12**, 14: 2711-24
- SCHMIDT, C., OHLEMEYER, C., KETTENMANN, H., REUTTER, W.HORSTKORTE, R. (2000), Incorporation of N-propanoylneuraminic acid leads to calcium oscillations in oligodendrocytes upon the application of GABA. *FEBS Lett* **478**, 3: 276-80
- SCHMIDT, M. F., SCHWARZ, R. T.SCHOLTISSEK, C. (1974), Proceedings: Metabolism of 2-deoxy-D-glucose in tissue culture cells. *Hoppe Seylers Z Physiol Chem* **355**, 10: 1250-1
- SCHMIDT, M. F. G., SCHWARZ, R. T.SCHOLTISSEK, C. (1974), Nucleoside-Diphosphate Derivatives of 2-Deoxy-d-glucose in Animal Cells. *European Journal of Biochemistry* **49**, 1: 237-247

- SCHULZ, B. L., OXLEY, D., PACKER, N. H., KARLSSON, N. G. (2002), Identification of two highly sialylated human tear-fluid DMBT1 isoforms: the major high-molecular-mass glycoproteins in human tears. *Biochem J* **366**, Pt 2: 511-20
- SCHULZ, B. L., PACKER, N. H., KARLSSON, N. G. (2002), Small-scale analysis of O-linked oligosaccharides from glycoproteins and mucins separated by gel electrophoresis. *Anal Chem* **74**, 23: 6088-97
- SCHWARZKOPF, M., KNOBELOCH, K. P., ROHDE, E., HINDERLICH, S., WIECHENS, N., LUCKA, L., HORAK, I., REUTTER, W., HORSTKORTE, R. (2002), Sialylation is essential for early development in mice. *Proc Natl Acad Sci U S A* **99**, 8: 5267-70
- SEEBERGER, P. H., CIRILLO, P. F., HU, S., BEEBE, X., BILODEAU, M. T., DANISHEFSKY, S. J. (1996), Synthesis of the pentasaccharide core structure of asparagine-linked glycoprotein oligosaccharides by the glycal assembly method. *Enantiomer* **1**, 4-6: 311-23
- SEEBERGER, P. H. (2008), Automated oligosaccharide synthesis. *Chem Soc Rev* **37**, 1: 19-28
- SHENTAL-BECHAR, D., LEVY, Y. (2008), Effect of glycosylation on protein folding: a close look at thermodynamic stabilization. *Proc Natl Acad Sci U S A* **105**, 24: 8256-61
- SHIBATANI, T., DAVID, L. L., MCCORMACK, A. L., FRUEH, K., SKACH, W. R. (2005), Proteomic analysis of mammalian oligosaccharyltransferase reveals multiple subcomplexes that contain Sec61, TRAP, and two potential new subunits. *Biochemistry* **44**, 16: 5982-92
- SHIMAMURA, M., SHIBUYA, N., ITO, M., YAMAGATA, T. (1994), Repulsive contribution of surface sialic acid residues to cell adhesion to substratum. *Biochem Mol Biol Int* **33**, 5: 871-8
- SHRIVER, Z., RAGURAM, S., SASISEKHARAN, R. (2004), Glycomics: a pathway to a class of new and improved therapeutics. *Nat Rev Drug Discov* **3**, 10: 863-873
- SILBERSTEIN, S., GILMORE, R. (1996), Biochemistry, molecular biology, and genetics of the oligosaccharyltransferase. *FASEB J* **10**, 8: 849-58
- SMITH, B. J., MCKIMM-BRESHKIN, J. L., MCDONALD, M., FERNLEY, R. T., VARGHESE, J. N., COLMAN, P. M. (2002), Structural studies of the resistance of influenza virus neuraminidase to inhibitors. *J Med Chem* **45**, 11: 2207-12
- SMITH, D. F., KEPLER, D. O. (1977), 2-Deoxy-D-galactose metabolism in ascites hepatoma cells results in phosphate trapping and glycolysis inhibition. *Eur J Biochem* **73**, 1: 83-92
- SMITH, P. K., KROHN, R. I., HERMANSON, G. T., MALLIA, A. K., GARTNER, F. H., PROVENZANO, M. D., FUJIMOTO, E. K., GOEKE, N. M., OLSON, B. J., KLENK, D. C. (1985), Measurement of protein using bicinchoninic acid. *Anal Biochem* **150**, 1: 76-85
- SPERANDIO, M., SMITH, M. L., FORLOW, S. B., OLSON, T. S., XIA, L., MCEVER, R. P., LEY, K. (2003), P-selectin glycoprotein ligand-1 mediates L-selectin-dependent leukocyte rolling in venules. *J Exp Med* **197**, 10: 1355-63
- SRINIVASAN, G., JAMES, C. M., KRZYCKI, J. A. (2002), Pyrrolysine encoded by UAG in Archaea: charging of a UAG-decoding specialized tRNA. *Science* **296**, 5572: 1459-62
- STADTMAN, T. C. (1996), Selenocysteine. *Annu. Rev. Biochemistry* **65**: 83-100
- STARLING, J. J., KEPLER, D. O. (1977), Metabolism of 2-deoxy-D-galactose in liver induces phosphate and uridylyl trapping. *Eur J Biochem* **80**, 2: 373-9
- STÄSCHE, R., HINDERLICH, S., WEISE, C., EFFERTZ, K., LUCKA, L., MOORMANN, P., REUTTER, W. (1997), A bifunctional enzyme catalyzes the first two steps in N-acetylneuraminic acid biosynthesis of rat liver. Molecular cloning and functional expression of UDP-N-acetyl-glucosamine 2-epimerase/N-acetylmannosamine kinase. *J Biol Chem* **272**, 39: 24319-24



- STAUDACHER, E., ALTMANN, F., WILSON, I. B. MARZ, L. (1999), Fucose in N-glycans: from plant to man. *Biochim Biophys Acta* **1473**, 1: 216-36
- STEER, C. J. ASHWELL, G. (1980), Studies on a mammalian hepatic binding protein specific for asialoglycoproteins. Evidence for receptor recycling in isolated rat hepatocytes. *J Biol Chem* **255**, 7: 3008-13
- STEER, C. J. ASHWELL, G. (1986), Hepatic membrane receptors for glycoproteins. *Prog Liver Dis* **8**, 99-123
- STOCKERT, R. J., MORELL, A. G. ASHWELL, G. (1991), Structural characteristics and regulation of the asialoglycoprotein receptor. *Targeted Diagn Ther* **4**, 41-64
- STOCKERT, R. J. (1995), The asialoglycoprotein receptor: relationships between structure, function, and expression. *Physiol Rev* **75**, 3: 591-609
- STRASSER, R., STADLMANN, J., SCHAHS, M., STIEGLER, G., QUENDLER, H., MACH, L., GLOSSL, J., WETERINGS, K., PABST, M. STEINKELLNER, H. (2008), Generation of glyco-engineered *Nicotiana benthamiana* for the production of monoclonal antibodies with a homogeneous human-like N-glycan structure. *Plant Biotechnol J* **6**, 4: 392-402
- STROHALM, M., HASSMAN, M., KOSATA, B. KODICEK, M. (2008), mMass data miner: an open source alternative for mass spectrometric data analysis. *Rapid Commun Mass Spectrom* **22**, 6: 905-8
- STRYER, L., BERG, J. M. TYMOCZKO, J. L. (2003), Biochemie; *Spektrum Akademischer Verlag GmbH*
- SUTHERLAND, D. R., ABDULLAH, K. M., CYOPICK, P. MELLORS, A. (1992), Cleavage of the cell-surface O-sialoglycoproteins CD34, CD43, CD44, and CD45 by a novel glycoprotease from *Pasteurella haemolytica*. *J Immunol* **148**, 5: 1458-64
- SUZUKI, Y., ITO, T., SUZUKI, T., HOLLAND, R. E., JR., CHAMBERS, T. M., KISO, M., ISHIDA, H. KAWAOKA, Y. (2000), Sialic Acid Species as a Determinant of the Host Range of Influenza A Viruses. *J. Virol.* **74**, 24: 11825-11831
- TANG, H., MECHREF, Y. NOVOTNY, M. V. (2005), Automated interpretation of MS/MS spectra of oligosaccharides. *Bioinformatics* **21 Suppl 1**, i431-9
- TARENTINO, A. L., GOMEZ, C. M. PLUMMER, T. H., JR. (1985), Deglycosylation of asparagine-linked glycans by peptide:N-glycosidase F. *Biochemistry* **24**, 17: 4665-71
- TARENTINO, A. L. PLUMMER, T. H., JR. (1987), Peptide-N4-(N-acetyl-beta-glucosaminyI) asparagine amidase and endo-beta-N-acetylglucosaminidase from *Flavobacterium meningosepticum*. *Methods Enzymol* **138**, 770-8
- TAYLOR, G., VIMR, E., GARMAN, E. LAVER, G. (1992), Purification, crystallization and preliminary crystallographic study of neuraminidase from *Vibrio cholerae* and *Salmonella typhimurium* LT2. *J Mol Biol* **226**, 4: 1287-90
- TAYLOR, W. R. (1986), The classification of amino acid conservation. *J Theor Biol* **119**, 2: 205-18
- THAYER, J. R., ROHRER, J. S., AVDALOVIC, N. GEARING, R. P. (1998), Improvements to in-line desalting of oligosaccharides separated by high-pH anion exchange chromatography with pulsed amperometric detection. *Anal Biochem* **256**, 2: 207-16
- TODESCHINI, A. R., MENDONCA-PREVIATO, L., PREVIATO, J. O., VARKI, A. VAN HALBEEK, H. (2000), Transsialidase from *Trypanosoma cruzi* catalyzes sialoside hydrolysis with retention of configuration. *Glycobiology* **10**, 2: 213-21
- TOLVANEN, M. GAHMBERG, C. G. (1986), In vitro attachment of mono- and oligosaccharides to surface glycoconjugates of intact cells. *J Biol Chem* **261**, 20: 9546-51
- TOWNSEND, R. R., HARDY, M., OLECHNO, J. D. CARTER, S. R. (1988), Chromatography of carbohydrates. *Nature* **335**, 6188: 379-80

- TRAVING, C.SCHAUER, R. (1998), Structure, function and metabolism of sialic acids. *Cell Mol Life Sci* **54**, 12: 1330-49
- TREICHEL, U., SCHREITER, T., MEYER ZUM BUSCHENFELDE, K. H.STOCKERT, R. J. (1995), High-yield purification and characterization of human asialoglycoprotein receptor. *Protein Expr Purif* **6**, 3: 251-5
- TRETTER, V., ALTMANN, F.MARZ, L. (1991), Peptide-N4-(N-acetyl-beta-glucosaminy)asparagine amidase F cannot release glycans with fucose attached alpha 1---3 to the asparagine-linked N-acetylglucosamine residue. *Eur J Biochem* **199**, 3: 647-52
- TROY, F. A. (1992), Polysialylation: from bacteria to brains. *Glycobiology* **2**, 1: 5-23
- TUOMANEN, E. I. (1996), Surprise? Bacteria glycosylate proteins too. *J Clin Invest* **98**, 12: 2659-60
- TYERS, M.MANN, M. (2003), From genomics to proteomics. *Nature* **422**, 6928: 193-7
- UCHIDA, Y., TSUKADA, Y.SUGIMORI, T. (1977), Distribution of neuraminidase in *Arthrobacter* and its purification by affinity chromatography. *J Biochem* **82**, 5: 1425-33
- UCHIDA, Y., TSUKADA, Y.SUGIMORI, T. (1979), Enzymatic properties of neuraminidases from *Arthrobacter ureafaciens*. *J Biochem* **86**, 5: 1573-85
- VAKHRUSHEV, S. Y., MORMANN, M.PETER-KATALINIC, J. (2006), Identification of glycoconjugates in the urine of a patient with congenital disorder of glycosylation by high-resolution mass spectrometry. *Proteomics* **6**, 3: 983-92
- VAN DEN STEEN, P., RUDD, P. M., DWEK, R. A.OPDENAKKER, G. (1998), Concepts and principles of O-linked glycosylation. *Crit Rev Biochem Mol Biol* **33**, 3: 151-208
- VAN DEN STEEN, P. E., RUDD, P. M., WORMALD, M. R., DWEK, R. A.OPDENAKKER, G. (2000), O-Linked Glycosylation in Focus. *Trends in Glycoscience and Glycotechnology* **12**, 35-49
- VANHOOREN, V., DESMYTER, L., LIU, X. E., CARDELLI, M., FRANCESCHI, C., FEDERICO, A., LIBERT, C., LAROY, W., DEWAELE, S., CONTRERAS, R.CHEN, C. (2007), N-glycomic changes in serum proteins during human aging. *Rejuvenation Res* **10**, 4: 521-531a
- VARKI, A. (1992), Diversity in the sialic acids. *Glycobiology* **2**, 1: 25-40
- VARKI, A. (1997), Sialic acids as ligands in recognition phenomena. *FASEB J* **11**, 4: 248-55
- VARKI, A., CUMMINGS, R., ESKO, J., FREEZE, H., HART, G.MARTH, J. (1998), Essentials of Glycobiology; Cold Spring Harbor Laboratory Press
- VARKI, A. (2001), N-glycolylneuraminic acid deficiency in humans. *Biochimie* **83**, 7: 615-622
- VARKI, A. (2006), Nothing in Glycobiology Makes Sense, except in the Light of Evolution. *Cell* **126**, 5: 841-845
- VARKI, A. (2007), Glycan-based interactions involving vertebrate sialic-acid-recognizing proteins. *Nature* **446**, 7139: 1023-9
- VARKI, N. M.VARKI, A. (2007), Diversity in cell surface sialic acid presentations: implications for biology and disease. *Lab Invest* **87**, 9: 851-7
- VESTWEBER, D.BLANKS, J. E. (1999), Mechanisms that regulate the function of the selectins and their ligands. *Physiol Rev* **79**, 1: 181-213
- VLISSARA, H. (2005), Advanced glycation in health and disease: role of the modern environment. *Ann N Y Acad Sci* **1043**, 452-60

- VON DER LIETH, C.-W., BOHNE-LANG, A., LOHMANN, K. K.FRANK, M. (2004), Bioinformatics for glycomics: Status, methods, requirements and perspectives. *Brief Bioinform* **5**, 2: 164-178
- VON DER LIETH, C.-W., LÜTTEKE, T.FRANK, M. (2006), The role of informatics in glycobiology research with special emphasis on automatic interpretation of MS spectra. *Biochimica et Biophysica Acta (BBA) - General Subjects* **1760**, 4: 568-577
- VON DER OHE, M., WHEELER, S. F., WUHRER, M., HARVEY, D. J., LIEDTKE, S., MUHLENHOFF, M., GERARDY-SCHAHN, R., GEYER, H., DWEK, R. A., GEYER, R., WING, D. R.SCHACHNER, M. (2002), Localization and characterization of polysialic acid-containing N-linked glycans from bovine NCAM. *Glycobiology* **12**, 1: 47-63
- VON ITZSTEIN, M. (2007), The war against influenza: discovery and development of sialidase inhibitors. *Nat Rev Drug Discov* **6**, 12: 967-74
- VON ITZSTEIN, M. (2008), Avian influenza virus, a very sticky situation. *Curr Opin Chem Biol* **12**, 1: 102-8
- VOSELLER, K., WELLS, L.HART, G. W. (2001), Nucleocytoplasmic O-glycosylation: O-GlcNAc and functional proteomics. *Biochimie* **83**, 7: 575-81
- WATSON, J. D.CRICK, F. H. (1953), Molecular structure of nucleic acids; a structure for deoxyribose nucleic acid. *Nature* **171**, 4356: 737-8
- WEIS, W. I., DRICKAMER, K.HENDRICKSON, W. A. (1992), Structure of a C-type mannose-binding protein complexed with an oligosaccharide. *Nature* **360**, 6400: 127-34
- WEISS, A. A.IYER, S. S. (2007), Glycomics Aims To Interpret the Third Molecular Language of Cells. *Microbe* **2**, 10: 489-497
- WEISS, P.ASHWELL, G. (1989), The asialoglycoprotein receptor: properties and modulation by ligand. *Prog Clin Biol Res* **300**, 169-84
- WEISS, P., TIETZE, F., GAHL, W. A., SEPPALA, R.ASHWELL, G. (1989), Identification of the metabolic defect in sialuria. *J Biol Chem* **264**, 30: 17635-6
- WELLS, L., VOSELLER, K.HART, G. W. (2001), Glycosylation of nucleocytoplasmic proteins: signal transduction and O-GlcNAc. *Science* **291**, 5512: 2376-8
- WELLS, L.HART, G. W. (2003), O-GlcNAc turns twenty: functional implications for post-translational modification of nuclear and cytosolic proteins with a sugar. *FEBS Lett* **546**, 1: 154-8
- WERZ, D. B.SEEBERGER, P. H. (2005), Carbohydrates as the Next Frontier in Pharmaceutical Research. *Chemistry - A European Journal* **11**, 11: 3194-3206
- WIBORG, O., PEDERSEN, M. S., WIND, A., BERGLUND, L. E., MARCKER, K. A.VUUST, J. (1985), The human ubiquitin multigene family: some genes contain multiple directly repeated ubiquitin coding sequences. *EMBO J* **4**, 3: 755-9
- WUHRER, M.DEELDER, A. M. (2005), Negative-mode MALDI-TOF/TOF-MS of oligosaccharides labeled with 2-aminobenzamide. *Anal Chem* **77**, 21: 6954-9
- WUHRER, M., KOELEMAN, C. A., HOKKE, C. H.DEELDER, A. M. (2005), Protein glycosylation analyzed by normal-phase nano-liquid chromatography--mass spectrometry of glycopeptides. *Anal Chem* **77**, 3: 886-94
- WUHRER, M.DEELDER, A. M. (2006), Matrix-assisted laser desorption/ionization in-source decay combined with tandem time-of-flight mass spectrometry of permethylated oligosaccharides: targeted characterization of specific parts of the glycan structure. *Rapid Commun Mass Spectrom* **20**, 6: 943-51

- WUHRER, M., STAM, J. C., VAN DE GEIJN, F. E., KOELEMAN, C. A., VERRIPS, C. T., DOLHAIN, R. J., HOKKE, C. H. DEELDER, A. M. (2007), Glycosylation profiling of immunoglobulin G (IgG) subclasses from human serum. *Proteomics* **7**, 22: 4070-81
- YAMADA, K., HYODO, S., MATSUNO, Y.-K., KINOSHITA, M., MARUYAMA, S.-Z., OSAKA, Y.-S., CASAL, E., LEE, Y. C. KAKEHI, K. (2007), Rapid and sensitive analysis of mucin-type glycans using an in-line flow glycan-releasing apparatus. *Analytical Biochemistry* **371**, 1: 52-61
- ZAIA, J. (2004), Mass spectrometry of oligosaccharides. *Mass Spectrometry Reviews* **23**, 3: 161-227
- ZERFAOUI, M., FUKUDA, M., SBARRA, V., LOMBARDO, D. EL-BATTARI, A. (2000), alpha(1,2)-fucosylation prevents sialyl Lewis x expression and E-selectin-mediated adhesion of fucosyltransferase VII-transfected cells. *Eur J Biochem* **267**, 1: 53-61
- ZHANG, Q., TANG, N., SCHEPMOES, A. A., PHILLIPS, L. S., SMITH, R. D. METZ, T. O. (2008), Proteomic profiling of nonenzymatically glycosylated proteins in human plasma and erythrocyte membranes. *J Proteome Res* **7**, 5: 2025-32
- ZHANG, X., SCALF, M., BERGGREN, T. W., WESTPHALL, M. S. SMITH, L. M. (2006), Identification of mammalian cell lines using MALDI-TOF and LC-ESI-MS/MS mass spectrometry. *J Am Soc Mass Spectrom* **17**, 4: 490-9
- ZHU, H., BILGIN, M. SNYDER, M. (2003), Proteomics. *Annu Rev Biochem* **72**, 783-812
- ZOLLNER, T. M. ASADULLAH, K. (2003), Selectin and selectin ligand binding: a bittersweet attraction. *J Clin Invest* **112**, 7: 980-3