

---

## Literatur

**ASTER Spectral Library (1999):** Zusammengestellt von Jet Propulsion Laboratory, California Institute of Technology, Pasadena, California, California Institute of Technology, <http://speclib.jpl.nasa.gov/>.

**Ackermann, S. A., K. I. Strabala, W. P. Menzel, R. A. Frey, C. C. Moeller, L. E. Gumley (1998):** Discrimination of clear sky from clouds with MODIS. *Journal of Geophysical Research* 103: 32141-32157.

**Barbieri, R. (1997):** MODIS Level 1B Algorithm Theoretical Basis Document Version 2.0, 68 pp.

**Barkstrom, B. R. (1984):** The Earth radiation budget experiment (ERBE). *Bull. Amer. Meteor. Soc.* 65: 1170-1185.

**Barkstrom, B. R., and G. L. Smith (1986):** The earth radiation budget experiment: science and implementation. *Rev. Geophys.* 24: 379-390.

**Berliner Wetterkarte,** Herausgegeben vom Verein Berliner Wetterkarte e. V. in Kooperation mit dem Institut für Meteorologie der Freien Universität Berlin, Carl-Heinrich-Becker-Weg 6-10, 12165 Berlin.

**Bennartz, R., and J. Fischer (2000):** A modified k-distribution approach applied to narrow band water vapor and oxygen absorption estimates in the near infrared. *J. Quant. Spectrosc. Radiat. Transfer* 66: 539-553.

**Boers, R., J.B. Jensen, P.B. Krummel, and H. Gerber (1996):** Microphysical and short-wave radiative structure of wintertime stratocumulus clouds over the Southern Ocean. *Quarterly Journal of the Royal Meteorological Society* 122: 1307-1339.

**Bremicker, M. (2000):** Das Wasserhaushaltsmodell LARISM-Modellgrundlagen und Anwendungsbeispiele. *Freiburger Schriften zur Hydrologie*, Band 11.

**Brenguier, J.-L., H. Pawlowska, L. Schüller, R. Preusker, J. Fischer, and Y. Fouquart (2003):** Cloud microphysical and radiative properties for parameterization and satellite monitoring of the indirect effect of aerosol on climate. *J. Geophys. Res.* 108: 8632-8638.

**Chang, L.-H., J. L. Robbins, R. N. Green, J. F. Kibler (2003):** Clouds and the Earth's Radiant Energy System (CERES). DRAFT ES-8 Collection Guide, Release 3, Version 4, pp.77.

**Curry, P. J., and J. A. Webster (1999):** Thermodynamics of Atmospheres and Oceans. New York, Elsevier, 223-225.

**Deirmandjian, D. (1969):** Electromagnetic scattering on spherical polydispersions. New York, Elsevier, pp. 65.

**Draxler, R. R., and G. Hess (1997):** Description of the hysplit4 modeling system. NOAA Technical Memorandum ERL ARL, pp. 224.

**ECMWF Research Department (1991):** ECMWF Forecast Model, Physical Parameterization. Research Manual 3, 3rd Edition, Meteorological Bulletin, European Centre for Medium Range Weather Forecasts (ECMWF), Reading, England.

**Falkowski, P. G., Y. Kim, Z. Kolber, C. Wilson, C. Wirick, R. Cess (1992):** Natural Versus Anthropogenic Factors Affecting Low-Level Cloud Albedo over the North Atlantic. *Science* 256: 1311-1313.

**Fell, F., and J. Fischer (2001):** Numerical simulation of the light field in the atmosphere-ocean system using the matrix-operator method. *Journal of Quantitative Spectroscopy and Radiative Transfer* 69: 351-388.

**Fell, F., and J. Fischer (2000):** Numerical simulation of the light field in the atmosphere-ocean system using the matrix-operator method. *Journal of Quantitative Spectroscopy and Radiative Transfer* 69: 351-388.

**Fischer, J., and H. Graßl (1984):** Radiative transfer in an atmosphere-ocean system: an azimuthally dependent matrix-operator approach *Appl. Opt.* 23: 1035-1039.

**Grassl, H. (1998):** Ausblick: Strategien für die Klimaforschung und den Klimaschutz. In: Lozan, J. L., H. Grassl und P. Hupfer (1998): Warnsignal Klima. Wissenschaftliche Auswertung, Hamburg, pp.427-431.

**Hale, G. M., and M. R. Querry (1973):** Optical constants of water in the 200nm to 200µm wavelength region. *Appl. Optics* 80: 55-563.

**Han, Q., W. B. Rossow, J. Chou, R. Welch (1998):** Global Survey of the Relationships of Cloud Albedo and Liquid Water Path with Droplet Size Using ISCCP. *Geophys. Res. Lett.* 25: 1419-1422.

**Han, Q., W. B. Rossow, and A. A. Lacis (1994):** Near-global survey of effective droplet radii in liquid water clouds using ISCCP. *J. Climate* 7: 465-497.

**Hansen, J. E., and L. D. Travis (1974):** Light scattering in planetary atmospheres. *Space Sci. Rev.* 16: 527-610.

**Hess, M., P. Köpke, and I. Schulte (1998):** Optical properties of aerosols and clouds: the software package OPAC. *Bull. Amer. Meteor. Soc.* 79: 831-844.

**Hickey, J. R., E. R. Major, H. L. Kyle (1984):** User's Guide for Nimbus-7 ERB Solar Analysis Tape (ESAT), NASA TM-86143, NASA Goddard Space Flight Center, Greenbelt, MD 20771, 81 pp.

**Hollmann, R. (2000):** Räumlich hochaufgelöste Strahlungsbilanz über Europa: Ableitung aus Satellitendaten, Validation eines regionalen Modells, Dissertation Universität Hamburg, Report GKSS 2000/24, pp. 136.

**House F. B., A. Gruber, G. E. Hunt and A. T. Mecherikunnel, 1986:** A History of Satellite Missions and Measurements of the Earth Radiation Budget (1957-1984). *Rev. Geophys.*, 24, pp. 357-377.

**Hucek, R., and Jacobowitz, H. (1995):** Impact of scene dependence on AVHRR Albedo Models. *J. Atm. Oceanic. Technol.* 12: 697-711.

**Hünerbein, A., J. Fischer, P. Lorenz and D. Jacob (submitted, 2005):** Comparison of solar radiative flux above clouds from MODIS with regional climate model simulations. submitted to *Theoretical and Applied Climatology*.

**HYSPLIT4 (1997):** Hysplit Single-Particle Lagrangian Integrates Trajectory Model, NOAA Air Resources Laboratory, Silver Spring, MD.

**Houghton, J. T., Y. Ding, D. J. Griggs, M. Noguer, P. J. van der Linden, X. Dai, K. Maskell, C. A. Johnson (2001):** IPCC, *Climate Change 2001: Scientific Basis*. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press. Cambridge.

**IPCC, Intergovernmental Panel on Climate Change (2001):** Technical summary. Cambridge University Press, Cambridge. pp. 21-85.

**Jacob, D., and R. Podzun (1997):** Sensitivity studies with the regional climate model REMO. Meteorol. Atmos. Phys. 63: 119-129.

**Jacobson, M. Z. (1999):** Fundamentals of atmospheric modeling. Cambridge: Cambridge University Press, pp. 656.

**Kaufman, Y. J., and T. Nakajima (1993):** Effect of Amazon Smoke on Cloud Microphysics and Albedo-Analysis from Satellite Imagery. J. Appl. Meteor. 32: 729-744.

**Kim, Y., and R. D. Cess (1993):** Effect of anthropogenic sulfate aerosols on low-level cloud albedo over oceans. J. Geophys. Res. 98: 14883-14885.

**King, M. D., Y. J. Kaufman, W.P. Menzel and D. Tanré (1992):** Remote sensing of cloud, aerosol, and water vapour properties from the Moderate Resolution Imaging Spectrometer (Modis). Trans. Geosci. Remote Sensing 30: 1-27.

**King, M. D., S.-C. Tsay, S. E. Platnick, M. Wang, K.-N. Liou (1997):** Cloud retrieval algorithms: optical thickness, effective particle radius, and thermodynamic phase. MODIS Algorithm Theoretical Basis Doc, pp.83.

**King, M. D., W. P. M., Y. J. Kaufman, D. Tanre, B.-C. Gao, S. Platnick, S. A. Ackerman, L. A. Remer, R. Pincus, and P. A. Hubanks (2003):** Cloud and aerosol properties, precipitable water, and profiles of temperature and water vapor from MODIS. IEEE Trans. Geosci. Remote Sensing 41: 442-458.

**Koepke, P., M. Hess, I. Schult, and E.P. Shettle (1997):** Global aerosol data set. Report No. 243. Max-Planck-Institut für Meteorologie, Hamburg, ISSN 0937-1060.

**Kryvobok, O., and R. Hollmann (2003):** Estimation of TOA reflected shortwave flux from AVHRR data. Visiting Scientist Activity Report. GKSS-Forschung: 29.

**Laszlo, I., H. Jacobowitz, and A. Gruber (1988):** The relative merits of narrowband channels for estimating broadband albedos. J. Atm. Oceanic. Technol. 5: 757-773.

**Lehmann, A. (1995):** A three-dimensional baroclinic eddy-resolving model of the Baltic Sea. Tellus 47A: 1013-1031.

**Li, Z., and H. G. Leighton (1992):** Narrowband to broadband conversion with spatially autocorrelated reflectance measurements. *J. Appl. Meteor.* 31: 421-432.

**Loeb, N. G., N. M. Smith, S. Kato, W. F. Miller, S. K. Gupta, P. Minnid, and B. A. Wielicki (2003a):** Angular distribution models for top-of-atmosphere radiative flux estimation from the Clouds and the Earth's Radiant Energy System instrument on the Tropical Rainfall Measuring Mission Satellite. Part I: Methodology. *J. Appl. Meteor.* 42: 240-265.

**Loeb, N. G., K. Loukachine, N. M. Smith, B. A. Wielicki and D. F. Young (2003b):** Angular distribution models for top-of-atmosphere radiative flux estimation from the Clouds and the Earth's Radiant Energy System instrument on the Tropical Rainfall Measuring Mission Satellite. Part II: Validation. *J. Appl. Meteor.* 42: 1748-1769.

**Lorenz, P. and D. Jacob (2006):** BALTIMOS - a fully coupled modelling system for the Baltic Sea and its drainage basin. submitted to *Theoretical and Applied Climatology*.

**Lozan, J. L., H. Grassl und P. Hupfer (1998):** Warnsignal Klima. Wissenschaftliche Auswertung, Hamburg, pp.1.

**Macke, A., J. Müller, and E. Raschke (1996):** Single scattering properties of atmospheric ice crystals. *J. Atm. Sci.* 53: 2813-2825.

**Majewski, D. (1991):** The Europa-Modell of the Deutscher Wetterdienst. ECMWF Seminar on Numerical Methods in Atmospheric Models. 2: 147-191.

**McClatchey, R. A., W. Fenn, J. E. A. Selby, F. E. Volz, and J. S. Garing (1972):** Optical properties of the atmosphere. AFCRL-72-0497, Air Force Cambridge Research Laboratories, Bedford, Mass. pp. 108.

**Mie, G. (1908):** Beiträge zur Optik trüber Medien, speziell kolloidalen Metall-Lösungen. *Ann. Phys.* 25: 377-455.

**Nakajima, T., A. Higurashi, K. Kawamoto, J. E. Penner (2001):** A possible correlation between satellite-derived cloud and aerosol microphysical parameters. *Geophys. Res. Lett.* 28: 1171-1174.

**Platnick, S., and M. D. King (2003):** The MODIS Cloud Products: Algorithms and Examples From Terra. *EEE Trans. Geosci. Remote Sensing.* 41: 459-473.

**Plass, G. N., G. W. Kattawar, and F. E. Catchings (1973):** Matrix operator theory of radiative transfer. 1: Rayleigh scattering. *Appl. Opt.* 12: 314-329.

**Petty, G. W. (2004):** Atmospheric Radiation. Madison, Sundog Publishing. pp.445.

**Preusker, R. (2001):** Fernerkundung des Luftdrucks am Oberrand von Wolken mit Messungen in der O2A-Bande, Strahlung in Atmosphäre und Ozean, Beiträge zur Fernerkundung 19, Institut für Weltraumwissenschaften, Freie Universität Berlin, pp.113.

**Raschke, E., T. H. Von der Haar, W. B. Bandeen and M. Pasternak (1973):** The annual radiation balance of the earth-atmosphere system during 1969-1970 from Nimbus-3 measurements. *J. Atmos. Sci.* 30: 341-364.

**Raschke, E., U. Karstems, R. Nolte-Holube, R. Brandt, H.-J. Isemer, D. Lohmann, M. Lobmeyer, B. Rocke and R. Stuhlmann (1998):** The Baltic Sea Experiment BALTEX: A brief overview and some selected results of the authors. *Surveys in Geophysics* 19: 1-22.

**Rayleigh, R. (1871):** On the scattering of light by small particles. *Phil. Mag.* 41: 447-454.

**Richter, K.-G., and K. Ludwig (2003):** Analysis of the Water Cycle of the Baltic Area under present and future Conditions, German Climate Research Program (2001-2006). DEKLIM Status Seminar, Bad Münstereifel, 6-8 Oktober 2003. pp. 205-206.

**Rodgers, C. D. (2002):** Inverse methods for atmospheric sounding: theory and practice, World Scientific Publishing Co. Ltd., pp. 256.

**Roeckner, E., K. Arpe, L. Bengtsson, M. Christoph, M. Claussen, L. Dümenli, M. Esch, M. Giorgetta, U. Schlese, U. Schulzweida (1996):** The atmospheric general circulation model ECHAM-4: Model description and simulation of present-day climate. Max Planck Institute für Meteorologie 218.

**Roedel, W. (1992):** Physik unserer Umwelt. Berlin, Springer Verlag, pp.457.

**Rothman, L. S., and A. Barbe (2001):** The HITRAN molecular spectroscopic database: Edition of 2000 including updates through 2001. *Journal of Quantitative Spectroscopy & Radiative Transfer* 82: 5-44.

**Schüller, L. (2000):** Fernerkundung von klimarelevanten Wolkenparametern mit satelliten- und flugzeuggestützten Radiometern, *Strahlung in Atmosphäre und Ozean*, Institut für Weltraumwissenschaften, Freie Universität Berlin, pp. 115.

**Smith, G. L. (1994):** Effects of time response on the point spread function of a scanning radiometer. *Appl. Opt.* 33: 7031-7037.

**Smith, W. L., J. Hickey, H. B. Howell, H. Jacobowitz, D. T. Hilleary and A. J. Drummond (1977):** Nimbus 6 Earth radiation budget experiment. *Appl. Opt.* 16: 306-318.

**Stephens, G. L. (1978):** Radiation profiles in extended water clouds. I: Theory. *J. Atm. Sci.* 35: 2111-2122.

**von Storch, H., S. Güss, and M. Heimann (1999):** *Das Klimasystem und seine Modellierung*. Berlin: Springer Verlag, pp. 255.

**Stowe, L. L., P. A. Davis, and E. P. McClain (1999):** Scientific basis and initial evaluation of CLAVRI global clear/cloud classification algorithm for the advanced very high resolution radiometer. *J. Atmos. Oceanic Technol.* 16: 656-681.

**Strahler, A. H. and J.-P. Muller (1999):** MODIS BRDF/ Albedo Produkt, Algorithm Theoretical Basis Document V-5.0.

**Suttles, J. T. G., R. N. Minnis, P. Smith, G. L. Staylor, W. F. Wielicki, B. A. Walker, I. J. Young, D. F. Taylor, V. R. Stowe, L. L. (1988):** Angular radiation models for earth-atmosphere systems. Vol.1 Shortwave radiation. NASA Report, RP-1184, Washington, DC, pp. 144.

**Twomey, S. (1977):** The Influence of Pollution on the Shortwave Albedo of Clouds. *J. Atm. Sci.* 34: 1149-1152.

**Twomey, S. (1974):** Pollution and the planetary albedo. *Atmos. Environ.* 8: 1251-1256.

**WCP, World Climate Research Program (1986):** A preliminary cloudless Standard Atmosphere for Radiation Computation. Report No. 112.

**Wapler, K. (2003):** Entwicklung eines Verfahrens zur Abschätzung der Aerosolbelastung aus Trajektorienrechnungen und deren Anwendung zur Verifikation von Fernerkundungsgrößen, Diplomarbeit, Institut für Weltraumwissenschaften, Freie Universität Berlin, pp. 94.

**Wetzel, M. A., and L. L. Stowe (1999):** Satellite-observed patterns in stratus microphysics, aerosol optical thickness, and shortwave radiative forcing. *J. Geophys. Res.* 104: 31287-31229.

**Wielicki, B. A., B. R. Barkstrom, E. F. Harrison, R. B. Lee, G. L. Smith, and J. E. Cooper (1996):** Clouds and the Earth's Radiant Energy System (CERES): An Earth Observing System Experiment. *Bull. Amer. Meteor. Soc.* 77: 853-868.

**Wielicki, B. A., R. D. Cess, M. D. King, D. A. Randall, and E. F. Harrison (1995):** Mission to Planet Earth: Role of Clouds and Radiation in Climate. *Bull. Amer. Meteor. Soc.* 76: 2125-2153.

**Wielicki, B. A., and R. N. Green (1989):** Cloud identification for ERBE radiation flux retrieval. *J. Appl. Meteor.* 28: 1133-1146.

**Wiscombe, W. J. (1980):** Improved Mie scattering algorithm. *Appl. Opt.* 19: 1505-1515.

**Viollier, M., C. Standfuss and F. Parol (2002):** Monthly means of reflected solar flux from PLODER (ADEOS-1) and comparison with ERBE, ScaRaB and CERES. *Geophys. Res. Lett.* 29: 1503-1507.

**Xiong, J. (2006):** [mcst.ssai.biz/mcstweb/performance/terra/rsb-snr.html](http://mcst.ssai.biz/mcstweb/performance/terra/rsb-snr.html).