

VIII. Literaturverzeichnis

1. Alanen K, Nevalainen TJ, Lipasti J : Ischemic contracture and myocardial perfusion in isolated rat heart. Virchows Arch. (1980), **385**:143-149
2. Amirhamzeh MMR, Hsu DT, Cabreriza SE, Jia CX, Spotnitz H: Myocardial edema: Comparison of effects on filling volume and stiffness of the left ventricle in rats and pigs. Ann Thorac Surg (1997), **63**:1293-7
3. Apstein CS, Deckelbaum L, Müller M, Hagopian L, Hood WB: Graded global ischemia and reperfusion. Circulation (1977), **55**(6): 864-871
4. Askew BM: Oximes and hydroxamic acids as antidotes in anticholinesterase poisoning. Br J Pharmacol (1956), **11**:417-423
5. Ast I: Normotherme Hämoperfusion isolierter Schweineherzen- Charakterisierung eines neuen Modells mit Berücksichtigung des intramyokardialen Sauerstoffpartialdruckes bei regulärer Perfusion und Okklusion eines Koronarastes. Dissertation (2001), Freie Universität Berlin
6. Bassenge E, Sommer O, Schwemmer M, Bünger R: Antioxidant pyruvate inhibits cardiac formation of reactive oxygen species through changes in redox state. Am J Physiol (2000), Heart Circ Physiol, **279**:H2431-H2438
7. Bolli R: Mechanism of myocardial "stunning". Circulation (1990), **82**:723-738
8. Bolli R, Marban E: Molecular and cellular mechanisms of myocardial stunning. Physiol Rev (1999), **79**(2):609-634
9. Bolling KS, Halldorsson A, Allen BS, Rahman S, Wang T, Kronon M, Feinberg H: Prevention of the hypoxic reoxygenation injury with the use of a leukocyte-depleting filter. J Thorac Cardiovasc Surg (1997), **113**:1081-90
10. Braunwald E, Kloner RA: The stunned myocardium: prolonged, postischemic ventricular dysfunction. Circulation (1982), **66**:1146-1149
11. Braunwald E, Rutherford JD: Reversible ischemic left ventricular dysfunction: Evidence for the hibernation myocardium. J Am Cell Cardiol (1986), **8**:1467-1470
12. Breda MA, Drinkwater DC, Laks H, Bhuta S, Corno AF, Davtyan HG, Chang P: Prevention of reperfusion injury in the neonatal heart with leukocyte-depleted blood. J Thorac Cardiovasc Surg (1989), **97**:654-65
13. Bretschneider HJ, Hübner G, Knoll D, Lohr B, Nordbeck H, Spieckermann PG: Myocardial resistance and tolerance to ischemia: physiological and biochemical basis. J Cardiovasc Surg (1975), **16**:241-257
14. Brooks H, Al-Sadir J, Schwartz J, Rich B, Harper P, Resnekov L: Biventricular dynamics during quantitated anteroseptal infarction in the porcine heart. Am J Cardiol (1975), **36**:765-74

15. Buckberg GD: Strategies and logic of cardioplegic delivery to prevent, avoid, and reverse ischemic and reperfusion damage. J Thorac Cardiovasc Surg (1987), **93**:127-39
16. Budrikis A, Bolys R, Liao Q, Ingemannsson R, Sjöberg T, Stehen S: Function of adult pig hearts after 2 and 12 hours of cold cardioplegic preservation. Ann Thorac Surg (1998), **66**:73-8
17. Bünger R: Compartmented pyruvate in perfused working heart. Am J Physiol Heart Circ Physiol (1985), **249**:H439-H449
18. Bünger R, Mallet RT, Hartmann DA: Pyruvate enhanced phosphorylation potential and inotropism in normoxic and postischemic isolated working heart. Near prevention of reperfusion contractile failure. Eur J Biochem (1988), **180**:221-233
19. Bünger R, Swindall B, Brodie D, Zdunek D, Stiegler H, Walter G: Pyruvate attenuation of hypoxia damage in isolated working guinea pig heart. J Mol Cell Cardiol (1986), **18**:423-438
20. Chatham JC, Forder JR: Metabolic compartmentation of lactate in the glucose-perfused rat heart. Am J Physiol, 270 (1996), Heart Circ.Physiol, **39**: H224-H229
21. Chen W, London R, Murphy E, Steenbergen C: Regulation of the Ca^{2+} gradient across the sarcoplasmic reticulum in perfused rabbit heart. A 19F nuclear magnetic resonance study. Circ Res (1998), **83**:898-907
22. Crozatier B, Ross Jr.J, Franklin D, Bloor CM, White FC, Tomoike H, McKown DP: Myocardial infarction in the baboon:regional function and the collateral circulation. Am J Physiol (1978), **235**:H413-H421
23. Crystal GJ, Downey HF, Bashour FA: Small vessel and total coronary blood volume during intracoronary adenosine. Am J Physiol (1981) **241**:H194
24. Cyon E: Über den Einfluss der Temperaturänderungen auf Zahl, Dauer und Stärke der Herzschläge. Ber.Verh.königl.sächsischer Ges.d.Wiss.zu Leipzig,Math-Phys.Classe (1866), **18**:256-306
25. Dahme E. und Weiss E.: Grundriß der speziellen pathologischen Anatomie der Haustiere. (1999) 5.neu bearb. u. erw. Aufl. Stuttgart: Enke
26. de Tombe PP, Burkhoff D, Hunter WC: Effects of calcium and EMD-53998 on oxygen consumption in isolated canine hearts. Circulation (1992), **86**:1945-1954
27. Dennis SC, Padma A, DeBuysere MS, Olson MS: Studies on the regulation of pyruvate dehydrogenase in the isolated perfused rat heart. J Biol Chem (1979), **254**:1252-1258
28. Dobbs WA, Engelmann RM, Rousou JH, Douglas DM, Lemeshow S, Arramin JS: Performance of pig heart after 30 or 120 min hypothermic arrest. J Surg Res (1983), **35**:132-141

29. Dobsak P, Courderot-Masuyer C, Zeller M, Vergely C, Laubriet A, Assem M, Eicher JC, Teyssier JR, Wolf JE, Rochette L: Antioxidative Properties of Pyruvate and Protection of the Ischemic Rat Heart during Cardioplegia. *J Cardiovasc Pharmacol* (1999), **34**:(5)651-658
30. Eckstein RW: Effect of exercise and coronary artery narrowing on coronary collateral circulation. *Circ Res* (1957), **5**:230-5
31. Eckstein RW: Coronary interarterial anastomoses in young pigs and mongrel dogs. *Circ Res* (1954), **11**:460-5
32. Eddicks S: Untersuchungen zu Akuteffekten der Transmyokardialen Laserrevaskularisierung (TMLR) auf lokale Herzfunktion und Stoffwechsel während myokardialer Ischämie am Schweineherzen. *Medizinische Dissertation* (2004), Humboldt-Universität Berlin
33. Engelhardt et al.: Swine cardiovascular physiology. *Swine in Biomedical Res* Seattle Frayn (1966) pp 307-329
34. Engler R, Covell JW: Granulocytes cause reperfusion ventricular dysfunction after 15 minutes of ischemia in dog. *Circ Res* (1987), **61**:20-28
35. Fedele FA, Gewirtz H, Cappone J, Sharaf B, Most AS: Metabolic response to prolonged reduction of myocardial blood flow distal to a severe coronary artery stenosis. *Circulation* (1988), **78**:729-735
36. Ganote CE: Contraction band necrosis and irreversible myocardial injury. *J Mol Cell Cardiol* (1983), **15**:67-73
37. Ganote CE, Van der Heide RS: Importance of mechanical factors in ischemic and reperfusion injury. *Dordrecht, Kluwer* (1990) pp 337-355
38. Gebhard MM: Myocardial protection and ischemia tolerance of the globally ischemic heart. *Thorac cardiovasc Surg* (1990), **38**:55-59
39. Gracia-Dorado D, Theroux P, Munoz R: Favorable effects of hyperosmotic reperfusion on myocardial edema and infarct size. *Am J Physiol* (1991), **261**:H416-H432
40. Grinstein S, Woodside M, Sardet C, Pouyssegur J, Rotin D: Activation of the Na^+/H^+ -Antiporter during cell volume regulation. Evidence for a phosphorylation-independent mechanism. *J Biol Chem* (1992), **267**:2382-2388
41. Grosse-Siestrup C, Fehrenberg C, von Baeyer H, Groneberg DA: Multiple-organ harvesting for models of isolated hemoperfused organs of slaughtered pigs. *ALTEX* (2002), **19**(1):9-13
42. Guth BD, White FC, Gallagher DP, Bloor C: Decreased systolic wall thickening in myocardium adjacent to ischemic zones in conscious swine during brief coronary artery occlusion. *Am Heart J* (1984), **107**:458-464

43. Hammond B, Hess ML: The oxygen free radical system:potential mediator of myocardial injury. *J Am Coll Cardiol* (1985), **6**:215-220
44. Hanson LE: Fifty years progress in swine nutrition. *J Animal Sci* (1958), **17**:1029-1057
45. Harken AH, Simson MB, Hasilgrove J, Wetstein L, Harden WR, Barlow CH: Early ischemia after complete coronary ligation in the rabbit, dog, pig and monkey. *Am J Physiol* (1981), **241**:H202-H210
46. Hasenfuss G, Mulieri LA, Allen PD, Just H, Alpert NR: Influence of isoproterenol and ouabain on excitation-contraction coupling, crossbridge function and energetics in failing human myocardium. *Circulation* (1996), **94**:3155-60
47. Hasenfuss G, Maier LS, Hermann HP, Luers C, Hunlich M, Zeitz O, Janssen PM, Pieske B: Influence of pyruvate on contractile performance and Ca^{2+} cycling in isolated failing human myocardium. *Circulation* (2002), **105**(2):194-9
48. Hearse DJ: Myocardial ischemia: can we agree on a definition for the 21st century? *Cardiovasc Res* (1994), **28**:1737-1744
49. Hearse DJ, Bolli R: Reperfusion induced injury: manifestations, mechanisms and clinical relevance. *Cardiovasc Res* (1992), **26**:101-108
50. Hearse DJ, Humphrey SM, Chain EB: Abrupt reoxygenation of the anoxic potassium-arrested perfused rat heart:A study of myocardial enzyme release. *J Mol Cell Cardiol* (1973), **5**:395-407
51. Henze E, Schoser R et al.: Studies of myocardial metabolism using P-31-NMR spectroscopy and a simple heart perfusion model of slaughtered animals - an approach to avoiding in vivo animal experiments. *Z Kardiol* (1989), **78**(9):553-560
52. Hermann HP, Arp J, Pieske B, Kögler H, Baron S, Janssen P, Hasenfuss G: Improved systolic and diastolic myocardial function with intracoronary pyruvate in patients with congestive heart failure. *Eur Heart J* (2004), **6**:213-218
53. Hermann HP, Zeitz O, Keweloh B, Hasenfuss G, Janssen PML: Pyruvate potentiates inotropic effects of isoproterenol and Ca^{2+} in rabbit cardiac muscle preparations. *Am J Physiol* (2000), *Heart Circ Physiol*, **279**:H702-H708
54. Hermann HP, Zeitz O, Lehnart SE, Keweloh B, Datz N, Hasenfuss G, Janssen P: Potentiation of beta-adrenergic inotropic response by pyruvate in failing human myocardium. *Cardiovasc Res* (2002), **53**:116-123
55. Heyndrickx GR, Millard RW, McRitchie RJ, Maroko PR, Vatner SF: Regional myocardial functional and electrophysiological alterations after brief coronary artery occlusion in conscious dogs. *J Clin Invest* (1975), **56**:978
56. Hobbhahn J, Conzen PF, Goetz A, Seidl G, Gonschior P, Brendel W, Peter K: Myocardial surface PO_2 - an indicator of myocardial tissue oxygenation? *Cardiovasc Res* (1989), **23**(6):529-40

57. Hori M, Kitakaze M, Sato H, Takashima S, Iwakura K, Inoue M, Kitabatake A, Kamada T: Staged reperfusion attenuates myocardial stunning in dogs. Circulation (1991), **84**:2135-2145
58. Howe et al.: Comparative anatomical studies of the coronary arteriol. Acta Anat. (1968), **71**:13-21
59. Hughes HC: Swine in cardiovascular research. Lab Animal Sci (1986), **36**:348-350
60. Jennings RB, Hawkins HK, Lowe JE, Hill ML, Klotman S, Reimer KA: Relation between high energy phosphate and lethal injury in myocardial ischemia in the dog. Am J Pathol (1977), **92**:187-214
61. Jobsis FF: Basic processes in cellular respiration. In: Dow P, Fenn F, Rahn H: Handbook of Physiology, Sec. 3, Respiration, Vol. 1, American Physiological Society; Washington (1964):S.63
62. Johnston DL, Lewandowski ED: Fatty acid metabolism and contractile function in the reperfused myocardium. Circulation Res (1991), **68**:714-725
63. Katz AM, Tada M: The “stone heart” and other challenges to the biochemist. Am J Cardiol (1977), **39**(7):1073-7
64. Kimose HH, Ravkilde J, Knudsen MA, Helligso P, Baandrup U: Recovery after Cold Cardioplegic Arrest of Isolated Blood-Perfused Hearts Excised from Non-Anesthetized Pigs. Eur Surg Res (1990), **22**:323-335
65. Klinke R, Silbernagl S: Lehrbuch der Physiologie. Georg Thieme Verlag (1996), Stuttgart und New York
66. Klooster P, Hilse B, Mittmann U, Saggau WW, Späth J, Storch H: Myocardial function, blood flow and metabolism with different forms of myocardial protection. Thorac Cardiovasc Surg (1982), **30**:393-400
67. Knowlton FP, Starling EH: The influence of variations in temperature and blood-pressure on the performance of isolated mammalian heart. J Physiol (1912), **44**:206-219
68. Koch T, Berg R: Lehrbuch der Veterinär-anatomie Band III: Die großen Versorgungs- und Steuerungssysteme. Gustav Fischer Verlag (1993), Jena Stuttgart
69. Krukenkamp IB: Energy metabolism and oxygen consumption during myocardial ischemia. A review. Scand J Thorac Cardiovasc Surg (1993), Suppl., **41**:31-7
70. Kübler W, Bretschneider HJ, Voss W, Gehl H, Wenthe F, Colas JL: Über die Milchsäure- und Brenztraubensäurepermeation aus dem hypothermen Myokard. Pflügers Archiv (1966), **287**:203-223
71. Kübler W, Spiekermann PG: Regulation of glycolysis in the ischemic and the anoxic myocardium. J Mol Cell Cardiol (1970), **1**: 351-377

72. Langendorff O: Untersuchungen am überlebenden Säugetierherzen. Pflügers Arch.ges.Physiol (1895), **61**:291-307
73. Laughlin MR, Heinemann FW: The relationship between phosphorylation potential and redox state in the isolated working rabbit heart. J Mol Cell Cardiol (1994), **26**:1525-1531
74. Liedtke AJ , Nellis SH: Effects of buffered pyruvate on regional cardiac function in moderate, short-term ischemia in swine heart. Circulation Res (1978), Vol.43, **2**:189-199
75. Liu GS, Stanley AWH, Downey JM: Ischemic preconditioning is not dependent on neutrophils or glycolytic substrate at reperfusion in rabbit heart. Cardiovasc Res (1992), **26**:1195-1198
76. Majerus TC, Dasta JF, Bauman JL, Danziger LH, Ruffolo RR: Dobutamine: ten years later. Pharmacotherapy (1989), **9**(4):245-59.Review
77. Mallet RT: Pyruvate: Metabolic Protector of Cardiac Performance. P.S.E.B.M.(2000), **223**:136-145
78. Mallet RT, Bünger R: Energetic modulation of cardiac inotropism and sarcoplasmic reticular Ca^{2+} uptake. Am J Physiol (1991), **261**:H1756-H1762
79. Marban E, Koretsune Y, Corretti M, Chacko VP, Kusuoka H: Calcium and its role in myocardial cell injury during ischemia and reperfusion. Circulation (1989), **80**(suppl IV):IV-17-IV-22
80. Martin BJ, Valdivia HH, Bünger R, Lasley RD, Mentzer RM: Pyruvate augments calcium transients and cell shortening in rat ventricular myocytes. Am J Physiol (1998), (Heart Circ.Physiol. 43) **274**:H8-H17
81. Martin HN: A new method of studying the mammalian heart. Stud.Biol.Lab.Johns Hopkins University (1881), **2**:119-130
82. Mazer CD, Cason BA, Stanley WC, Shnier CB, Wisneski JA, Hickey RF: Dichloroacetate stimulates carbohydrate metabolism but does not improve systolic function in ischemic pig heart. Am J Physiol (1995), (Heart Circ.Physiol.37), **268**:H879-H885
83. McCormack JG, Denton RM: Influence of calcium ions in regulation of mammalian intramitochondrial metabolism. Biochim Soc Trans (1989), **14**:799-806
84. Mentzer, RM Jr, van Whylen DGL, Sodhi J, Weiss RJ, Lasley RD, Willis J, Bünger R, Flint LM: Effect of pyruvate on regional ventricular function in normal and stunned myocardium. Ann Surg (1989), **209**:629-633
85. Meyer M, Keweloh B, Güth K et al.: Frequency-dependence of myocardial energetics in failing human myocardium as quantified by a new method for the measurement of oxygen consumption in muscle strip preparations. J Mol Cell Cardiol (1998), **30**:1459-1470

86. Modersohn D, Eddicks S, Große-Siestrup C, Ast I, Holinski S, Konertz W: Isolated hemoperfused heart model of slaughterhouse pigs. Int J Artif Organs (2001), **24**:215-21
87. Modersohn D, Grosse-Siestrup C, Liu C, Konertz W: Evaluation of regional and global heart function and heart metabolism in hemoperfused swine hearts. Biomed Tech (Berl) (1997), **42**(Suppl):393-4
88. Mongan PD, Fontana JL, Chen R, Bünger R: Intravenous pyruvate prolongs survival during hemorrhagic shock in swine. Am J Physiol 277 (1999), Heart Circ. Physiol. **46**: H2253-H2263
89. Murry CE, Jennings RB, Reimer K : Preconditioning with ischemia: a delay of lethal cell injury in ischemic myocardium. Circulation (1986), No.5,**74**:1124-1136
90. Murry CE, Reimer KA, Jennings RB: Preconditioning with ischemia delays ATP depletion and limits lactate accumulation in severely ischemic canine myocardium. (Abstract) Circulation (1987), **76**(suppl IV):IV-228
91. Neely JR, Grotjohann LW: Role of glycolytic products in damage to ischemic myocardium. Circ Res (1984), **55**:816-824
92. Neely JR, Liebermeister H, Battersby EJ, Morgan HE: Effect of pressure development on oxygen consumption by isolated rat heart. Am J Physiol (1967), **212**:804-14
93. Neely JR, Rovetta MJ, Whitmer JT, Morgan HE: Effects of ischemia on function and metabolism of the isolated working rat heart. Am J Physiol (1973), **225**:651-658
94. Nickel, Schummer und Seiferle: Lehrbuch der Anatomie der Haustiere, Band III Paul Parey Verlag (1977), Berlin und Hamburg
95. Omar B, Hanson A, Bose A, McCord JM: Reperfusion with pyruvate eliminates ischemic preconditioning: an apparent role for enhanced glycolysis. (Abstract) FASEB J (1991) **5**:A1257
96. Packer M, Carver JR, Rodeheffer RJ, Ivanhoe RJ, DiBianco R, Zeldis SM, et al.: Effects of oral milrinone on mortality severe chronic heart failure. N Engl J Med (1991), **325**:1468-75
97. Panchal AR, Comte B, Huang H, Kerwin T, Darvish A, des Rosiers C, Brunengraber H, Stanley WC: Partitioning of pyruvate between oxidation and anaplerosis in swine hearts. Am J Physiol (2000), **279**: H2390-H2398
98. Pantely GA, Malone SA, Wang Shu Rhen, Anselone CG, Arai A, Bristow J, Bristow JD: Regeneration of myocardial phosphocreatine in pigs despite continued moderate ischemia. Circulation Res (1990), **67**:1481-1493
99. Pasini E, Solfrini R, Bachetti T, Marino M, Bernocchi P, Visioli F, Ferrari R.: The blood perfused isolated heart: characterization of the model. Basic Res Cardiol (1999), **94**:215-222

100. Patel TB, Olsen MS: Regulation of pyruvate dehydrogenase complex in ischemic rat heart. Methods Enzymol (1984), **174**:95-118
101. Piper HM, Siegmund B, Ladilov YV, Schlueter KD: Myocardial protection during reperfusion. Thorac cardiovasc Surg (1996), **44**:15-19
102. Plonait und Bickhardt: Schweinekrankheiten. 4.Auflage (1997), Parey Verlag
103. Pogatsa G, Dubecz E, Gabor GY: The role of myocardial edema in the left ventricular diastolic stiffness. Basic Res Cardiol (1976), **71**:263-269
104. Poole RC, Halestrap AP, Price SJ, Levi AJ: The kinetics of transport of lactate and pyruvate into isolated cardiac myocytes from guinea pig. J Biochem (1989), **264**:409-418
105. Pulver KG: In: Klinische Erfahrungen mit verschiedenen Methoden zur künstlichen Kardioplegie für Operationen am offenen Herzen oder an den großen Gefäßen. Westdeutscher Verlag (1968), Köln, Opladen
106. Randle PJ: Fuel selection in animals. Lancet (1968), **1**:710-714
107. Randle PJ: Regulation of glycolysis and pyruvate oxydation in cardiac muscle. Circ Res (1976), **38**:1-9
108. Rhode E: Stoffwechseluntersuchungen am überlebenden Warmblüterherzen. I. Mitteilung.Zur Physiologie des Herzstoffwechsels. Z.physiol.Chem. (1910), **68**:181-235
109. Rigler R: Das Vorhofkammerkreislaufpräparat. Arch.exper.Path.Pharmakol. (1932), **163**:295-310
110. Russell RR, Taegtmeyer H: Pyruvate carboxylation prevents the decline in contractile function of rat hearts oxidizing acetoacetate. Am J Physiol (1991), **261**:H741-H750
111. Saiki Y, Lopaschuk GD, Dodge K, Yamaya K, Morgan C, Rebeyka IM: Pyruvate augments mechanical function via activation of the pyruvate dehydrogenase complex in reperfused ischemic immature rabbit hearts. J Surg Res (1998), **79**:164-169
112. Samaja M, Allibardi S, Milano G, Neri G, Grassi B, Gladden LB, Hogan MC: Differential depression of myocardial function and metabolism by lactate and H⁺. Am J Physiol, 276 (1999), Heart Circ Physiol **45** :H3-H8
113. Schaper W: The collateral circulation of the heart. Amsterdam (1979), Elsevier/North-Holland
114. Schaper W, Jageneau A, Xhonneux R: Development of collateral circulation in the pig and the dog heart. Cardiologia (1967), **51**:321-335
115. Scheunert A und Trautmann A: Lehrbuch der Veterinär-Physiologie. Paul Parey Verlag (1987), Berlin und Hamburg

116. Schlack W, Uebing A, Schäfer M, Bier F, Piper HM, Thämer V: Regional contractile blockade at the onset of reperfusion reduces infarct size in the dog heart. Pflügers Arch. (1994), **428**:134-141
117. Schlüter KD, Schwartz P, Siegmund B, Piper HM: Prevention of the oxygen paradox in hypoxic-reoxygenated hearts. Am J Physiol (1991), **261**:H17-H22
118. Scholz TD, Laughlin MR, Balaban RS, Kupriyanov V V, Heineman FW: Effect of substrate on mitochondrial NADH, cytosolic redox state and phosphorylated compounds in isolated hearts. Am J Physiol 268 (1995), Heart Circ Physiol, **37**:H82-H91
119. Shen AC, Jennings RB: Kinetics of calcium accumulation in acute myocardial ischemic injury. Am J Pathol (1972), **67**:441-452
120. Shen YT, Fallon JT, Iwase M, Vatner SF: Innate protection of baboon myocardium: effects of coronary artery occlusions and reperfusion. Am J Physiol (1996), **270**:H1812-H1818
121. Sheridan FM, Dauber IM, McMurtry IF, Lesnefsky EJ, Horwitz LD: Role of leukocytes in coronary vascular endothelial injury due to ischemia and reperfusion. Circ Res (1991), **69**:1566-1574
122. Sibernagl S, Despopoulos A: Taschenatlas der Physiologie. 4.Auflage Georg Thieme Verlag (1991), Stuttgart und New York
123. Siegmund B, Klietz T, Schwartz P, Piper HM: Temporary contractile blockade prevents hypercontracture in anoxic-reoxygenated cardiomyocytes. Am J Physiol 260 (1991), Heart Physiol, **29**:H426-H435
124. Singal PK, Kapur N, Dhillon KS, Beamish RE, Dhalla NS: Role of free radicals in catecholamine-induced cardiomyopathy. Can J Physiol Pharmacol (1982), **60**:1390-1397
125. Smith AC, Ehler WJ, Swindle MM: Anesthesia and Analgesia in Swine. Anesthesia and Analgesia in Laboratory Animals. D.F. Kohn et al. (1997), San Diego, London, Boston, New York, Sydney, Tokyo, Toronto, Academic Press: 313-336
126. Stanley WC, Hernandez LA, Spires D, Bringas J, Wallace S, McCormack JG: Pyruvate dehydrogenase activity and malonyl CoA levels in normal and ischemic swine myocardium: effects of dichloroacetate. Mol Cell Cardiol (1996), **28**:905-914
127. Stolte D: Beurteilung des regionalen Herzstoffwechsels mit der Mikrodialysetechnik am isolierten hämoperfundierten Schweineherzen. Medizinische Dissertation (2001), Humboldt-Universität Berlin
128. Stowe DF, Boban M, Kampine JP, Bosnjak ZJ: Reperfusion with adenosine and nitroprusside improves preservation of isolated guinea pig hearts after 22 hours of cold perfusion with 2,3 butanedione monoxime. J Cardiovasc Pharmacol (1993), **21**:578-586

129. Stowe DF, Boban M, Graf BM, Kampine JP, Bosnjak ZJ: Contraction uncoupling with butanedione monoxime versus low calcium or high potassium solutions on flow and contractile function of isolated hearts after prolonged hypothermic perfusion. Circulation (1994), **89**(5):2412-20
130. Suga H: Ventricular energetics. Physiol Rev (1990), **70**:247-277
131. Tejero-Taldo MI, Sun J, Caffrey JL, Mallet RT: Pyruvate potentiates β -adrenergic inotropism of stunned guinea-pig myocardium. J Mol Cell Cardiol (1998), **30**:2327-2339
132. Tsao PS, Aoki N, Lefer J, Johnson G, Lefer AM: Time course of endothelial dysfunction and myocardial ischemia and reperfusion in the cat. Circulation (1990), **82**:1402-12
133. Vahl CF, Bonz A, Hagl C, Timek T, Herold U, Fuchs H, Kochsiek N, Hagl S: "Cardioplegia on the contractile apparatus level": Evaluation of a new concept for myocardial preservation in perfused pig hearts. Thorac cardiovasc Surgeon (1995), **43**(4):185-93
134. Vahl CF, Albers J, Makabe MH, Meinzer HP, Ilg M, Fu X, Szabo G, Mühling J, Hagl S: Heterogeneity of myocardial edema in isolated pig hearts after perfusion with different types of cardioprotective solutions. Thorac cardiovasc Surgeon (1998), **46**:285-292
135. Verdouw PD, van den Does MA, de Zeeuw S, Duncker DJ: Animal models in the study of myocardial ischaemia and ischaemic syndromes. Cardiovasc Res (1998), **39**:121-135
136. Verdouw PD, Wolffentuttel HR, van der Giessen WJ: Domestic pigs in the study of myocardial ischemia. European Heart Journal, (1983), Suppl.C, 61-67
137. Voet D, Voet JG: Biochemie. VCH Verlag (1994), Weinheim, New York, Basel, Cambridge, Tokyo
138. von Baeyer H, Stahl K, Häusler M, Meissler M, Unger V, Frank J, Grosse-Siestrup C, et al.: Eine neue Methode zur Ex-vivo-Vollblut-Perfusion isolierter Warmblüterorgane, dargestellt an der Niere von Schweinen. Biomed Technik (1997), **42**:61-68
139. Watts DJ, Randle PJ: Evidence for the existence of a pyruvate permease in rat-heart muscle. J Biochem (1967), **104**(3):51P
140. Watts JA, Koch CD, La None KF: Effect of Ca^{++} on heart function after ischemia. Am J Physiol (1980), **238**: H909-H916
141. Weng ZC, Nicolosi AC, Detwiler PW, Hsu DT, Schierman SW, Goldstein AH, Spotnitz HM: Effects of crystalloid, blood, and University of Wisconsin perfusates on weight, water content, and left ventricular compliance in an edema-prone, isolated porcine heart model. J Thorac Cardiovasc Surg (1992), **103**:504-13
142. Westlin W, Mullane KM: Alleviation of Myocardial Stunning by Leukocyte and Platelet Depletion. Circulation (1989), **80**:1828-1836

143. White FC, Bloor CM: Coronary collateral circulation in the pig: correlation of collateral flow with coronary bed size. Basic Res Cardiol (1981), **76**:189-196
144. Winkler B, Sass S, Binz K, Schaper W: Myocardial blood flow and myocardial infarction in rats, guinea, pigs and rabbits. J Mol Cell Cardiol (Abstract) (1984), **16**:48
145. Yanos J, Patti MJ, Stanko RT: Hemodynamic effects of intravenous pyruvate in the intact, anesthetized dog. Crit Care Med (1994), **22**:844-850
146. Ytrehus K, Liu Y, Downey JM: Preconditioning protects ischemic rabbit heart by protein kinase C activation. Am J Physiol (1994), **266**:H1145-52
147. Zhou Z, Lasley RD, Hegge Jo, Bünger R, Mentzer RM: Myocardial stunning: a therapeutic conundrum. J Thorac Cardiovasc Surg (1995), **110**:1391-1401